

THE ALUMINUM ACTION LINE



canoes

ALUMACRAFT CANOES HAVE BECOME A HALLMARK BY WHICH OTHERS ARE JUDGED! From bow to stern, inch by inch, there are many little things that add up to a canoe that's a mile out front of competitors.

A canoe that is dominating racing* and at the same time, a canoe that rental liveries from coast to coast are switching to because of its ease in handling, its strength, and its durability.

CHECK THESE UNIQUE FEATURES: Hull and all parts of the Quetico canoes are made from heat-treated 6061 T-6 marine alloy aluminum • Bow and stern stems made of .090" gauge aluminum • Aluminum extruded keels and gunwales • Tunnel-designed contoured carrying yoke • Coast Guard-approved flotation sealed in bulkheads.

*U.S. National Canoe Races — Men's class C-2 Aluminum, 1974, '75 & '76

	Center Length	Maximum Beam	Maximum Depth	Transom Height	Keel Type	Number of Ribs	Max. Rec. H.P.	B.I.A. Rated Capacity Lbs.	Approx. Weight/Lbs
QT-15 C Quetico (Standard Weight)	15′	351/2"	231/2"		Cruising	4		595	63
QT-17 W Quetico (Wilderness)	, 17'	36"	231/2"		Deep	5		735*	64
QT-17 CL Quetico (Lightweight)	17′	36"	231/2"		Cruising	5		735*	64
QT-17 C Quetico (Standard Weight)	17′	36"	231/2"		Cruising	3		730*	73
QT-17 WW Quetico (Whitewater)	17'	36"	231/2"		Whitewater	7		730*	76
QT-17 WWR Quetico (Rugged Whitewater)	-17'	36"	231/2"		Whitewater	5		730*	83
QT-17 SS (Square Stern)	17′2″	36¾"	231/2"	16"	Cruising	8	5	810*	85
QT-185 CL Quetico (Lightweight)	18′5″	36¾"	231/2"		Cruising	7		795*	71
QT-185 C Quetico (Standard Weight)	18′5″	36¾"	231/2"		Cruising	4		795*	79
CO-17 Camper (Outboard Model)	17'	371/4"	22"	16"	Cruising	5	4	820*	85

^{*}Based on B.I.A. Formula.










Deep Keel



Cruising Keel



Whitewater Keel



QT-15 C QUETICO

Designed for maximum performance and lightness, this canoe proves to be perfect not only on the lakes but also for the avid canoeists who require a highly maneuverable canoe in fast, winding streams and rivers. This canoe performs so well that one person can paddle it with ease.

QT-17 W QUETICO

The deep keel minimizes winddrift and paddles easily without constant correction. Even on a windy lake, this canoe is so easy to control it makes beginners look like experts.

QT-17 CL QUETICO

Except for its lighter weight, it shares the same features as the QT-17-C countersunk rivets in bow and stern stems, and colorful Indian trim.

QT-17 C QUETICO

Considered by many avid canoeists to be one of the finest, safest, and easy-to-handle canoes on the market today. Our most popular and highly recommended canoe for all family use because of its easy portaging and high performance on rivers or lakes.

QT-17 WW QUETICO

This extremely popular Quetico Whitewater Canoe has, in a very short time, become a legend because of its great performance under adverse conditions. Equipped with rugged shoe keel, countersunk rivets in keel stem area, and two extra ribs for increased strength and durability.

QT-17 WWR QUETICO

This .060" gauge canoe is made specifically for liveries and serious white-water enthusiasts. Straight center thwart standard.

QT-17 SS (SQUARE STERN)

Designed for use with small outboard, the full-size sprayrails on this canoe keep you dry and comfortable. Light enough so even one person can cartop. The ideal craft for hunting, fishing or paddling all in one.

QT-185 CL QUETICO

A favorite of racing enthusiasts, this fast yet very stable design makes for effortless cruising, and its lightweight makes it easy to portage.

QT-185 C QUETICO

In the long tradition of the famous line of **Alumacraft** Quetico canoes, this fast, yet very stable, model has extra length and added capacity allowing more comfort, especially for those trips lasting several days.

CO-17 CAMPER

This versatile canoe can be used in many ways. Using the unique wishbone transom which is above the waterline, outboards up to 4 hp. can be run. Yet, this 17-footer paddles with the ease of a double end canoe. Painted Dead Grass or Camouflage, it makes an ideal duck boat.



jon boats

FEATURES: Heavy-duty preformed extruded ribs extend up hull sides for greater strength • More and heavier ribs give added strength • Heavy-duty cast aluminum knee casting supports transom • Sturdy 1-3/8" thick transom with specially treated plywood inboard extending full width and depth of transom • Aluminum inboard motor pad • Seats with one inch front and back flange for easy securing of portable seats • Seats fitted to hull contour but not riveted to bottom • Gas-resistant foam flotation • Hydraulically-pressed keels and side stiffeners • Heavy-duty extruded gunnels • Transom drain plug assembly • made from 5052 alloy aluminum.

ALUMINUM JON FISHING BOATS SPECIFICATIONS

		ALOMIN	OW OOK	110111114	DONIO	or Lon lon			
	CENTER LENGTH	MAXIMUM BEAM	BOTTOM WIDTH	TRANSOM HEIGHT	SIDE HEIGHT	HULL THICKNESS	MAX. REC. H.P.	B.I.A. RATED CAP. LBS.	APPROX WT.
				DELUXE LINE	E JON BOATS				
1246	12'	46"	30"	15"	151/2"	.051	5	380	95
1446	14'	46"	30"	15"	151/2"	.051	71/2	450	105
				SUPERIOR LIN	NE JON BOATS	S			
1247	12'	47"	32"	151/2"	18"	.063	10	460	115
1447	14′	47"	32"	151/2"	18"	.063	10	565	130
1257	12'	57"	36"	151/2"	181/2"	.063	15	550	145
1457	14′	57"	36"	151/2"	181/2"	.063	20	660	165
1457 w/LW	14′	57"	36"	151/2"	181/2"	.063	20	655	185
1657	16′	57"	36"	151/2"	181/2"	.063	25	770	190
			C	OMMERCIAL L	INE JON BOA	TS			
1457C	14'	57"	36"	151/2"	181/2"	.063	20	655	170
1562C	15′	62"	43"	151/2"	19"	.070	25	840 .	240
1470C	14'	70"	48"	151/2"	20"	.070	25	890	250
1470C w/LW	14′	70"	48"	151/2"	20"	.070	25	885	275
1670C	16′	70"	48"	151/2"	20"	.070	35	1030	270
1870C	18′	70"	48"	151/2"	20"	.070	40	1190	285



DUCK HUNTING



TROLLING



15' BASS by ALUMACRAFT

15' BASS PRO / 15' BASS DELUXE / 15' BASS STANDARD

Alumacraft's new line of bass boats are constructed of high quality 5052 aluminum.

All three models share a 15' rugged flat bottom • All-aluminum hull • 3 fold down seats • Fold down bow light • Stowaway stern light with bracket • Console steering • Gas resistant flotation floor and sides • Bow storage compartments • Rod holders • Twin shank bow eyes • Floor and decks carpeted.

The BASS DELUXE also includes: All-aluminum floor under heavy duty marine outdoor carpeting • 6" bow cleats . Locking storage . Trolling motor pad . Bow casting platform . Live well under driver's seat.

The BASS PRO, in addition to all of the above features, includes: adjustable seat pedestals • Casting platforms fore and aft.

BASS BOAT SPECIFICATIONS

	CENTER LENGTH	MAXIMUM BEAM	BOTTOM WIDTH	TRANSOM HEIGHT	SIDE HEIGHT	HULL THICKNESS	MAX. REC. H.P.	B.I.A. RATED CAP. LBS.	APPROX. WT.
15' Bass CS	15′1″	61"	42"	20"	22"	070	50		
15' Bass DLX	15′1″	64"	44"	20"	22'		50	950	400
15' Bass Pro	15′1″	Andrew Control of the				070	65	1040	420
70 2003 7 70	15 1	64"	44"	20"	22"	070	65	1025	490





ALUMACRAFT LUNKER

Our new 16' & 18' Lunker Semi-V's are being exclaimed as "THE ULTIMATE FISHING BOAT" by serious fishermen everywhere!

Alumacraft's designers and engineers have combined all the features you've asked for into one "DREAM FISHING BOAT"

CHECK THESE FEATURES: Locking aluminum rod and reel storage compartment keeps rods safer from damage or theft • Aluminum forward deck with optional locking storage bulkhead • Flat floor fully covered with heavy duty marine outdoor carpeting • All-aluminum steering console with mechanical steering • Locking storage compartment under driver's seat • Alumacraft's famous Semi-V hull design for fast, smooth, and stable ride • Low maintenance, high quality marine aluminum used throughout this spacious boat.

LUNKER SPECIFICATIONS


	Gunwale Length	Center Length	Maximum Beam	Maximum Depth	Tra Height	ansom Width	Max. Rec. H.P.	B.I.A. Rated Capacity Lbs.	Approx. Weight/ Lbs.
16' Lunker	17′	16'2"	65"	30"	20"	60"	65	1190	390
18' Lunker*	19'	18'3"	68"	32"	20"	60"	75	1475	450



ROD STORAGE



LOCKING STORAGE AREA



OPTIONAL BULKHEAD STORAGE





MODEL 1246 DELUXE A



MODEL 1247 SUPERIOR ▲



MODEL 1446 DELUXE ▲



MODEL 1447 SUPERIOR ▲



MODEL 1257 SUPERIOR ▲



MODEL 1457 SUPERIOR ▲



MODEL 1457 LW SUPERIOR ▲



MODEL 1657 SUPERIOR ▲



MODEL 1457 COMMERCIAL ▲



MODEL 1562 COMMERCIAL ▲



MODEL 1470 COMMERCIAL ▲



MODEL 1470 LW COMMERCIAL



MODEL 1670 COMMERCIAL A



MODEL 1870 COMMERCIAL

semi-v fishing boats 1977

ALUMACRAFT'S "PREFORM PROCESS" is unique in the fishing boat industry. The two hull halves are stretch-formed so that the boat goes together without rivet stress, providing better performance from less horsepower.

Nearly 300,000 fisherman, hunters, and nature lovers have insisted on **ALUMACRAFT** quality. You shouldn't settle for second best.

CHECK THESE UNIQUE FEATURES: Solid oak inboard transom wood • One-piece keel and stem, preformed to hull contours and double-thick at points of wear — Self-draining preformed hull ribs • Wood/aluminum/wood transom sandwich to reduce motor noise and vibration • Solid cast-aluminum transom knee brace on all boats except models A & E • Self-draining aqueduct transoms on FD, F-9, F-11, and F-18 • Elevated all-aluminum seats • Grit surface floor paint • Nonglare satin finish • Oar storage brackets • Deep drawn transom.

ALUMINUM SEMI-V FISHING BOATS SPECIFICATIONS

	Gunwale Length	Center Length	Maximum Beam	Maximum Depth	TRAM Height	NSOM Width	Max. Rec. H.P.	B.I.A. Rated Capacity Lbs.	Approx. Weight/ Lbs.
E-Cartopper Deluxe	12'6"	12'	49"	24"	15"	43"	7.5	515	103
R7 Angler	12′10″	12'2"	55"	26"	15"	52"	15	590	145
A Resorter	14′1″	13'7"	49"	24"	15"	43"	10	580	135
F7 Fisherman	14'8"	14'	55"	26"	15"	52"	25	725	169
FD15 Fisherman Deluxe	15′8″	15'	55"	26"	15"	52"	30	870	192
F9 Lake Master	15'	14'2"	64"	30"	15/20"	60"	35	750/890	215
F9 Lake Master Utility	15'	14'2"	64"	30"	20"	60"	55	890	235
F-11 Yukon II	17'	16'2"	65"	30"	15/20"	60"	45 ,	810/1085	253
F-11 Yukon II Utility	17'	16'2"	65"	30"	20"	60"	65 115	1085	280
F-18 Big Laker *	19'	18'3"	68"	32"	20"	60"	50	1505	305
F-18 Big Laker Utility*	19'	18'3"	68"	32"	20"	60"	65	1500	330



UTILITY STEERING ON F-9, F-11, & F-18



ANCHOR CRADLE



















MODEL E CARTOPPER DELUXE

Our lightweight champion. Just 103 pounds of smooth handling fishing boat. Perfect for getting in and out of hard-to-reach lakes. And with optional Dead Grass or Camouflage paint, the Model E doubles as a duck boat.

MODEL R7 ANGLER

Here's a 12-footer with elbowroom. This broad-beamed, deep-hulled boat is perfect for the weekend fisherman.

MODEL A RESORTER

Long a favorite at resorts, this rugged 14-footer weighs just 137 pounds. That's light enough to cartop.

MODEL F7 FISHERMAN

One of the most popular fishing boats in the world (over 55,000 now in use). Its deep hull design keeps you dry even in rough water. Its safe easy handling design is perfect for both family and discriminating fishermen.

MODEL FD 15' FISHERMAN DELUXE

This all new boat is built to stand the challenge of season after season of hard use. Features Aqueduct transom tray which automatically catches and drains accidental backwash.

MODEL F9 LAKE MASTER

Built with the beam and hull depth serious fishermen demand. The soft chine, V-bottom hull smooths out rough, choppy water and makes Lake Master the ultimate Alumacraft 14' fishing boat. Choice of 15" or 20" transoms with Alumacraft's Aqueduct tray.

MODEL F-11 YUKON II

This sleek 16' beauty combines performance with ample size to give fishermen the ideal 16' aluminum fishing boat. Available with either 15" or 20" transom. Included as standard equipment is **Alumacraft's** famous Aqueduct tray which adds safety when encountering rough waters.

MODEL F-18 BIG LAKER

This all new model was designed for the serious big water fisherman. Its rugged construction can handle the bigger motors with ease. New aft seating (not shown in photo) now in production.