ALUMACRAFT PAD VEE



Whether you choose the TROPHY or SPORTSMAN, these two new exclusive "PAD VEE" hull designs provide a new concept in boating excellence.

TROPHY 175

Featuring Alumacraft's new "Pad Vee" hull design, the TROPHY 175 not only provides exceptional performance but has the interior room and features that fishermen will really appreciate. Whether you fish Puget Sound, the Missouri River System, The Great Lakes, or Chesapeake Bay, you'll like how Alumacraft's new TROPHY 175 outperforms all others. The TROPHY 175 also makes an excellent water ski boat. Available in blue and earthtone.

SPORTSMAN 175

Alumacraft's new Pad Vee SPORTS-MAN 175 is a center console fishing machine, not unlike those found in Florida waters. The SPORTSMAN 175 provides plenty of interior room plus a super large livewell. Built in the tradition of Alumacraft's quality, you will find that the SPORTSMAN 175 combines stability and rough water ruggedness into one very affordable package. Available with blue vinyl interior and blue or white upholstered seats.



		PAD	VEE—LU	XURY SERIE	S SPECIF	ICATION:	S			
*Estimat									ed Capacity	
Model	Gunwale Length	Overall Length	Overall Width	Overall Bow Height	Transom Height	Transom Width	Horsepower Range	B.I.A. Rated Capacity	Approximate Weight	
Trophy	18'4"	17'5"	841/2"	41"	20"	73"	50-120	*1945	875	
Sportsman	18'4"	17'5"	841/2"	41"	20"	73"	50-120	* 1945	825	
Classic	17′3″	16'4"	72"	343/4"	20"	61"	25-60	1335	550	
Backtroller	18'4"	17'5"	723/4"	351/2"	20"	61"	25-50	1370	580	
Pro-17	18'4"	17'5"	723/4"	351/2"	20"	61"	25-60	1305	645	

LUXURY SERIES

Whether you are fishing a tournament or spending a week end with your family at your favorite lake; comfort, convenience and performance can be yours when you choose any one of the new Alumacraft LUXURY SERIES Semi-V's.

CLASSIC 16

Here is 16 feet, four inches of rugged versatility—perfect for fishing or waterskiing. Three luxurious upholstered seats and marine carpeting give you maximum on-board comfort. When you add up all the special features included with this boat you will see why it's called the CLASSIC. Available with earthtone or blue interior.




Lockable Battery Storage & Bow Storage Compartments. Huge 22 Gallon Aerated Livewell. Two Upholstered Seats Standard. 7 Foot Lockable Rod & Storage Box.

BACKTROLLER 17

She's 17 feet, four inches of just plain the finest fishing boat money can buy. Whether you're after crappies, northerns, walleyes, or trout, here is the boat that can do it all. The BACKTROLLER 17 is designed to be handled not only under full power, but holding that important piece of structure even on the windiest of days.

Combine the roomiest interior in the industry with the kind of features that make even the most elaborate rigging a breeze and you'll soon know why the Backtroller 17 is the standard of excellence in a modern day fishing machine. Available in blue or earthtone.






ALUMACRAFILUNKERS



Rated from 15 to 45 hp, the LUNKERS get you where you're going with ease and comfort. Whether you choose tiller or console steering, once your line hits the water you'll find the LUNKERS perform like real pros and that means more fish on the stringer. Features like luxurious marine carpeting, choice of seating arrangements, extra large splash wells, conveniently located livewells, and, of course, the spacious stretch-formed hulls that made Alumacraft the standard of the industry are just some of the reasons that the AF-FORDABLE LUNKERS will be the choice of folks that fish in 1983.






		LUNKE	R SERIES	T14SF SI	PECIFICAT	TION CHA	RT		
	Gunwale	Overall	Overall	Overall	T	9			d Capacity
Model	Length	Length	Width	Bow Height	Transom Height	Transom Width	Horsepower Range	B.I.A. Rated Capacity	Approximate Weight
Lunker 14	15'4"	14'5"	72"	37"	20"	61"	15-35	1060	-
Lunker 14SS	15′4″	14′5″	72"	37"	20"	61"	15-35	1060	355 465
Lunker 16 Lunker 16SS	17′3″	16'4"	72"	343/4"	20"	61"	15-45	1305	415
T14SF	17'3"	16'4"	72"	343/4"	20"	61"	15-45	1305	500
11401	147"	14'	56"	25%"	15"	56"	9.9-25	*700	300

LUNKER & T14SF SERIES

LUNKER 14 & 16

Truly a pair of top value boats with loads of options that will allow you to make the LUNKER your "custom" fishing machine. Alumacraft LUNKERS are not only large and rugged but trailer easily so you can enjoy even those hard-toget-to fishing spots very economically. The LUNKER is at home wherever fish are at home. (Pictured LUNKER 14)





		EATURES			
Features	Lunker 14	Lunker 14SS	Lunker 16	Lunker 16SS	T14SF
Deluxe Marine Carpeting	X	×	Х	×	Х
Livewell	17 gal.	18 gal.	17 gal.	18 gal.	17 gal.
Lockable Rod	Rod	×	Rod	X	
Compartment	Holder Only		Holder Only		
Under Floor Wiring Channel Forward	×	X	X	Х	X
Accessory Deck	X	X	X	X	Х
Upholstered Swivel Seats	optional	2 (3rd pedestal socket provided)	optional	2 (3rd pedestal socket provided)	optiona
Elevated Front Fishing Platform		X		X	
Console Steering	optional	optional	optional	optional	
Windshield	optional	optional	optional	optional	
Bow Storage		Х		Х	X
Mooring Cover	optional	optional	optional	optional	optiona

T14SF

The new T14SF is smaller but includes the same carpeted flat floor, and livewell as found on the larger model Alumacrafts. A fine boat value for those who want a medium size, luxurious fishing boat, the T14SF can be easily made even more deluxe with the addition of upholstered seats, arm rests and other custom Alumacraft accessories.

ALUMACRAFT TOTABLE SERIES




The sturdy T14XL and T16XL feature lots of staying power even under the toughest conditions. Big and roomy, with the quality features that mean years of trouble-free performance. At your option you can add console steering, upholstered swivel seats and even

a livewell. Standard features like heavy duty, cool ray aluminum seating, extra large splash wells, built in oar locks, and the quality Alumacraft stretched formed hull design, mean you'll get the most for your boating dollar.

			FOTABLI	E SPECIFIC	CATION	CHART			
Model	Gunwale Length	Overall Length	Overall Width	Overall Bow Height	Transom Height	Transom Width	Horsepower Range	B.I.A. Rated Capacity	Approximate
T-14XL15/20 T-16XL 15/20 T-14S T-12S T-14 T-12	15'34" 17'2" 14'7" 12'7" 14'0" 12'51/2"	14'41/4" 16'41/2" 14'0" 12'0" 13'41/2" 11'10"	65 1/4" 65%" 54%" 54%" 52 3/4" 52 3/4"	32%" 32%" 25%" 25%" 24½"	15"/20" 15"/20" 15" 15" 15" 15"	61" 61" 52" 52" 47½" 47¼"	10-35 15-45 6-20 6-15 4-10 4-7.5	880/1010 1070/1215 755 650 550 470	240/246 281/287 161 140 129

...The Go Anywhere Champions



Pictured here are four of the most popular smaller fishing boats sold todaythe T-12, T-14, T-12S, T-14S TOTABLES. The reason they are quality built, stable and offer years of troublefree service. All four boats are easy to car top or trailer. They are the right size to perform very well with minimum horsepower motors. By adding Alumacraft's comfortable upholstered seats and other accessories you can customize to your own fishing requirements.

Cool Ray Aluminum Seats	TOTABLE FEATURES AND OPTIONS CHART							
	T16XL & T14XL	T14S & T12S	T14 & T12					
Built-in Oar Lock Sockets	x	- x	X					
Livewell	optional	optional						
Console Steering	optional	optional						
Upholstered Swivel Seats Mooring Cover	optional optional	optional optional	optional optional					

ALUMACRAFT, CANOES



15' QUETICO CRUISING

Designed for maximum performance and lightness, this canoe proves to be suitable not only on the lakes, but also for avid canoeists who require a highly maneuverable canoe in fast, winding streams and rivers.


17' QUETICO CRUISING AND CRUISING LIGHTWEIGHT

Quetico canoes have become a legend in their own time. Not only the favorite canoe of many of the country's largest outfitters, this canoe is considered by many dedicated canoeists to be the finest, easiest paddling 17' aluminum canoe on the market today.


18'5" QUETICO CRUISING LIGHTWEIGHT CANOE


This consistent champion in aluminum racing events is designed with all the famous Quetico features. The extra length and added capacity allows more comfort and paddling ease, especially for trips lasting several days.

We offer four different Quetico cruising canoes. All Quetico crusing canoes are constructed from either 6061 or 6010 T-6 heat treated alloys and use a \(^{1}/6"\) deep T keel tapered to the stem at each end. This type of keel is designed to slow side drift, track very well and be very maneuverable and easy to handle, even in fast water. Recommended for both river and lake canoeing.



Designed for the white water enthusiast. The **QUETICO 17 WWR** is an extremely tough white water canoe constructed with .060 gauge 6010 T6 marine alloy. Its solid \(^3/8''\) deep flat keel with a side relief angle gives the canoe maximum ability to travel fast, shallow waters and glide over and around rocks and other fast water obstructions. Thousands of WWR's are in rental use from coast to coast.





PROFILE OF A QUETICO

Alumacraft Quetico Canoes are well known for their handsome styling, enhanced with the very colorful Indian trim. They are also acclaimed for their ease of paddling. One of the reasons for this paddling reputation is that the Quetico is designed with a flatter hull bottom than most other aluminum canoes. This design helps give the Quetico extremely good tracking characteristics without hindering maneuverability. The Quetico's long record of racing victories attests to the excellence of this hull design and is but one of the many reasons why you will have more fun with an easy paddling Alumacraft.

... More Than Just A Canoe!


17' CAMPER OUTBOARD CANOE


This versatile canoe can be used in many ways:

- Fish with it—you can use up to a 4 hp motor.
- Use it for paddling—It paddles as easily as a standard double end cance.
- Great for hunting and camping excursions—The 17' CAMPER OUTBOARD has an extra large load capacity.

The reason for all this versatility in one canoe is because of its unique wishbone design transom. It's an outboard above the waterline and a standard paddling model below. You are NOT bogged down with "transom water drag," which is a characteristic of other canoe designs which have full transoms below the waterline. The 17' CAMPER OUTBOARD is one of the most versatile canoes on the market today.










17' EXPLORER CANOE

An economy model canoe built in the Alumacraft tradition. The EXPLORER canoe is a well built, economy canoe that is perfect for less demanding family fun. The EXPLORER canoe stretch formed of 5052 marine aluminum. The cruising keel, thwarts, and gunnels are all specially designed extrusions. Although you will find the price of this exciting canoe to be low, the quality is high.



MV BASS BOATS



THE MV BANDIT®

The BANDIT® delivers what serious tournament bassers have been looking for. This sleek, light weight boat features a full modified V-hull (4 degrees at the transom) for a dry, smooth, quiet ride previously found only in heavier, more expensive boats. Loaded with deluxe features, the BAN-DIT® is the top of the aluminum bass boat class.



		M	V BASS	BOAT	SPECIF	ICATION	S		
MV Super	Center Length	Maximum Beam	Bottom Width	Transom Height	Side Height	Hull Thickness	Rec. H.P. Range	Rated Cap./Lbs.	B.I.A. Approx Wt./Lbs
Hawk	15"	58"	38"	151/2"	181/2"	.070	45.05		1241
MV Super		- 00	30	13.72	10 72	.070	15-25	635	284
Hawk SS	15"	58"	38"	151/2"	181/2"	.070	15-25	635	207
MV Super					10,2	1010	10-20	000	287
Hawk XL	15'	58"	38"	151/2"	181/2"	.070	15-25	635	290
MV Angler	16'	64"	42"	20"	20"	.070	25-40	760	485
MV-Pro	16'	64"	42"	20"	201/2"	.070	35-60	0.00	
MV Bandit	17'	71"	48"	20"	21"	.070	55-75	870 1020	532 600

THE MV PRO

have ever had.


Full modified-V Hull (4 degrees at the transom) gives the MV Bandit MV Pro. and MV Angler a super smooth ride without sacrifice to a shallow draft or quick plane.

...Built For The "Pro"

THE MV ANGLER

Featuring the same great hull design as the MV Pro, THE MV ANGLER offers more than any boat in its price range. Check the features included with this fine performer and you will see that you don't have to spend a lot to own a superb Bass Boat.

Color options for all bass boats: Silver hull with blue or dark brown coordinated interiors. Beige hull with blue or dark brown coordinated interiors. Seats and striping are color coordinated to interiors.



Modified-V Bow Design .-Two Upholstered Seats Standard. Rod Holder. Livewell Plus Storage Compartment.

THE MV SUPER HAWK SS

The SUPER HAWK SS is the same advanced designed hull as the Super Hawk XL but has stick steering in place of console steering. Rated for 25 hp.



THE MV SUPER HAWK

Featuring the same hull as the MV Super Hawk XL but designed for those who want only tiller steering, this gem of a boat is for you. Rated for 25 hp.

THE MV SUPER HAWK XL

Alumacraft's MV SUPER HAWK XL is a first class bassin' rig that provides you with affordable comfort and performance. Rated for 25 hp.

MV BASS	JUAI I I	LATOIL	L AND U	MV Super	MV Super Haw
	MV Bandit	MV-Pro	MV Angler	Hawk XL	Super Hawk
Battery Compartment Forward	х	Х			
Gas & Battery Compartment Aft	X	X	X	X	х
Raised Casting Decks Fore & Aft	X	Х	X		
Aerated Livewell	2	1	1		
Non-Aerated Livewell	-	100		1	1
Detachable Navigational Lights	х	x	X	X	×
Marine Carpeting Throughout	X	х	X	X	×
Bilge Pump	x	x			,A
Upholstered Pedestal Seats	2	2	2	2	2
Upholstered Fold Down Seats	2	2	150	ħ.	
Uphoistered Bench Seat			X		
Dry Storage	X	Х	X	X	
Rod Holders	X	X	X	X	X
Prewired Trolling Receptacle & Plug	x	X	x	X	×
Lockable Rod Storage Box	optional				
Steering Console	X	X	X	X	
Console Windshield	optional	optional	optional	optional	
Modified-V hull	X	Х	X	na-feet-come	
Modified-V bow	X	х	Х	Х	Х
Aluminum Interior Floor	x	X	X	X	x
Prewired Tilt & Trim Switch	X	X		13	W


ALUMACRAFT. JON BOATS




Built With Pride




Tex I Beam 62" Beam 71" B.W. 42" B.W. 48" 15-35 HP




1045-1245-1445 Beam 45"—Bottom width 30" — HP range: 1045 1-3 HP, 1245 1-5 HP, 1445 4-7 HP




1247-1447 Beam 47"—Bottom width 32" — HP range: 1247 4-10 HP, 1447 4-15 HP




1257-*1457 Beam 57"—Bottom width 36" — HP range: 1257 4-15 HP, 1457 6-20 HP *Livewell model available.




*1562 Beam 62"—Bottom width 42" — HP range 10-25 HP — *Livewell model available.



*1470.*1670-1870 Beam 70"—Bottom width 48" — HP range: 1470 10-25 HP, 1670 15-35 HP, 1870 15-40 HP— *Livewell model available.



*MV 1470-*MV 1670-MV 1870 Beam 70"—Bottom width 48" — HP range: MV 1470 10-25 HP, MV 1670 15-35 HP, MV 1870 15-40 HP— *I iyewell available



1474-1674-1874 Beam 74" — Bottom width 52" — HP range: 1474 15-30 HP, 1674 15-35 HP, 1874 15-40 HP

1670 MV w/LW 16' 70" 48" 15½/2/0" 20" .070 15.35 1010 288/293 298/303 200 .070			*Livewell model available.				15-40 HP— *Livewell available.				15 CO TOS MESSES		
JON BOATS 1245 1445 144 45" 30" 15" 13½" 045 145 4-7 410 99 SUPERIOR LINE JON BOATS 1447 1447 144 47" 32" 15½" 17" 063 4-10 455 110 1267 1257 1257 1257 1257 126 1267 127 127 128 128 128 128 128 129 129 129 129 129 129 129 129 129 129		SPECIFICATIONS: Jo	n Boats								Rated	Approx. Wt./Lbs.	
JON BOATS 1447 1257 1257 127 57" 36" 15½" 18½" 063 4-15 570 126 1457 1457 1457 1457 1457 1457 1457 1457			1245	12'	45"	30"	15"	131/2"	.045	1-5	335	87	
1470 MV w/LW			1447 1257 1457	14′ 12′ 14′	47" 57" 57"	32" 36" 36"	15½" 15½" 15½"	17" 18½" 18½"	.063 .063 .063	4-15 4-15 6-20	570 540 625	126 136 149	
JON BOATS 1562 w/LW 15' 62" 42" 15½" 19" .063 10-25 580 230 1470 14' 70" 48" 15½" 20" .070 10-25 885 240 1470 w/LW 14' 70" 48" 15½" 20" .070 10-25 885 246 1670 16' 70" 48" 15½" 20" .070 15-35 1010 277 1670 w/LW 16' 70" 48" 15½" 20" .070 15-35 1010 277 1870 18' 70" 48" 15½" 20" .070 15-35 1010 283 1870 18' 70" 48" 15½" 20" .070 15-35 1010 283 1474 14' 74" 52" 20" 21" .070 15-30 980 294 1674 16' 74" 52" 20" 21" .070 15-35 1145 314 1874 18' 74" 52" 20" 21" .070 15-35 332 TEX LINE Tex I 15' 62" 43" 15½" 19" .063 10-25 775 221		COMMERCIAL MV-BOW	1470 MV w/LW 1670 MV 1670 MV w/LW	14′ 16′ 16′	70" 70" 70"	48" 48" 48"	15½" 15½/20" 15½/20"	20" 20" 20"	.070 .070 .070	10-25 15-35 15-35	885 1010 1010		
	0		1562 w/LW 1470 1470 w/LW 1670 1670 w/LW 1870 1474 1674	15' 14' 14' 16' 16' 18' 14' 16'	62" 70" 70" 70" 70" 70" 74" 74"	42" 48" 48" 48" 48" 48" 52" 52"	15½" 15½" 15½" 15½" 15½" 15½" 20" 20"	19" 20" 20" 20" 20" 20" 21"	.063 .070 .070 .070 .070 .070 .070	10-25 10-25 10-25 15-35 15-35 15-40 15-30 15-35	580 885 885 1010 1010 1195 980 1145	230 240 246 277 283 295 294 314	
10 pt 40 15/2/20 20 .070 15/55 10/10 2/0/2/5		TEX LINE JON BOATS	Tex I Tex II	15′ 16′	62″ 71″	43″ 48″	15½" 15½/20"	19" 20"	.063 .070	10-25 15-35	775 1010	221 270/275	