




CLASSIC DLX



CLASSIC 16

LUXURY SERIES COLOR OPTIONS — Silver Hull, Blue Interior;
Silver Hull, Red Interior;
Buckskin Hull, Brown Interior.

LUXURY SERIES FEATURES AND OPTIONS CHART

	Pro 17	Back- troller 17	Sun- fisher 16	Classic Deluxe	Classic 16
Deluxe Marine Carpeting	•	•	•	•	•
Stowable Running Lights	•	•	•	•	•
Bilge Pump	•	•	•	•	•
Interior Lights	•	•	•	•	•
Upholstered Seats	4	2	3	3	3
Bow Cushions			•		
Seat Pedestal Sockets	3	4	1	3	4
Livewell w/Pump	24 gal.	24 gal.	18 gal.	24 gal.	24 gal.
Livewell Divider	•	•	•	•	•
Lockable Rod Compartment	•	•		•	•
Lockable Storage Compartment	3	3	2	1	1
Pre-wired Fused Accessory Panel	•	•	•	•	•
Console Steering w/Teak Dash Panel	•	Opt.	•	•	•
Windshield	Opt.	Opt.	2	Opt.	Opt.
Underfloor Accessory Wiring Channel	•	•	•	•	•
Wired for Bow Motor	•	•	N/A	•	•

1984 SPECIFICATIONS — LUXURY SERIES


	Gunwale Length	Overall Length	Overall Width	Transom Height	Transom Width	Horsepower Range	B.I.A. Rated Capacity	Approximate Weight
Pro 17	18'4"	17'5"	74"	20"	66"	25-75	1270	750
Backtroller 17	18'4"	17'5"	74"	20"	66"	25-50*	1335	675
Sunfisher 16	17'2"	16'3"	73"	20"	66"	25-75	1285	625
Classic Deluxe	17'2"	16'3"	73"	20"	66"	25-75	1290	574
Classic 16	17'2"	16'3"	73"	20"	66"	25-75	1300	557

* with steering installed HP rating 75


JON BOATS...built with pride!




Tex I
Beam 62" —
B.W. 42" —
10-25 HP




Tex II
Beam 71" —
B.W. 48" —
15-35 HP




1045-1245-1445
Beam 45" — Bottom width 30"
— HP range: 1045 1-3 HP, 1245
1-5 HP, 1445 4-7 HP




1247-1447
Beam 47" — Bottom width 32"
— HP range: 1247 4-10 HP,
1447 4-15 HP




*1562
Beam 62" — Bottom width 42"
— HP range 10-25 HP —
*Livewell model available.



*1470-*1670-1870
Beam 70" — Bottom width 48"
— HP range: 1470 10-25 HP,
1670 15-35 HP, 1870 15-40 HP —
*Livewell model available.



*MV 1470-*MV 1670-MV 1870
Beam 70" — Bottom width 48"
— HP range: MV 1470 10-25 HP,
MV 1670 15-35 HP, MV 1870
15-40 HP — *Livewell available.



1474-1674-1874
Beam 74" — Bottom width 52"
— HP range: 1474 15-30 HP,
1674 15-35 HP, 1874 15-40 HP

SPECIFICATIONS: Jon Boats

		Center Length	Maximum Beam	Bottom Width	Transom Height	Side Height	Hull Thickness	Rec. H.P. Range	B.I.A. Rated Cap./Lbs.	Approx. Wt./Lbs.
ECONOMY LINE JON BOATS	1045	10'	45"	30"	15"	13 1/2"	.045	1-3	265	76
	1245	12'	45"	30"	15"	13 1/2"	.045	1-5	335	87
	1445	14'	45"	30"	15"	13 1/2"	.045	4-7	410	99
SUPERIOR LINE JON BOATS	1247	12'	47"	32"	15 1/2"	17"	.063	4-10	455	110
	1447	14'	47"	32"	15 1/2"	17"	.063	4-15	570	126
	1257	12'	57"	36"	15 1/2"	18 1/2"	.063	4-15	540	136
	1457	14'	57"	36"	15 1/2"	18 1/2"	.063	6-20	625	149
	1457 w/LW	14'	57"	36"	15 1/2"	18 1/2"	.063	6-20	605	154
COMMERCIAL MV-BOW	1470 MV	14'	70"	48"	15 1/2"	20"	.070	10-25	885	245
	1470 MV w/LW	14'	70"	48"	15 1/2"	20"	.070	10-25	885	251
	1670 MV	16'	70"	48"	15 1/2/20"	20"	.070	15-35	1010	282/287
	1670 MV w/LW	16'	70"	48"	15 1/2/20"	20"	.070	15-35	1010	288/293
	1870 MV	18'	70"	48"	15 1/2/20"	20"	.070	15-40	1195	298/303
COMMERCIAL LINE JON BOATS	1562	15'	62"	42"	15 1/2"	19"	.063	10-25	775	226
	1562 w/LW	15'	62"	42"	15 1/2"	19"	.063	10-25	580	230
	1470	14'	70"	48"	15 1/2"	20"	.070	10-25	885	240
	1470 w/LW	14'	70"	48"	15 1/2"	20"	.070	10-25	885	246
	1670	16'	70"	48"	15 1/2"	20"	.070	15-35	1010	277
	1670 w/LW	16'	70"	48"	15 1/2"	20"	.070	15-35	1010	283
	1870	18'	70"	48"	15 1/2"	20"	.070	15-40	1195	295
	1474	14'	74"	52"	20"	21"	.070	15-30	980	294
	1674	16'	74"	52"	20"	21"	.070	15-35	1145	314
	1874	18'	74"	52"	20"	21"	.070	15-40	1265	332
TEX LINE JON BOATS	Tex I	15'	62"	43"	15 1/2"	19"	.063	10-25	775	221
	Tex II	16'	71"	48"	15 1/2/20"	20"	.070	15-35	1010	270/275
	Tex III	16'	71"	48"	20"	20"	.070	15-50	1010	300



1457 With Live Well

Alumacraft JON BOATS, built with the extremely durable 5052 alloy, offer excellent puncture protection and dent resistance while remaining light in weight. Options include console steering and upholstered swivel seats.

ALUMACRAFT. JON BOATS




1245



1470 Commercial



MV 1670 Commercial



Tex 1 (Optional Color Beige)

JON BOAT PAINTING OPTIONS

Olive green is the standard JON BOAT paint color. JON BOATS can be special ordered in the colors of blue, beige or silver at a slight additional cost.

LUNKER 14 — LUNKER 14SS LUNKER 16 — LUNKER 16SS

Standard Pedestal Seat

Optional Pedestal Seat

Seat And Storage

Livewell

Lunker 16 pictured above.

Livewell

Lockable Rod Compartment

Lockable Storage

Lunker 16SS pictured above.

ALUMACRAFT LUNKER T14SF SERIES

LUNKER SERIES COLOR OPTIONS — Silver Hull, Blue Interior;
Silver Hull, Red Interior;
Buckskin Hull, Brown Interior.

LUNKER/T14SF FEATURE AND OPTION CHART

	Lunker 14	Lunker 14SS	Lunker 16	Lunker 16SS	T14SF
Deluxe Marine Carpeting	•	•	•	•	•
Livewell	18 gal.	18 gal.	24 gal.	24 gal.	17 gal.
Lockable Rod Compartment	•	•	•	•	•
Rod Holders	•	•	•	•	•
Under Floor Wiring Channel	•	•	•	•	•
Forward Accessory Deck	•	•	•	•	•
Upholstered Swivel Seats	1	2	1	2	Opt. 2
Bench Seats	1	•	1	•	N/A
Seat Sockets	2	3	2	4	N/A
Console	•	•	•	•	N/A
Steering	Opt.	Opt.	Opt.	Opt.	N/A
Windshield	Opt.	Opt.	Opt.	Opt.	N/A
Bow Storage	•	N/A	•	N/A	•
Mooring Cover	Opt.	Opt.	Opt.	Opt.	Opt.

Carpeted Bow Deck With Storage Compartment

17 Gallon Livewell

Optional Upholstered Seat and Clamp

Storage

T14SF

1984 SPECIFICATIONS — LUNKER SERIES

	Gunwale Length	Overall Length	Overall Width	Transom Height	Transom Width	Horsepower Range	B.I.A. Rated Capacity	Approximate Weight
Lunker 16SS	17'2"	16'3"	72"	20"	66"	15-50	1305	526
Lunker 16	17'2"	16'3"	72"	20"	66"	15-50	1305	522
Lunker 14SS	15'4"	14'5"	72"	20"	66"	15-40	1060	465
Lunker 14	15'4"	14'5"	72"	20"	66"	15-40	1060	450
T14SF	14'7"	14'	56"	15"	56"	9.9-25	725	300

MV PRO

Two Deluxe Upholstered
Pedestal Seats

Aft Livewell

Two Fold Down
Seats With Storage

Bow Battery Storage

ALUMACRAFT MV BASS BOATS


Upholstered Bench Seat
With Storage

Two Deluxe Upholstered
Pedestal Seats

Gas And Battery Storage

Aerated Livewell
With Cushioned Lid

MV ANGLER



MV SUPER HAWK



MODIFIED V HULL - BOW

Full modified V hull (4 degrees at transom) gives the MV Bandit, MV Pro and MV Angler a super smooth ride without sacrifice of a shallow draft or quick plane. The Fish and Ski Super Bandit and the Super Bandit incorporate a modified Pad Hull design for even quicker planing ability.



VENTED DECK GRILL

Above vented deck grill is standard on the Fish and Ski Bandit and Super Bandit. It can be purchased as an accessory for the MV Bandit, MV Pro and MV Angler.

BASS BOAT COLOR OPTIONS:

MV Bandit, MV Pro, MV Angler, MV Super Hawk

Beige Hull - Brown Interior
Beige Hull - Blue Interior
Silver Hull - Blue Interior

Fish and Ski Super Bandit and Super Bandit

Burgundy Hull - Beige Interior
Silver Hull - Blue Interior

BASS BOAT FEATURE AND OPTION CHART

	Fish & Ski Super Bandit	Super Bandit	MV Bandit	MV Pro	MV Angler	MV SuperHawk
Battery Compartment Forward	•	•	•	•		•
Gas & Battery Compartment Aft	•	•	•	•	•	
Raised Casting Decks Fore & Aft	•	•	•	•	•	
Aerated Livewell	2	2	2	1	1	
Non-Aerated Livewell						1
Detachable Navigational Lights	•	•	•	•	•	•
Marine Carpeting Throughout	•	•	•	•	•	•
Bilge Pump	•	•	•	•	•	•
Upholstered Pedestal Seats	2	2	2	2	2	2
Upholstered Fold Down Seats	2	2	2	2		
Seat Sockets	2	2	2	2	2	
Upholstered Bench Seat					1	
Dry Storage Forward	2	2	1	1	1	
Dry Storage Aft	•	•	•	•	•	
Rod Holders		•	•	•	•	
Pre-Wired Trolling Receptacle & Plug	•	•	•	•	•	•
Rod Storage Box		•	Opt.			
Steering Console	•	•	•	•	•	Opt.
Console Windshield	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Modified-V Hull			•	•	•	
Modified-V Bow	•	•	•	•	•	•
Modified Pad Hull	•	•	•	•	•	•
Aluminum Interior Floor	•	•	•	•	•	•

1984 MV BASS BOAT SPECIFICATIONS

Model	Center Length	Maximum Beam	Bottom Width	Transom Height	Side Height	Hull Thickness	Rec. HP Range	B.I.A. Rated Cap/Lbs.	Approx. Weight/Lbs.
Fish & Ski Bandit	17'8"	74"	52"	21"	23"	.075	60-90	1200	780
Super Bandit	17'8"	74"	52"	21"	23"	.075	60-90	1200	740
MV Bandit	17'4"	70"	48"	21"	21"	.072	55-80	1020	600
MV Pro	16'1"	64"	42"	20"	21"	.072	35-70	870	532
MV Angler	16'1"	64"	42"	20"	21"	.072	25-50	760	485
MV SuperHawk	15'2"	57"	38"	16"	18½"	.072	15-25	645	284




PRO 17 - BACKTROLLER 17

ALUMACRAFT LUXURY SERIES



ALUMACRAFT[®] CANOES



QUETICO 17' CRUISING CANOE
WITH OPTIONAL CARRYING PADS



17' CAMPER OUTBOARD CANOE



QUETICO 17' WHITEWATER CANOE

15' Quetico Cruising

Designed for maximum performance and lightness, this canoe proves to be suitable not only on the lakes, but also for avid canoeists who require a highly maneuverable canoe in fast, winding streams and rivers.

17' Quetico Cruising and Cruising Lightweight

Quetico canoes have become a legend in their own time. Not only the favorite canoe of many of the country's largest outfitters, this canoe is considered by many dedicated canoeists to be the finest, easiest paddling 17' aluminum canoe on the market today.

17' Camper Outboard Canoe

For fishing, camping, or paddling, the 17' camper outboard is an extremely versatile canoe. Its unique wishbone transom design provides use of outboard motors up to 4 horsepower without sacrificing paddling ease.

18'5" Quetico Cruising Lightweight

This consistent champion of aluminum racing events, with its extra length provides additional capacity, comfort and paddling ease.

17' Explorer Canoe

The Explorer canoe is a well built economy canoe built in the Alumacraft tradition. Stretch formed, using 5052 marine aluminum, the cruising keel, thwarts and gunnels are all specially designed extrusions.


Quetico 17 White Water Canoe

Designed for the white water enthusiast, the Quetico 17 WWR is an extremely tough white water canoe constructed with .060 gauge 6010 T6 marine alloy. Its solid 3/8" deep flat keel with a side relief angle gives the canoe maximum ability to travel fast, shallow waters and glide over and around rocks and other fast water obstructions. Thousands of WWR's are in rental use from coast to coast.

We offer four different Quetico cruising canoes. All Quetico cruising canoes are constructed from 6010 T-6 heat treated alloys and use a 5/8" deep T keel tapered to the stem at each end. This type of keel is designed to slow side drift, track very well and be very maneuverable and easy to handle, even in fast water. Recommended for both river and lake canoeing.

SPECIFICATIONS

*Based on B.I.A. Formula **Transom height — 16", Max. Rec. H.P. — 4						
Standard Models	Gauge	Center Length	Max. Beam	Amidship Depth	Keel Type	No. of Ribs
QT-15 C Quetico	.050	15'	35 1/2"	14"	Cruising	3
QT-17 CL Quetico	.040	17'	36"	13"	Cruising	5
QT-17 C Quetico	.050	17'	36"	13"	Cruising	3
QT-17 WWR Quetico	.060	17'	36"	13"	Whitewater	5
QT-185 CL Quetico	.040	18'5"	36 1/4"	13"	Cruising	8
**CO-17 Camper	.050	17'	37 1/4"	13"	Cruising	5
Economy Model Explorer 17	.050	17'	36 1/2"	11 1/2"	Cruising	3
						B.I.A. Rated* Capacity/Lbs.
						725
						735
						730
						725
						795
						810
						675
						Approx. Wt./Lbs.
						64
						64
						73
						83
						71
						85
						66



SPORTSMAN 175



Optional Bimini-Top Sportsman 175

PAD VEE COLOR OPTIONS — Sportsman 175-White Hull, Blue Interior; Sunfisher 175, Trophy 175 - Silver Hull, Blue Interior; Silver Hull, Red Interior; Buckskin Hull, Brown Interior.

PAD VEE SERIES — FEATURES AND OPTIONS CHART

Features	Sunfisher 175	Trophy 175	Sportsman 175
Deluxe Marine Carpeting	•	•	Vinyl
Stowable Running Lights	•	•	•
Bilge Pump	•	•	•
Interior Lights	•	•	•
Upholstered Seats		4	2
Sleeper Seats	2	Opt.	
Seat Pedestal Sockets		3	1
Bow Cushions	•		
Livewell w/Pump		38 gal.	42 gal.
Lockable Rod Compartment		•	
Lockable Storage Compartment	•	•	
Prewired, Fused Accessory Panel	•	•	•
Console Steering	•	•	•
Windshield	•	•	•
Convertible Top Set & Tonneau	Opt.	Opt.	
Bimini Top			Opt.
Mooring Cover	Opt.	Opt.	Opt.
Bow Dry Storage			•
Built-in Fuel Tank	20 gal.	20 gal.	20 gal.

1984 SPECIFICATIONS — PAD VEE SERIES

	Gunwale Length	Overall Length	Overall Width	Transom Height	Transom Width	Rec. Horsepower Range	B.I.A. Rated Capacity	Approximate Weight
Sunfisher 175	18'4"	17'5"	85	20"	77	50-120	1560	1035
Trophy 175	18'4"	17'5"	85	20"	77	50-120	1560	1005
Sportsman 175	18'4"	17'5"	85	20"	77	50-120	1560	850



Tinted Walk Through Windshield

Upholstered Bow Area
With 3 Locking
Storage Compartments

Fuel Tank
20 Gallon
Built In

Deluxe Sleeper Seats

SUNFISHER 175

ALUMACRAFT. PAD VEE SERIES



SUNFISHER 175

ALUMACRAFT. PAD VEE SERIES



TROPHY 175



ALUMACRAFT® MV BASS BOATS



TOTABLE SERIES

The sturdy T14XL and T16XL feature lots of staying power even under the toughest conditions. Big and roomy, with the quality features that mean years of trouble-free performance. At your option you can add console steering, upholstered swivel seats and even a livewell. Standard features like heavy duty, cool ray aluminum seating, extra large splash wells, built in oar locks, and the quality Alumacraft stretched formed hull design, mean you'll get the most for your boating dollar.

Totable Options Includes:

- Upholstered Seats
- Arm rests
- Seat clamps
- Console steering*
- Livewell*
- Mooring Cover

*Not Available T12 - T14

Featured here are four of the most popular smaller fishing boats sold today—the T-12, T-14, T-12S, T-14S TOTABLES. The reason—they are quality built, stable and offer years of trouble-free service. All four boats are easy to car top or trailer. They are the right size to perform very well with minimum horsepower motors. By adding Alumacraft's comfortable upholstered seats and other accessories you can customize to your own fishing requirements.



TOTABLE SPECIFICATION CHART

Model	Gunwale Length	Overall Length	Overall Width	Overall Bow Height	Transom Height	Transom Width	Horsepower Range	B.I.A. Rated Capacity	Approximate Weight
T-14XL15/20	15'3/4"	14'4 1/4"	65 1/4"	32 3/8"	15"/20"	61"	10-35	880/1010	240/246
T-16XL 15/20	17'2"	16'4 1/2"	65 3/8"	32 3/8"	15"/20"	61"	15-45	1070/1215	281/287
T-14S	14'7"	14'0"	54 3/8"	25 3/8"	15"	52"	6-20	755	161
T-12S	12'7"	12'0"	54 3/8"	25 3/8"	15"	52"	6-15	650	140
T-14	14'0"	13'4 1/2"	52 3/4"	24 1/2"	15"	47 1/2"	4-10	550	129
T-12	12'5 1/2"	11'10"	52 3/4"	24 1/2"	15"	47 1/4"	4-7.5	470	115