1946-1986 · 40 Years of Building Quality Aluminum Boats



SUPREME Series


hree boats that offer you supreme boating pleasure whether you're chasing your favorite fish or just after a fun-filled day on the water. We call them Supreme not only for their quality construction but also because of their royal features: smooth riding hull, walk-through windshield, upholstered pedestal and sleeper seats, plush marine carpeting, livewell with pump, lockable storage and much more.

Specifications	Supreme 1610
Overall Length	16′10″
Overall Width	79"
Midship Depth	39 1/2"
Transom Height	20"
Transom Width	76"
Hull Gauge	.080
Rec. H.P. Range	50-115
BIA Rated Capacity/Lbs.	1,515 lbs.
Approximate Weight/Lbs.	875 lbs.

115



NEW! Supreme 1610



Tealures	Scaling	Seattling	Seattling
Deluxe Olefin Marine Carpet	X	X	X
Number of Seats	- 3	2	2
No. of Seat Pedestal Sockets	3	1	N/A
Livewell w/Pump	22 gal.	22 gal.	N/A
Livewell Recessed Drain	X	Χ	N/A
Lockable Storage Compartments	2	2	2
Bow Pedestal Seat Platform	opt.	opt.	opt.
Battery Holder	Χ	Χ	Χ
Stowable Running Lights	X	Х	Х
Lockable Glove Compartment	Χ	X	Х
Fuel Tank (12 gal.)	opt.	opt.	opt.
Rod Holders	X	X	X
Stainless Steel Bow & Ski			100000
Tow Eyes	X	X	X
Windshield/Safety Glass	X	X	X
Bow Cusions	X	X	X
Bow Rails	Χ	X	X
Bilge Pump	X	X	Х
Windshield Curtain	opt.	opt.	opt
Transom Curtain	Х	X	Х
Mooring Cover	opt.	opt.	opt.
Convertable Top Set & Tonneau	opt.	opt.	opt.
Prewired/Fused Accessory Panel	X	X	X

Helmsman-Pedestal Helmsman-Sleeper

Color Options: Platinum Grey Hull with Royal Blue or Red Interior; Taupe Hull with Brown Interior.

LUXURY Series



ere are four boats that can really put a lot of luxury into your fishing or pleasure boating. From the deluxe marine carpeting to the sparkingly color options, these Alumacraft beauties stand out from the crowd.

Features	Pro 17	Backtroller 17	Classic Deluxe	Classic 16
Deluxe Marine Carpeting			•	
Stowable Running Lights	Abath a la			
Bilge Pump	•			
Interior Lights				•
Upholstered Seats	4	2	3	3
Seat Pedestal Sockets	3	4	4	4
Livewell w/Pump	2/18 gal.	24 gal.	24 gal.	24 gal.
Lockable Rod Compartment			100	•
Lockable Storage Compartment	3	2	2	2
Prewired Fused Accessory Panel		•	•	•
Console Steering w/Teak Dash Panel		Opt.		
Windshield	Opt.	Opt.	Opt.	Opt.
Underfloor Accessory Wiring Channel		•	100	
Prewired Bow Trolling Receptacle and Plug				
Trim and Tilt Switch	•	N/A	N/A	N/A
Fwd. Battery Storage w/Hold Down for 105 Amp. Battery			-	•
Splashwell Curtain	27883 · 188	Name of the last		Opt.
Rod Holders	-	42.0		
Cleats				
Stainless Steel Bow & Ski Tow Eyes			• • •	

Color Options: Platinum Grey Hull with Royal Blue or Red Interior; Taupe Hull with Brown Interior.

e named these boats "Lunker" for a reason. They're designed to let you concentrate completely on fishing with the appointments and accessories, that can help you land the big ones. Just pick the size and options you want and then go get 'em.



Lunker 16SS With Optional Console Steering

Lunker 14SS

Features	Lunker 14SS	Lunker 16SS
Deluxe Marine Carpeting	1	
Upholstered Swivel Seats	2	2
Seat Pedestal Sockets	3	4
Livewell	18 gal.	24 gal.
Lockable Rod Compartment		(A)
Rod Holders		
Console Steering	Opt.	Opt.
Windshield	Opt.	Opt.
Under Floor Wiring Channel		
Locking Storage Compartment	N/A	
Mooring Cover	Opt.	Opt.
Splashwell Curtain	Opt.	Opt.

Platinum Grey Hull with Royal Blue Taupe Hull with Brown Interior.






Specifications	Lunker 14SS	Lunker 16SS	è
Overall Length	14'5"	16'4"\	į
Overall Width	73"	73"	į
Transom Height	20"	20"	
Transom Width	66"	66"	c
Max. Equiv. Gauge*	.083	.083	
Rec. H.P. Range	15-40	15-50	
B.I.A. Rated Capacity/Lbs.	1170	1305	
Approx. Weight/Lbs.	485	526	

VALUE Series



Considerations	Lunker V-16	Lunker V-14	V-16	V-14
Specifications	Lunker V-16	Lunker V-14	V-10	V-14
Overall Length	16'6"	14'2"	16'6"	14'2"
Overall Width	70"	68"	70"	68"
Bow Height	32"	31"	32"	31"
Transom Height	20"	15/20"	15/20"	15/20"
Transom Width	63"	63"	63"	63"
Hull Gauge	.065	.065	.065	.065
Rec. H.P. Range	15-40	15-35	15-40	7.5-25
BIA Rated Capacity/Lbs.	1315	975/1160	1260/1385	1015/1195
Approx. Weight/Lbs.	560	405/410	255/260	235/240

reatures	Lunker V-16	Lunker V-14	V-10	V-14
Deluxe Marine Carpeting			N/A	N/A
Upholstered Swivel Seats	1	Opt.	Opt.	Opt.
Bench Seats	1	2	4	3
Seat Pedestal Sockets	2	N/A	N/A	N/A
Livewell	24 gal.	12.5 gal.	Opt.	Opt.
Rod Holders		N/A	N/A	N/A
Console Steering	Opt.	Opt.	Opt.	Opt.
Windshield	Opt.	Opt.	N/A	N/A
Underfloor Wiring Channel			N/A	N/A
Bow Storage in Seat		N/A	N/A	N/A
Mooring Cover	Opt.	Opt.	Opt.	Opt.



5 6010 Marine alloy . . . lightweight, this remarkable space age alloy is heat treated for greater durability

Plus...built in carrying yoke (6) on most models, gas resistant foam flotation (7), rugged roll seat design (8), distinctive Indian trim decal (9), and stainless

and resistance to punctures and wear.

steel tie-down evelets (10).

The state of the state of the state of	PART TO THE SE	HOLLING TO SERVE		Control of the Contro	CONTRACTOR OF THE	THE PERSON NAMED IN	
	QT-15 C Quetico	QT-17 CL Quetico	QT-17 C Quetico	QT-17 WWR Quetico	QT-185 CL Quetico	"CO-17 Camper	Voyageur (Ultralight)
Gauge	.050	040	050	060	040	050	035
Center Length	15′	17'	17'	17'	18'5"	17"	17'
Max. Beam	36"	36 "	36"	36"	37"	37"	36"
Amidship Depth	14"	13"	13"	13"	13″	13"	12"
Keel Type /	All cruisir	ng type ex	cept on C	IT-17 WWR wi	nich feature	s Whitew	ater Keel
No. of Ribs	3	5	3	5	В	5	3
BIA Rated Capacity/ Lbs	725	735	730	725	795	810	675
Approx Weight/ Lbs	64	64	73	83	71	85	57

Based on B.I.A. Formula Transom height: 16 Max. Rec. H.P.-4



Specifications	Pro 17	Backtroller 17	Classic Deluxe	Classic 16
Overall Length	17'5"	17′5″	16'3"	16'3"
Overall Width	74"	74"	73"	73"
Transom Height	20"	20"	20"	20"
Transom Width	66"	66"	66"	66"
Max. Equiv. Gauge*	.083	.083	.083	.083
Rec. H.P. Range	25-75	25-50***	25-75	25-75
B.I.A. Rated Capacity/Lbs.	1370	1385	1290	1300
Approx. Weight/Lbs.	750	675	574	557

^{***}with steering installed H.P. rating 75

Calculation of maximum equivalent gauge is based on empirical data developed by the automotive industry, and the S.A.E.'s structural requirements to compare resistance to denting for various material and thicknesses. For further information, contact Alumacraft Boat Company's Engineering Department.



Pro 17



Classic Deluxe



JON BOATS



Welded Hull Jon Boats



Specifications		Center Length	Maximum Beam	Bottom Width	Transom Height	Side Height	Hull Thick- ness	Rec. H.P. Range	B.I.A. Rated Capac- ity/ Lbs.	Approx. Weight/ Lbs.
ECONOMY LINE	1045	10'	45"	30"	15"	14"	.047"	1-3	265	76
JON BOATS	1245	12'	45"	30"	15"	14"	.047"	1-5	335	87
	1445	14'	45"	30"	15"	14"	.047"	4-7	410	99
SUPERIOR LINE	1247	12'	47"	32"	15"	17"	.063"	4-10	455	110
JON BOATS	1447	14'	47"	32"	15"	17"	.063"	4-15	570	126
	1257	12'	57"	36"	15"	19"	.063"	4-15	540	136
	1457	14'	57"	36"	15"	19"	.063"	6-20	625	149
	1457 Light	14'	57"	36"	15"	19"	.050"	6-15	625	137
State St. No. 27 Co.	1407 W/LTV	14'	57"	36"	15"	19"	.063"	6-20	605	154
COMMERCIAL LINI		15'	62"	42"	15"	19"	.063"	10-25	775	226
JON BOATS	1562 w/LW	15'	62"	42"	15"	19"	.063"	10-25	580	230
	1470	14'	70"	48"	15"	20"	.070"	10-25	885	240
	1470 w/LW	14'	70"	48"	15"	20"	.070"	10-25	885	246
	1670	16'	70"	48"	15"	20"	.070"	15-35	1010	277
	1670 w/LW	16'	70"	48"	15"	20"	.070"	15-35	1010	283
ALL WELDED	W1436	14'	57"	36"	15"	18"	.080"	6-20	625	200
JON BOATS	W1440	14'	60"	40"	15"	20"	.080"	6-20	740	220
	W1542	15'	62"	42"	15"	20"	.090"	10-25	835	280
	W1648	16'	70"	48"	15"	20"	090"	15-35	1065	321

Standard Color: Olive Drab Color Options: Platinum Grey, Taupe (additional charge).

MV SUPER BANDIT & MV BANDIT



Color Options: Platinum Grey Hull with Royal Blue or Red Interior; Taupe Hull with Brown Interior.



Features	MV Mayerick	MV Angler
Gas & Battery Compartment Aft		
Forward Battery Compartment		N/A
Raised Casting Decks Fore & Aft		
Aerated Livewell	2	
Stowable Running Lights	10.0	
Deluxe Marine Carpeting	1000	
Bilge Pump	A SHAPE SHAPE	
Upholstered Pedestal Seats	. 2	2
Upholstered Fold Down Seats	d+2+	. 2
Seat-Sockets	7:2	25
Storage Forward & Aft	37 p. 0/2	
Rod Holders		
Prewired Bow Trolling Receptacle & Plug w/Trim & Tilt*		
Steering Console	BUT STORY	
Console Windshield	Opt.	Opt.
Modified Vee Hull		
Modified Vee Bow	PARTY IN	200
Aluminum Interior Floor		
Wiring Channel		

Color Options: Platinum Grey Hull with Royal Blue or Red Interior;	Taupe Hull with Brown Interior.
*The Trim and Tilt switch is not available with the MV Angler	15

Specifications	MV Maverick	MV Angler
Center Length	16'4" .	16'
Maximum Beam	72"	67"
Bottom Width .	48"	42"
Transom Height	20"	20"
Side Height	21"	21"
Hull Thickness	.072"	.072"
Rec. H.P. Range	40-70	25-50
B.I.A. Rated Capacity/Lbs.	965	760
Approx. Weight/Lbs.	575	485



MV Angler

MV SUPER HAWK & MV SUPER HAWK SS



Wiring Channel

Color Options: Platinum Grey Hull with Royal Blue Interior.

MV Super Hawk SS (stick steering)

Approx. Weight/Lbş

330

12



hanks to the extremely durable 5052 alloy, you can expect years of service from your Alumacraft jon boat. You can get excellent puncture protection and dent resistence in these lightweight workhorses. They double as ideal sport boats for fishing and duck hunting and as a utility boat for chores that must be accomplished on the water. The 5°V bottom to the transom gives you better handling and a smooth ride.

	Commercial MV-Bow			F. 1676	PART WITH	MV Tex	
Specifications	MV 1470	MV 1470 w/LW	MV 1670	MV 1670 w/LW	MV 1870		MV Tex III
Center Length	14'	14'	16′	16'	18'	16′	16
Maximum Beam	70"	70"	70"	70"	70"	70"	70"
Bottom Width	48"	48"	48"	48"	48"	48"	48"
Transom Height	15"	15"	15"	15"	20"	15/20"	20"
Side Height	20"	20"	20"	20"	20"	20"	20"
Hull Thickness	.070"	.070"	.070"	.070"	.070"	.070"	.070
Rec. H.P. Range	10-25	10-25	15-35	15-35	15-40	15-35	15-50
B.I.A. Rated Capacity/Lbs.	885	885	1010	1010	1195	1010	1010
Approx. Weight/Lbs.	245	251	282	288	303	280	300

Modified Vee Jon Boats

OPTIONS





Trolling & Light Brackets




Upholstered Seat & Clamp



Steering Kit

TOTABLE Series



Celebrating 40 years of craftsmanship.

ince the first Model B came off the assembly line in 1946, Alumacraft has earned a reputation for building America's top quality aluminum fishing and pleasure boats. Over 9,000 of those first Model B's were built and many of them are still helping their owners

catch fish today.

The tradition of quality that began with the Model B has continued, and through 1985 Alumacraft has built more than 400,000 boats and canoes for quality minded fishermen, boaters and canoeists. Not only are most of these boats still providing fishing and boating pleasure, many are

worth more today than when they were purchased.

Over the years, Alumacraft's reputaing and tion for quality has spread throughout the irst United States and today plants in Minnesota and Arkansas run at capacity production with boats being shipped


throughout the United States and Canada.

In 1986 the Alumacraft name is on more than 65 different models of semi-vees, bass boats, jon boats and canoes. Best of all, they're built in the famous Alumacraft tradition of quality. The Alumacraft boat of your dreams is waiting for you at your Alumacraft dealer.



ALUMACRAFT

1946-1986



- 2 Center Keel...one piece extending from the transom—area to the top of the bow for greater strength. Reinforced at the point of wear with ¼" of solid aluminum to handle years of abrasive beach landings.
- 3 Sprayrails...strategically positioned and designed with a concave underside to really deflect water for the driest possible ride.
- 4 Spot welded and riveted seams...standard with most models for extra durability and dependability.
- 5 Aluminum clad transom...wood is dipped in preservative to prevent deterioration and clad on both sides with thick aluminum (.090 in most models) to eliminate maintenance, minimize vibration and noise levels, and assure dependable performance.
- **6** Foamed in place flotation...provides for a quieter ride and greater structural integrity.
- 7 Heavy gauge aluminum transverse and longitudinal framing...formed to the hull bottom to provide maximum structural support. Standard on all Supreme, Luxury Series and Lunker SS Series boats.

8 **Urethane finish**...super tough, high l gloss finish resists corrosion and wear for years of trouble free good looks.