

1990

AMERICA'S
FIRST CHOICE
IN
FISHING
BOATS



WHEN YOU BUY ALUMACRAFT, YOU GET EXACTLY WHAT YOU WANT.

You aren't forced to take a preselected factory package when you buy Alumacraft. Unlike some other boat manufacturers, we don't make you buy a specific boat with a preselected motor, trailer, accessories, etc.

Instead, you and your dealer *custom design* the perfect boat package for your kind of fishing or pleasure boating. You purchase the boat that best

meets your needs. You select the motor that best accommodates the boat; neither over-powered nor under-powered. You match a trailer to your boat for the trips you normally make. And you choose just the accessories you want to add the perfect finishing touches to a *custom boat package* only you could have designed.

At Alumacraft, we believe that giving the customer what he wants is the best way to do business. No wonder fishermen have made Alumacraft America's first choice in fishing boats.

THE ALUMACRAFT VEE DIFFERENCE.

URETHANE FINISH...super tough, high gloss finish resists corrosion and wear for years of trouble free good looks.

CENTER KEEL...one piece extending from the transom area to the top of the bow for greater strength. Reinforced at the point of wear with $\frac{1}{4}$ " of solid aluminum to handle years of abrasive beach landings.

HIGHEST GRADE MARINE ALLOYS...used to greatly increase strength, puncture resistance and wear.


SPRAYRAILS...strategically positioned for stability and designed to really deflect water for the driest possible ride.

SPOT WELDED AND RIVETED SEAMS...standard with most models for extra durability and dependability.

HEAVY GAUGE ALUMINUM TRANSVERSE AND LONGITUDINAL FRAMING...formed to the hull bottom to provide maximum structural support is standard on most models.

FOAM IN PLACE FLOTATION...meets and exceeds Coast Guard requirements and provides for a quiet ride and greater structural integrity.

ALUMINUM CLAD TRANSOM...wood is dipped in preservative to help prevent deterioration and clad on both sides with thick aluminum to eliminate maintenance, minimize vibration and noise levels, and assure dependable performance.



WHEN YOU BUY ALUMACRAFT, YOU GET UNSURPASSED QUALITY AND VALUE.

Here are ten more reasons Alamacraft is your best buy.

1. Aluminum covers and lids are standard on most boats for added strength and longer life.

2. Custom, high-tech instrument packages are available on many models to give you the ultimate in boating and fishing pleasure.

3. Superior-grade Olefin carpet, with unsurpassed resistance to ultraviolet

light, retains its rich color and good looks for years.

4. Extra large livewells provide all the capacity you need for trophy size fish.

5. High-profile seats utilize high-density foam for greater comfort plus top-grade vinyl upholstery and molded plastic bottom for maximum durability.

6. Stylish molded control panels are mounted on heavy-gauge aluminum frames for maximum

strength.

7. Dry storage compartments are standard on some models.

8. Locking compartments provide secure storage on many models.

9. Built-in gas tanks on some models provide greater cruising ranges and more usable floor space.

10. High-quality materials and accessories ensure the Alamacraft tradition of value.

BASS BOATS FOR THE SERIOUS FISHERMAN.

URETHANE FINISH...super tough, high gloss finish resists corrosion and wear for years of trouble free good looks.

MODIFIED VEE HULL...sleek rakish vee-bow and 5 degree dead rise at the transom (available on all bass boats and modified-vee jon boats) provides a smoother ride and better handling characteristics.

HEAVY GAUGE ALUMINUM PLATES...under flooring provide extra holding power for seat-base installation.

U-SHAPED KEEL...disperses the external pressures more evenly for superior hull strength and durability.


TOUGH HULL...of 5052 marine alloy. A little more expensive but a lot stronger and more durable.

CASTING PLATFORM...a specially treated plywood platform for long life is covered with superior grade, Olefin marine carpeting for years of use.

PREFORMED, EXTRUDED RIBS...far stronger than stamped ribs. You can depend on them, especially when the going is rough.

ALUMINUM INNER FLOOR...an integrated design feature that adds strength, yet is lightweight, and lessens future maintenance problems.

FOAM IN PLACE FLOTATION...meets and exceeds Coast Guard requirements and provides for a quiet ride and greater structural integrity.



Trophy 220 Cuddy I/O




Cabin Interior



Console

Trophy 220 Cuddy



Motor Hood Tackle Tray

| Features | Trophy 220 Cuddy I/O |
|---|----------------------|
| Full Lighted Instrumentation including Speedometer, Tachometer, Water Temp, Oil Pressure, Trim Gauge, Engine Hour Meter, Fuel Gauge | • |
| Power Steering | • |
| 2 Seats (one w/ Adjustable Slide) | • |
| 2 Seat Boxes w/ Aluminum Foot Rests | • |
| 2 Aft Jump Seats | • |
| 48 Gallon Aerated Livewell | • |
| 75 Gallon Fuel Tank | • |
| Bilge Pump (2000 GPH) w/ Automatic Control | • |
| Rod Storage | • |
| 60 Watt AM/FM Stereo Cassette Receiver w/ 2 Weatherbands, Graphic Equalizer & 4 speakers | • |
| Courtesy Lights | • |
| Running Lights | • |
| Horn | • |

| Features | Trophy 220 Cuddy I/O |
|---------------------------------------|----------------------|
| Vinyl Floor | • |
| Step Pads | • |
| 6" SS Cleats (4) | • |
| SS Grab Rails | • |
| SS Cabin Rails | • |
| SS Bow Rails | • |
| Tackle Tray in Motor Hood | • |
| Wash Down Fitting & Pump | • |
| Fire Extinguisher | • |
| V Berth with Cushions | • |
| 2 Cabin Back Rest Pads | • |
| 2 Cabin Storage Shelves | • |
| Drinkholders | • |
| Safety Glass Windshield w/ Wing Vents | • |

¹ Hard Tops and Outboard Gill Bracket* models will be available at a later date.

| Specifications | Trophy 220 Cuddy I/O |
|----------------------------|----------------------|
| Center Line Length | 21'8" |
| Beam | 102" |
| Degree of V at Transom | 20" |
| Maximum Persons | TBD |
| Bow Depth | 56 1/2" |
| Amidship Depth | 52" |
| Transom Width | 98" |
| Rec. H.P. Range | 175/260 |
| Bottom | .100 |
| Hull Gauge Sides | .080 |
| Bow Double Plate | .100 |
| B.I.A. Rated Capacity Lbs. | TBD |
| Weight | 3225 (260HP) |
| Hull Style | Deep Vee |

Colors: Surf White Hull with Shadow Blue.

Trophy 190 I/O



Livewell




Trophy 190 I/O



Shown with Custom Instrument Package and Accessory Package



Dry Storage



Custom Accessory Package

| Trophy 190 I/O Features | Pedestal Seating | Comb-Pedestal Seating | Duo-Sleeper Seating |
|----------------------------|------------------|-----------------------|---------------------|
| Upholstered Pedestal Seats | 2 | 1 | N/A |
| Sleeper Seats | N/A | 1 | 2 |
| Pedestal Sockets | 2 | 1 | N/A |
| Aerated Bow Livewell | 30 Gal. | 30 Gal. | 30 Gal. |
| Lockable Storage Compts. | 4 | 4 | 4 |
| Stowable Running Lights | • | • | • |
| Lockable Glove Compartment | • | • | • |
| Fuel Tank and Gauge (Gal.) | 35 | 35 | 35 |
| Lockable Rod Storage Comp. | 2 | 2 | 2 |
| Windshield Safety Glass | • | • | • |

¹ Factory installed only. Includes speedometer, horn and AM/FM stereo cassette w/ 2 spkr/ external antenna. Tachometer, voltmeter,

| Trophy 190 I/O Features | Pedestal Seating | Comb-Pedestal Seating | Duo-Sleeper Seating |
|-------------------------------|-------------------|-----------------------|---------------------|
| Bow Rails | • | • | • |
| Interior Courtesy Light | • | • | • |
| Bilge Pump | • | • | • |
| Windshield Curtain | Opt. | Opt. | Opt. |
| Aft Jump Seats | • | • | • |
| Mooring Cover | Opt. | Opt. | Opt. |
| Convertible Top Set & Tonneau | Opt. | Opt. | Opt. |
| Bow Seat Cushions | Opt. | Opt. | Opt. |
| Bow Casting Platform w/Socket | Opt. | Opt. | Opt. |
| Custom Instrument Package | Opt. ¹ | Opt. ¹ | Opt. ¹ |
| Custom Accessory Package | Opt. ² | Opt. ² | Opt. ² |


water temp. gauge, gas gauge, trim & tilt gauge and oil gauge are standard with the I/O Custom Instrument Package.

| Specifications | Trophy 190 I/O |
|----------------------------|----------------|
| Center Line Length | 18'10" |
| Maximum Depth | 43 1/2" |
| Width | 90" |
| Transom Width | 82" |
| Available H.P. | 130/150/175 |
| Hull Gauge Bottom | .090 |
| Hull Gauge Sides | .080 |
| B.I.A. Rated Capacity Lbs. | 1500 |
| Approx. Weight | 2030/2100 |
| Hull Style | Deep Vee |

² Includes factory installed vinyl top and boot, bow casting platform, Lowrance X20 liquid crystal graph.

Color Options: Blue Metallic/ Quicksilver hull with Blue interior; Pearl Gray Metallic/ Quicksilver hull with Gray interior.

Trophy O/B Series



Trophy 190




Dry Storage



Trophy 170
Custom Accessory Package

Trophy 170



Shown with Custom Instrument Package,
Bow Casting Platform and Seat



Custom Instrument Package

| Trophy 190/170 Features | Pedestal Seating | Comb-Pedestal Seating | Duo-Sleeper Seating |
|-----------------------------|--------------------|-----------------------|---------------------|
| Upholstered Pedestal Seats | 4/3 ¹ | 2/1 ¹ | N/A |
| Sleeper Seats | N/A | 1 | 2 |
| Pedestal Sockets | 4 | 2 | N/A |
| Aerated Bow Livewell (gal.) | 30 | 30 | 30 |
| Lockable Storage Compt. | 4/3 ¹ | 4/3 ¹ | 4/3 ¹ |
| Stowable Running Lights | • | • | • |
| Lockable Glove Compt. | • | • | • |
| Fuel Tank w/ Gauge (gal.) | 35/24 ¹ | 35/24 ¹ | 35/24 ¹ |
| Lockable Rod Storage Compt. | • | • | • |
| Windshield/ Safety Glass | • | • | • |

¹ Trophy 170.

² Factory installed only. Includes speedometer, tachometer, voltmeter, blank gauge, horn and AM/ FM stereo cassette w/ 2 spkr/ external antenna.

| Trophy 190/170 Features | Pedestal Seating | Comb-Pedestal Seating | Duo-Sleeper Seating |
|--------------------------------|-------------------|-----------------------|---------------------|
| Bow Rails | • | • | • |
| Interior Courtesy Light(s) | • | • | • |
| Bilge Pump | • | • | • |
| Windshield Curtain | Opt. | Opt. | Opt. |
| Mooring Cover | Opt. | Opt. | Opt. |
| Convertible Top Set & Tonneau | Opt. | Opt. | Opt. |
| Bow Seat Cushions | Opt. | Opt. | Opt. |
| Bow Casting Platform w/ Socket | Opt. | Opt. | Opt. |
| Custom Instrument Package | Opt. ² | Opt. ² | Opt. ² |
| Custom Accessory Package | Opt. ³ | Opt. ³ | Opt. ³ |

³ Includes factory installed bow casting platform, Lowrance X20 liquid crystal graph, vinyl top and boot. An extra seat and pedestal is included with the Trophy 170 package.

| Trophy 190/170 Specifications | Trophy 190 | Trophy 170 |
|-------------------------------|------------|------------|
| Center Line Length | 18'10" | 16'10" |
| Maximum Depth | 43 1/2" | 39 1/2" |
| Width | 90" | 79" |
| Transom Width | 82" | 76" |
| Transom Height | 20" | 20" |
| Rec. H.P. Range | 60-150 | 60-115 |
| Hull Gauge Bottom | .090 | .090 |
| Sides | .080 | .080 |
| B.I.A. Rated Capacity Lbs. | 2200 | 1485 |
| Approx. Weight | 1160 | 897 |
| Hull Style | Deep Vee | Deep Vee |

Special rigging on Trophy 190 pictured is not standard.

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray Metallic/Quicksilver hull with Gray interior.

Competitor Series




Tackle Tray



Competitor

Lockable Electronics



Shown with Optional Custom Instrument and Accessory Package

Competitor CS



CS Custom Accessory Package

| Features | Competitor | Competitor CS |
|--|------------|---------------|
| Interior Courtesy Lights | 3 | 2 |
| Stowable Running Lights | • | • |
| Upholstered Pedestal Seats | 2 | 2 |
| Adjustable Pedestals | 1 | 2 |
| Stationary Pedestal | 1 | N/A |
| Pedestal Sockets | 4 | 5 |
| Fuel Tank w/ Gauge (gal.) | 24 | 24 |
| Recirculating Livewell (gal.) | 24 | 24 |
| 6'6" Lockable Rod Storage Compartment w/ Holders | • | • |
| Dry Bow Deck Storage (Locking) | • | • |
| Fwd Battery Storage w/ Hold down for 105 Amp Battery | 2 | 2 |

¹ Factory installed only. Includes speedometer, tachometer, volt-meter, horn and AM/FM stereo cassette w/2 spkr/external antenna.

| Features | Competitor | Competitor CS |
|---|-------------------|-------------------|
| Locking Electronics Compartments | 1 | 1 |
| Console Steering | N/A | • |
| 12/24 Volt Electric System w/circuit breakers | • | • |
| Bilge Pump | • | • |
| Three Drawer Tackle Tray | • | • |
| Prewired Bow Trolling Receptacle and Plug w/Trim & Tilt | • | • |
| Windshield | N/A | Opt. |
| Mooring Cover | Opt. | Opt. |
| Custom Instrument Package | N/A | Opt. ¹ |
| Custom Accessory Package | Opt. ² | Opt. ³ |

² Includes factory installed extra seat and pedestal, trolling motor and Lowrance X20 liquid crystal graph.

| Specifications | Competitor | Competitor CS |
|----------------------------|------------|---------------|
| Center Line Length | 16'4" | 16'4" |
| Maximum Depth | 36 1/2" | 36 1/2" |
| Width | 79" | 79" |
| Transom Width | 76" | 76" |
| Transom Height | 20" | 20" |
| Rec. H.P. Range | 40-60 | 50-100 |
| Hull Gauge Bottom | .090 | .090 |
| Sides | .063 | .063 |
| B.I.A. Rated Capacity Lbs. | 1295 | 1455 |
| Approx. Weight/Lbs. | 758 | 808 |
| Hull Style | Deep Vee | Deep Vee |

³ Includes factory installed trolling motor and Lowrance X20 liquid crystal graph.

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray Metallic/Quicksilver hull with Gray interior.


Dominator Series



Custom Instrument Package
with Windshield




Rod Storage



Custom Accessory Package

Dominator CS



Shown with Custom
Instrument Package
(Dominator CS) and Custom
Accessory Package

Dominator

| Features | Dominator | Dominator CS |
|---------------------------------------|-----------|--------------|
| Stowable Running Lights | • | • |
| Bilge Pump | • | • |
| Interior Courtesy Light | 2 | 2 |
| Upholstered Seats | 2 | 2 |
| Seat Pedestal Sockets | 4 | 4 |
| Recirculating Aerated Livewell (Gal.) | 24 | 24 |
| Lockable Rod Compartment | • | • |
| Lockable Storage Compartment | • | • |

| Features | Dominator | Dominator CS |
|---|-------------------|-------------------|
| Fuel Tank w/Gauge (Gal.) | 24 | 24 |
| Console Steering | N/A | • |
| Windshield | N/A | Opt. |
| Prewired Bow Trolling Receptacle and Plug w/Trim & Tilt | • | • |
| Fwd Battery Storage w/Hold down for 105 Amp Battery | • | • |
| Custom Instrument Package | N/A | Opt. ¹ |
| Custom Accessory Package | Opt. ² | Opt. ² |

| Specifications | Dominator | Dominator CS |
|----------------------------|-----------|--------------|
| Overall Length | 16'4" | 16'4" |
| Overall Width | 74" | 74" |
| Transom Height | 20" | 20" |
| Transom Width | 74" | 74" |
| Hull Gauge | .080 | .080 |
| Rec. H.P. Range | 35-55 | 35-80 |
| B.I.A. Rated Capacity Lbs. | 1165 | 1345 |
| Approx. Weight/ Lbs. | 728 | 774 |

¹ Factory installed only. Includes speedometer, tachometer, voltmeter, horn and AM/ FM stereo cassette w/2 spkr/ external antenna.

² Includes factory installed trolling motor and Lowrance X20 liquid crystal graph.

Color Options: Blue Metallic/ Quicksilver hull with Blue interior; Pearl Gray/ Quicksilver hull with Gray interior.

Classic Series



Custom Accessory Package




Console Battery Storage



Custom Instrument Package

Classic 16 Deluxe



Shown with Custom Instrument Package (Classic 16 Deluxe) and Custom Accessory Package

Classic 16

| Features | Classic Deluxe | Classic 16 |
|------------------------------|----------------|------------|
| Stowable Running Lights | • | • |
| Bilge Pump | • | • |
| Interior Courtesy Light | • | • |
| Upholstered Seats | 3 | 3 |
| Seat Pedestal Sockets | 4 | 4 |
| Aerated Livewell(Gal.) | 24 | 24 |
| Lockable Rod Compartment | • | • |
| Lockable Storage Compartment | 2 | 2 |

¹ Factory installed only. Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/ 2 spkr/ external antenna.

² Includes factory installed trolling motor and Lowrance X20 liquid crystal graph.


| Features | Classic Deluxe | Classic 16 |
|--|-------------------|-------------------|
| Console Steering | • | • |
| Windshield | Opt. | Opt. |
| Prewired Bow Trolling Recept. & Plug | • | • |
| Fwd Battery Storage w/ Hold down for 105 Amp Battery | • | • |
| Transom Curtain | • | Opt. |
| Custom Instrument Package | Opt. ¹ | N/A |
| Custom Accessory Package | Opt. ² | Opt. ² |

Color Options: Quicksilver Gray hull with Royal Blue or Gray interior.


| Specifications | Classic Deluxe | Classic 16 |
|--------------------------------|----------------|------------|
| Overall Length | 16'3" | 16'3" |
| Overall Width | 73" | 73" |
| Transom Height | 20" | 20" |
| Transom Width | 66" | 66" |
| Max. Equiv. Gauge ¹ | .075 | .075 |
| Rec. H.P. Range | 25-75 | 25-75 |
| B.I.A. Rated Capacity Lbs. | 1290 | 1300 |
| Approx. Weight/ Lbs. | 574 | 557 |

¹ Calculation of maximum equivalent gauge is based on empirical data developed by the automotive industry, and the S.A.E's structural requirements to compare resistance to denting for various material and thicknesses. For further information contact Alumacraft Boat Company's Engineering Department.


Backtroller Series



Rod Storage




Optional Steering Console
Backtroller 16



Custom Accessory Package
Backtroller 16

Backtroller 16



Shown with Custom
Accessory Package.
Dealer installed only
on Backtroller 14.

Backtroller 14

| Features | Backtroller 14 | Backtroller 16 |
|--------------------------|----------------|----------------|
| Stowable Running Lights | • | • |
| Bilge Pump | • | • |
| Upholstered Seats | 2 | 2 |
| Seat Pedestal Sockets | 3 | 4 |
| Aerated Livewell (Gal.) | 24 | 24 |
| Lockable Rod Compartment | • | • |

¹ Includes factory installed trolling motor and Lowrance X20 liquid crystal graph plus wiring for trolling motor receptacle, and a battery tray.

² Remote control accessory channel and extension wire kit sold separately for Backtroller 14.



| Features | Backtroller 14 | Backtroller 16 |
|------------------------------|---------------------|-------------------|
| Lockable Storage Compartment | N/A | • |
| Console Steering | Opt. ^{2/3} | Opt. ² |
| Transom Curtain | Opt. | Opt. |
| Mooring cover | Opt. | Opt. |
| Custom Accessory Package | N/A | Opt. ¹ |

³ Backtroller 14 console is wood grain w/o switches.
Color Options: Quicksilver Gray hull with Royal Blue or Gray interior.


| Specifications | Backtroller 14 | Backtroller 16 |
|--------------------------------|----------------|----------------|
| Overall Length | 14'5" | 16'4" |
| Overall Width | 73" | 73" |
| Transom Height | 20" | 20" |
| Transom Width | 66" | 66" |
| Max. Equiv. Gauge ¹ | .075 | .075 |
| Rec. H.P. Range | 15-40 | 15-50 |
| B.I.A. Rated Capacity Lbs. | 1170 | 1305 |
| Approx. Weight/Lbs. | 485 | 526 |

¹ Calculation of maximum equivalent gauge is based on empirical data developed by the automotive industry, and the S.A.E's structural requirements to compare resistance to denting for various material and thicknesses. For further information contact Alumacraft Boat Company's Engineering Department.

Lunker Series



Optional Steering Console
Lunker V16 LTD



Custom Accessory Package
Lunker V16 LTD

Lunker V16 LTD



Lunker V16 DLX



Lunker V14



| Features | Lunker V-16 LTD | Lunker V-16 Deluxe | Lunker V-14 LTD | Lunker V-14 Deluxe | Lunker V-14 |
|----------------------------|-------------------|--------------------|-------------------|--------------------|-------------------|
| Upholstered Pedestal Seats | 2 | 1 | 2 | 1 | Opt. |
| Bench Seats | N/A | 1 | N/A | 1 | 2 |
| Seat Pedestal Sockets | 4 | 2 | 3 | 2 | N/A |
| Livewell (Gal.) | 24 | 24 | 24 | 24 | 12.5 |
| Aerator Pump | • | Opt. | • | Opt. | Opt. |
| Bilge Pump | • | Opt. | • | Opt. | Opt. |
| Console Steering | Opt. ² | Opt. ² | Opt. ³ | Opt. ³ | Opt. ³ |
| Lockable Storage Comp. | • | • | N/A | • | N/A |
| Lockable Rod Comp. | • | N/A | • | N/A | N/A |
| Mooring Cover | Opt. | Opt. | Opt. | Opt. | Opt. |
| Navigation Lights | • | • | • | • | • |
| Custom Accessory Package | Opt. ¹ | N/A | N/A | N/A | N/A |

| Specifications | Lunker V-16 LTD | Lunker V-16 Deluxe | Lunker V-14 LTD | Lunker V-14 Deluxe | Lunker V-14 |
|----------------------------|-----------------|--------------------|-----------------|--------------------|-------------|
| Overall Length | 16'6" | 16'6" | 14'2" | 14'2" | 14'2" |
| Overall Width | 70" | 70" | 68" | 68" | 68" |
| Transom Height | 20" | 20" | 20" | 20" | 15/20" |
| Transom Width | 63" | 63" | 63" | 63" | 63" |
| Hull Gauge | .065 | .065 | .065 | .065 | .065 |
| Rec. H.P. Range | 15-45 | 15-40 | 15-35 | 15-35 | 15-35 |
| B.I.A. Rated Capacity Lbs. | 1270 | 1315 | 1135 | 1120 | 975/1160 |
| Approx. Weight/ Lbs. | 630 | 570 | 447 | 420 | 330/335 |

¹ Includes factory installed trolling motor and Lowrance X20 liquid crystal graph plus wiring for trolling motor receptacle, and a battery tray.

² Remove control accessory channel and extension kit sold separately for Lunker 14's.

³ Lunker V14's console is wood grain w/o switches.

Color Options: Quicksilver Gray hull with Royal Blue interior.


Value/Totable Series



Optional SV Steering Console



Optional Swivel Seat Clamp and Seat



V16


V14

T14S


T12S

T14/T12

V-14



T14 S



T12

| Specifications | V-16 | V-14 | T-14S | T-12S | T-14 | T-12 |
|------------------------|-----------|-----------|-------|-------|-------|--------|
| Overall Length | 16'6" | 14'2" | 14'0" | 12'0" | 13'5" | 11'10" |
| Overall Width | 70" | 68" | 55" | 53" | 53" | 53" |
| Overall Bow Ht. | 32" | 31" | 26" | 26" | 25" | 25" |
| Transom Ht. | 15"/20" | 15"/20" | 15" | 15" | 15" | 15" |
| Transom Width | 63" | 63" | 52" | 52" | 47" | 47" |
| Hull Gauge | .065 | .065 | .050 | .050 | .050 | .050 |
| Rec. H.P. Range | 15-40 | 7.5-25 | 6-20 | 6-15 | 4-10 | 4-7.5 |
| B.I.A. Rated Cap./Lbs. | 1260/1385 | 1015/1195 | 725 | 630 | 545 | 470 |
| Approx. Wt./Lbs. | 255/260 | 235/240 | 161 | 140 | 129 | 115 |

Color: Quicksilver Gray hull with Blue interior.

Deep Vee Bass Boat Series




Dry Storage



Ice Chest and Insulated Lid

Bandit V170

Shown with Custom
Instrument Package and
Custom Accessory Package



Phantom V170



Custom Accessory Package

| Features | Phantom V170 | Bandit V170 |
|--|--------------|-------------|
| Upholstered Pedestal Seats | 2 | 2 |
| Stationary Seats | 2 | 2 |
| Pedestal Sockets | 3 | 2 |
| Aerated Bow Livewell (Gal.) | 18 | 14½ |
| Recirculating Aerated Livewell AFT with Timer (Gal.) | 24 | 20 |
| 7" Locking Rod Storage | • | • |
| Storage Compartments | 6 | 2 |
| Insulated Ice Chest | • | • |
| Windshield | • | • |
| Tilt & Trim Switch (Fore & AFT) | • | • |
| Tilt Wheel | • | N/A |
| Rod Savers | N/A | • |

| Features | Phantom V170 | Bandit V170 |
|---|-------------------|-------------------|
| Bow Dry Storage Compartment | • | • |
| Trolling Motor Plug and Socket with Circuit Breaker | • | • |
| 12/24 Volt Electric System (8 Gauge Wire) | • | • |
| Mooring Cover | Opt. | Opt. |
| Fuel Tank and Gauge (Gal.) | 24 | 24 |
| Grab Rail & Courtesy Light | • | • |
| Long Life Treated Plywood Platforms | • | • |
| Custom Instrument Package | Opt. ¹ | Opt. ¹ |
| Custom Accessory Package | Opt. ² | Opt. ² |

¹ Factory installed only. Includes speedometer, tachometer, voltmeter, in-dash flasher, horn and AM/FM stereo cassette w/2 spkr/external antenna.

| Specifications | Phantom V170 | Bandit V170 |
|----------------------------|--------------|-------------|
| Center Length | 17'2" | 16'10" |
| Maximum Depth (Outside) | 31" | 30" |
| Width | 80" | 74" |
| Transom Width | 76" | 69" |
| Transom Height | 20" | 20" |
| Hull Gauge | .090 | .090 |
| Rec. H.P. Range | 60-135 | 50-100 |
| B.I.A. Rated Capacity Lbs. | 1395 | 1055 |
| Approx. Weight/Lbs. | 925 | 835 |
| Hull Style | Deep Vee | Deep Vee |

² Includes foot control trolling motor and Lowrance X20 liquid crystal graph.

Note: A hand control motor is also available as a substitute.
Color: Pearl Gray Metallic hull and Gray interior.

Modified Vee Bass Boat Series



Custom Instrument Package




MV Super Bandit

Shown with Custom Instrument Package and Custom Accessory Package



Insulated Ice Chest and Lid



Dry Storage



Custom Accessory Package

| Features | MV Super Bandit |
|---|-----------------|
| Aerated Livewell | 2 ¹ |
| Stowable Running Lights | • |
| 105 Amp Battery Compartment Forward | • |
| Console Courtesy Light | • |
| Upholstered Pedestal Seats | 2 |
| Upholstered Fold Down Seats | 2 |
| Dry Storage Compartment | • |
| Rod Storage Compartment/Rod Savers | • |
| Prewired Bow Trolling Receptacle and Plug w/ Trim & Tilt Switch | • |

¹ Aft livewell is recirculating with timer.

² Factory installed only. Includes speedometer, tachometer, voltmeter, in-dash flasher, horn and AM/FM stereo cassette w/2 speakers.

| Features | MV Super Bandit |
|---|-------------------|
| Aft Tilt Switch | • |
| Console Windshield | • |
| 12/24 Volt Electric System (8 Gauge Wire) | • |
| Aluminum Interior Floor | • |
| Insulated Ice Chest | • |
| Mooring Cover | Opt. |
| Long Life Pressure Treated Plywood | • |
| 18 Gal. Fuel Tank | Opt. |
| Custom Instrument Package | Opt. ² |
| Custom Accessory Package | Opt. ³ |


³ Includes foot control trolling motor and Lowrance X20 liquid crystal graph.

Note: A hand control trolling motor is available as a substitute.

| Specifications | MV Super Bandit |
|----------------------------|-----------------|
| Center Length | 17'8" |
| Maximum Beam | 74" |
| Bottom Width | 52" |
| Transom Height | 20" |
| Side Height | 23" |
| Hull Gauge | .075 |
| Rec. H.P. Range | 40-90 |
| B.I.A. Rated Capacity/Lbs. | 1205 |
| Approx. Weight/Lbs. | 740 |

Color Options: Pearl Gray Metallic hull with Blue or Gray interior.

Modified Vee Bass Boat Series



Custom Instrument Package
Maverick



Ice Chest



Custom Instrument Package Angler

MV Maverick

Shown with Custom
Instrument Package and
Custom Accessory Package



MV Angler



Custom Accessory Package

| Features | MV Maverick | MV Angler |
|---|----------------|----------------|
| Interior Courtesy Light | • | N/A |
| Aerated Livewell | 2 ¹ | 1 |
| Stowable Running Lights | • | • |
| Insulated Ice Chest | • | N/A |
| Upholstered Fold Down Seats | 2 | 2 |
| Upholstered Pedestal Seats | 2 | 2 |
| Storage Forward & Aft | • | • |
| Prewired Bow Trolling Receptacle & Plug w/Trim & Tilt Switch | • | • ² |
| Aft Tilt Switch | • | • |

¹ Aft livewell is recirculating.

² The Trim and Tilt switch is not available with the MV Angler.

| Features | MV Maverick | MV Angler |
|---|-------------------|-------------------|
| Console Windshield | • | Opt. |
| 12 Volt Electric System | 8 Gauge Wire | 10 Gauge Wire |
| Aluminum Interior Floor | • | • |
| Custom Instrument Package | Opt. ³ | Opt. ³ |
| Custom Accessory Package | Opt. ⁴ | Opt. ⁴ |
| Mooring Covers | Opt. | Opt. |
| Dry Storage Box | • | N/A |
| Fuel Tank | 18 Gal. Opt. | 16 Gal. Opt. |
| Long Life Pressure Treated Plywood Platforms | • | • |


³ Factory installed only. Includes speedometer, tachometer, voltmeter, in-dash flashers, horn and AM/FM stereo cassette w/ 2 speakers.

| Specifications | MV Maverick | MV Angler |
|----------------------------|----------------|--------------|
| Center Length | 16'8" | 16' |
| Maximum Beam | 72" | 69" |
| Bottom Width | 48" | 44" |
| Transom Height | 20" | 20" |
| Side Height | 21" | 21" |
| Hull Gauge | .072 | .072 |
| Rec. H.P. Range | 40-80 | 25-50 |
| B.I.A. Rated Capacity Lbs. | 965 | 760 |
| Approx. Weight/Lbs. | 625 | 577 |

⁴ Includes foot control trolling motor and Lowrance X20 liquid crystal graph.

Note: A hand control trolling motor is available as a substitute.
Color Options: Pearl Gray Metallic hull with Blue or Gray interior.

Crappie Series



Custom Accessory Package

MV Super Hawk XL

MV Super Hawk SS

Shown with Custom Accessory Package

MV Super Hawk CS

| Features | MV Super Hawk CS | MV Super Hawk SS | MV Super Hawk XL |
|---------------------------------|------------------|------------------|------------------|
| Raised Casting Decks Fore & Aft | • | N/A | Fore Only |
| Aerated Livewell | • | • | • |
| Stowable Running Lights | • | • | • |
| Locking Rod Compts. | N/A | • | • |
| Bilge Pump | • | • | • |
| Upholstered Fold Down Seats | 2 | 2 | 1 |
| Upholstered Pedestal Seats | 1 | N/A | 2 |
| Pedestal Seat Sockets | 2 | N/A | 2 |
| Storage Compartment | • | • | • |
| AFT Tilt Switch | N/A | N/A | • |


¹ Factory installed foot control trolling motor and Lowrance X20 liquid crystal graph. Note: A hand control trolling motor is available as a substitute.

| Features | MV Super Hawk CS | MV Super Hawk SS | MV Super Hawk XL |
|--|-------------------|-------------------|-------------------|
| Prewired Bow Trolling Receptacle & Plug | • | • | • |
| Steering Console | • | N/A | • |
| Console Windshield | Opt. | N/A | Opt. |
| Aluminum Interior Floor | • | • | • |
| Mooring Cover | Opt. | Opt. | Opt. |
| Dry Storage Box | N/A | N/A | • |
| Removable Ice Chest | N/A | • | N/A |
| Long Life Pressure Treated Plywood Platforms | • | • | • |
| Custom Accessory Pkg. | Opt. ¹ | Opt. ¹ | Opt. ¹ |
| Aft Curtain | N/A | • | • |

Color: Platinum Gray hull with Royal Blue interior.

| Specifications | MV Super Hawk CS | MV Super Hawk SS | MV Super Hawk XL |
|----------------------------|------------------|------------------|------------------|
| Center Length | 14'11" | 16' | 17' |
| Maximum Beam | 62" | 70" | 72" |
| Bottom Width | 42" | 48" | 48" |
| Transom Height | 20" | 20" | 20" |
| Side Height | 20" | 21" | 21" |
| Hull Gauge | .067 | .067 | .072 |
| Rec. H.P. Range | 15-40 | 15-40 | 30-60 |
| B.I.A. Rated Capacity Lbs. | 815 | 960 | 1045 |
| Approx. Weight/Lbs. | 450 | 580 | 660 |


MV Tex Series




MV Tex




MV Tex CS



MV Tex Spec




MV Tex Spec CS



Optional Trolling Motor and Light Bracket

MV Tex Special CS



MV Tex CS

MV Tex

| Specifications | MV Tex Line | | | |
|----------------------------|-------------|-----------|-------------|----------------|
| | MV Tex | MV Tex CS | MV Tex Spec | MV Tex Spec CS |
| Center Length | 16' | 16' | 16' | 16' |
| Maximum Beam | 70" | 70" | 70" | 70" |
| Bottom Width | 48" | 48" | 48" | 48" |
| Transom Height | 20" | 20" | 20" | 20" |
| Side Height | 20" | 20" | 20" | 20" |
| Hull Gauge | .070 | .070 | .070 | .070 |
| Rec. H.P. Range | 15-35 | 15-50 | 15-35 | 15-50 |
| B.I.A. Rated Capacity Lbs. | 1010 | 1010 | 1010 | 1010 |
| Approx. Weight/ Lbs. | 290 | 300 | 350 | 385 |

Olive Drab standard on MV Tex and MV Tex CS

Platinum Gray hull with Royal Blue interior standard on MV TEX Special and MV TEX Special CS.

Color Options: (For MV Tex Special and MV Tex Special CS only)—Deadgrass.




Optional Camouflage Upholstered Seat and Clamp

Jon Boat Series




Optional Camouflage Upholstered
Seat and Clamp



*Livewell Option

1457 LW



MV 1470

| Specifications | MV Superior Line | MV Commercial Line | | | | | Economy Line Jon Boats | | | | Superior Line Jon Boats | | | Commercial Line Jon Boats | | | | |
|----------------------------|------------------|--------------------|--------------|---------|--------------|---------|------------------------|------|------|-------------------|-------------------------|------|-----------|---------------------------|-------|-----------|-------|-----------|
| | MV 1562 | MV 1470 | MV 1470 w/LW | MV 1670 | MV 1670 w/LW | MV 1870 | 1047 | 1247 | 1447 | 1457 Light Weight | 1257 | 1457 | 1457 w/LW | 1562 | 1470 | 1470 w/LW | 1670 | 1670 w/LW |
| Center Length | 15' | 14' | 14' | 16' | 16' | 18' | 10' | 12' | 14' | 14' | 12' | 14' | 14' | 15' | 14' | 14' | 16' | 16' |
| Maximum Beam | 62" | 70" | 70" | 70" | 70" | 70" | 47" | 47" | 47" | 57" | 57" | 57" | 57" | 62" | 70" | 70" | 70" | 70" |
| Bottom Width | 42" | 48" | 48" | 48" | 48" | 48" | 32" | 32" | 32" | 36" | 36" | 36" | 36" | 42" | 48" | 48" | 48" | 48" |
| Transom Height | 15" | 15" | 15" | 15" | 15" | 20" | 15" | 15" | 15" | 15" | 15" | 15" | 15" | 15" | 15" | 15" | 15" | 15" |
| Side Height | 20" | 20" | 20" | 20" | 20" | 20" | 17" | 17" | 17" | 19" | 19" | 19" | 19" | 20" | 20" | 20" | 20" | 20" |
| Hull Gauge | .063 | .070 | .070 | .070 | .070 | .070 | .056 | .056 | .056 | .056 | .063 | .063 | .063 | .063 | .070 | .070 | .070 | .070 |
| Rec. H.P. Range | 10-25 | 10-25 | 10-25 | 15-35 | 15-35 | 15-40 | 1-3 | 4-8 | 4-10 | 6-15 | 4-15 | 6-20 | 6-20 | 10-25 | 10-25 | 10-25 | 15-35 | 15-35 |
| B.I.A. Rated Capacity Lbs. | 805 | 885 | 885 | 1010 | 1010 | 1195 | 360 | 455 | 570 | 625 | 540 | 625 | 605 | 775 | 885 | 885 | 1010 | 1010 |
| Approx. Weight/Lbs. | 230 | 245 | 251 | 282 | 288 | 303 | 88 | 100 | 114 | 137 | 136 | 149 | 154 | 226 | 240 | 246 | 277 | 283 |


Standard Color: Olive Drab

WHY ALUMACRAFT IS AMERICA'S PREMIER CANOE.

- **Overlap design** . . . each side of the hull is preformed, overlapped on the center seam, and spot-welded for greater strength.
- **Flat bottom** . . . a flat bottom provides greater stability and easier paddling than a rocker bottom design.
- **Spotwelding** . . . aircraft-tough spotwelds on ribs, gunwales and center seam eliminate rivet shearing, drag and leakage.
- **Stronger stems** . . . made of .090 gauge solid aluminum, they're thicker and stronger to stand up to rocks, gravel and other obstructions.
- **6010 Marine alloy** . . . lightweight, this remarkable space age alloy is heat treated for greater durability and resistance to punctures and wear.
- **Plus** . . . built in carrying yoke on most models, gas resistant foam flotation, rugged roll seat design, attractive decal, and stainless steel tie-down eyelets.



Optional Pads




| Specifications | QT-15 C Quetico | QT-17 CL Quetico | QT-17 C Quetico | QT-17 WWR Quetico ³ | QT-185 CL Quetico | CO-17 ² Camper | Voyageur (Ultralight) |
|---|--|---------------------|--------------------|-----------------------------------|----------------------|------------------------------|--------------------------|
| Gauge | .050 | .040 | .050 | .060 | .040 | .050 | .035 |
| Center Length | 15' | 17' | 17' | 17' | 18'5" | 17' | 17' |
| Maximum Beam | 36" | 36" | 36" | 36" | 37" | 37" | 36" |
| Amidship Depth | 14" | 13" | 13" | 13" | 13" | 13" | 12" |
| Keel Type | All cruising type except on QT-17 WWR which features Whitewater Keel | | | | | | |
| No. of Ribs | 3 | 5 | 3 | 5 | 8 | 5 | 3 |
| B.I.A. Rated ¹ Capacity Lbs. | 725 | 710 | 730 | 725 | 795 | 810 | 675 |
| Approx. Weight/Lbs. | 62 | 64 | 71 | 83 | 71 | 85 | 57 |
| Curved Center Thwart | • | • | • | Opt. | • | Opt. | Opt. |

¹ Based on B.I.A. formula


² Transom height—16" Max. Rec. H.P.—4

³ Ribless model also available.



Optional Motor Bracket

1990 Pontoons




Sunclipper 240N DLX



Sunclipper 200N



Sunclipper 240N



Fish N' Cruise 200N

ALUMACRAFT

Pontoons shown with Optional Equipment.
See reverse side for specifications, features and options

ALUMACRAFT®


PONTOONS

Fun Boats For The 90's




Sunclipper DLX 240S

| Specifications: | Sunclipper DLX 240 S |
|-----------------|----------------------|
| Pontoon Length | 24'5" |
| Pontoon Size | 23" x 23" |
| Pontoon Gauge | .080 |
| Deck Size | 8' x 24' |
| Weight Capacity | 2850 Lbs. |
| People Capacity | 16/2300 Lbs. |
| Overall Weight | 2200 Lbs. |
| Maximum HP | 115 |




Sunclipper 240S

| Specifications: | Sunclipper 240S |
|-----------------|-----------------|
| Pontoon Length | 24'5" |
| Pontoon Size | 23" x 23" |
| Pontoon Gauge | .080 |
| Deck Size | 8' x 24' |
| Weight Capacity | 2850 Lbs. |
| People Capacity | 16/2300 Lbs. |
| Overall Weight | 2200 Lbs. |
| Maximum HP | 115 |



Fish N' Cruise 200S

| Specifications: | Fish N' Cruise 200S |
|-----------------|---------------------|
| Pontoon Length | 20'5" |
| Pontoon Size | 23" x 23" |
| Pontoon Gauge | .080 |
| Deck Size | 8' x 20' |
| Weight Capacity | 2025 Lbs. |
| People Capacity | 11/1600 Lbs. |
| Overall Weight | 1505 Lbs. |
| Maximum HP | 75 |




Pontoons shown with optional equipment.

Alumacraft Options & Accessories




Sea Cap



Trophy bow cushion



Jon Boat Steering



Trophy bow platform



Trophy top




Mooring cover



SV Windshield



High rise Trophy top



Competitor/Dominator CS Windshield



Shirt and regular cap



Jacket and deluxe cap



Seat and armrest on a power pedestal



Limited Warranty to Original Owners:

Alumacraft provides one of the best limited warranty programs available in the industry to the original purchaser. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific details. Prices and specifications subject to change without notice.

NMMA Certified—All Alumacraft aluminum fishing boats and canoes are NMMA certified and all ratings comply with the Federal boat Safety Act of 1971.



Alumacraft Boat Co.

315 West St. Julien Street, St. Peter, MN 56082, Phone (507) 931-1050
Highway 67 North, Box 189, Arkadelphia, AR 71923, Phone (501) 246-5555



Sunclipper 240N DLX
aft privacy area



Sundeck with cushions



Fish N' Cruise Livewell




Steering console



Dinette table &
Flip Flop Seat

OPTIONAL EQUIPMENT

Sunclipper 240N DLX




Furniture: Entertainment Group (2 Barrel Chairs and Round Table Less 1 Fwd. Lounge) • Three Piece Fwd. Dinette (Includes 32" Bow Seat, Table and Flip Flop Dinette Seat Less One 63" Fwd. Side Lounge)

Furniture Covers: Entertainment Group Cover and Three Piece Fwd. Dinette Covers are available on an exchange basis. Consult your dealer

Miscellaneous: Full Camper Enclosure 24' Installation • Aft Rain Curtain • 2 Fwd. Speakers • Mooring Cover (Full Deck) • Saltwater Conversion Kit (Includes SS Fasteners and Steering Cable End) • 4 Step Boarding Ladder • Diving Board • Transducer Bracket • Gas Grill • Aft Privacy Area • Aft Splash Guards (Pr.) • Docking Lights

Colors Available: Gray

Sunclipper 240N



Furniture: Bow Seats 31" (Pr.) • Fisherman's


Package (Includes 2 Chairs w/Pedestals, 4 Floor Sockets) • Fwd. Side Lounges 47" (Pr.) • Fwd. Side Lounges 79" (Pr.) • Free Standing Privacy Station

Furniture Covers: Bow Seat Covers (Pr.) • Captains Chair Cover • Helm Cover • Rear Dinette Seat Cover • Fwd. Lounge Cover 47" (Pr.) • Fwd. Lounge Cover 79" (Pr.) • Rear Seat Ensemble Cover

Miscellaneous: Livewell w/Aerator • Transducer Bracket • Tilt Down Canopy & Frame 8' x 9' • Boarding Ladder: 3 Step, 4 Step • Diving Board • Gas Grill • Windshield • Horn • Docking Lights (Pr.) • Saltwater Conversion Kit (Includes SS Fasteners and Steering Cable End) AM/FM Stereo Cassette Radio w/2 Speakers • Mooring Cover (Full Deck)

Colors Available: Gray

Sunclipper 200N



Furniture: Bow Seats 31" (Pr.) • Fisherman's Package (Includes 2 Chairs w/Pedestals, 4 Floor Sockets) • Free Standing Privacy Station


Furniture Covers: Bow Seat Covers (Pr.) • Captains Chair Cover • Helm Cover • Rear Dinette Seat Cover • Rear Seat Ensemble Cover

Miscellaneous: Livewell w/Aerator • Transducer Bracket • Tilt Down Canopy & Frame 8' x 9' •

Boarding Ladder: 3 Step, 4 Step • Diving Board • Gas Grill • Windshield • Horn • Docking Lights (Pr.) • Saltwater Conversion Kit (Includes SS Fasteners and Steering Cable End) • AM/FM Stereo Cassette w/2 Speakers • Mooring Cover (Full Deck)

Colors Available: Gray

Fish N' Cruise 200N



Furniture Covers: Captains Chair Cover • Rear Dinette Cover • Rear Seating Ensemble Cover


Miscellaneous: Aft Splash Guards (Pr.) • Docking Lights • Diving Board • Boarding Ladder (3 Step) • Windshield • Saltwater Conversion Kit (Includes SS Fasteners and Steering Cable End) • Optional 21" Pontoon Size • Mooring Cover (Full Deck)

Colors Available: Gray

Alumacraft Limited Warranty to Original Owners:

Alumacraft provides one of the best limited warranty programs available in the industry to the original purchaser. This limited warranty is provided with the purchase of every boat or pontoon from an authorized Alumacraft dealer. See your dealer for specific details. Prices and specifications subject to change without notice.

NMMA Certified — All Alumacraft aluminum fishing boats and pontoons are NMMA certified and all ratings comply with the Federal Boat Safety Act of 1971.



| Specifications | Sun-clipper 240N DLX | Sun-clipper 240N | Sun-clipper 200N | Fish N' Cruise 200N |
|--------------------------------------|----------------------|------------------|------------------|---------------------|
| Pontoon Length | 24' | 24' | 20' | 20' |
| Pontoon Diameter | 23" | 21" | 21" | 19"/21" |
| Pontoon Gauge | .080 | .080 | .080 | .080 |
| Deck Size (Pressure Treated Plywood) | 8' x 21.5' | 8' x 21.5' | 8' x 17' | 8' x 16' |
| Enclosed Deck | 8' x 16' | 8' x 16' | 8' x 12' | 8' x 16' |
| Weight Capacity (Lbs.) | 2810 | 2365 | 1910 | 1510/1260 |
| People Capacity | 16 | 13 | 11 | 8/11 |
| Overall Weight (Lbs.) | 2060 | 1668 | 1388 | 1240/1260 |
| Maximum HP | 130 | 120 | 80 | 75 |
| Fuel Tank | 18 | — | — | — |

| Standard Equipment | Sun-clipper 240N DLX | Sun-clipper 240N | Sun-clipper 200N | Fish N' Cruise 200N |
|-------------------------|----------------------|------------------|------------------|---------------------|
| Aluminum Cross Channels | • | • | • | • |
| Anodized Rails | • | • | • | • |
| 3 Gates | • | • | • | • |
| Bow Corner Rails | • | • | • | N/A |
| Deluxe Helm | • | • | • | • |
| Gas Tank Tray | • | • | • | • |
| Battery Tray | • | • | • | • |
| Surrey Canopy | N/A | • | • | • |
| Running Lights | • | • | • | • |
| Captains Chair | • | • | • | • |
| Rear Lounge | • | • | • | • |

| Standard Equipment | Sun-clipper 240N DLX | Sun-clipper 240N | Sun-clipper 200N | Fish N' Cruise 200N |
|--|----------------------|------------------|------------------|---------------------|
| Rear 2-piece Dinette | • | • | • | • |
| Fisherman's Package | N/A | Opt. | Opt. | •• |
| 30" Rear Sundeck w/Rails | • | • | • | N/A |
| Splash Guards | • | • | • | Opt. |
| Furniture Covers | • | Opt. | Opt. | Opt. |
| 8 x 9 Hardtop Canopy w/Courtesy Light | • | Opt. | N/A | N/A |
| Horn & Docking Light | • | Opt. | Opt. | Opt. |
| AM/FM Stereo Cassette Player w/ Speakers | • | Opt. | Opt. | Opt. |
| Forward Side Lounge | • | Opt. | Opt. | Opt. |
| Windshield | • | Opt. | Opt. | Opt. |

* Fisherman's Package Includes: 2 Chairs and Pedestals, 4 Chair Floor Sockets, Aerated Livewell and Transducer Bracket.




315 West St. Julien Street, St. Peter, MN 56082, Phone (507) 931-1050

| Standard Features | Sunclipper DLX 240S | Sunclipper 240S | Fish N' Cruise 200S |
|--|---------------------|-----------------|---------------------|
| Rear Sun Deck | • | • | • |
| Rear Sun Deck Cushions | • | Opt. | Opt. |
| Aluminum Cross Channels (16" Centers) | • | • | • |
| Forward Side Lounge 69" (pr.) | • | Opt. | N/A |
| Rear Furniture Group w/Privacy Area | • | Opt. | Opt. |
| 93" Rear Lounge Group | N/A | • | • |
| Rear Dinette Group (Includes Table & Flip Flop Seat) | • | • | N/A |
| Splash Guards (pr.) | • | • | • |
| Transducer Bracket | • | • | • |
| Anodized Railings | • | • | • |
| 3 Gates | • | • | • |
| Steering Cable w/SS Telescopic End | • | • | • |
| Bow Corner Rails | • | • | N/A |
| Deluxe Helm | • | • | Center Console |
| Battery Box | • | • | • |
| Aluminum Hardtop w/Storage Shelf and Courtesy Light | • | Opt. | N/A |
| Bimini Top | N/A | • | • |
| Running Lights | • | • | • |
| Double Wide Helm Seat 36" | • | N/A | N/A |
| Captains Single Helm Seat | N/A | • | • |
| Fisherman's Chair Package (Includes 2 Chairs, 2 Pedestals & 2 Back Plates) | N/A | N/A | • |
| Trolling Motor Plug-In & Harness | N/A | N/A | • |
| 18 gal. Fuel Tank & Fuel Gauge | • | Opt. | Opt. |
| Custom Instrument Package (Includes AM/FM Stereo Radio Cassette Receiver, Speakers, Water Pressure Gauge, Tachometer, Voltmeter, and Horn) | • | Opt. | Opt. |
| Windshield | • | Opt. | Opt. |

Alumacraft Limited Warranty to Original Owners:

Alumacraft provides one of the best limited warranty programs available in the industry to the original purchaser. This limited warranty is provided with the purchase of every boat or pontoon from an authorized Alumacraft dealer. See your dealer for specific details. Prices and specifications subject to change without notice.

NMMA Certified — All Alumacraft aluminum fishing boats and pontoons are NMMA certified and all ratings comply with the Federal Boat Safety Act of 1971.



Privacy Area




Sundeck With Cushions



Custom Instrument Package



Fish N' Cruise Live Well



All Aluminum Transom

OPTIONAL EQUIPMENT

Sunclipper DLX 240S

Splash Shield (Full Deck Length) ■ Docking Lights ■ Mooring Cover (Rail Only) ■ Removable Swim Ladder ■ Diving Board ■ B-B-Que Grill (not installed) ■ Saltwater Conversion Kit (Consists of SS Fasteners) ■ Ice Chest, 48 qt. w/Floor Tray

Furniture Covers: Fwd. Side Lounge Covers 69" (pr.) ■ 36" Helm Seat Cover ■ Rear Lounge Ensemble Cover w/Privacy Area ■ Helm Cover ■ Rear Flip Flop Seat Cover

Sunclipper 240S

Splash Shield (Full Deck Length) ■ Rear Lounge and Sundeck w/Privacy Area – (Factory Installed Only) ■ Fuel Tank (18 Gal.) w/Fuel Gauge ■ Custom Instrument Package (Includes AM/FM Radio w/Cassette Receiver and 2 Speakers, Water Pressure Gauge, Tachometer, Voltmeter, and Horn) ■ Aluminum Hard Top w/Storage and Light ■ Docking Lights ■ Windshield ■ Mooring Cover (Rail Only) ■ Removable Swim Ladder (4 Step) ■ Diving Board ■ B-B-Que Grill (not installed) ■ Fwd. Lounge Seat 69" (pr.) ■ Saltwater Conversion Kit (Consists of SS Fasteners) ■ Ice Chest, 48 qt. w/Floor Tray

Furniture Covers: Captain Single Helm Seat Cover ■ Helm Cover ■ Rear Lounge Ensemble Cover ■ Rear Lounge Ensemble Cover w/Privacy Area ■ Rear Flip Flop Seat Cover ■ Fwd. Side Lounge Covers 69" (pr.)

Fish N' Cruise 200S

Rear Lounge and Sundeck w/Privacy Area – (Factory Installed Only) ■ Docking Lights ■ Removable Swim Ladder (4 Step) ■ Ice Chest, 48 qt. w/Floor Tray ■ Windshield ■ Custom Instrument Package (Includes AM/FM Radio w/Cassette Receiver and 2 Speakers, Water Pressure Gauge, Tachometer, Voltmeter, and Horn) ■ Custom Accessory Package (Includes Minnkota Mag 18-42" shaft 28# Thrust Trolling Motor and X20 Liquid Crystal Graph by Lowrance) ■ 18 Gal. Tank w/Fuel Gauge ■ Mooring Cover (Rail Only) ■ Bar-B-Que Grill (not installed) ■ Saltwater Conversion Kit (Consists of SS Fasteners)

Furniture Covers: Captain Single Helm Seat Cover ■ Helm Cover ■ Rear Lounge Ensemble Cover ■ Rear Lounge Ensemble Cover w/Privacy Area

Trailer Dimension Requirements

Drive on Belly Loader 44" ■ Ponton V Bank Trailer 71"



Highway 67 North, Box 189, Arkadelphia, AR 71923, Phone (501) 246-5555