

YOUR
FREEDOM
OF CHOICE
IN
FISHING
BOATS



We'll build your boat to the highest standards. You package it to yours.

Alumacraft started building America's first choice in aluminum fishing boats back in 1946. Over the years, we've maintained our independence—which allows us to continue building the highest quality boats at an affordable price as our 1991 line illustrates. For you, it means the opportunity to package your boat exactly as you choose—rather than someone else choosing it for you.

At Alumacraft, we understand that different fishermen have different needs. For instance, let's say that you and your neighbor each decide on the new Alumacraft Competitor 185. Your neighbor has a cabin on a small lake, and he fishes only that lake. He doesn't need a lot of horsepower to handle big or rough water. He doesn't need a top-of-

the-line trailer to transport his boat to the lake or from one lake to another. And he may not need a host of accessories. You, on the other hand, are more serious about your fishing. You prefer large lakes and rivers, and like to be where the fish are hitting. You need more horsepower. You need a quality trailer that stands up to wear and tear. And you'll probably want a variety of accessories.

Should you and your neighbor buy one of the hundreds of pre-packaged deals currently on showroom floors, you'll both be compromising—and your enjoyment on the water may be compromised as well. With Alumacraft, the package you end up with is the package you custom designed, one that's suited to your specific boating interest.

ALUMACRAFT VEE DIFFERENCE.

URETHANE FINISH...super tough, high gloss finish resists corrosion and wear for years of trouble free good looks.

CENTER KEEL...one piece extending from the transom area to the top of the bow for greater strength. Reinforced at the point of wear with $\frac{1}{4}$ " of solid aluminum to handle years of abrasive beach landings.

HIGHEST GRADE MARINE ALLOYS...used to greatly increase strength, puncture resistance and wear.

SPRAYRAILS...strategically positioned for stability and specially designed to really deflect water for the driest possible ride.


RIVETED SEAMS...special aircraft type rivets are used. They are heat treated and hardened for extra durability and dependability.


ALUMA FRAME CONSTRUCTION...heavy gauge aluminum transverse and longitudinal framing formed to the hull bottom to provide maximum structural support is standard on most models.

FOAM IN PLACE FLOTATION...meets and/or exceeds Coast Guard requirements and provides for a quiet ride and greater structural integrity.

ALUMA CLAD TRANSOM...wood is dipped in preservative to help prevent deterioration and clad on both sides with thick aluminum to eliminate maintenance, minimize vibration and noise levels, and assure dependable performance.

ALUMA PLATE BOW REINFORCEMENT...a second aluminum plate is added to the bow to reinforce the exterior hull for added strength and integrity. Available on all Trophy, Competitor, Dominator series and Phantom.





Features that reflect pride of ownership.

Freedom of choice is only advantageous if the options offer high quality and value. That's why most Alumacraft models continue to provide the following features as standard equipment:

- Aluminum covers and lids for added strength and longer life
- Customized, high tech instrument packages
- Superior grade Olefin carpeting, unsurpassed for wear and resistance to ultraviolet light
- Extra large livewells for trophy-size fish
- High-profile seats made of top quality materials
- Stylish control panels mounted on maximum strength, heavy gauge aluminum
- Locking dry storage compartments
- Space-saving, built-in gas tanks

- Custom accessory packages to enhance your fishing and boating experience

For 45 years, we've believed that giving our customers what they want is the best way to do business. No one will convince us to do otherwise. Perhaps that's one reason why fishermen and boaters continue to make Alumacraft America's *first choice* in fishing boats.

Enjoy your Alumacraft!

BASS BOATS FOR THE SERIOUS FISHERMAN.

URETHANE FINISH...super tough, high gloss finish resists corrosion and wear for years of trouble free good looks.

MODIFIED VEE HULL...sleek rakish vee-bow and 5 degree dead rise at the transom (available on all bass boats and modified-vee jon boats) provides a smoother ride and better handling characteristics.

HEAVY GAUGE ALUMINUM PLATES...under flooring provide extra holding power for seat-base installation.

U-SHAPED KEEL...disperses the external pressures more evenly for superior hull strength and durability.


TOUGH HULL...of 5052 marine alloy. A little more expensive but a lot stronger and more durable.

CASTING PLATFORM...a specially treated plywood platform for long life is covered with superior grade, Olefin marine carpeting for years of use.

PREFORMED, EXTRUDED RIBS...far stronger than stamped ribs. You can depend on them, especially when the going is rough.

ALUMINUM INNER FLOOR...an integrated design feature that adds strength, yet is lightweight, and lessens future maintenance problems.

FOAM IN PLACE FLOTATION...meets and exceeds Coast Guard requirements and provides for a quiet ride and greater structural integrity.



Trophy 220 Cuddy Series



Trophy 220 Cuddy O/B




Cabin Interior



Console

Trophy 220 Cuddy I/O

Shown with Optional Hardtop



I/O Motor Hood Tackle Tray

Features	Trophy 220 Cuddy I/O	Trophy 220 Cuddy O/B
Full Lighted Instrumentation including Speedometer, Tachometer, Water Temp, Oil Pressure, Trim Gauge, Engine Hour Meter, Fuel Gauge	•	TBD
Power Steering	•	See note 1
2 Seats (one w/Adjustable Slide)	•	•
2 Seat Boxes w/Alum. Foot Rests	•	•
2 Aft Jump Seats	•	•
48 Gallon Aerated Livewell	•	•
75 Gallon Fuel Tank	•	•
Bilge Pump (2000 GPH) w/Automatic Control	•	•
Rod Storage Compartment	•	•
60 Watt AM/FM Stereo Cassette Receiver w/2 Weatherbands, Graphic Equalizer & 4 speakers	•	•
Courtesy Lights	•	•
Running Lights	•	•
Horn	•	•
Convertible Top Only (includes top, frame and boot)	•	•
Hard top	Opt.	Opt.

Features	Trophy 220 Cuddy I/O	Trophy 220 Cuddy O/B
Bow Pulpit	Opt.	Opt.
Camper top version	Opt.	Opt.
Side Curtains & Aft Curtains for Convertible Tops	Opt.	Opt.
Drop Curtain	Opt.	Opt.
Cockpit cover	Opt.	Opt.
Vinyl Floor	•	•
Step Pads	•	•
6" SS Cleats (6)	•	•
SS Grab Rails	•	•
SS Cabin Rails	•	•
SS Bow Rails	•	•
Tackle Tray	•	•
Wash Down Fitting & Pump	•	•
Fire Extinguisher	•	•
V Berth with Cushions	•	•
2 Cabin Back Rest Pads	•	•
2 Cabin Storage Shelves	•	•
Drinkholders	•	•
Safety Glass Windshield w/Wing Vents	•	•


Specifications	Trophy 220 Cuddy I/O	Trophy 220 Cuddy O/B
Center Line Length	21'8"	21'8"
Beam	102"	102"
Degree of V at Transom	20"	20"
Maximum Persons	11	11
Bow Depth	56 1/2"	56 1/2"
Amidship Depth	52"	52"
Transom Width	99"	99"
Rec. H.P.	175-260	225/270 ²
Hull Gauge		
Bottom	.100	.100
Sides	.080	.080
Aluma Plate Bow	.100	.100
B.I.A. Rated Capacity Lbs.	2400	2400
Weight	3225 (260HP)	2575
Hull Style	Deep Vee	Deep Vee

¹ Mechanical steering standard, hydraulic steering optional.

² Available in either single (225) or dual installation (270).

Colors: Surf White Hull with Shadow Blue.

Trophy 190 I/O



Pedestal Seating

Comb-Pedestal Seating

Duo-Sleeper Seating



Trophy 190 I/O




Shown with Custom Instrument Package and Accessory Package



Livewell



Dry Storage



Custom Accessory Package

Trophy 190 I/O Features	Pedestal Seating	Comb-Pedestal Seating	Duo-Sleeper Seating
Upholstered Pedestal Seats	2	1	N/A
Sleeper Seats	N/A	1	2
Pedestal Sockets	2	1	N/A
Aerated Bow Livewell (Insulated)	30 Gal.	30 Gal.	30 Gal.
Lockable Storage Compts.	4	4	4
Stowable Running Lights	•	•	•
Lockable Glove Compartment	•	•	•
Fuel Tank and Gauge (35 gal.)	•	•	•
Lockable Rod Storage Compt.	2	2	2
Safety Glass Windshield	•	•	•
3 Drawer Tackle Tray	•	•	•
Insulated Dry Storage or Ice Chest	•	•	•

¹ Factory installed only. Includes speedometer, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband. Tach-

Trophy 190 I/O Features	Pedestal Seating	Comb-Pedestal Seating	Duo-Sleeper Seating
Tilt Steering Wheel	•	•	•
Bow Rails	•	•	•
Interior Courtesy Light	•	•	•
Bilge Pump	•	•	•
Windshield Curtain	Opt.	Opt.	Opt.
Aft Jump Seats	•	•	•
Mooring Cover	Opt.	Opt.	Opt.
Convertible Top Set & Tonneau	Opt.	Opt.	Opt.
Bow Seat Cushions	Opt.	Opt.	Opt.
Bow Casting Platform w/Socket	Opt.	Opt.	Opt.
Custom Instrument Package	Opt. ¹	Opt. ¹	Opt. ¹
Custom Accessory Package	Opt. ²	Opt. ²	Opt. ²

ometer, voltmeter, water temp. gauge, gas gauge, trim & tilt gauge and oil gauge are standard with the I/O Custom Instrument Package.

Specifications	Trophy 190 I/O
Center Line Length	18'10"
Maximum Depth	42"
Width	90"
Transom Width	83"
Available H.P.	130/150/175
Hull Gauge Bottom	.090
Sides	.080
Aluma Plate Bow	.090
B.I.A. Rated Capacity Lbs.	1500
Approx. Weight	2030/2100
Hull Style	Deep Vee

² Includes factory installed vinyl top and boot, bow casting platform, Lowrance X20 liquid crystal graph.

Color Options: Blue Metallic/ Quicksilver hull with Blue interior; Pearl Gray Metallic/ Quicksilver hull with Gray interior.

Trophy O/B Series




Custom Accessory Package
Trophy 170



Tackle Tray

Trophy 190

Shown with Optional
Custom Accessory Package



Trophy 170



Custom Instrument Package

Trophy 190/180/170 Features	Pedestal Seating	Comb-Pedestal Seating	Duo-Sleeper Seating
Upholstered Pedestal Seats	4/3 ¹	2/1 ¹	N/A
Sleeper Seats	N/A	1	2
Pedestal Sockets	4	2	N/A
Aerated Bow Livewell (gal.)	30	30	30
Lockable Storage Compt.	4/2 ¹	4/2 ¹	4/2 ¹
Stowable Running Lights	•	•	•
Lockable Glove Compt.	•	•	•
Fuel Tank w/ Gauge (gal.)	44/24 ¹	44/24 ¹	44/24 ¹
Lockable Rod Storage Compt.	•	•	•
Windshield/ Safety Glass	•	•	•
Insulated Dry Storage/Ice Chest	•	•	•
Tilt Wheel	•	•	•

¹ Trophy 170 and Trophy 180.

² Factory installed only. Includes speedometer, tachometer, voltmeter, blank gauge, horn and AM/FM stereo cassette w/2

Trophy 190/180/170 Features	Pedestal Seating	Comb-Pedestal Seating	Duo-Sleeper Seating
Cockpit Cover	Opt.	Opt.	Opt.
Three Drawer Tackle Tray	•	•	•
Bow Rails	•	•	•
Interior Courtesy Light(s)	•	•	•
Bilge Pump	•	•	•
Windshield Curtain	Opt.	Opt.	Opt.
Mooring Cover	Opt.	Opt.	Opt.
Convertible Top Set & Tonneau	Opt.	Opt.	Opt.
Bow Seat Cushions	Opt.	Opt.	Opt.
Bow Casting Platform w/ Socket	Opt.	Opt.	Opt.
Custom Instrument Package	Opt. ²	Opt. ²	Opt. ²
Custom Accessory Package	Opt. ³	Opt. ³	Opt. ³

spkr/external antenna and weatherband.

³ Includes factory installed bow casting platform, Lowrance X20 liquid crystal graph, vinyl top and boot. An extra seat and pedestal is

Trophy 190/180/170 Specifications	Trophy 190	Trophy 180	Trophy 170
Center Line Length	18'10"	18'	16'10"
Maximum Depth	42"	39"	38½"
Width	90"	84"	79"
Transom Width	83"	79"	76"
Transom Height	20"	20"	20"
Rec. H.P. Range	60-150	60-150	60-115
Hull Gauge Bottom	.090	.090	.090
Sides	.080	.080	.080
Aluma Plate Bow	.090	.080	.080
B.I.A. Rated Capacity Lbs.	2200	TBD	1485
Approx. Weight	1280	TBD	1030
Hull Style	Deep Vee	Deep Vee	Deep Vee

included with the Trophy 170 and 180 package.

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray Metallic/Quicksilver hull with Gray interior.

Competitor 185 Series



Bait Well



Competitor 185



Shown with Optional Custom Instrument and Accessory Package

Competitor 185 CS



Tackle Tray Competitor 185



CS Custom Accessory Package

Features	Competitor 185	Competitor 185 CS
Interior Courtesy Lights	3	3
Stowable Running Lights	•	•
Upholstered Pedestal Seats	3	3
Adjustable Pedestal	2	3
Power Pedestal with Slide	1	Opt.
Pedestal Sockets	4	5
Fuel Tank w/ Gauge (35 gal.)	•	•
Insulated Aerated Baitwell	•	•
Recirculating Livewell with Timer (24 gal.)	•	•
7" Lockable Rod Storage Compartment w/ Holders	•	•
Dry Bow Deck Storage (Locking)	•	•
Fwd Battery Storage w/ Hold down for 105 Amp Battery	2	2
Trolling Motor Battery Condition Gauge	•	•

Features	Competitor 185	Competitor 185 CS
Trolling Motor Receptacle w/ Plug at Transom	•	•
Locking Electronics Compartments	•	•
Console Steering	N/A	•
12/24 Volt Electric System w/ circuit breakers (8 gauge wire)	•	•
Bilge Pump	•	•
Four Drawer Tackle Tray	•	•
Prewired Bow Trolling Receptacle and Plug w/ Trim & Tilt	•	•
Windshield	N/A	Opt.
Mooring Cover	Opt.	Opt.
Custom Instrument Package	Opt. ¹	Opt. ¹
Custom Accessory Package	Opt. ²	Opt. ³

¹ Factory installed only. Includes speedometer, tachometer, volt-meter, horn and AM/FM stereo cassette w/ 2 spkr/ external antenna and weatherband.

² Includes factory installed extra seat and pedestal, trolling motor and

Specifications	Competitor 185	Competitor 185 CS
Center Line Length	18' 4"	18' 4"
Bow Depth	42"	42"
Width	88"	88"
Transom Width	87 1/2"	87 1/2"
Transom Height	20"	20"
Rec. H.P. Range	50-85	50-150
Hull Gauge Bottom Sides	.090 .080	.090 .080
Aluma Plate Bow	.090	.090
B.I.A. Rated Capacity Lbs.	1700	1700
Approx. Weight/ Lbs.	1149	1200
Hull Style	Deep Vee	Deep Vee

Lowrance X35 liquid crystal graph.


³ Includes factory installed trolling motor and Lowrance X35 liquid crystal graph.

Color Options: Blue Metallic/ Quicksilver hull with Blue interior; Pearl Gray Metallic/ Quicksilver hull with Gray interior.

Competitor 160 Series



Competitor 160 CS



Command Instrument Module and Bait Well (Competitor 160)



Shown with Custom Instrument Package and Custom Accessory Package

Competitor 160

Features	Competitor 160	Competitor 160 CS
3 Drawer Tackle Tray	•	•
Interior Courtesy Lights	•	•
Stowable Running Lights	•	•
Upholstered Pedestal Seats	2	2
Adjustable Pedestals	1	2
Stationary Pedestal	1	N/A
Pedestal Sockets	4	5
Fuel Tank w/Gauge (gal.)	24	24
Recirculating Livewell (gal.) w/Timer	24	24
6" Lockable Rod Storage Compartment w/Holders	•	•
Dry Bow Deck Storage (Locking)	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	2	2

¹ Factory installed only. Includes speedometer, tachometer, volt-meter, horn and AM/FM stereo cassette w/2 spkr/external antenna

Features	Competitor 160	Competitor 160 CS
Insulated Aerated Bait Well	•	•
Locking Electronics Compartments	1	1
Console Steering	N/A	•
12/24 Volt Electric System w/circuit breakers	•	•
Bilge Pump	•	•
Three Drawer Tackle Tray	•	•
Prewired Bow Trolling Motor Receptacle and Plug w/Trim & Tilt	•	•
Windshield	N/A	Opt.
Mooring Cover	Opt.	Opt.
Custom Instrument Package	Opt. ¹	Opt. ¹
Custom Accessory Package	Opt. ²	Opt. ³

and weatherband.

² Includes factory installed extra seat and pedestal, trolling motor and Lowrance X20 liquid crystal graph.

Specifications	Competitor 160	Competitor 160 CS
Center Line Length	16'4"	16'4"
Maximum Depth	36"	36"
Width	79"	79"
Transom Width	76"	76"
Transom Height	20"	20"
Rec. H.P. Range	40-60	50-100
Hull Gauge Bottom	.090	.090
Hull Gauge Sides	.063	.063
Aluma Plate Bow	.060	.060
B.I.A. Rated Capacity Lbs.	1295	1455
Approx. Weight/Lbs.	870	925
Hull Style	Deep Vee	Deep Vee

³ Includes factory installed trolling motor and Lowrance X20 liquid crystal graph.

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray Metallic/Quicksilver hull with Gray interior.


Dominator Series



Command Instrument Module
(Dominator)



Custom Instrument Package
With Windshield



Rod Storage



Custom Accessory Package

Dominator CS



Shown with Custom Instrument
Package (Dominator CS) and
Custom Accessory Package

Dominator

Features	Dominator	Dominator CS
Stowable Running Lights	•	•
Bilge Pump	•	•
Interior Courtesy Light	•	•
Upholstered Seats	2	2
Seat Pedestal Sockets	4	4
Recirculating Aerated Livewell (Gal.) w/Timer	24	24
Lockable Rod Compartment	•	•
Lockable Storage Compartment	•	•
3 Drawer Tackle Tray	•	•

¹ Factory installed only. Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

Features	Dominator	Dominator CS
Fuel Tank w/Gauge (Gal.)	24	24
Console Steering	N/A	•
Windshield	N/A	Opt.
Prewired Bow Trolling Motor Receptacle and Plug w/Trim & Tilt	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	•	•
Custom Instrument Package	Opt. ²	Opt. ¹
Custom Accessory Package	Opt. ³	Opt. ³


² Factory installed only. Includes tachometer, blank gauge, horn, AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

³ Includes factory installed trolling motor and Lowrance X20 liquid crystal graph.

Specifications	Dominator	Dominator CS
Overall Length	16'4"	16'4"
Overall Width	74"	74"
Transom Height	20"	20"
Transom Width	73½"	73½"
Hull Gauge		
Bottom	.080	.080
Sides	.063	.063
Aluma Plate Bow	.060	.060
Rec. H.P. Range	35-60	35-80
B.I.A. Rated Capacity Lbs.	1165	1345
Approx. Weight/Lbs.	795	825
Hull Style	Deep Vee	Deep Vee

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray/Quicksilver hull with Gray interior.

Classic Series



Custom Accessory Package



Console Battery Storage
(Classic DLX)



Custom Instrument Package

Classic 16 Deluxe



Shown with Custom
Instrument Package
(Classic 16 Deluxe) and
Custom Accessory Package

Classic 16

Features	Classic Deluxe	Classic 16
Stowable Running Lights	•	•
Bilge Pump	•	•
Interior Courtesy Light	•	•
Upholstered Seats	3	3
Seat Pedestal Sockets	4	4
Aerated Livewell (Gal.)	24	24
Lockable Rod Compartment	•	•
Storage Compartments	2	2
Three Drawer Tackle Tray	•	•

¹ Factory installed only. Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna.

Features	Classic Deluxe	Classic 16
Console Steering	•	•
Windshield	Opt.	Opt.
Prewired Bow Trolling Recept. & Plug	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	•	•
Transom Curtain	•	Opt.
Custom Instrument Package	Opt. ¹	N/A
Custom Accessory Package	Opt. ²	Opt. ²


² Includes factory installed trolling motor and Lowrance X20 liquid crystal graph.

Color Options: Quicksilver Gray hull with Royal Blue or Gray interior.


Specifications	Classic Deluxe	Classic 16
Overall Length	16'3"	16'3"
Overall Width	73"	73"
Transom Height	20"	20"
Transom Width	66"	66"
Max. Equiv. Gauge ¹	.075	.075
Rec. H.P. Range	25-60	25-60
B.I.A. Rated Capacity Lbs.	1290	1300
Approx. Weight/Lbs.	650	610

¹ Calculation of maximum equivalent gauge is based on empirical data developed by the automotive industry, and the S.A.E.'s structural requirements to compare resistance to denting for various material and thicknesses. For further information contact Alumacraft Boat Company's Engineering Department.

Backtroller Series



Rod Storage



Optional Steering Console
Backtroller 16



Custom Accessory Package
Backtroller 16

Backtroller 16



Shown with Custom
Accessory Package.

Backtroller 14

Features	Backtroller 14	Backtroller 16
Stowable Running Lights	•	•
Bilge Pump	•	•
Upholstered Seats	2	2
Seat Pedestal Sockets	3	4
Aerated Livewell (Gal.)	24	24
Lockable Rod Compartment	•	•
Bow Storage Compartment	•	•

¹ Includes factory installed trolling motor and Lowrance X20 liquid crystal graph plus wiring for trolling motor receptacle, and a battery tray.

² Remote control accessory channel and extension wire kit sold separately for Backtroller 14.

Features	Backtroller 14	Backtroller 16
Lockable Storage Compartment	N/A	•
Console Steering	Opt. ^{2/3}	Opt.
Transom Curtain	Opt.	Opt.
Mooring cover	Opt.	Opt.
Custom Accessory Package	N/A	Opt. ¹
Three Drawer Tackle Tray	N/A	•


³ Backtroller 14 console is wood grain w/o switches.

Color Options: Quicksilver Gray hull with Royal Blue or Gray interior.


Specifications	Backtroller 14	Backtroller 16
Overall Length	14'5"	16'4"
Overall Width	72"	73"
Transom Height	20"	20"
Transom Width	66"	66"
Max. Equiv. Gauge ¹	.075	.075
Rec. H.P. Range	15-40	15-45
B.I.A. Rated Capacity Lbs.	1170	1305
Approx. Weight/Lbs.	505	555

¹ Calculation of maximum equivalent gauge is based on empirical data developed by the automotive industry, and the S.A.E.'s structural requirements to compare resistance to denting for various material and thicknesses. For further information contact Alumacraft Boat Company's Engineering Department.


Lunker Series



Optional Steering Console
Lunker V16 LTD



Custom Accessory Package
Lunker V16 LTD



LV16 LTD

LV16 DLX

LV14 LTD

LV14



Lunker V16 LTD

Shown with Optional
Custom Instrument and
Accessory Package

Lunker V16 DLX

Features	Lunker V-16 LTD	Lunker V-16 Deluxe	Lunker V-14 LTD	Lunker V-14
Upholstered Pedestal Seats	2	1	2	Opt.
Bench Seats	N/A	1	N/A	2
Seat Pedestal Sockets	4	2	3	N/A
Livewell (Gal.)	24	24	24	12.5
Aerator Pump	•	Opt.	•	Opt.
Bilge Pump	•	Opt.	•	Opt.
Console Steering (see notes 2, 3)	Opt. ²	Opt. ²	Opt. ³	Opt. ³
Lockable Storage Comp.	•	•	N/A	N/A
Lockable Rod Comp.	•	N/A	•	N/A
Mooring Cover	Opt.	Opt.	Opt.	Opt.
Navigation Lights	•	•	•	•
Custom Accessory Package	Opt. ¹	N/A	N/A	N/A
Bow Storage Compartment	•	N/A	•	N/A

Specifications	Lunker V-16 LTD	Lunker V-16 Deluxe	Lunker V-14 LTD	Lunker V-14
Overall Length	16'8"	16'6"	14'5"	14'2"
Overall Width	70"	68½"	66½"	66½"
Transom Height	20"	20"	20"	15/20"
Transom Width	63"	63"	63"	63"
Hull Gauge	.065	.065	.065	.065
Rec. H.P. Range	15-45	15-40	15-35	15-35
B.I.A. Rated Capacity Lbs.	1270	1315	1135	970/1160
Approx. Weight/Lbs.	585	550	490	315/320


¹ Includes factory installed trolling motor and Lowrance X20 liquid crystal graph plus wiring for trolling motor receptacle, and a battery tray.

² Remote control accessory channel and extension kit sold separately for Lunker 14's.

³ Lunker V14's console is wood grain w/o switches.

Color Options: Quicksilver Gray hull with Royal Blue interior.

Value/Totable Series



V16 V14 T14S T12S T14/T12



Optional SV Steering Console



Optional Swivel Seat Clamp and Seat
(Pictured with 1990 style seat)



V-14

T14 S

T12

Specifications	V-16	V-14	T14S	T12S	T-14	T-12
Overall Length	16'6"	14'2"	14'0"	12'0"	13'5"	11'10"
Overall Width	70"	66 1/2"	55"	53"	53"	53"
Overall Bow Ht.	30 1/2"	30 1/2"	25 1/2"	25 1/2"	23"	23"
Transom Ht.	15"/20"	15"/20"	15"	15"	15"	15"
Transom Width	63"	63"	52"	52"	47"	47"
Hull Gauge	.065	.065	.050	.050	.050	.050
Rec. H.P. Range	15-40	7.5-25	6-20	6-15	4-10	4-7.5
B.I.A. Rated Cap./Lbs.	1260/1385	1015/1195	725	630	545	470
Approx. Wt./Lbs.	255/260	235/240	161	140	129	115

Color: Quicksilver Gray hull with Blue interior.

Phantom V170

To John Suva



Dry Storage



Insulated Ice Chest



Phantom V170

Shown with Custom Instrument Package and Custom Accessory Package



Optional Custom Accessory Package

Features	Phantom V170
Upholstered Pedestal Seats	2
Stationary Seats	2
Pedestal Sockets (Pin Style)	3
Pedestal Holder	•
Aerated Bow Livewell (Gal.)	18
Recirculating Aerated Livewell AFT with Timer (Gal.)	24
7' Locking Rod Storage	•
Storage Compartments	7
Insulated Ice Chest	•
Windshield	•
Tilt & Trim Switch (Fore & AFT)	•

¹ Factory installed only. Includes speedometer, tachometer, voltmeter, in-dash flasher, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

Features	Phantom V170
Tilt Wheel	•
Bow Dry Storage Compartment	•
Trolling Motor Plug and Socket with Circuit Breaker and Battery Condition Gauge	•
12/24 Volt Electric System (8 Gauge Wire)	•
Mooring Cover	Opt.
Fuel Tank and Gauge (Gal.)	24
Grab Rail & Courtesy Light	•
Long Life Treated Plywood Platforms	•
Custom Instrument Package	Opt. ¹
Custom Accessory Package	Opt. ²

² Includes foot control trolling motor and Lowrance X20 liquid crystal graph.

Specifications	Phantom V170
Center Length	17'2"
Maximum Depth (Outside)	31"
Width	80"
Transom Width	76"
Transom Height	20"
Hull Gauge	Bottom .090 Sides .080
Alum Plate Bow	.080
Rec. H.P. Range	60-135
B.I.A. Rated Capacity Lbs.	1395
Approx. Weight/Lbs.	945
Hull Style	Deep Vee

Note: A hand control motor is also available as a substitute.
Color: Pearl Gray Metallic hull and Gray interior or Blue Metallic/Quicksilver hull with Blue interior.

Modified Vee Bass Boat Series



Custom Instrument Package



MV Super Bandit



Shown with Custom Instrument Package and Custom Accessory Package


MV Maverick



Insulated Ice Chest and Lid



Dry Storage



Custom Accessory Package

Features	MV Super Bandit	MV Maverick
Black Polyethylene Aerated Livewell	2 ¹	2 ¹
Stowable Running Lights	•	•
105 Amp Battery Compartment Forward	•	•
Interior Courtesy Light	•	•
Upholstered Pedestal Seats	2	2
Upholstered Fold Down Seats	2	2
Dry Storage Compartment	•	•
Rod Storage Compartment/Rod Savers	•	Opt.
Prewired Bow Trolling Receptacle and Plug w/Trim & Tilt Switch	•	•
Pedestal Extension Storage Holders	•	•

¹ Aft livewell is recirculating with timer.

Features	MV Super Bandit	MV Maverick
Aft Tilt Switch	•	•
Console Windshield	•	•
Electric System (8 Gauge Wire)	12/24V	12V
Aluminum Interior Floor	•	•
Insulated Ice Chest & Lid	•	•
Mooring Cover	Opt.	Opt.
Long Life Pressure Treated Plywood	•	•
Fuel Tank	18 gal. Opt.	12 gal. Opt.
Custom Instrument Package	Opt. ²	Opt. ²
Custom Accessory Package	Opt. ³	Opt. ³

² Factory installed only. Includes speedometer, tachometer, voltmeter, in-dash flasher, horn and AM/FM stereo cassette w/2 speakers.

Specifications	MV Super Bandit	MV Maverick
Center Length	17'8"	16'8"
Maximum Beam	74"	72"
Bottom Width	52"	48"
Transom Height	20"	20"
Side Height	23"	21"
Hull Gauge	.075	.072
Rec. H.P. Range	40-90	40-80
B.I.A. Rated Capacity/Lbs.	1205	965
Approx. Weight/Lbs.	740	625

³ Includes foot control trolling motor and Lowrance X20 liquid crystal graph.

Note: A hand control trolling motor is available as a substitute.

Color Options: Pearl Gray Metallic hull with Blue or Gray interior.

Modified Vee Bass Boat Series



Ice Chest



Custom Instrument Package (Angler)



Custom Accessory Package



MV Angler

MV Super Hawk CS

Features	MV Super Hawk CS	MV Angler
Raised Casting Deck Fore & Aft	•	•
Black Polyethylene Aerated Livewell	•	•
Stowable Running Lights	•	•
Bilge Pump	•	•
Upholstered Fold Down Seats	2	2
Upholstered Pedestal Seats	1	2
Storage Forward & Aft	•	•
Prewired Bow Trolling Receptacle & Plug w/ Trim & Tilt Switch	•	•
Aft Tilt Switch	N/A	•
Pedestal Extension Storage Holders	N/A	•

¹ The Trim & Tilt Switch is not available on the MV Super Hawk CS.

Features	MV Super Hawk CS	MV Angler
Console Windshield	Opt.	Opt.
12 Volt Electric System w/10 Gauge Wire	•	•
Aluminum Interior Floor	•	•
Custom Instrument Package	N/A	Opt. ²
Custom Accessory Package	Opt. ³	Opt. ³
Mooring Covers	Opt.	Opt.
Fuel Tank	N/A	12 Gal. Opt.
Long Life Pressure Treated Plywood Platforms	•	•

² Factory installed only. Includes speedometer, tachometer, voltmeter, in-dash flasher, horn and AM/FM stereo cassette w/2 speakers.

Specifications	MV Super Hawk CS	MV Angler
Center Length	14'11"	16'
Maximum Beam	62"	69"
Bottom Width	42"	44"
Transom Height	20"	20"
Side Height	20"	21"
Hull Gauge	.067	.072
Rec. H.P. Range	15-40	25-50
B.I.A. Rated Capacity Lbs.	815	865
Approx. Weight/Lbs.	450	600

³ Includes foot control trolling motor and Lowrance X20 liquid crystal graph.

Note: A hand control trolling motor is available as a substitute.
Color Options: Pearl Gray Metallic hull with Blue or Gray interior.
Super Hawk CS available in Gray interior only.


Crappie Series



Custom Accessory Package



Crappie Jon



Crappie SS

Shown with Custom Accessory Package

Crappie Pro

Features	Jon Crappie	Crappie SS	Crappie Pro
Raised Casting Decks Foreward	N/A	N/A	•
Aerated Livewell	N/A	•	•
Stowable Running Lights	N/A	•	•
Locking Rod Compts.	N/A	•	•
Bilge Pump	N/A	•	•
Upholstered Fold Down Seats	2	2	3
Pedestal Seat Sockets	N/A	N/A	2
Storage Compartment	•	•	•
Aft Tilt Switch	N/A	N/A	•
Fuel Tank	N/A	N/A	12 gal. opt.


Features	Jon Crappie	Crappie SS	Crappie Pro
Prewired Bow Trolling Receptacle & Plug	•	•	•
Steering Console	N/A	N/A	•
Console Windshield	N/A	N/A	Opt.
Aluminum Interior Floor	•	•	•
Mooring Cover	Opt.	Opt.	Opt.
Dry Storage Box	N/A	N/A	•
Removable Ice Chest	N/A	•	N/A
Long Life Pressure Treated Plywood Platforms	N/A	•	•
Custom Accessory Pkg.	N/A	Opt. ¹	Opt. ¹
Aft Curtain	N/A	•	•

Specifications	Jon Crappie	Crappie SS	Crappie Pro
Center Length	14'1"	16'	17'
Maximum Beam	62"	70"	72"
Bottom Width	42"	48"	48"
Transom Height	15"	20"	20"
Side Height	20"	21"	21"
Hull Gauge	.067	.067	.072
Rec. H.P. Range	10-25	15-40	30-60
B.I.A. Rated Capacity Lbs.	TBD	960	1080
Approx. Weight/Lbs.	TBD	580	660

¹ Factory installed foot control trolling motor and Lowrance X20 liquid crystal graph. Note: A hand control trolling motor is available as a substitute.

Color: Pearl Gray Metallic hull with Gray interior.

MV Tex Series




Optional Trolling Motor and Light Bracket




MV Tex



MV Tex CS




MV Tex Spec



MV Tex Spec CS

MV Tex Special CS



MV Tex CS

MV Tex




Optional Camouflage Upholstered Seat and Clamp

Specifications	MV Tex Line			
	MV Tex	MV Tex CS	MV Tex Spec	MV Tex Spec CS
Center Length	16'	16'	16'	16'
Maximum Beam	70"	70"	70"	70"
Bottom Width	48"	48"	48"	48"
Transom Height	20"	20"	20"	20"
Side Height	20"	20"	20"	20"
Hull Gauge	.070	.070	.070	.070
Rec. H.P. Range	15-35	15-50	15-35	15-50
B.I.A. Rated Capacity Lbs.	1010	1010	1010	1010
Approx. Weight Lbs.	290	300	350	385


Olive Drab standard on MV Tex and MV Tex CS
Platinum Gray hull with Royal Blue interior standard on MV TEX Special and MV TEX Spec CS.

Jon Boat Series



Optional Camouflage Upholstered
Seat and Clamp

1457 LW



MV 1470

Specifications	MV Superior Line	MV Commercial Line					Economy Line Jon Boats				Superior Line Jon Boats			Commercial Line Jon Boats						
	MV 1562	MV 1470	MV 1470 w/LW	MV 1670	MV 1670 w/LW	MV 1870	1047	1247	1447	1457 Light Weight	1257	1457	1457 w/LW	1562	1470	1470 w/LW	1670	1670 w/LW	1674	1674 L/W
Center Length	15'	14'	14'	16'	16'	18'	10'	12'	14'	14'	12'	14'	14'	15'	14'	14'	16'	16'	16'4"	16'4"
Maximum Beam	62"	70"	70"	70"	70"	70"	47"	47"	47"	57"	57"	57"	57"	62"	70"	70"	70"	70"	74"	74"
Bottom Width	42"	48"	48"	48"	48"	48"	32"	32"	32"	36"	36"	36"	36"	42"	48"	48"	48"	48"	52"	52"
Transom Height	15"	15"	15"	15"	15"	20"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	20"	20"
Side Height	20"	20"	20"	20"	20"	20"	17"	17"	17"	19"	19"	19"	19"	20"	20"	20"	20"	20"	22"	22"
Hull Gauge	.063	.070	.070	.070	.070	.070	.056	.056	.056	.056	.063	.063	.063	.063	.070	.070	.070	.070	.075	.075
Rec. H.P. Range	10-25	10-25	10-25	15-35	15-35	15-40	1-3	4-8	4-10	6-15	4-15	6-20	6-20	10-25	10-25	10-25	15-35	15-35	15-40	15-40
B.I.A. Rated Capacity Lbs.	805	885	885	1010	1010	1195	360	455	570	625	540	625	605	775	885	885	1010	1010	1130	1130
Approx. Weight/Lbs.	230	245	251	282	288	303	88	100	114	137	136	149	154	226	240	246	277	283	348	354

Standard Color: Olive Drab



Canoes



Optional Pads

WHY ALUMACRAFT IS AMERICA'S PREMIER CANOE.

- **Overlap design** . . . each side of the hull is preformed, overlapped on the center seam, and spot-welded for greater strength.
- **Flat bottom** . . . a flat bottom provides greater stability and easier paddling than a rocker bottom design.
- **Spotwelding** . . . aircraft-tough spotwelds on ribs, gunwales and center seam eliminate rivet shearing, drag and leakage.
- **Stronger stems** . . . made of .090 gauge solid aluminum, they're thicker and stronger to stand up to rocks, gravel and other obstructions.
- **6010 Marine alloy** . . . lightweight, this remarkable space age alloy is heat treated for greater durability and resistance to punctures and wear.
- **Plus** . . . built in carrying yoke on most models, gas resistant foam flotation, rugged roll seat design, attractive decal, and stainless steel tie-down eyelets.



Optional Motor Bracket


Specifications	QT-15 C Quetico	QT-17 CL Quetico	QT-17 C Quetico	QT-17 WWR Quetico ²	QT-185 CL Quetico	CO-17 ² Camper	Voyageur (Ultralight)
Gauge	.050	.040	.050	.060	.040	.050	.035
Center Length	15'	17'	17'	17'	18'5"	17'	17'
Maximum Beam	36"	36"	36"	36"	37"	37"	36"
Amidship Depth	14"	13"	13"	13"	13"	13"	12"
Keel Type	All cruising type except on QT-17 WWR which features Whitewater Keel						
No. of Ribs	3	5	3	5	8	5	3
B.I.A. Rated ¹ Capacity Lbs.	725	710	730	725	795	810	675
Approx. Weight Lbs.	62	64	71	83	71	85	57
Curved Center Thwart	•	•	•	Opt.	•	Opt.	Opt.

¹ Based on B.I.A. formula

² Transom height—16" Max. Rec. H.P.—4

³ Ribless model also available.

Sunclipper Pontoon Series



Sunclipper Deluxe 240

Optional Privacy Area

Custom Instrument Package

Both models
shown with some
optional equipment

All Aluminum Transom

Sunclipper 240

Optional Swim Ladder

Features	Sunclipper Deluxe 240	Sunclipper 240
Aluminum Cross Channels (16" Ctrs.)	•	•
Forward Side Lounge (1) & Table w/2 Captains Chairs	•	Opt.
L-Shape Lounge w/Table & Privacy Area	•	N/A
93" Rear Lounge Group	N/A	•
Rear Dinette Group (Includes Table & Flip Flop Seat)	N/A	•
Rear Sun Deck	•	•
Rear Sun Deck Cushions	•	Opt.
Splash Guards (Pair)	•	•
Transducer Bracket	•	•
Anodized Railings	•	•
3 Gates	•	•
Steering Cable w/SS Telescopic End	•	•
Bow Corner Rails	•	•
Deluxe Helm	•	•
Battery Box	•	•
Bimini Top	N/A	•
Aluminum Hardtop w/Storage Shelf and Courtesy Light	•	Opt.
Running Lights	•	•
Captains Single Helm Seat	N/A	•
Double Wide 36" Helm Seat	•	Opt.

Features (Cont.)	Sunclipper Deluxe 240	Sunclipper 240
18 Gal. Fuel Tank & Fuel Gauge	•	Opt.
Custom Instrument Package (Includes AM/FM Stereo Radio, Cassette Receiver, Speakers, Water Pressure Gauge, Tachometer, Voltmeter and Horn)	•	Opt.
Windshield	•	Opt.
Cast Aluminum Corner Casting	•	•
S/S Bow Eye & Tow Eye	•	•
Aluminum Clad Transom	•	•
Bolted 3/4" Pressure Treated Decks	•	•
Options	Sunclipper Deluxe 240	Sunclipper 240
69" Forward Side Lounge (Pair)	• N/C ¹	•
Rear Lounge w/Privacy Area	STD.	•
36" Helm Chair Cover	•	•
Helm Cover	•	•
36" Wet Bar	•	N/A
Wet Bar Cover	•	N/A
Rear Lounge Cover	•	•
Forward Lounge Cover	•	•
Flip Flop Cover	N/A	•
Mooring Cover (rail only)	•	•
Splash Shield	•	•


Options (Cont.)	Sunclipper Deluxe 240	Sunclipper 240
Docking Lights	•	•
Removable Swim Ladder	•	•
Bar-B-Que Grill (not installed)	•	•
Ice Chest 48 Qt. w/Floor Tray	•	•
Salt Water Conversion Kit (consists of SS fasteners)	•	•
36" Side Lounge	•	N/A
Specifications	Sunclipper Deluxe 240	Sunclipper 240
Pontoon Length	24'5"	24'5"
Pontoon Size (U-Shape)	23"	23"
Pontoon Gauge	.080	.080
Deck Size	8'x24'	8'x24'
Weight Capacity	2850	2850
People Capacity	17/2300 lbs.	17/2300 lbs.
Overall Weight	2200 lbs.	2200 lbs.
Maximum HP	115	115

¹ N/C when exchanged for (1) Table w/2 Captain Chairs

*IMPORTANT: Some large HP out-boards may exceed maximum tilt heights for these boat models. Check with manufacturer.


Color Options: Gray exterior with Gray interior, White exterior with Blue interior

Fish Pontoon Series



Livewell

Fish N' Cruise 200



Shown with Optional Seats.

Cruise 200

Features	Cruise 200	Fish N' Cruise 200
Rear Sun Deck	•	N/A
Aluminum Cross Channels (16" Ctrs.)	•	N/A
Aluminum Cross Channels (24" Ctrs.)	N/A	•
93" Rear Lounge Group	•	•
Rear Dinette Group (Includes Table & Flip Flop Seat)	•	N/A
Splash Guards (Pair)	•	•
Transducer Bracket	•	•
Anodized Railings	•	•
3 Gates	•	•
Steering Cable w/ SS Telescopic End	•	•
Deluxe Helm (side mount)	•	N/A
Deluxe Center Console Helm	N/A	•
Battery Box	•	•
Bimini Top	•	•
Running Lights	•	•
Fold Down Chair w/ Arm Rests	N/A	•
Fisherman's Chair Package (2 chairs & 2 Ped.)	Opt.	•
Trolling Motor Plug-in and Harness	N/A	•
Captains Single Helm Seat	•	N/A
Cast Aluminum Corner Casting	•	•
S/S Bow Eye & Tow Eye	•	•
Rod Holders	Opt.	•
Aluminum Tough Transom	N/A	•

Features (Cont.)	Cruise 200	Fish N' Cruise 200
Aluminum Clad Transom	•	N/A
3/4" Pressure Treated Decks	• ¹	•
Livewell in Center Console	N/A	•
Options	Cruise 200	Fish N' Cruise 200
Rear Sun Deck Cushions	•	N/A
36" Forward Side Lounge (Pair)	•	N/A
Double Wide 36" Helm Seat (Exchange Price)	•	•
18 Gal. Fuel Tank & Fuel Gauge	•	N/A
Custom Instrument Package (Includes: AM/FM Stereo Radio, Cassette Receiver, Speakers, Water Pressure Gauge, Tachometer, Voltmeter and Horn)	•	•
Windshield	•	•
Helm Chair Cover	•	•
Fish Chair Cover	•	•
Helm Cover	•	•
Rear Lounge Cover	•	•
Forward Lounge Cover	•	N/A
Flip Flop Cover	•	N/A
Rear Lounge w/ Privacy Area	•	N/A
Livewell in Flip Flop Seat w/ Aerator	•	N/A
Mooring Cover (rail only)	•	•
Docking Lights	•	•

Options (Cont.)	Cruise 200	Fish N' Cruise 200
Removable Swim Ladder	•	•
Bar-B-Que Grill (not installed)	•	•
Ice Chest 48 Qt. w/ Floor Tray	•	•
Salt Water Conversion Kit (consists of SS fasteners)	•	•
Accessory Package (Includes: 36" Shaft, 28 lb. Thrust Trolling Motor and X20 Liquid Crystal Graph by Lowrance)	•	•
Specifications	Cruise 200	Fish N' Cruise 200
Pontoon Length	20'5"	20'5"
Pontoon Size (U-Shape)	23"	23"
Pontoon Gauge	.080	.080
Deck Size	8'x20'	8'x20'
Weight Capacity	2025	2025
People Capacity	12/1600 lbs.	12/1600 lbs.
Overall Weight	1505 lbs.	1505 lbs.
Maximum HP	75	75

¹ Bolted deck.

*IMPORTANT: Some large HP out-boards may exceed maximum tilt heights for these boat models. Check with manufacturer.

Color Options: Gray exterior with Gray interior, White exterior with Blue interior.

Fish 200 Pontoon Series



Fish 200



Aft Storage

Features	Fish 200
Aluminum Cross Channels (24" Ctrs.)	•
Splash Guards (Pair)	•
Transducer Bracket	•
Anodized Railings	•
3 Gates	•
Steering Cable w/ SS Telescopic End	•
Deluxe Center Console Helm	•
Battery Box	•
Bimini Top	•
Running Lights	•
Fold Down Chair w/ Arm Rests	•
Fisherman's Chair Package (4 Chairs & 4 Pedestals)	•
Trolling Motor Plug-In & Harness	•
Cast Aluminum Corner Casting	•
S/S Bow Eye & Tow Eye	•
Rod Holders	•
Aluma-Tough Transom	•

Features (Cont.)	Fish 200
3/4" Pressure Treated Decks	•
Livewell in Center Console	•
Options	Fish 200
Custom Instrument Package (Includes AM/ FM Stereo Radio Cassette Receiver, Speakers, Water Pressure Gauge, Tachometer, Voltmeter and Horn)	•
Windshield	•
Helm Chair Cover	•
Fish Chair Cover	•
Helm Cover	•
Mooring Covers (rail only)	•
Docking Lights	•
Removable Swim Ladder	•
Bar-B-Que Grill (not installed)	•
Ice Chest 48 Qt. w/ Floor Tray	•
Salt Water Conversion Kit (consists of SS fasteners)	•

Options (Cont.)	Fish 200
Accessory Package (Includes 36" Shaft, 28 Thrust Trolling Motor and X-20 Liquid Crystal Graph by Lowrance)	•
Specifications	Fish 200
Pontoon Length	20'5"
Pontoon Size (U-Shape)	23"
Pontoon Gauge	.080
Deck Size	8'x20'
Weight Capacity	2025 lbs.
People Capacity	12/1600 lbs.
Overall Weight	1505 lbs.
Maximum HP	75

*IMPORTANT: Some large HP out-boards may exceed maximum tilt heights for these boat models. Check with manufacturer.

Color Options: Gray exterior with Gray interior, White exterior with Blue interior.

12 great reasons to buy an AlumaCraft pontoon.

1. The best pontoons are strong and sturdy the way we build them. We start with .080 gauge marine aluminum to ensure the highest quality. Then we form each pontoon into a 23" U-Shape to provide maximum performance and floatation characteristics. A special urethane foam is placed into each pontoon for added strength and durability.

2. The nose cones are filled with urethane foam for increased strength and impact resistance and have been specially engineered to minimize damage from ramming or beaching.

3. Heavy gauge extruded aluminum cross channels on 16" centers (for most models) provide stable support for the deck. The deck is fastened in place with bolts and locking nuts. The Fish N' Cruise 200 and Fish 200 have screwed down decks.

4. The decks are 3/4" superior grade pressure treated, weather-proofed plywood. Every seam and every cross member is sealed, and the entire

deck is covered with a high quality marine carpet for beauty and durability.

5. Furniture ensembles feature top quality, marine upholsteries. Marine grade vinyls resist harmful ultra-violet light that can deteriorate other vinyls. A special corrosion resistant monel staple is used to fasten upholstery.

6. Deck railings are constructed of 1 1/4" square aluminum for greater strength and durability. All railings are fully anodized to protect against unsightly oxide rub-off. All railings have fully rounded corners for enhanced appearance and added safety.

7. The deck edges are encased with aluminum extrusions, and all outside corners of the pontoon deck are protected with heavy-duty aluminum corner castings.

8. Three gates are standard on every AlumaCraft pontoon for easy access when boarding or unboarding. The front gate is wheelchair accessible.

9. Aluminum clad transoms are standard on most models. The wood infrastructure is dipped in preservative to help prevent deterioration and then clad on both sides with thick aluminum to eliminate maintenance, minimize vibration and noise levels, and assure dependable performance.

10. A special custom high tech molded steering console is standard on all models for convenience and styling.

11. Loads of special accessories and options are available to make your boating a real pleasure. Custom Instrument Packages, and Custom Accessory Packages, plus boarding ladders and much more are offered to let you personalize your pontoon.

12. A special Limited 2-Year Warranty assures you of fun-filled days without having to worry. All AlumaCraft products are NMMA Certified and all ratings comply with the Federal Boat Safety Act of 1971. AlumaCraft has been building watercraft for over 45 years so you know we do it right.

Alumacraft Options & Accessories




Sea Cap



Trophy bow cushion



Jon Boat Steering




Trophy bow platform



Trophy top



Mooring cover



SV Windshield



High rise Trophy 190 top



Competitor/Dominator CS Windshield



Shirt and regular cap



Jacket and deluxe cap



Seat and armrest on a power pedestal



Pro seat with power pedestal



Limited Warranty to Original Owners:

Alumacraft provides one of the best limited warranty programs available in the industry to the original purchaser. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific details. Prices and specifications are subject to change without notice.

NMMA Certified—All Alumacraft aluminum fishing boats and canoes are NMMA certified and all ratings comply with the Federal boat Safety Act of 1971.



Alumacraft Boat Co.

315 West St. Julien Street, St. Peter, MN 56082, Phone (507) 931-1050

Highway 67 North, Box 189, Arkadelphia, AR 71923, Phone (501) 246-5555