


WHY ALUMACRAFT IS AMERICA'S PREMIER CANOE.

Overlap design . . . each side of the hull is preformed, overlapped on the center seam, and spot-welded for greater strength.

- Flat bottom . . . a flat bottom provides greater stability and easier paddling than a rocker bottom design.
- Spotwelding . . . aircraft-tough spotwelds on ribs, gunwales and center seam eliminate rivet shearing, drag and leakage.
- Stronger stems . . . made of .090 gauge solid aluminum, they're thicker and stronger to stand up to rocks, gravel and other obstructions.
- 6010 Marine alloy . . . lightweight, this remarkable space age alloy is heat treated for greater durability and resistance to punctures and wear.
- Plus . . . built in carrying yoke on most models, gas resistant foam flotation, rugged roll seat design, attractive decal, and stainless steel tie-down eyelets.



Optional Motor Bracket





Optional Portage Pads

Specifications	QT-15 C Quetico	QT-17 CL Quetico	QT-17 C Quetico	QT-17 WWR Quetico ²	QT-185 CL Quetico	CO-17 ¹ Camper	Voyageur (Ultralight)
Gauge	.050	.040	.050	.060	.040	.050	.035
Center Length	15'	17'	17'	17'	18'5"	17'	17'
Maximum Beam	36"	36"	36"	36"	37*	37"	36"
Amidship Depth	14"	13"	13"	13"	13"	13"	12"
Keel Type	All cr	ruising type exc	ept on QT-17	WWR which fea	tures Whitewat	er Keel	
No. of Ribs	3	5	3	5	8	5	3
B.I.A. Rated Capacity Lbs.	725	710	730	725	795	810	675
Approx. Weight/Lbs.	62	64	71	83	71	85	57
Curved Center Thwart	Opt.		•	Opt.	•	Opt.	Opt.

¹ Transom height-16" Max. Rec. H.P.-4

² Ribless model also available.

Classic Deluxe & Backtroller Series



Features	Backtroller 14	Backtroller 16	Classic Deluxe
Stowable Running Lights	•	•	•
Bilge Pump	•	•	•
Upholstered Seats	2	2	3
Seat Pedestal Sockets	3	4	4
Aerated Livewell (Gal.)	24	24	24
Lockable Rod Compartment	•	•	•
Interior Courtesy Light	N/A	N/A	•
Storage Compartments	•	•	•
Windshield	Opt.	Opt.	Opt.
Lockable Storage Compartment	N/A		

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna.

Includes factory installed trolling motor and Lowrance X20A liquid crystal graph plus wiring for trolling motor receptacle, and a battery tray.

Features	Backtroller 14	Backtroller 16	Classic Deluxe
Console Steering	Opt.4/5	Opt.	•
Transom Curtain	Opt.	Opt.	•
Mooring Cover	Opt.	Opt.	Opt.
Tackle Tray	N/A	2 Drawer	4 Drawer
Prewired Bow Trolling Recept & Plug	N/A	N/A	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	N/A	N/A	•
Instument Pkg.	N/A	N/A	•1
Custom Accessory Pkg.	N/A	Opt.2	Opt.3

 $^{^{\}rm 3}$ Includes factory installed trolling motor and Lowrance X20A liquid crystal graph.

Specifications	Backtroller 14	Backtroller 16/CS*	Classic Deluxe
Overall Length	14'5"	16'4"	16'3"
Overall Width	72"	73"	73"
Transom Height	20"	20"	20"
Transom Width	66"	66"	66"
Max. Equiv. Gauge ¹	.075	.075	.075
Rec. H.P. Range	15-40	15-45/606	25-60
B.I.A. Rated Capacity Lbs.	1170	1305/1300	1290
Approx. Weight/Lbs.	505	555/610	650

¹ Calculation of maximum equivalent gauge is based on empirical data developed by the automotive industry, and the S.A.E's structural requirements to compare resistance to denting for various material and thicknesses. For further information contact Alumacraft Boat Company's Engineering Department.

Color Options: Quicksilver Gray hull with Blue or Gray interior.

⁴ Backtroller 14 console is wood grain w/o switches.

⁵ Remote control accessory channel and extension wire kit sold separately for Backtroller 14.

⁶ Backtroller 16 w/steering is rated for 60 hp.

^{*}CS - Console Steering

Competitor 170 Series



Features	Competitor 170	Competitor 170 CS
3 Drawer Tackle Tray	•	•
Interior Courtesy Lights	•	•
Stowable Running Lights	•	•
Upholstered Pedestal Seats	2	2
Adjustable Pedestals	1	2
Stationary Pedestal	1	N/A
Pedestal Sockets	4	5
Fuel Tank w/Gauge (gal.)	23	23
Recirculating Livewell (gal.) w/Timer	24	24
6'6" Lockable Rod Storage Compartment w/Holders		•
Dry Bow Deck Storage (Locking)	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	2	2

Features	Competitor 170	Competitor 170 CS
Insulated Aerated Bait Well	•	•
Locking Electronics Compartments	1	1
Console Steering	N/A	•
12/24 Volt Electric System		•
Bilge Pump	•	•
Prewired Bow Trolling Motor Receptacle and Plug w/Trim & Tilt		
Windshield	N/A	Opt.
Mooring Cover	Opt.	Opt.
Instrument Package	•1	•1
Custom Accessory Package	Opt.2	Opt.3

³ Includes factory installed trolling motor and Lowrance X25 liquid

Specifications	Competitor 170	Competitor 170 CS
Center Line Length	16'4"	16'4"
Maximum Depth	36"	36"
Width	79"	79"
Transom Width	76"	76"
Transom Height	20"	20"
Rec. H.P. Range	40-60	50-100
Hull Gauge Bottom Sides	.090 .063	.090 .063
Aluma Plate Bow	.060	.060
B.I.A. Rated Capacity Lbs.	1295	1455
Approx. Weight/Lbs.	870	925
Hull Style	Deep Vee	Deep Vee

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray Metallic/Quicksilver hull with Gray interior.

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.
² Includes factory installed extra seat and pedestal, trolling motor and Lowrance X25 liquid crystal graph.

Competitor 185 Series







Bait Well



Trolling Motor Panel

INTERIOR



Features	185	185 CS
Interior Courtesy Lights	•	•
Stowable Running Lights	•	•
Uphoistered Pedestal Seats	3	3
Adjustable Pedestal	2	3
Fixed Power Pedestal	1	Opt.
Pedestal Sockets	3	5
Fuel Tank w/Gauge (35 gal.)	•	•
Insulated Aerated Baitwell	2	2
Recirculating Insulated Livewell with Timer (24 gal.)	•	•
7' Lockable Rod Storage Compartment	•	•
Dry Bow Deck Storage (Locking)	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	2	2
Trolling Motor Battery Condition Gauge	•	•
Insulated Ice Chest	•	•
Grabrails	2	2

Features	Competitor 185	Competitor 185 CS
Trolling Motor Receptacle w/Plug at Transom	•	•
Locking Electronics Compartments	•	
Console Steering	N/A	•
12/24 Volt Electric System (8 gauge wire)		•
Bilge Pump	•	•
Five Drawer Removable Tackle Box	•	•
Prewired Bow Trolling Receptacle and Plug w/Trim & Tilt	•	•
Windshield	N/A	Opt.
Mooring Cover	Opt.	Opt.
Instrument Package	•1	•1
Custom Accessory Package	Opt2	Opt.3

Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

² Includes factory installed extra seat and pedestal, trolling motor and Lowrance X25 liquid crystal graph.

Specifications	Competitor 185	Competito 185 CS	
Center Line Length	18′ 4″	18' 4"	
Bow Depth	42"	42"	
Width	88"	88"	
Transom Width	871/2"	871/2"	
Transom Height	20"	20"	
Rec. H.P. Range	50-85	50-150	
Hull Gauge Bottom Sides	.090 .080	.090	
Aluma Plate Bow	.090	.090	
B.I.A. Rated Capacity Lbs.	1700	1700	
Approx. Weight/Lbs.	1149	1200	
Hull Style	Deep Vee	Deep Vee	

 $^{^{\}rm 3}$ Includes factory installed trolling motor and Lowrance X25 liquid crystal graph.

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray Metallic/Quicksilver hull with Gray interior.



Features	Crappie Pro	Crappie Deluxe SS	Crappie Jon	Crappie Jon Jr.
Raised Casting Decks Foreward	•	N/A	N/A	N/A
Livewell	•2	•2	•	N/A
Stowable Running Lights	•	•	N/A	N/A
Locking Rod Compts.		N/A	N/A	N/A
Bilge Pump		N/A	N/A	N/A
Upholstered Fold Down Seats	3	2	2	2
Pedestal Seat Sockets	2	N/A	N/A	N/A
Storage Compartment		•	•	N/A
Aft Tilt Switch	•	N/A	N/A	N/A

Features	Crappie Pro	Crappie Deluxe SS	Crappie Jon	Crappie Jon Jr.
Prewired Bow Trolling Receptacle & Plug	•	N/A	N/A	N/A
Steering Console	•	N/A	N/A	N/A
Console Windshield	Opt.	N/A	N/A	N/A
Aluminum Interior Floor				•
Mooring Cover	Opt.	Opt.	Opt.	N/A
Long Life Pressure Treated Plywood Platforms		N/A	N/A	N/A
Custom Accessory Package	Opt.1	Opt.1	N/A	N/A
Aft Curtain		N/A	N/A	N/A

¹ Factory installed foot control trolling motor and Lowrance X25
liquid crystal graph. Crappie Deluxe SS substitute X20A liquid
crystal graph

Specifications	Crappie Pro	Crappie Deluxe SS	Crappie Jon	Crappie Jon Jr.
Center Length	17'	14'11"	14"1"	14'
Maximum Beam	72"	62"	62"	54"
Bottom Width	48"	42"	42"	36"
Transom Height	20"	20"	15"	15"
Side Height	21"	20"	20"	19"
Hull Gauge	.072	.067	.067	.063
Rec. H.P. Range	30-60	15-40	10-25	6-20
B.I.A. Rated Capacity Lbs.	1080	745	745	580
Approx. Weight/Lbs.	660	380	314	260

² Aerated

Color: Pearl Gray Metallic hull with Gray interior.



Features	Cruise 200
Rear Sun Deck	•
Aluminum Cross Channels (16" Ctrs.)	
91" Rear Lounge Group	•
Rear Dinette Group (Includes Table & Flip Flop Seat)	
Splash Guards (Pair)	•
Tranducer Bracket	•
Anodized Railings	•
3 Gates	•
Steering Cable w/SS Telescopic End	•
Deluxe Helm (side mount)	•
Battery Box	•
Bimini Top	•
Running Lights	•
Captains Single Helm Seat	•
Cast Aluminum Corner Casting	•
S/S Bow Eye & Tow Eye	•
18 Gallon Fuel Tank and Gauge	•
Aluminum Clad Transom	•
Bolted 3/4" Pressure Treated Decks	•

Options	Cruise 200
Rear Sun Deck Cushions	•
41" Forward Side Lounge (Pair)	•
Double Wide 36" Helm Seat (Exchange Price)	•
Custom Instrument Package (Includes: Water Pressure Gauge, Tachometer, Voltmeter, Horn and Windshield)	•
Livewell in Flip Flop Seat w/Aerator	•
Play Pen Cover (rail only)	•
Docking Lights	•
Save-A-Life Swim Ladder (Dealer Installed)	
Ice Chest 48 Qt. w/Floor Tray	•
Salt Water Conversion Kit (consists of SS fasteners)	•
Accessory Package (Includes: Motor Guide, 36" Shaft, 30 lb. Thrust Trolling Motor and X25 Liquid Crystal Graph by Lowrance	•
Fisherman's Chair Package (2 Chairs & 2 Pedestals)	•
Rod Holders	•
Trolling Motor Plug In and Harness	•
Happy Camper Enclosure	•

Specifications	Cruise 200
Pontoon Length	20'5"
Pontoon Size (U-Shape)	23"
Pontoon Gauge	.080
Deck Size	8'x20'
Weight Capacity	2025
People Capacity	12/1600 lbs.
Overall Weight	1660 lbs.
Maximum HP	75

IMPORTANT: Some large HP out-boards may exceed maximum tilt heights for these boat models. Check with manufacturer.

Color Options: Gray exterior with Teal interior, White exterior with Blue interior.


12 great reasons to buy an Alumacraft pontoon.

- 1. The best pontoons are strong and sturdy the way we build them. We start with .080 gauge marine aluminum to ensure the highest quality. Then we form each pontoon into a 23" U-Shape to provide maximum performance and floatation characteristics. A special urethane foam is placed into each pontoon for added strength and durability.
- The nose cones are filled with urethane foam for increased strength and impact resistance and have been specially engineered to minimize damage from ramming or beaching.
- 3. Heavy gauge extruded aluminum cross channels on 16" centers (for most models) provide stable support for the deck. The deck is fas-
- ed in place with bolts and locking nuts. The rish N' Cruise 200 and Fish 200 have screwed down decks.
- 4. The decks are ¾" superior grade pressure treated, weather-proofed plywood. Every seam and every cross member is sealed, and the entire

- deck is covered with a high quality marine carpet for beauty and durability.
- 5. Furniture ensembles feature top quality, marine upholsteries. Marine grade vinyls resist harmful ultra-violet light that can deteriorate other vinyls. A special corrosion resistant monel staple is used to fasten upholstery.
- 6. Deck railings are constructed of 1¼" square aluminum for greater strength and durability. All railings are fully anodized to protect against unsightly oxide rub-off. All railings have fully rounded corners for enhanced appearance and added safety.
- 7. The deck edges are encased with aluminum extrusions, and all outside corners of the pontoon deck are protected with heavy-duty aluminum corner castings.
- Three gates are standard on every Alumacraft pontoon for easy acess when boarding or unboarding. The front gate is wheelchair accessible.

- 9. Aluminum clad transoms are standard on most models. The wood infrastructure is dipped in preservative to help prevent deterioration and then clad on both sides with thick aluminum to eliminate maintenance, minimize vibration and noise levels, and assure dependable performance.
- A special custom high tech molded steering console is standard on all models for convenience and styling.
- 11. Loads of special accessories and options are available to make your boating a real pleasure. Custom Instrument Packages, and Custom Accessory Packages, plus boarding ladders and much more are offered to let you personalize your pontoon.
- 12. A special Limited 2-Year Warranty assures you of fun-filled worry-free days. All Alumcraft products are NMMA Certified and all ratings comply with the Federal Boat Safety Act of 1971. Alumacraft has been building watercraft since 1946 so you know we do it right.

Dominator Series



Features	Dominator	Dominator CS
Stationary Pedestal	1	N/A
Stowable Running Lights	•	•
Bilge Pump	•	•
Interior Courtesy Lights	•	•
Upholstered Seats	2	2
Seat Pedestal Sockets	4	4
Recirculating Aerated Livewell (Gal.) w/Timer	24	24
Lockable Rod Compartment	•	•
Lockable Storage Compartment		•

<sup>Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.
Includes tachometer, blank gauge, horn, AM/FM stereo cassette w/2 spkr/external antenna and weatherband.</sup>

Features	Dominator	Dominator CS
Tackle Tray	2 Drawer	4 Drawer
Fuel Tank w/Gauge (Gal.)	23	23
Console Steering	N/A	•
Windshield	N/A	Opt.
Prewired Bow Trolling Motor Receptacle and Plug w/Trim & Tilt	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery		•
Instrument Package	•2	•1
Custom Accessory Package	Opt.3	Opt.3

³ Includes factory installed trolling motor and Lowrance X25 liquid

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray/Quicksilver hull with Gray interior.

Specifications	Dominator	Dominator CS
Overall Length	16'4"	16'4"
Overall Width	74"	74"
Transom Height	20"	20"
Transom Width	731/2"	731/2"
Hull Gauge Bottom	.080	.080
Sides	.063	.063
Aluma Plate Bow	.060	.060
Rec. H.P. Range	35-60	35-80
B.I.A. Rated Capacity Lbs.	1165	1345
Approx. Weight/Lbs.	795	825
Hull Style	Deep Vee	Deep Vee

Fish Pontoon Series



Features	Fish 200	Fish N' Cruise 200
Aluminum Cross Channels (24" Ctrs.)	•	
Splash Guards (Pair)	•	
Tranducer Bracket	•	
Anodized Railings	•	
3 Gates	•	
Steering Cable w/SS Telescopic End	•	
Deluxe Center Console Helm	•	N/A
Deluxe Side Helm	N/A	
Battery Box	•	
Bimini Top	•	
Running Lights	•	
Fold Down Helm Seat w/Arm Rests	•	N/A
Fisherman's Chair Package (4 chairs & 4 Pedestals)	•	
Trolling Motor Plug-in and Harness	•	•
Cast Aluminum Corner Casting	•	
S/S Bow Eye & Tow Eye	•	
Rod Holders	•	
Aluma-Tough Transom	•	

Features (Cont.)	Fish 200	Fish N' Cruise 200
AM/FM Stereo Radio Cassette Receiver with Weatherband and Speakers	•	
63" Side Lounge	N/A	•
3/4" Pressure Treated Decks	•	
Livewell in Center Console	•	N/A
Livewell in Flip Flop Seat	N/A	•
Specifications	Fish 200	Fish N' Cruise 200
Pontoon Length	20'5"	20'5"
Pontoon Size (U-Shape)	23"	23"
Pontoon Gauge	.080	.080
Deck Size	8'x20'	8'x20'
Weight Capacity	2025	2025
People Capacity	11/1600 lbs.	11/1600 lbs.
Overall Weight	1500 lbs.	1600 lbs.
Maximum HP	75	75

Options	Fish 200	Fish N' Cruise 200
Custom Instrument Package (Includes: Water Pressure Gauge, Tachometer, Voltmeter, Horn and Windshield)		
Play Pen Cover (rail only)	•	•
Docking Lights		
Happy Camper Enclosure	•	•
Save-A-Life Swim Ladder (Dealer Installed)	•	
Ice Chest 48 Qt. w/Floor Tray	•	•
Salt Water Conversion Kit (consists of SS fasteners)	•	
Accessory Package (Includes: Motor Guide, 36" Shaft, 30 lb.Thrust Trolling Motor and X25 Liquid Crystal Graph by Lowrance	•	

Color Options: Gray exterior with Teal interior, White exterior with Blue interior.

Fisherman Series




Optional Custom Accessory Package



Optional Steering Console



Bow Storage & Battery Box



Fisherman Fisherman 150 150 w/Console Steering Option



Livewell

Switch Panel

Features	Fisherman 150
Stowable Running Lights	•
Upholstered Seats	2
Seat Pedestal Sockets	3
Aerated Livewell (Gal.)	24
Bow Storage Compartment	•


Dow Storage Compartment		
	vrance X20A liquid	
Crystal graph and a battery box.		
		¹ Includes factory installed trolling motor and Lowrance X20A liquid crystal graph and a battery box.

Color: Quicksilver hull with Blue interior.

Features	Fisherman 150
Console Steering	Opt.
Mooring cover	Opt.
Custom Accessory Package	Opt.1
Rear Bench Seat	1
Bow Casting Platform & Deck	•

Specifications	Fisherman 150/CS*
Overall Length	14'5"
Overall Width	68"
Transom Height	20"
Transom Width	63"
Hull Gauge	.065
Rec. H.P. Range	15-35/45
B.I.A. Rated Capacity Lbs.	1125
Approx. Weight/Lbs.	470/495

^{*} Console Steering



Specifications		Econor Jon E	ny Line Boats	•		perior L on Boa					mercial on Boat				MV Superior Line		MV Co	mmercia	al Line	
	1047	1247	1447	1457 Light Weight	1257	1457	1457 w/LW	1562	1470	1470 w/LW	1670	1670 w/LW	1674	1674 L/W	MV 1562	MV 1470	MV 1470 w/LW	MV 1670	MV 1670 w/LW	MV 1870
Center Length	10'	12'	14'	14'	12'	14'	14'	15'	14'	14'	16'	16'	16'4"	16'4"	15'	14'	14'	16'	16'	18'
Maximum Beam	47"	47"	47"	57"	57"	57"	57"	62"	70"	70"	70"	70"	74"	74"	62"	70"	70"	70"	70"	70"
Bottom Width	32"	32"	32"	36"	. 36"	36"	36"	42"	48"	48"	48"	48"	52"	52"	42"	48"	48"	48"	48"	48"
Transom Height	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	20"	20"	15"	15"	15"	15"	15"	20"
Side Height	17"	17"	17"	19"	19"	19"	19"	20"	20"	20"	20"	20"	22"	22"	20"	20"	20"	20"	20"	20"
Hull Gauge	.056	.056	.056	.056	.063	.063	.063	.063	.070	.070	.070	.070	.075	.075	.063	.070	.070	.070	.070	.070
Rec. H.P. Range	1-3	4-8	4-10	6-15	4-15	6-20	6-20	10-25	10-25	10-25	15-35	15-35	15-40	15-40	10-25	10-25	10-25	15-35	15-35	15-40
B.I.A. Rated Capacity Lbs.	360	455	570	625	540	625	605	775	885	885	1010	1010	1130	1130	805	885	885	1010	1010	1195
Approx. Weight/Lbs.	88	100	114	137	136	149	154	226	240	246	277	283	348	354	230	245	251	282	288	303


Lunker Series



Optional Custom Accessory Package LV16 LTD & LV14 LTD



Optional Steering Console Lunker V16 LTD





Features	V-16 LTD	Lunker V-16 Deluxe	Lunker V-14 LTD	Lunker V-14
Upholstered Pedestal Seats	2	1	2	Opt.
Bench Seats	N/A	1	N/A	2
Seat Pedestal Sockets	4	2	3	N/A
Livewell (Gal.)	24	24	24	12.5
Aerator Pump		Opt.	•	Opt.
Bilge Pump	•	Opt.	•	Opt
Console Steering (see note 2)	Opt.	Opt.	Opt.2	Opt.2
Lockable Storage Compt.	•	•	N/A	N/A
Lockable Rod Compt.	•	N/A	•	N/A
Mooring Cover	Opt.	Opt.	Opt.	Opt.
Navigation Lights	•	•	•	
Custom Accessory Package	Opt.1	N/A	Opt.1	N/A
Bow Storage Compartment	•	N/A	•	N/A

Specifications	V-16 LTD	Lunker V-16 Deluxe	Lunker V-14 LTD	Lunker V-14
Overall Length	16'8"	16'6"	14'5"	14'2"
Overall Width	70"	681/2"	661/2"	661/2"
Transom Height	20"	20"	20"	15/20"
Transom Width	63"	63"	63"	63"
Hull Gauge	.065	.065	.065	.065
Rec. H.P. Range	15-45	15-40	15-35	15-35
B.I.A. Rated Capacity Lbs.	1270	1315	1135	970/1160
Approx. Weight/Lbs.	585	550	490	315/320

¹ Includes factory installed trolling motor and Lowrance X20A liquid crystal graph plus wiring for trolling motor receptacle, and a battery tray.

² Lunker V14's console is wood grain w/o switches. Color Options: Quicksilver hull with Blue interior.

Modified Vee Bass Boat Series



Features	MV Super Bandit	MV Maverick
Black Polyethylene Aerated Livewell	21	21
Stowable Running Lights	•	•
105 Amp Battery Compartment Forward	•	•
Interior Courtesy Light	•	•
Upholstered Pedestal Seats	2	2
Upholstered Fold Down Seats	2	2
Dry Storage Compartment	•	•
Rod Storage Compartment/Rod Savers	•	Opt.
Prewired Bow Trolling Receptacle and Plug w/Trim & Tilt Switch	•	•
Pedestal Extension Storage Holders	•	•

¹ Aft livewell is recirculating with timer.

² Includes speedometer, tachometer, voltmeter, i	n-dashflasher,
horn AM/FM stereo cassette w/2 sneakers and w	reatherhand

Features	MV Super Bandit	MV Maverick
Aft Tilt Switch	•	•
Console Windshield	•	•
Electric System (8 Gauge Wire)	12/24V	12V
Aluminum Interior Floor	•	•
Insulated Ice Chest & Lid	•	•
Mooring Cover	Opt.	Opt.
Long Life Pressure Treated Plywood Platforms		•
Fuel Tank	18 gal.	12 gal. Opt
Instrument Package	•2	•2
Custom Accessory Package	Opt.3	Opt.3

³ Includes foot control trolling motor and Lowrance X25 liquid crystal graph.

MV Supe Bandit Specifications Center Length 16'8" Maximum Beam 72" Bottom Width 48" Transom Height 20" 20" Side Height 21" Hull Gauge .075 .072 Rec. H.P. Range 40-90 40-80 B.I.A. Rated Capacity/Lbs. 1205 965 Approx. Weight/Lbs.

Color Options: Pearl Gray Metallic hull with Blue or Gray interior.

Phantom 185 F/S Fish & Ski



Optional Bow Platform



Instrument Console



Aft Live Well







Shown with

Optional Custo Accessory Packa

Optional Custom Accessory Package w/Removable Trolling Motor Bracket

Features	Phantom 185 F/S
Upholstered Pedestal Seats	2
Bucket Seats with Slide	2
Pedestal Sockets (Pin Style)	1
Pedestal Holder	•
Aerated Bow Livewell (Gal.)	30
Recirculating Aerated Livewell Aft with Timer (Gal.)	24
Locking Rod & Ski Storage	•
Storage Compartments	•
Insulated Ice Chest/Dry Storage	•
Windshield - Curved Wrap Around	•
Tilt & Trim Switch (Fore)	•
Convertible Top Set	Opt.
Windshield Curtain	Opt.
Interior Courtesy Lights	•
Lockable Glove Compartment	•

Features	Phantom 185 F/S
Center Seat & Back Rest	•
Bow Rails	•
Bow Casting Platform with Socket	Opt.
Tilt Wheel	•
Fused Trolling Motor Plug, Socket with Battery Condition Gauge	•
12/24 Volt Electric System (8 Gauge Wire)	•
Mooring Cover	Opt.
Fuel Tank and Gauge (Gal.)	41
Grab Rail	2
Long Life Treated Plywood Platforms	•
Instrument Package	•1
Custom Accessory Package	Opt.2
Ski Pylon	Opt.
Cup Holders	•

Specifications	Phantom 185 F/S
Center Length	18'4"
Maximum Depth (Outside)	34"
Width	90"
Transom Width	87"
Transom Height	20"
Hull Gauge Bottom Sides	.090
Aluma Plate Bow	.090
Rec. H.P. Range	70-150
B.I.A. Rated Capacity Lbs.	1325
Approx. Weight/Lbs.	1375
Hull Style	Deep Vee

Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

Includes foot control trolling motor and Lowrance X25 liquid crystal graph and removable trolling motor bracket.

Color: Pearl Gray Metallic hull and Gray interior or Blue Metallic/Quicksiver hull with Blue interior.

Phantom V170



Optional Custom Accessory Package



Dry Storage



Insulated Ice Chest



Console With Instruments

Features	Phantom V170
Upholstered Pedestal Seats	2
Stationary Seats	2
Pedestal Sockets (Pin Style)	3
Pedestal Holder	•
Aerated Bow Livewell (Gal.)	18
Recirculating Aerated Livewell Aft with Timer (Gal.)	24
7' Locking Rod Storage	•
Storage Compartments	7
Insulated Ice Chest	•
Windshield	•
Tilt & Trim Switch (Fore & Aft)	•


1 Includes s	peed	ometer	tachom	eter,	voltn	neter, in-	dashflas	he
horn and A	M/FM	stereo	cassette	w/2	spkr	external	antenna	an
weatherhan	d							


Features	V170
Tilt Wheel	•
Bow Dry Storage Compartment	•
Trolling Motor Plug, Socket and Battery Condition Gauge	
12/24 Volt Electric System (8 Gauge Wire)	•
Mooring Cover	Opt.
Fuel Tank and Gauge (Gal.)	23
Grab Rail & Courtesy Light	•
Long Life Treated Plywood Platforms	
Instrument Package	•1
Custom Accessory Package	Opt.2

 $^{^{\}rm 2}$ Includes foot control trolling motor and Lowrance X25 liquid crystal graph.

Specifications	Phantom V170
Center Length	17'2"
Maximum Depth (Outside)	31"
Width	80"
Transom Width	76"
Transom Height	20"
Hull Gauge Bottom Sides	.090 .080
Aluma Plate Bow	.080
Rec. H.P. Range	60-135
B.I.A. Rated Capacity Lbs.	1395
Approx. Weight/Lbs.	945
Hull Style	Deep Vee

Color: Pearl Gray Metallic hull and Gray interior or Blue Metallic/Quicksiver hull with Blue interior.







Custom Instrument Package



Wet Bar (Sunclipper 240 Deluxe Only)



Play Pen Cover

Features	Sunclipper Deluxe 240	Sunclipper 240
Aluminum Cross Channels (16" Ctrs.)	•	•
Forward Side Lounge (1) & Table w/2 Captains Chairs	•	Opt.
L-Shape Lounge w/Table & Privacy Area	•	N/A
91" Rear Lounge Group	N/A	•
Rear Dinette Group (Includes Table & Flip Flop Seat	N/A	•
Rear Sun Deck	•	•
Rear Sun Deck Cushions	•	Opt.
Splash Guards (Pair)	•	•
Transducer Bracket	•	•
Anodized Railings	•	•
3 Gates	•	•
Steering Cable w/SS Telescopic End	•	•
Bow Corner Rails	•	•
Deluxe Helm	•	•
Battery Box	•	•
Bimini Top	•	•
Running Lights	•	•
Captains Single Helm Seat	N/A	•

Features (Cont.)	Sunclipper Deluxe 240	Sunclipper 240
Double Wide 36" Helm Seat	•	Opt.
AM/FM Stereo Radio Cassette Receiver w/Weatherband and Speakers		•
18 Gal. Fuel Tank & Fuel Guage	•	•
Custom Instrument Package (Includes Water Pressure Gauge, Tachometer, Voltmeter, Horn and Windshield)		Opt.
Cast Aluminum Corner Casting	•	•
S/S Bow Eye & Tow Eye	•	•
Aluminum Clad Transom	•	•
Bolted ¾"Pressure Treated Decks	•	•

¹ May be exchanged at no charge for (1) Table w/2 Captain Chairs *IMPORTANT: Some large HP outboards may exceed maximum tilt heights for these boat models. Check with manufacturer.

Color Options: Gray exterior with Teal interior, White exterior with Blue interior

Options	Sunclipper Deluxe 240	Sunclipper 240
69" Forward Side Lounge (Pair)	•1	•
36" Wet Bar	•	N/A
Play Pen Cover (rail only)	•	•
Happy Camper Enclosure	•	•
Docking Lights	•	•
Save-A-Life Swim Ladder (Dealer Installed)	•	•
Ice Chest 48 Qt. w/Floor Tray	•	•
Salt Water Conversion Kit (consists of SS fasteners)		•
31" Side Lounge	•	N/A
Specifications	Sunclipper Deluxe 240	Sunclipper 240
Pontoon Length	24'5"	24'5"
Pontoon Size (U-Shape)	23"	23"
Pontoon Gauge	.080	.080
Deck Size	8'x24'	8'x24'
Weight Capacity	2850	2850
People Capacity	16/2300 lbs.	16/2300 lbs
Overall Weight	2100 lbs.	1760 lbs.
Maximum HP	120	120

Modified Vee Bass Boat Series



Features	Hawk CS	Angler
Raised Casting Deck Fore & Aft.	•	•
Black Polyethylene Aerated Livewell		•
Stowable Running Lights	•	•
Bilge Pump	•	•
Upholstered Fold Down Seats	2	2
Upholstered Pedestal Seats	1	2
Storage Forward & AFT	•	•
Prewired Bow Trolling Receptacle	•1	•4
Aft Tilt Switch	N/A	•

1	The Trim & Tilt Switch is not available on the MV Super Hawk CS.
2	Factory installed only Includes speedometer techometer

Pedestal Extension Storage Holders

The Trim & Tilt Switch is not available on the MV Super Hawi	CS.
² Factory installed only. Includes speedometer, tachom	eter,
voltmeter, in-dash flasher and horn.	


Features	MV Super Hawk CS	MV Angler
Console Windshield	Opt.	Opt.
12 Volt Electric System w/10 Gauge Wire	•	
Aluminum Interior Floor	•	•
Instrument Package	N/A	Opt.2
Custom Accessory Package	Opt.3	Opt.3
Mooring Covers	Opt.	Opt.
Fuel Tank	N/A	N/A
Long Life Pressure Treated Plywood Platforms	•	•

 $^{^{\}rm 3}$ Includes foot control trolling motor and Lowrance X20A liquid crystal graph.

Specifications	MV Super Hawk CS	MV Angler
Center Length	14'11"	16'
Maximum Beam	62"	69"
Bottom Width	42"	44"
Transom Height	20"	20"
Side Height	20"	21"
Hull Gauge	.067	.072
Rec. H.P. Range	15-40	25-50
B.I.A. Rated Capacity Lbs.	815	865
Approx. Weight/Lbs.	450	600

Color Options: Pearl Gray Metallic hull with Blue or Gray interior. Super Hawk CS available in Gray interior only.

⁴ Inlcudes Plug w/trim & tilt switch.




Optional Trolling Motor and Light Bracket




Optional Camouflage Upholstered Seat and Clamp




MV Tex



MV Tex CS



MV Tex Spec MV Tex Spec CS




Storage Compartment MV Tex Special

Specifications	MV Tex Line			
	MV Tex	MV Tex CS	MV Tex Spec	MV Tex Spec CS
Center Length	16'	16'	16'	16'
Maximum Beam	70"	70"	70"	70"
Bottom Width	48"	48"	48"	48"
Transom Height	20"	20"	20"	20"
Side Height	20"	20"	20"	20"
Hull Gauge	.070	.070	.070	.070
Rec. H.P. Range	15-35	15-50	15-35	15-50
B.I.A. Rated Capacity Lbs.	1010	1010	1010	1010
Approx. Weight/Lbs.	290	300	350	385

Olive Drab standard on MV Tex and MV Tex CS Pearl Gray hull with Blue interior standard on MV TEX Special and MV TEX Special CS.

Value/Totable Series



	Approx. Wt./Lbs.	255/260	235/240	161
(Color: Quicksilver	Gray hull w	ith Blue int	erior.

15"/20"

63"

15"/20"

63"

.065

1260/1385 1015/1195

15"

.050

15" 15"

6-20 6-15 4-10 4-7.5

140 129

.050 .050

15"

47"

Transom Ht.

Hull Gauge

B.I.A. Rated Cap./Lbs.

Transom Width

Rec. H.P. Range

Trophy I/O Series



Insulated Livewell



Dry Storage





Pedestal Seating



Comb-Pedestal Seating



Shown with Optional Custom Accessory Package



Dual Tackle Trays



Instrument Console

Trophy 190 I/O / 180 I/O Features	Pedestal Seating	Comb- Pedestal Seating
Upholstered Pedestal Seats	2	1
Sleeper Seats	N/A	1
Pedestal Sockets	2	1
Aerated Bow Livewell (Insulated)	30 Gal.	30 Gal.
Lockable Storage Compartments	4/23	4/23
Stowable Running Lights	•	•
Lockable Glove Compartment	•	•
35 Gal. 190 I/O, 22 Gal. 180 I/O	•	•
Lockable Rod Storage Compt.	2	2
Safety Glass Windshield	•	•
Two 2 Drawer Tackle Trays	•	•
Insulated Dry Storage or Ice Chest	•	•

Includes speedometer, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband. Tachometer, voltmeter, water temp. gauge, gas gauge, trim & tilt gauge and oil gauge are

Trophy 190 I/O / 180 I/O Features	Pedestal Seating	Comb- Pedestal Seating
Tilt Steering Wheel	•	•
Bow Rails	•	•
Interior Courtesy Light	•	•
Bilge Pump	•	•
Windshield Curtain	Opt.	Opt.
Aft Jump Seats	•	•
Mooring Cover	Opt.	Opt.
Convertible Top Set & Tonneau	Opt.	Opt.
Bow Seat Cushions	Opt.	Opt.
Bow Casting Platform w/Socket	Opt.	Opt.
Instrument Package	•1	•1
Custom Accessory Package	Opt.2	Opt.2

Includes factory installed vinyl top and boot, bow casting platform,
 Lowrance X25 liquid crystal graph.

Specifications	Trophy 190 I/O	Trophy 180 I/O
Center Line Length	18'10"	18'
Maximum Depth	42"	39"
Width	90"	84"
Transom Width	83"	79"
Available H.P.	115, 135, 155, 175	115, 135
Bottom	.090	.090
Hull Gauge Sides	.080	.080
Aluma Plate Bow	.090	.080
B.I.A. Rated Capacity Lbs.	1500	1000
Approx. Weight	2030/2100	1900
Hull Style	Deep Vee	Deep Vee

³ Trophy 180 I/O.

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray Metallic/Quicksilver hull with Gray interior.

Trophy O/B Series




Custom Accessory Package Trophy 170



Custom Instrument Package



Dual Tackle Trays



Comb-Pedestal Seating

Pedestal Seating Trophy 190 Shown



Shown with Optional Custom Accessory Package



Rod Storage



Optional Bow Cushions

Trophy 190/180/170 Features	Pedestal Seating	Comb- Pedestal Seating
Upholstered Pedestal Seats	4/31	2/11
Sleeper Seats	N/A	1
Pedestal Sockets	4	2
Aerated Bow Livewell (gal.)	30	30
Lockable Storage Compt.	4/21	4/21
Stowable Running Lights	•	
Lockable Glove Compt.	•	•
Fuel Tank w/Gauge (gal.)	41/231	41/231
Lockable Rod Storage Compt.	•	•
Windshield/Safety Glass	•	
Insulated Dry Storage/Ice Chest		•
Tilt Wheel		

1 Trophy	170 and Trophy	180.				

Trophy 190/180/170 Features	Pedestal Seating	Pedestal Seating
Cockpit Cover	Opt.	Opt.
Two Drawer Tackle Tray	2	2
Bow Rails	•	•
Interior Courtesy Light		
Bilge Pump	•	•
Windshield Curtain	Opt.	Opt.
Mooring Cover	Opt.	Opt.
Convertible Top Set & Tonneau	Opt.	Opt.
Bow Seat Cushions	Opt.	Opt.
Bow Casting Platform w/Socket	Opt.	Opt.
Instrument Package	•2	•2
Custom Accessory Package	Opt.3	Opt.3

weatherband.
3 Includes factory installed bow casting platform, Lowrance X25

Trophy 190/180/170 Specifications	Trophy 190	Trophy 189	Trophy 170
Center Line Length	18'10"	18'	16'10"
Maximum Depth	42"	39"	381/2"
Width	90"	84"	79"
Transom Width	83"	79"	76"
Transom Height	20"	20"	20"
Rec. H.P. Range	60-150	60-150	60-115
Hull Gauge Bottom Sides	.090	.090 .080	.090 .080
Aluma Plate Bow	.090	.080	.080
B.I.A. Rated Capacity Lbs.	2200	1900	1485
Approx. Weight	1280	1180	1030
Hull Style	Deep Vee	Deep Vee	Deep Vee

included with the Trophy 170 and 180 package.

Color Options: Blue Metallic/Quicksilver hull with Blue interior; Pearl Gray Metallic/Quicksilver hull with Gray interior.