

1993

ALUMACRAFT®

*First Choice in
Quality Fishing Boats*



SEMI-VEES • BASS BOATS • JON BOATS • CANOES • PONTOONS

Quality on the water since 1946

More than 80 fishing models to choose from.

Alumacraft offers you a wider selection of fishing boats than any other aluminum boat manufacturer. Whether your pleasure is tournament walleye or bass fishing or pond fishing for panfish, you'll find an Alumacraft boat to fit your fishing and boating style and your budget.

Alumacraft boats are handcrafted with pride.

We manufacture our boats in small, rural communities with hometown values and a real commitment to building quality boats. Each plant is located in the heart of lakes country where employees are users, builders and owners of the boats they take pride in building. Every boat is assembled by hand with painstaking attention paid to every construction detail so you can own a boat that you'll take equal pride in.

Higher resale and trade-in values.

We build our boats with craftsmanship and quality materials so that you can pass your boat on to your children. That built-in quality, durability and ageless design also means higher resale and trade-in value.

Your Alumacraft boat is one boat you won't regret owning.

Standard angler comfort features add up to bigger catches.

We have specialized in the design and building of fishing boats since 1946. Each of our boats is designed by the largest design group in the boating industry: our boat owners and dealers. We listen and design features you want in a fishing boat: from simple things like spray rails that deflect the water down to keep you dry and heavy duty extruded center keels to last through thousands of



beach landings to high comfort seats, large and conveniently located livewells and lots of dry storage. Alumacraft stands up to and above any comparable, competitive boat feature for feature. Whether you tournament fish or family fish for panfish from a pontoon, you'll find the features you want in an Alumacraft boat.


Value priced options to save you money.

Optional accessory packages are installed and priced to save you money. Ask your dealer about all of the options available for the boat you purchase.

Alumacraft Boats are Built Tough to Handle the Demands of Tournament and Novice Anglers

You'll appreciate the fine quality features that make Alumacraft the premier aluminum boat line.


- 1 Urethane Finish** Super tough, high gloss resists corrosion and wear for years of trouble free good looks.
- 2 Center Keel** One piece extending from the transom area to the tip of the bow for greater strength. Reinforced at the point of wear with 1/4" of solid aluminum to handle years of abrasive beach landings.
- 3 Highest Grade Marine Alloys** Used to greatly increase strength, puncture resistance and wear.
- 4 Sprayrails** Strategically positioned for stability and specially designed to really deflect water for the driest possible ride.
- 5 Aluma Frame Construction** Heavy gauge aluminum transverse and longitudinal framing formed to the hull bottom to provide maximum structural support is standard on most models.
- 6 Foam in Place Flotation** Meets and/or exceeds Coast Guard requirements and provides for a quiet ride and greater structural integrity.
- 7 Aluma Clad Transom** Wood is dipped in preservative to help prevent deterioration and clad on both sides with thick aluminum to eliminate maintenance, minimize vibration and noise levels, and assure dependable performance.
- 8 Aluma Plate Bow Reinforcement** A second aluminum plate is added to the bow to reinforce the exterior hull for added strength and integrity. Trophy, Competitor, Dominator, and Phantom series, plus the Super Bandit, Maverick, Angler and Crappie Pro.
- 9 Modified Vee Hull** Sleek rakish vee-bow and 5 degree dead rise at the transom (available on all bass boats and modified-vee jon boats) provides a smoother ride and better handling characteristics.
- 10 Heavy Gauge Aluminum Plates** Under flooring provide extra holding power for seat-base installation.
- 11 Casting Platform** A specially treated plywood platform for long life is covered with superior grade, Olefin marine carpeting to last.
- 12 MV Bass Boat Casting Decks** Heavy duty aluminum casting decks are used to provide superior performance and long life.
- 13 Preformed, extruded ribs** Far stronger than stamped ribs. You can depend on them, especially when the going is rough.
- 14 Aluminum Inner Floor** An integrated design feature that adds strength, yet is lightweight, and lessens future maintenance problems.
- 15 Riveted construction** Special heat-treated and hardened aircraft type rivets are used to assure durability and dependability.
- 16 Aluminum covers and lids with piano style hinges** hold their shape and are stronger and lighter for long life.
- 17 Polypropylene livewell liners** provide a safe environment for your valuable catch. Some models feature insulation for even greater catch preservation.
- 18 Space-saving, built in gas tanks** are standard on many models.
- 19 Customized, high tech instrument packages** give you greater control and information for safer operation.
- 20 Special oversized rivets** are used to attach floors to interior frames. This means superior holding power versus screwed down floors used by some competitors.
- 21 All Alumacraft boats are NMMA Certified** and all ratings meet or exceed the requirements of the Federal Boat Safety Act of 1971 to assure you the utmost in boating pleasure.




Trophy I/O Series




Instrument Console with
Optional Accessory Graph



Dual Tackle Trays



Optional Custom Accessory Package



Pedestal
Seating

Comb-Pedestal
Seating

Trophy 190 I/O



Shown with Optional
Custom Accessory Package



Optional Tonneau Cover



The Only Logical Choice

Trophy 190 I/O / 180 I/O Standard Features	Pedestal Seating	Comb- Pedestal Seating
Upholstered Pedestal Seats	2	1
Sleeper Seats	N/A	1
AFT Jump Seats	•	•
Pedestal Sockets	2	1
Aerated Bow Livewell (Insulated)	30 Gal.	30 Gal.
Lockable Storage Compartments Trophy 190 I/O	4	4
Lockable Storage Compartments Trophy 180 I/O	2	2
Stowable Running Lights	•	•
Tempered Glass Windshield	•	•
Lockable Glove Compartment	•	•
Fuel Tank: Trophy 190 I/O 35 Gal. Trophy 180 I/O 22 Gal.	•	•
Lockable Rod Storage Comp.	2	2

¹ Includes speedometer, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband. Tachometer, voltmeter, water temp. gauge, gas gauge, trim & tilt gauge and oil gauge are

Trophy 190 I/O / 180 I/O Standard Features	Pedestal Seating	Comb- Pedestal Seating
Two 2 Drawer Tackle Trays	•	•
Insulated Dry Storage/Ice Chest	•	•
Flush Mounted Fire Extinguisher	•	•
Tilt Steering Wheel	•	•
Bow Rails	•	•
Interior Courtesy Lights	•	•
Bilge Pump	•	•
Windshield Curtain	Opt.	Opt.
Mooring Cover	Opt.	Opt.
Convertible Top Set & Tonneau	Opt.	Opt.
Bow Seat Cushions	Opt.	Opt.
Bow Casting Platform w/Socket	Opt.	Opt.
Instrument Package	• ¹	• ¹
Custom Accessory Package	Opt. ²	Opt. ²

standard with the I/O Custom Instrument Package.

² Includes factory installed vinyl top and boot, bow casting platform, Lowrance X25 liquid crystal graph.


Specifications	Trophy 190 I/O	Trophy 180 I/O
Persons Capacity	10	9
Center Line Length	18'10"	18'
Maximum Depth	43"	39"
Width	90"	82"
Transom Width	83"	79"
Available H.P.	115, 135, 160/180	115, 135
Hull Gauge Bottom	.090	.090
Sides	.080	.080
Aluma Plate Bow	.090	.090
B.I.A. Rated Capacity Lbs.	1500	1300
Approx. Weight	1991/2173	1900
Hull Style	Deep Vee	Deep Vee

Color Options: Pearl Gray Metallic/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray; Bright Blue Metallic/Stone Gray exterior with Misty Blue carpet, interior paint Stone Gray; Claret Red/Stone Gray exterior with Red carpet, interior paint Stone Gray.


Trophy O/B Series




Optional Custom Accessory Package
Trophy 170/180



Bow Storage



Dual Tackle Trays



Comb-Pedestal
Seating
Trophy 170 Shown
Pedestal
Seating

Trophy 170



Shown with Optional
Custom Accessory Package

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Trophy 190/180/170 Standard Features	Pedestal Seating	Comb- Pedestal Seating
Upholstered Pedestal Seats	4/3 ¹	2/1 ¹
Sleeper Seats	N/A	1
Pedestal Sockets	4	2
Aerated Bow Livewell Insulated (gal.)	30	30
Lockable Storage Compts. Trophy 190	4	4
Lockable Storage Compartments Trophy 180 and Trophy 170	2	2
Stowable Running Lights	•	•
Lockable Glove Compartment	•	•
Fuel Tank Trophy 190-41 Gal., Trophy 180 and 170-23 Gal.	•	•
Lockable Rod Storage Compartment	•	•
Tempered Glass Windshield	•	•
Insulated Dry Storage/Ice Chest	•	•
Tilt Steering Wheel	•	•

¹ Trophy 170 and Trophy 180.

Trophy 190/180/170 Standard Features	Pedestal Seating	Comb- Pedestal Seating
Flush Mounted Fire Extinguisher	•	•
Two 2 Drawer Tackle Trays	•	•
Bow Rails	•	•
Interior Courtesy Light	•	•
Bilge Pump	•	•
Windshield Curtain	Opt.	Opt.
Mooring Cover	Opt.	Opt.
Convertible Top Set & Tonneau	Opt.	Opt.
Bow Seat Cushions	Opt.	Opt.
Bow Casting Platform w/Socket	Opt.	Opt.
Instrument Package	• ²	• ²
Custom Accessory Package	Opt. ³	Opt. ³

² Includes speedometer, tachometer, voltmeter, blank gauge, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

³ Includes factory installed bow casting platform, Lowrance X25 liquid crystal graph, vinyl top and boot. An extra seat and pedestal is included with the Trophy 170 and 180 package.

Trophy 190/180/170 Specifications	Trophy 190	Trophy 180	Trophy 170
Persons Capacity	10	10	7
Center Line Length	18'10"	18'	16'11"
Maximum Depth	43"	39"	39"
Width	90"	82"	79"
Transom Width	83"	79"	76"
Transom Height	20"	20"	20"
Rec. H.P. Range	60-150	60-150	60-115
Hull Gauge Bottom	.090	.090	.090
Sides	.080	.080	.080
Aluma Plate Bow	.090	.090	.090
B.I.A. Rated Capacity Lbs.	2200	1900	1445
Approx. Weight	1347	1251	1084
Hull Style	Deep Vee	Deep Vee	Deep Vee

Color Options: Pearl Gray Metallic/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray; Bright Blue Metallic/Stone Gray exterior with Misty Blue carpet, interior paint Stone Gray; Claret Red/Stone Gray exterior with Red carpet, interior paint Stone Gray.

Trophy 170 LTD



Instrument Console with
Optional Accessory Graph



Bow Storage



Optional Custom Accessory Package
(Red not Available)



Trophy 170 LTD

Shown with Optional
Custom Accessory Package.

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH EVINRUDE
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Trophy 170 LTD Standard Features	Pedestal Seating
Upholstered Pedestal Seats	2
Sleeper Seats	N/A
Pedestal Sockets	4
Aerated Bow Livewell (gal.)	30
Storage Compartment	•
Stowable Running Lights	•
Lockable Glove Compartment	•
Fuel Tank w/ Gauge (gal.)	23
Rod Storage Compartment	•
Tempered Glass Windshield	•
Transom Curtain	•

Trophy 170 LTD Standard Features	Pedestal Seating
Grab Rails	•
Bilge Pump	•
Windshield Curtain	Opt.
Mooring Cover	Opt.
Convertible Top Set & Tonneau	Opt.
Bow Seat Cushions	Opt.
Bow Casting Platform w/Socket	Opt.
Custom Accessory Package	Opt. ¹

¹ Includes factory installed bow casting platform, Lowrance X25 liquid crystal graph, vinyl top and boot. And extra seat and pedestal.

Color Options: Pearl Gray Metallic/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray; Bright Blue Metallic/Stone Gray exterior with Misty Blue carpet, interior paint Stone Gray.

Trophy 170 LTD Specifications	Trophy 170 LTD
Persons Capacity	7
Center Line Length	16'11"
Maximum Depth	39"
Width	79"
Transom Width	76"
Transom Height	20"
Rec. H.P. Range	60-115
Hull Gauge Bottom	.090
Hull Gauge Sides	.080
Aluma Plate Bow	.080
B.I.A. Rated Capacity Lbs.	1485
Approx. Weight	1030
Hull Style	Deep Vee

Competitor 185 Series



Tackle Trays
Competitor 185



Optional Custom Accessory Package
Competitor 185 Tiller



Bait Well Competitor 185




Trolling Motor Panel



Shown with Optional
Custom Accessory Package

Competitor 185 CS

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.



Standard Features	Competitor 185	Competitor 185 CS
Interior Courtesy Lights	•	•
Stowable Running Lights	•	•
Upholstered Pedestal Seats	3	3
Adjustable Pedestal	2	3
Fixed Base w/Power Pedestal	1	N/A
Pedestal Sockets	3	5
Fuel Tank w/Gauge (gal.)	35	35
Insulated Aerated Baitwell	2	2
Recirculating Insulated Livewell with Timer (gal.)	24	24
7' Lockable Rod Storage Compartment	•	•
Dry Bow Deck Storage (Locking)	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	2	2
Trolling Motor Battery Condition Gauge	•	•
Insulated Ice Chest	•	•
Amidship Grab Rails	2	2

Standard Features	Competitor 185	Competitor 185 CS
Tilt Steering Wheel	N/A	•
Flush Mounted Fire Extinguisher	•	•
Trolling Motor Receptacle w/Plug at Transom	•	•
Locking Electronics Compartments	•	•
Console Steering	N/A	•
12/24 Volt Electric System (8 gauge wire)	•	•
Bilge Pump	•	•
Five Drawer Removable Tackle Box	•	•
Prewired Bow Trolling Receptacle and Plug w/Trim & Tilt	•	•
Windshield	N/A	Opt.
Mooring Cover	Opt.	Opt.
Instrument Package	• ¹	• ¹
Custom Accessory Package	Opt. ²	Opt. ³

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

² Includes factory installed extra seat and pedestal, trolling motor with removable bracket and Lowrance X25 liquid crystal graph.

Specifications	Competitor 185	Competitor 185 CS
Persons Capacity	8	8
Center Line Length	18' 4"	18' 4"
Maximum Depth	43"	43"
Width	88"	88"
Transom Width	86 1/2"	86 1/2"
Transom Height	20"	20"
Rec. H.P. Range	50-85	50-150
Hull Gauge Bottom	.090	.090
Hull Gauge Sides	.080	.080
Aluma Plate Bow	.090	.090
B.I.A. Rated Capacity Lbs.	1735	1725
Approx. Weight/Lbs.	1178	1228
Hull Style	Deep Vee	Deep Vee

³ Includes factory installed trolling motor and Lowrance X25 liquid crystal graph.

Color Options: Pearl Gray metallic/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray; Bright Blue Metallic/Stone Gray exterior with Misty Blue carpet, interior paint Stone Gray.

Competitor 170 Series




Command Instrument Module Competitor 170



Tackle Tray



Optional Custom Accessory Package
Competitor 170 Tiller



Dry Storage



Competitor 170 CS
Shown with Optional
Custom Accessory Package
Competitor 170

NEW!



Optional dual Console with Windshield
Competitor 170 CS

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH EVINRUDE
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Standard Features	Competitor 170	Competitor 170 CS
3 Drawer Tackle Tray	•	•
Interior Courtesy Lights	•	•
Stowable Running Lights	•	•
Upholstered Pedestal Seats	2	2
Adjustable Pedestals	Opt.	2
Stationary Pedestal	1	N/A
AFT Fixed Base w/Adj. Pedestal	•	N/A
Pedestal Sockets	3	5
Fuel Tank w/Gauge (gal.)	23	23
Recirculating Livewell (gal.) w/Timer	24	24
6" Lockable Rod Storage Compartment w/Holders	•	•
Locking Dry Bow Deck Storage/Ice Chest	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	2	2

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM

Standard Features	Competitor 170	Competitor 170 CS
Port Console	N/A	Opt.
Flush Mounted Fire Extinguisher	•	•
Insulated Aerated Bait Well	•	•
Locking Electronics Compartments	1	1
Console Steering w/Tilt Wheel	N/A	•
12/24 Volt Electric System, 8 ga.	•	•
Bilge Pump	•	•
Prewired Bow Trolling Motor Receptacle and Plug w/Trim & Tilt	•	•
Trolling Motor Battery Condition Gauge	•	•
Windshield	N/A	Opt.
Mooring Cover	Opt.	Opt.
Instrument Package	• ¹	• ¹
Custom Accessory Package	Opt. ²	Opt. ³

stereo cassette w/2 spkr/external antenna and weatherband.

² Includes factory installed extra seat and pedestal, trolling motor with removable bracket and Lowrance X25 liquid crystal graph.

³ Includes factory installed trolling motor with removable bracket and

Specifications	Competitor 170	Competitor 170 CS
Persons Capacity	7	7
Center Line Length	16'4"	16'4"
Maximum Depth	36"	36"
Width	79"	79"
Transom Width	76"	76"
Transom Height	20"	20"
Rec. H.P. Range	40-60	50-115
Hull Gauge Bottom Sides	.090 .063	.090 .063
Aluma Plate Bow	.090	.090
B.I.A. Rated Capacity Lbs.	1295	1440
Approx. Weight/Lbs.	873	917
Hull Style	Deep Vee	Deep Vee

Lowrance X25 liquid crystal graph.

Color Options: Pearl Gray Metallic/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray; Bright Blue Metallic/Stone Gray exterior with Misty Blue carpet, interior paint Stone Gray.

Dominator Series



Optional Custom Accessory Package



Radio AM/FM Stereo Cassette




Command Instrument Module
Dominator

Dominator



Shown with Optional
Custom Accessory Package

Dominator CS



Tackle Trays Dominator

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH EVINRUDE
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Standard Features	Dominator	Dominator CS
Stowable Running Lights	•	•
Bilge Pump	•	•
Interior Courtesy Lights	•	•
Upholstered Seats	2	2
AFT Fixed Base w/Adj. Pedestal	1	N/A
Adjustable Pedestals	1	2
Seat Pedestal Sockets	3	4
Stationary Pedestal	1	N/A
Recirculating Aerated Livewell (Gal.) w/Timer	24	24
Lockable Rod Compartment	•	•
Lockable Storage Compartment	•	•

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

² Includes tachometer, blank gauge, horn, AM/FM stereo cassette

Standard Features	Dominator	Dominator CS
Flush Mounted Fire Extinguisher	•	•
Tackle Tray	2 Drawer	4 Drawer
Fuel Tank w/Gauge (Gal.)	23	23
Console Steering	N/A	•
Windshield	N/A	Opt.
Prewired Bow Trolling Motor Receptacle and Plug w/Trim & Tilt	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	•	•
Instrument Package	• ²	• ¹
Custom Accessory Package	Opt. ³	Opt. ³

w/2 spkr/external antenna and weatherband.

³ Includes factory installed trolling motor and Lowrance X25 liquid crystal graph.

Color Options: Pearl Gray Metallic/Stone Gray Exterior with


Specifications	Dominator	Dominator CS
Persons Capacity	5	6
Overall Length/Width	16'5"/74"	16'5"/74"
Maximum Depth	33"	33"
Transom Height	20"	20"
Transom Width	73"	73"
Hull Gauge Bottom	.080	.080
Hull Gauge Sides	.063	.063
Aluma Plate Bow	.080	.080
Rec. H.P. Range	35-60	35-80
B.I.A. Rated Capacity Lbs.	1165	1345
Approx. Weight/Lbs.	782	797
Hull Style	Deep Vee	Deep Vee

Charcoal Gray carpet, interior paint Stone Gray; Bright Blue Metallic/Stone Gray exterior with Misty Blue carpet, interior paint Stone Gray.

Classic Deluxe & Backtroller Series




Optional Custom Accessory Package Backtroller 16



Optional Steering Console Backtroller 16

Backtroller 16



Tackle Trays Classic Deluxe



ALUMACRAFT

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH EVINRUDE OR JOHNSON OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.

Classic Deluxe

Shown with Optional Custom Accessory Package



Transom Curtain Classic Deluxe

Standard Features	Backtroller 14	Backtroller 16	Classic Deluxe
Stowable Running Lights	•	•	•
Bilge Pump	•	•	•
Upholstered Seats	2	2	3
Seat Pedestal Sockets	3	4	4
Aerated Livewell (Gal.)	24	24	24
Lockable Rod Compartment	•	•	•
Interior Courtesy Light	N/A	N/A	•
Storage Compartments	•	•	•
Windshield	Opt.	Opt.	Opt.
Lockable Storage Compartment	N/A	•	•

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna.

² Includes factory installed trolling motor and Lowrance X25 liquid crystal graph plus wiring for trolling motor receptacle, and a battery tray.

³ Includes factory installed trolling motor and Lowrance X25 liquid crystal graph.

Standard Features	Backtroller 14	Backtroller 16	Classic Deluxe
Console Steering	Opt. ^{4/5}	Opt.	•
Transom Curtain	Opt.	Opt.	•
Mooring Cover	Opt.	Opt.	Opt.
Tackle Tray	N/A	2 Drawer	4 Drawer
Prewired Bow Trolling Recept & Plug w/Trim & Tilt	N/A	N/A	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	N/A	N/A	•
Instrument Pkg.	N/A	N/A	• ¹
Custom Accessory Pkg.	N/A	Opt. ²	Opt. ³

⁴ Backtroller 14 console is wood grain w/o switches.

⁵ Remote control accessory channel and extension wire kit sold separately for Backtroller 14.

⁶ Backtroller 16 w/steering is rated for 60 hp.

¹ Calculation of maximum equivalent gauge is based on empirical data developed by the automotive industry, and the S.A.E.'s structural requirements to compare resistance to denting for various material and thicknesses. For further information contact

Specifications	Backtroller 14	Backtroller 16/CS*	Classic Deluxe
Persons Capacity	6	7	6
Overall Length	14'3"	16'2"	16'4"
Overall Width	74"	73"	73"
Transom Height	20"	20"	20"
Transom Width	66"	66"	66"
Max. Equiv. Gauge ¹	.075	.075	.075
Rec. H.P. Range	15-40	15-45/60 ⁶	25-60
B.I.A. Rated Capacity Lbs.	1150	1285/1276	1280
Approx. Weight/Lbs.	512	583/638	684

Alumacraft Boat Company's Engineering Department.


Color Options: **Classic Deluxe** - Pearl Gray/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray. **Backtroller Series** - Bright Blue Metallic exterior with Misty Blue carpet, Misty Gray interior paint; Pearl Gray Metallic exterior with Charcoal Gray carpet, Misty Gray interior paint.

*CS - Console Steering


Lunker Series & Fisherman Series



Optional Custom Accessory Package
LV16 LTD & LV14 LTD



Optional Steering Console
Lunker V16 LTD



Lunker V16 LTD

Fisherman 150 CS



Livewell Lunker V16

Bow Storage
Fisherman 150

Standard Features	Fisherman 150/CS	Lunker V-16 LTD	Lunker V-14 LTD	Lunker V-16	Lunker V-14
Upholstered Pedestal Seats	2	2	2	Opt.	Opt.
Bench Seats	1	N/A	N/A	2	2
Seat Pedestal Sockets	3	4	3	N/A	N/A
Livewell (Gal.)	24	24	24	12.5	12.5
Aerator Pump	•	•	•	Opt.	Opt.
Bilge Pump	Opt.	•	•	Opt.	Opt.
Console Steering	Opt.	Opt.	Opt. ²	Opt.	Opt. ²
Lockable Storage Compartment	N/A	•	N/A	•	•
Lockable Rod Compartment	N/A	•	•	N/A	N/A
Mooring Cover	Opt.	Opt.	Opt.	Opt.	Opt.
Navigation Lights	•	•	•	•	•
Custom Accessory Package	Opt. ¹	Opt. ¹	Opt. ¹	Opt. ¹	Opt. ¹
Bow Storage Compartment	•	•	•	N/A	N/A

Specifications	Fisherman 150/CS	Lunker V-16 LTD	Lunker V-14 LTD	Lunker V-16	Lunker V-14
Persons Capacity	4	7	5	7	5/6
Overall Length	14'6"	16'9"	14'6"	16'6"	14'2"
Overall Width	67"	69"	66"	68"	66"
Transom Height	20"	20"	20"	20"	15/20"
Transom Width	63"	63"	63"	63"	63"
Hull Gauge	.065"	.070	.065	.070	.065
Rec. H.P. Range	15-35/45*	15-45	15-35	15-40	15-35
B.I.A. Rated Capacity Lbs.	865	1245	930	1315	970/1160
Approx. Weight/ Lbs.	486/533	563	503	451	325/330

¹ Includes factory installed trolling motor and Lowrance X20A liquid crystal graph, wiring for trolling motor receptacle, battery tray, Minnkota Mag 24, 42" shaft, 24 lb. thrust trolling motor. (Fisherman 150, Lunker V16 and V14 includes battery box no receptacle.)

² Lunker V14's console is wood grain w/o switches.

Color Options: Pearl Gray exterior with Charcoal Gray carpet, Misty Gray interior paint.

* Console Steering

Phantom 185 F/S Fish & Ski



Optional Bow Platform w/Seat



Optional Ski Pylon



Trolling Motor Panel with Battery Condition Gauge



Optional Custom Accessory Package



Shown with Custom Instrument Package and Optional Custom Accessory Package

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH MERCURY, MARINER OR FORCE OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.



Instrument Console

Standard Features	Phantom 185 F/S
Upholstered Pedestal Seats	2
Bucket Seats with Slide	2
Pedestal Sockets (Pin Style)	1
Pedestal Holder	•
Aerated Bow Livewell (Gal.)	30
Recirculating Aerated Livewells with Timers	2
Locking Rod & Ski Storage	•
Storage Compartments	•
Insulated Ice Chest/Dry Storage	•
Tempered Glass Wrap Around Windshield	•
Tilt & Trim Switch (Fore)	•
Convertible Top Set	Opt.
Windshield Curtain	Opt.
Interior Courtesy Lights	•
Lockable Glove Compartment	•
Stowable Running Lights	•

Standard Features	Phantom 185 F/S
Flush Mounted Fire Extinguisher	•
Center Seat & Back Rest	•
Bow Rails	•
Bow Casting Platform with Socket	Opt.
Tilt Wheel	•
Fused Trolling Motor Plug, Socket with Battery Condition Gauge	•
12/24 Volt Electric System (8 Gauge Wire)	•
Mooring Cover	Opt.
Fuel Tank and Gauge (Gal.)	41
Grab Rail Amidship	2
Instrument Package	• ¹
Custom Accessory Package	Opt. ²
Ski Pylon	Opt.
Cup Holders	•

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

Specifications	Phantom 185 F/S
Persons Capacity	8
Center Length	18'5"
Maximum Depth	35"
Width	91 3/4"
Transom Width	87"
Transom Height	20"
Hull Gauge	Bottom .090 Sides .080
Aluma Plate Bow	.090
Rec. H.P. Range	70-150
B.I.A. Rated Capacity Lbs.	1640
Approx. Weight/Lbs.	1386
Hull Style	Deep Vee


² Includes trolling motor and Lowrance X25 liquid crystal graph and removable trolling motor bracket.

Colors: Claret Red/Stone Gray exterior with Red carpet, interior paint Stone Gray; Pearl Gray Metallic/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray.

Phantom V170



Optional Custom Accessory Package



Dry Storage



Insulated Ice Chest



Optional Dual Console



Shown with Optional Custom Accessory Package

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH EVINRUDE OR JOHNSON OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.



Console with Instruments with Optional Accessory Graph

Standard Features	Phantom V170
Upholstered Pedestal Seats	2
Stationary Seats	2
Pedestal Sockets (Pin Style)	3
Pedestal Holder	•
Aerated Bow Livewell (Gal.)	18
Recirculating Aerated Livewells with Timers	2
7' Locking Rod Storage	•
Storage Compartments	7
Insulated Ice Chest	•
Windshield	•
Tilt-Trim Switch (Fore)	•
Port Console w/Windshield	Opt.
Stowable Running Lights	•

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

Standard Features	Phantom V170
Courtesy Light	•
Flush Mounted Fire Extinguisher	•
Tilt Wheel	•
Bow Dry Storage Compartment	•
Fused Trolling Motor Plug, Socket and Battery Condition Gauge	•
12/24 Volt Electric System (8 Gauge Wire)	•
Mooring Cover	Opt.
Fuel Tank and Gauge (Gal.)	23
Grab Rail & Courtesy Light	•
Long Life Treated Plywood Platforms	•
Instrument Package	• ¹
Custom Accessory Package	Opt. ²

² Includes trolling motor with removable bracket and Lowrance X25 liquid crystal graph.

Specifications	Phantom V170
Persons Capacity	6
Center Length	17'
Maximum Depth	32'
Width	81"
Transom Width	77"
Transom Height	20"
Hull Gauge Bottom	.090
Sides	.080
Aluma Plate Bow	.090
Rec. H.P. Range	60-135
B.I.A. Rated Capacity Lbs.	1390
Approx. Weight/Lbs.	1049
Hull Style	Deep Vee

Colors: Claret Red/Stone Gray exterior with Red carpet, interior paint Stone Gray; Pearl Gray Metallic/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray.


Value/Totable Series



Optional Swivel Seat Clamp and Seat



Optional SV Steering Console



V16

V14

T14S

T14

T12S

T12



T12

T14S

V14

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH EVINRUDE OR JOHNSON OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.

Specifications	V-16	V-14	T-14S	T-12S	T-14	T-12
Overall Length	16'7"	14'3"	13'11"	12'0"	13'4"	11'10"
Overall Width	70"	68"	55"	55"	53"	53"
Overall Bow Ht.	30"	30"	26"	25½"	23"	23"
Transom Ht.	15"/20"	15"/20"	15"	15"	15"	15"
Persons Cap.	7/8	5/6	4	4	3	2
Transom Width	63"	63"	52"	52"	46½"	46½"
Hull Gauge	.070	.065	.050	.050	.050	.050
Rec. H.P. Range	15-40	7.5-25	6-20	6-15	4-10	4-7.5
B.I.A. Rated Cap./Lbs.	1255/1380	1015/1195	725	630	545	465
Approx. Wt./Lbs.	265/270	225/230	170	145	130	120

Color: T12S, T14S, V-14, & V-16: Pearl Gray exterior, Misty Gray interior paint. T12 & T14: Clear Coated Natural Finish exterior, Dove Gray interior paint.

Ask Your Dealer About Value/Totable Series Accessories.


WHY ALUMACRAFT IS AMERICA'S PREMIER CANOE.

- **Overlap design** . . . each side of the hull is preformed, overlapped on the center seam, and spot-welded for greater strength.
- **Flat bottom** . . . a flat bottom provides greater stability and easier paddling than a rocker bottom design.
- **Spotwelding** . . . aircraft-tough spotwelds on ribs, gunwales and center seam eliminate rivet shearing, drag and leakage.
- **Stronger stems** . . . made of .090 gauge solid aluminum, they're thicker and stronger to stand up to rocks, gravel and other obstructions.
- **6010 Marine alloy** . . . lightweight, this remarkable space age alloy is heat treated for greater durability and resistance to punctures and wear.
- **Plus** . . . built in carrying yoke on most models, gas resistant foam flotation, rugged roll seat design, attractive decal, and stainless steel tie-down eyelets.



Optional Motor Bracket

ALUMACRAFT CANOES ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.



Optional Portage Pads

Specifications	QT-15 C Quetico	QT-17 CL Quetico	QT-17 C Quetico	QT-17 WWR Quetico ²	QT-185 CL Quetico	CO-17 ¹ Camper	Voyageur (Ultralight)
Persons Capacity	3	4	4	4	4	4	4
Gauge	.050	.040	.050	.060	.040	.050	.035
Center Length	15'	17'	17'	17'	18'5"	17'	17'
Maximum Beam	36"	36"	36"	36"	37"	37"	36"
Amidship Depth	14"	13"	13"	13"	13"	13"	12"
Keel Type	All cruising type except on QT-17 WWR which features Whitewater Keel						
No. of Ribs	3	5	3	5	8	5	3
B.I.A. Rated Capacity Lbs.	725	710	730	725	795	810	675
Approx. Weight/Lbs.	62	64	71	83	71	85	57
Curved Center Thwart	Opt.	•	•	Opt.	•	Opt.	Opt.

¹ Transom height—16" Max. Rec. H.P.—4

² Ribless model also available.

Modified Vee Bass Boat Series



Optional Custom Accessory Package



Insulated Ice Chest




Console Instrument Package




Livewell Controller

Shown with
Optional Custom
Accessory Package

MV Super Bandit



MV Maverick



Tackle Trays

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH EVINRUDE
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Standard Features	MV Super Bandit	MV Maverick
Black Polyethylene Aerated Livewell	2'	2'
Stowable Running Lights	•	•
105 Amp Battery Compartment Forward	•	•
Interior Courtesy Light	•	•
Upholstered Pedestal Seats	2	2
Upholstered Fold Down Seats	2	2
Dry Storage Compartment	•	•
Rod Storage Compartment/Rod Savers	•	Opt.
Prewired Bow Trolling Receptacle and Plug w/ Trim & Tilt Switch	•	•
Pedestal Extension Storage Holders	•	•

¹ AFT livewell is recirculating with timer.

² Includes speedometer, tachometer, voltmeter, horn, AM/FM stereo cassette w/2 speakers and weatherband.

Standard Features	MV Super Bandit	MV Maverick
Console Windshield	•	•
Electric System (8 Gauge Wire)	12/24V	12V
Aluminum Interior Floor	•	•
Insulated Ice Chest & Lid	•	•
Mooring Cover	Opt.	Opt.
Aluminum Decks Fore & AFT	•	•
Fuel Tank	18 gal.	12 gal. Opt.
Instrument Package	• ²	• ²
Custom Accessory Package	Opt. ³	Opt. ³
Bilge Pump	•	•

³ Includes Motor Guide 730, 30 lb. thrust, 36" shaft foot control trolling motor and Lowrance X25 liquid crystal graph.

Color Options: Pearl Gray Metallic hull with Burgundy or Gray interior carpet.

Specifications	MV Super Bandit	MV Maverick
Persons Capacity	5	4
Aluma Plate Bow	.074	.072
Center Length	17'8"	16'8"
Maximum Beam	75"	71"
Bottom Width	52"	48"
Transom Height	20"	20"
Side Height	23"	21"
Hull Gauge	.074	.072
Rec. H.P. Range	40-90	40-80
B.I.A. Rated Capacity/Lbs.	1190	925
Approx. Weight/Lbs.	857	737

Modified Vee Bass Boat Series



Optional Custom Accessory Package



Optional Instrument Package Angler



Livewell




Seat Storage

MV Angler



Shown with Optional Custom Accessory Package



MV Super Hawk CS

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH MERCURY, MARINER OR FORCE OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.



Tackle Trays (Angler only)

Standard Features	MV Super Hawk CS	MV Angler
Raised Casting Deck Fore & Aft	•	•
Black Polyethylene Aerated Livewell	•	•
Stowable Running Lights	•	•
Bilge Pump	•	•
Upholstered Fold Down Seats	2	2
Upholstered Pedestal Seats	1	2
Storage Forward & Aft	•	•
Prewired Bow Trolling Receptacle	• ¹	• ⁴
Pedestal Extension Storage Holders	N/A	•

¹ The Trim & Tilt Switch is not available on the MV Super Hawk CS.

² Factory installed only. Includes speedometer, tachometer, voltmeter and horn.

Standard Features	MV Super Hawk CS	MV Angler
Console Windshield	Opt.	Opt.
12 Volt Electric System w/10 Gauge Wire	•	•
Aluminum Interior Floor	•	•
Instrument Package	N/A	Opt. ²
Custom Accessory Package	Opt. ³	Opt. ³
Mooring Covers	Opt.	Opt.
Aluminum Decks Fore & Aft	N/A	•

³ Includes Motor Guide 730, 30 lb. thrust, 36" shaft foot control trolling motor and Lowrance X25 liquid crystal graph.

⁴ Includes Plug w/trim & tilt switch.

Specifications	MV Super Hawk CS	MV Angler
Persons Capacity	4	4
Aluma Plate Bow	N/A	.072
Center Length	15'	15'11"
Maximum Beam	62"	69"
Bottom Width	42"	44"
Transom Height	20"	20"
Side Height	20"	21"
Hull Gauge	.063	.072
Rec. H.P. Range	15-40	25-50
B.I.A. Rated Capacity Lbs.	815	860
Approx. Weight/Lbs.	487	620

Color Options: MV Angler - Pearl Gray Metallic hull with Burgundy or Gray interior carpet.


Super Hawk CS available in Gray interior only.

Crappie Series



Optional Custom Accessory Package


Crappie Jon Jr.



Crappie Jon



Crappie Deluxe SS



Shown with Custom Accessory Package (Crappie Pro & Crappie Deluxe SS)



Crappie Pro

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH Evinrude OR JOHNSON OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.

Standard Features	Crappie Pro	Crappie Deluxe SS	Crappie Jon	Crappie Jon Jr.
Raised Casting Decks Forward	•	N/A	N/A	N/A
Livewell	• ²	• ²	•	N/A
Stowable Running Lights	•	•	N/A	N/A
Locking Rod Compts.	•	N/A	N/A	N/A
Bilge Pump	•	N/A	N/A	N/A
Upholstered Fold Down Seats	3	2	2	2
Pedestal Seat Sockets	2	N/A	N/A	N/A
Storage Compartment	•	•	•	N/A
4 Drawer Tackle Storage	•	N/A	N/A	N/A
Power Stream Aerator Head	•	N/A	N/A	N/A

Standard Features	Crappie Pro	Crappie Deluxe SS	Crappie Jon	Crappie Jon Jr.
Prewired Bow Trolling Receptacle & Plug	•	N/A	N/A	N/A
Steering Console	•	N/A	N/A	N/A
Console Windshield	Opt.	N/A	N/A	N/A
Aluminum Interior Floor	•	•	•	•
Mooring Cover	Opt.	Opt.	Opt.	N/A
Custom Accessory Package	Opt. ¹	Opt. ¹	N/A	N/A
AFT Curtain	•	N/A	N/A	N/A


¹ Factory installed Motor Guide 730, 30 lb. thrust, 36" shaft foot control trolling motor and Lowrance X25 liquid crystal graph.

² Aerated with intake screen.

Specifications	Crappie Pro	Crappie Deluxe SS	Crappie Jon	Crappie Jon Jr.
Persons Capacity	5	3	4	3
Aluma Plate Bow	.072	N/A	N/A	N/A
Center Length	17"	15"	14"	13'10"
Maximum Beam	71"	64"	64"	53"
Bottom Width	48"	42"	42"	36"
Transom Height	20"	20"	15"	15"
Side Height	21"	20"	20"	19"
Hull Gauge	.072	.063	.063	.063
Rec. H.P. Range	30-60	15-40	10-25	6-20
B.I.A. Rated Capacity Lbs.	1080	745	745	580
Approx. Weight/Lbs.	660	426	330	300

Color: Light Slate Gray exterior with Charcoal Gray carpet.

MV Tex Series




Optional Trolling Motor and Light Bracket




Optional Camouflage Upholstered Seat and Clamp




MV Tex



MV Tex CS



MV Tex Spec



MV Tex Spec CS

MV Tex




MV Tex CS



MV Tex Special CS



ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH EVINRUDE
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.



Seat Storage


Specifications	MV Tex Line			
	MV Tex	MV Tex CS	MV Tex Spec	MV Tex Spec CS
Persons Capacity	5	5	5	5
Center Length	16'	16'	16'	16'
Maximum Beam	70"	70"	70"	70"
Bottom Width	48"	48"	48"	48"
Transom Height	20"	20"	20"	20"
Side Height	21"	21"	21"	21"
Hull Gauge	.070	.070	.070	.070
Rec. H.P. Range	15-35	15-50	15-35	15-50
B.I.A. Rated Capacity Lbs.	1010	1010	1010	1010
Approx. Weight/Lbs.	340	355	385	425

Light Slate exterior with Charcoal Gray carpet on MV TEX Special and MV TEX Special CS.

Jon Boat Series



Optional Camouflage Upholstered Seat and Clamp




Optional Trolling & Light Bracket

1457 LW



MV 1470

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH MERCURY, MARINER OR FORCE OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.



1032
1232
1432

1236
1436*
1436

1542

1448*
1648*

MV1542

MV1448*
MV1648*
MV1848

Light Weight


*Livewell Option

Specifications	Economy Line Jon Boats				Superior Line Jon Boats			Commercial Line Jon Boats					MV Superior Line	MV Commercial Line				
	1032	1232	1432	1436 Light Weight	1236	1436	1436 w/LW	1542	1448	1448 w/LW	1648	1648 w/LW	MV 1542	MV 1448	MV 1448 w/LW	MV 1648	MV 1648 w/LW	MV 1848
Persons Capacity	2	2	3	3	3	3	3	4	5	5	5	5	4	5	5	5	5	6
Center Length	10'	12'	14'	14'	12'	14'	14'	15'	14'	14'	16'	16'	15'	14'	14'	16'	16'	18'
Maximum Beam	48"	48"	48"	55"	55"	55"	55"	62"	70"	70"	70"	70"	62"	70"	70"	70"	70"	70"
Bottom Width	32"	32"	32"	36"	36"	36"	36"	42"	48"	48"	48"	48"	42"	48"	48"	48"	48"	48"
Transom Height	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	20"
Side Height	17"	17"	17"	19"	19"	19"	19"	20"	21"	21"	21"	21"	20"	21"	21"	21"	21"	21"
Hull Gauge	.053	.053	.053	.053	.063	.063	.063	.063	.070	.070	.070	.070	.063	.070	.070	.070	.070	.070
Rec. H.P. Range	1-3	4-8	4-10	6-15	4-15	6-20	6-20	10-25	10-25	10-25	15-35	15-35	10-25	10-25	10-25	15-35	15-35	15-40
B.I.A. Rated Capacity Lbs.	360	455	550	625	540	625	605	775	885	885	1010	1010	805	885	885	1010	1010	1195
Approx. Weight/Lbs.	100	120	130	145	150	165	170	226	230	240	260	270	230	240	250	270	285	295

Standard Color: Olive Drab

Sunclipper Pontoon Series

Sunclipper 240



Shown with
Optional Wet Bar

Sunclipper 240
Shown with
Optional Side Lounge

Sunclipper Deluxe 240



Privacy Area (Sunclipper
240 Deluxe Only)



Steering Console



Optional Wet Bar
(Sunclipper 240 Deluxe Only)



Sun Deck Cushions (Standard on
Sunclipper Deluxe 240 Only)

Standard Features	Sunclipper Deluxe 240	Sunclipper 240
Aluminum Cross Channels (16" Ctrs.)	•	•
Forward Side Lounge (1) & Table w/2 Captains Chairs	•	Opt.
L-Shape Lounge w/Table & Privacy Area	•	N/A
91" Rear Lounge Group	N/A	•
Rear Dinette Group (Includes Table & Flip Flop Seat)	N/A	•
Rear Sun Deck	•	•
Rear Sun Deck Cushions	•	Opt.
Splash Guards (Pair)	•	•
Transducer Bracket	•	•
Anodized Railings	•	•
3 Gates	•	•
Steering Cable w/SS Telescopic End	•	•
Bow Corner Rails	•	•
Deluxe Helm	•	•
Battery Box	•	•
Sunbrella Bimini Top	•	•
Running Lights	•	•
Captains Single Helm Seat	N/A	•

Standard Features (Cont.)	Sunclipper Deluxe 240	Sunclipper 240
Double Wide 36" Helm Seat	•	Opt.
AM/FM Stereo Radio Cassette Receiver w/Weatherband and Speakers	•	•
18 Gal. Fuel Tank & Fuel Gauge	•	•
Custom Instrument Package (Includes Water Pressure Gauge, Tachometer, Voltmeter, Horn and Windshield)	•	Opt.
Cast Aluminum Corner Casting	•	•
S/S Bow Eye & Tow Eye	•	•
Aluminum Clad Transom	•	•
Bolted 3/4" Pressure Treated Decks	•	•


¹ May be exchanged at no charge for (1) Table w/2 Captain Chairs

² Specify Hard Top or Bimini Top application.

Color Options: White exterior with choice of Burgundy or Teal
Green interior.

Options	Sunclipper Deluxe 240	Sunclipper 240
9 1/2" Hard Top w/Storage Shelf & Light	•	•
69" Forward Side Lounge (Pair)	• ¹	•
36" Wet Bar	•	N/A
Play Pen Cover (rail only) ²	•	•
Happy Camper Enclosure ²	•	•
Docking Lights	•	•
Save-A-Life Swim Ladder (Dealer Installed)	•	•
Ice Chest 48 Qt. w/Floor Tray	•	•
Salt Water Conversion Kit (consists of SS fasteners)	•	•
31" Side Lounge	•	N/A
Specifications	Sunclipper Deluxe 240	Sunclipper 240
Pontoon Length	24'5"	24'5"
Pontoon Size (U-Shape)	21 1/2" x 23"	21 1/2" x 23"
Pontoon Gauge	.080	.080
Deck Size	8'x24'	8'x24'
Weight Capacity	2850	2900
Persons Capacity	12/1600 lbs.	13/1740 lbs.
Overall Weight	2136 lbs.	1836 lbs.
Maximum HP	120	120

Fish Pontoon Series



Livewell (Fish 200)



Optional Accessory Package



Console
(Fish & Cruise 200)

Fish N' Cruise 200
Shown with Optional Seats.



Color Coordinated Bimini Top



Aft Storage (Fish 200)

Shown with Optional
Accessory Package

Fish 200


Standard Features	Fish 200	Fish N' Cruise 200
Aluminum Cross Channels (16" Ctrs.)	•	•
Splash Guards (Pair)	•	•
Transducer Bracket	•	•
Anodized Railings	•	•
3 Gates	•	•
Steering Cable w/SS Telescopic End	•	•
Deluxe Center Console Helm	•	N/A
Deluxe Side Helm	N/A	•
Battery Box	•	•
Sunbrella Bimini Top	•	•
Running Lights	•	•
Fold Down Helm Seat w/Arm Rests	•	N/A
Fisherman's Chair Package (4 chairs & 4 Pedestals)	•	•
Trolling Motor Plug-in and Harness	•	•
Cast Aluminum Corner Casting	•	•
S/S Bow Eye & Tow Eye	•	•
Rod Holders	•	•
Aluminum Clad Transom	•	•

Standard Features (Cont.)	Fish 200	Fish N' Cruise 200
AM/FM Stereo Radio Cassette Receiver with Weatherband and Speakers	•	•
63" Side Lounge	N/A	•
¾" Bolted Pressure Treated Decks	•	•
Livewell in Center Console	•	N/A
Livewell in Flip Flop Seat	N/A	•
Specifications	Fish 200	Fish N' Cruise 200
Pontoon Length	20'5"	20'5"
Pontoon Size (U-Shape)	21½"x23"	21½"x23"
Pontoon Gauge	.080	.080
Deck Size	8'x20'	8'x20'
Weight Capacity	2400	2400
Persons Capacity	10/1400 lbs.	10/1350 lbs.
Overall Weight	1537 lbs.	1667 lbs.
Maximum HP	75	75

Options	Fish 200	Fish N' Cruise 200
Custom Instrument Package (Includes: Water Pressure Gauge, Tachometer, Voltmeter, Horn and Windshield)	•	•
Docking Lights	•	•
Save-A-Life Swim Ladder (Dealer Installed)	•	•
Ice Chest 48 Qt. w/Floor Tray	•	•
Salt Water Conversion Kit (consists of SS fasteners)	•	•
Accessory Package (Includes: Motor Guide 730, 36" Shaft, 30 lb. Thrust Trolling Motor and X25 Liquid Crystal Graph by Lowrance)	•	•
Play Pen Cover (rail only)	•	•
Happy Camper Enclosure	•	•
Rod Storage Compartment	•	N/A

Color Options: White exterior with choice of Burgundy or Teal Green interior.

Cruise 200 Pontoon



Cruise 200



Console and Radio

Shown with Optional
Forward Side Lounge

Standard Features	Cruise 200
Rear Sun Deck	•
Aluminum Cross Channels (16" Ctrs.)	•
91" Rear Lounge Group	•
Rear Dinette Group (Includes Table & Flip Flop Seat)	•
Splash Guards (Pair)	•
Transducer Bracket	•
Anodized Railings	•
3 Gates	•
Steering Cable w/SS Telescopic End	•
Deluxe Helm (side mount)	•
Battery Box	•
Bimini Top	•
Running Lights	•
Captains Single Helm Seat	•
Cast Aluminum Corner Casting	•
S/S Bow Eye & Tow Eye	•
18 Gallon Fuel Tank and Gauge	•
Aluminum Clad Transom	•
Bolted 3/4" Pressure Treated Decks	•
AM/FM Stereo Radio Cassette Receiver w/Weather Band & Speakers	•

Options	Cruise 200
9 1/2' Hard Top w/Storage Shelf & Light	•
Rear Sun Deck Cushions	•
41" Forward Side Lounge (Pair)	•
Double Wide 36" Helm Seat (Exchange Price)	•
Custom Instrument Package (Includes: Water Pressure Gauge, Tachometer, Voltmeter, Horn and Windshield)	•
Livewell in Flip Flop Seat w/Aerator	•
Docking Lights	•
Save-A-Life Swim Ladder (Dealer Installed)	•
Ice Chest 48 Qt. w/Floor Tray	•
Salt Water Conversion Kit (consists of SS fasteners)	•
Accessory Package (Includes: Motor Guide 730, 36" Shaft, 30 lb. Thrust Trolling Motor and X25 Liquid Crystal Graph by Lowrance)	•
Fisherman's Chair Package (2 Chairs & 2 Pedestals)	•
Rod Holders	•
Trolling Motor Plug In and Harness	•
Play Pen Cover (rail only) ¹	•
Happy Camper Enclosure ¹	•

Specifications	Cruise 200
Pontoon Length	20'5"
Pontoon Size (U-Shape)	21 1/2 x 23"
Pontoon Gauge	.080
Deck Size	8'x20'
Weight Capacity	2300
Persons Capacity	9/1300 lbs.
Overall Weight	1652 lbs.
Maximum HP	75

¹ Specify Hard Top or Bimini Top application.

Color Options: White exterior with choice of Burgundy or Teal Green interior.

Great Reasons to Buy an Alumacraft Pontoon.

1. The best pontoons are strong and sturdy. We start with heavy .080 gauge marine aluminum. Then we form each pontoon into a U-Shape for maximum performance and floatation characteristics.

2. The nose cones are filled with urethane foam for increased strength and impact resistance to minimize stress from ramming and beaching.

3. All models utilize heavy gauge extruded aluminum cross channels on 16" centers to provide a stable deck support. The decks are fastened in place with bolts and locking nuts. (Aluminum trim is added to the nose cone splash guards to improve appearance and durability.)

4. Decks are 3/4" superior grade pressure treated, weather-proofed plywood. Every seam and cross member is sealed, and the

entire deck is covered with high quality marine carpet for beauty and durability.

5. Furniture ensembles feature top quality, marine upholsteries. Marine grade vinyls resist harmful ultra-violet light that can deteriorate other vinyls. A special corrosion resistant monel stapel is used to fasten upholstery.

6. Fencing is shined up off the deck to allow water to drain for a drier deck.

7. Deck fencing is constructed of 1 1/4" square aluminum for greater strength and durability. All railings are anodized to protect against unsightly rub-off. Railings have rounded corners for appearance and safety.

8. Deck edges are finished with aluminum extrusions, and all outside deck corners are

protected with heavy duty aluminum corner castings.


9. Three gates are standard for easy access when boarding and unboarding. The front gate is wheelchair accessible.

10. Transoms on all models are aluminum clad for extra strength, minimum maintenance, and increased performance.


11. U-Shaped pontoons are used to provide greater displacement value versus traditional round shaped pontoons. This means extra carrying capacity and greater fuel efficiency due to less drag versus round pontoons.

12. A special limited 2-year warranty assures you fun-filled worry-free days. Alumacraft has been building watercraft since 1946 so you know we do it right.

Alumacraft Options & Accessories



Happy Camper Pontoon Enclosure



Trophy Bow Cushions



Hard Top Pontoon



Bow Platform and Seat



Trophy Top



Mooring Cover



SV Windshield




Play Pen Cover



Competitor/Dominator CS Windshield



Alumacraft Clothing - Ask Your Dealer
For The Alumacraft Apparel Flyer.



Maverick Windshield - Standard



Pro Seat With Power Pedestal



Limited Warranty to Original Owners:

Alumacraft provides one of the best limited warranty programs available in the industry to the original purchaser. This limited warranty is provided with the purchase of every boat, pontoon or canoe from an authorized Alumacraft dealer. See your dealer for specific details. Prices and specifications are subject to change without notice.

NMMA Certified—All Alumacraft aluminum fishing boats, pontoons and canoes are NMMA certified and all ratings comply with the Federal Boat Safety Act of 1971.



Alumacraft Boat Co.

315 West St. Julien Street, St. Peter, MN 56082, Phone (507) 931-1050
Highway 67 North, Box 189, Arkadelphia, AR 71923, Phone (501) 246-5555

© 1992 Alumacraft Boat Co.

Printed in U.S.A.