

1995



ALUMACRAFT®

SEMI-VEES • BASS BOATS • JON BOATS • CANOES

**QUALITY,
PERFORMANCE,
DURABILITY
AND PRIDE OF
OWNERSHIP**

That's what you can expect from Alumacraft. And that's what boat owners have experienced with Alumacraft since 1946. It's simple. We build fishing boats and we build them to last. That's why you see so many Alumacrafts on-the-water, even the ones built in the 50's and 60's.

Take a close look at our 1995 line. Shop and compare and we think you'll agree that Alumacraft is the best aluminum boat you can buy. For 1995, we've added brighter graphics, carpeting and seats; features and accessories and a whole new line of welded Jon boats.

ALUMACRAFT



Here's What You Can Expect From Alumacraft

- A boat that is handcrafted with pride. Our plants in St. Peter, Minnesota and Arkadelphia, Arkansas are in rural communities with a strong sense of commitment and pride in the boats they build.
- Higher resale value. Our quality really shines when it comes time to trade up or sell your boat. You'll find that a used Alumacraft has high demand.
- A boat that's loaded with the right features for pleasurable boating; from comfortable seats, and European style consoles with easy to read instruments to conveniently located livewells and lots of storage compartments.
- Value packed options accessory packages to help you build your perfect boat package.



PAINT & CARPET COLOR SAMPLES

Paint			Carpet
			
Opal	Stone Gray	Light Slate Gray	Charcoal Gray
			
Marine Gray	Misty Gray	Burgundy	Burgundy

TROPHY O/B SERIES




Optional Custom Accessory Package
Trophy 170/180




Livewell Trophy 190



Dual Tackle Trays



Comb Pedestal
Seating
Trophy 170 Shown



Pedestal
Seating




Bimini Top

Trophy 190



Shown with Optional
Custom Accessory Package

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.



Bimini Top Recessed Storage

Trophy 190/180/170 Standard Features	Pedestal Seating	Comb- Pedestal Seating
Upholstered Pedestal Seats	4/3 ¹	2/1 ¹
Sleeper Seats	N/A	1
Pedestal Sockets	4	2
Insulated Aerated, Livewell	2/1 ¹	2/1 ¹
Aerated Baitwell T180/T170	•	•
Lockable Storage Compts. T190	4	4
Lockable Storage Compts. T180/T170	2	2
Stowable Running Lights	•	•
Lockable Glove Compartment	•	•
Fuel Tank w/Gauge T190-41 Gal., T180-28 Gal., T170-23 Gal.	•	•
Lockable Rod Storage Compartment	•	•
Tempered Glass Windshield	•	•
Insulated Dry Storage/Ice Chest	•	•
Tilt Steering Wheel	•	•
Prewired Bow Trolling Motor Plug	•	•

¹ Trophy 170 and Trophy 180.

Trophy 190/180/170 Standard Features	Pedestal Seating	Comb. Pedestal Seating
Automotive Fuse Panel T170/T180/T190	•	•
Top Storage	•	•
Bow Trolling Motor Recept.	•	•
No Feedback Steering	•	•
Flush Mounted Fire Extinguisher	•	•
Two 2 Drawer Tackle Trays	•	•
Bow Rails	•	•
Interior Courtesy Light	•	•
Bilge Pump	•	•
Windshield Curtain	Opt.	Opt.
Mooring Cover	Opt.	Opt.
Convertible Top Set & Tonneau	Opt.	Opt.
Bow Seat Cushions	Opt.	Opt.
Bow Casting Platform w/Socket	Opt.	Opt.
Instrument Package	• ²	• ²
Custom Accessory Package	Opt. ³	Opt. ³

² Includes speedometer, tachometer, voltmeter, blank gauge, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

Trophy 190/180/170 Specifications	Trophy 190	Trophy 180	Trophy 170
Persons Capacity	8	7	6
Center Line Length	18'10"	18'	16'11"
Maximum Depth	43"	39"	39"
Width	90"	82"	79"
Transom Width	83"	79"	76"
Transom Height	20"	20"	20"
Rec. H.P. Range	60-175	60-150	60-135
Hull Gauge	Bottom .100 Sides .080	.100 .080	.100 .080
Aluma Plate Bow	.100	.100	.100
B.I.A. Rated Cpty. Lbs.	2200	1900	1430
Approx. Weight	1347	1251	1084
Hull Style	Deep Vee	Deep Vee	Deep Vee

³ Includes factory installed bow casting platform, Lowrance X25 liquid crystal graph, vinyl top and boot. An extra seat and pedestal is included with the Trophy 170 and 180 package.

Color Options: Opal Gray/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray; Burgundy/Stone Gray exterior with Burgundy carpet, interior paint Stone Gray.

COMPETITOR 170 SERIES




Console with Optional Windshield




Electronic Compartment
Competitor 170




Optional Custom Accessory Package
Competitor 170 Tiller



Competitor
170



Competitor
170 CS



Competitor
170 Sport

Competitor Sport 170

Both shown with
Optional Custom
Accessory Package



Competitor 170 CS

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH Evinrude
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Standard Features	Competitor 170	Competitor 170CS	Competitor Sport
2 Drawer Tackle Tray	•	•	•
Interior Courtesy Lights	•	•	•
Stowable Running Lights	•	•	•
Upholstered Pedestal Seats	2	2	2
Adjustable Pedestals	Opt.	2	2
Stationary Pedestal	1	N/A	N/A
AFT Fixed Base w/Adj. Ped.	•	N/A	N/A
Pedestal Sockets	3	6	5 ¹
Fuel Tank w/Gauge (gal.)	23	23	23
Recirculating Livewell w/Timer	1	1	1
7" Lockable Rod Storage Compartment w/holders	•	•	•
Locking Dry Bow Deck Storage	•	•	•
Fwd Battery Storage w/Hold down for 105 AMP Battery	2	2	•
Automotive Fuse Panel	•	•	•
Ice Chest	N/A	N/A	•

Standard Features	Competitor 170	Competitor 170CS	Competitor Sport
No Feedback Steering	N/A	•	•
Flush Mounted Fire Extinguisher	•	•	•
Insulated Aerated Bait Well	•	•	•
Locking Electronics Cmpmts.	1	N/A	1
Console Steering w/Tilt Wheel	N/A	•	•
12/24 Volt Eltrc. System, 8 gal.	•	•	•
Bilge Pump	•	•	•
Prewired Bow Trolling Motor Receptacle & Plug w/Trim & Tilt	•	•	•
Trolling Motor Battery Condition Gauge	•	•	•
Windshield	N/A	Opt.	Opt.
Mooring Cover	Opt.	Opt.	Opt.
Instrument Package	• ¹	• ¹	• ¹
Custom Accessory Package	Opt. ²	Opt. ³	Opt. ³

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo
cassette w/2 spkr/external antenna and weatherband.

² Includes factory installed extra seat and pedestal, trolling motor with
removable bracket and Lowrance X25 liquid crystal graph.

Specifications	Competitor 170	Competitor 170CS	Competitor Sport
Persons Capacity	6	6	6
Center Line Length	16'10"	16'10"	16'10"
Maximum Depth	36"	36"	36"
Width	79"	79"	79"
Transom Width	77"	77"	77"
Transom Height	20"	20"	20"
Rec. H.P. Range	40-60	50-135	50-135
Hull Gauge Bottom	.100	.100	.100
Hull Gauge Sides	.063	.063	.063
Aluma Plate Bow	.100	.100	.100
B.I.A. Rated Capacity Lbs.	1260	1415	1400
Approx. Weight/Lbs.	873	917	990
Hull Style	Deep Vee	Deep Vee	Deep Vee

³ Includes factory installed trolling motor with removable bracket and
Lowrance X25 liquid crystal graph.


⁴ Provisions have been made for installation of two additional floor
sockets. See your dealer for further information.

Color Options: Opal Gray/Stone Gray exterior with Charcoal Gray
carpet, interior paint Stone Gray; Burgundy/Stone Gray exterior with

DOMINATOR SERIES



Optional Custom Accessory Package



Command Instrument Module
Dominator


Dominator CS

Shown with Optional
Custom Accessory Package



Dominator

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.



7' Locking Rod Compartment

Standard Features	Dominator	Dominator CS
Stowable Running Lights	•	•
Bilge Pump	•	•
Interior Courtesy Lights	•	•
Upholstered Seats	2	2
AFT Fixed Base w/Adj. Pedestal	1	N/A
Adjustable Pedestals	1	2
Seat Pedestal Sockets	3	4
Stationary Pedestal	1	N/A
Recirculating Aerated Livewell w/Timer	1	1
7' Lockable Rod Compartment	•	•
Lockable Storage Compartment	•	•

Standard Features	Dominator	Dominator CS
Flush Mounted Fire Extinguisher	•	•
Tackle Tray (2 Drawer)	•	•
Fuel Tank w/Gauge (Gal.)	23	23
Console Steering	N/A	•
Windshield	N/A	Opt.
Prewired Bow Trolling Motor Receptacle and Plug/Trim & Tilt	•	•
Fwd Battery Storage w/Hold down for 105 Amp Battery	•	•
Automotive Fuse Panel	•	•
Instrument Package	• ²	• ¹
Custom Accessory Package	Opt. ³	Opt. ³

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

² Includes tachometer, blank gauge, horn, AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

³ Includes factory installed trolling motor with removable bracket and Lowrance X25 liquid crystal graph.

Specifications	Dominator	Dominator CS
Persons Capacity	5	6
Overall Length/Width	16'5"/74"	16'5"/74"
Maximum Depth	33"	33"
Transom Height	20"	20"
Transom Width	73"	73"
Hull Gauge Bottom	.080	.080
Sides	.063	.063
Aluma Plate Bow	.080	.080
Rec. H.P. Range	35-60	35-80
B.I.A. Rated Capacity Lbs.	1145	1330
Approx. Weight/Lbs.	782	797
Hull Style	Deep Vee	Deep Vee

Color Options: Opal Gray/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray; Burgundy/Stone Gray exterior with Burgundy carpet, interior paint Stone Gray.

CLASSIC DELUXE & BACKROLLER SERIES



Optional Custom Accessory Package Backtroller 16



Aerated Livewell with Drop in Baitwell



Backtroller
14



Backtroller
16




Classic
Deluxe

Backtroller 16

Shown with
Optional Custom
Accessory Package

Classic Deluxe



ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH EVINRUDE
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.



9 Gal. Fuel Tank
Classic Deluxe

Standard Features	Backtroller 14	Backtroller 16	Classic Deluxe
Stowable Running Lights	●	●	●
Bilge Pump	●	●	●
Upholstered Seats	2	2	3
Seat Pedestal Sockets	3	4	4
Aerated Livewell	1	1	1
Aerated Drop in Baitwell	●	●	●
Lockable Rod Compartment	●	●	●
Interior Courtesy Light	N/A	N/A	●
Storage Compartments	●	●	●
Windshield	N/A	Opt.*	Opt.
Lockable Storage Compartment	N/A	●	●

*CS - Console Steering

1 Includes speedometer, tachometer, voltmeter, fuel gauge, horn and AM/FM stereo cassette w/2 spkr/external antenna.

2 Includes factory installed trolling motor and Lowrance X25 liquid crystal graph plus wiring for trolling motor receptacle, and a battery tray.

Standard Features	Backtroller 14	Backtroller 16	Classic Deluxe
9 Gal. Fuel Tank	N/A	N/A	●
Console Steering	N/A	Opt.	●
Transom Curtain	Opt.	●	●
Mooring Cover	Opt.	Opt.	Opt.
Tackle Tray (2 Drawer)	N/A	●	N/A
Prewired Bow Trolling Recept & Plug w/Trim & Tilt	●	●	●
Automotive Fuse Panel	●	●	●
Fwd Battery Storage w/Hold down for 105 Amp Battery	N/A	N/A	●
Instrument Package	N/A	N/A	●
Custom Accessory Pkg.	N/A	Opt. ²	Opt. ³

³ Includes factory installed trolling motor and Lowrance X25 liquid crystal graph.

⁴ Backtroller 16 w/steering is rated for 60 hp.

Specifications	Backtroller 14	Backtroller 16/CS	Classic Deluxe
Persons Capacity	6	7/5	6
Overall Length	14'3"	16'2"	16'4"
Overall Width	74"	73"	73"
Transom Height	20"	20"	20"
Transom Width	66"	66"	66"
Max. Equiv. Gauge ¹	.075	.075	.075
Rec. H.P. Range	15-40	15-45/60 ⁴	25-60
B.I.A. Rated Capacity Lbs.	1155	1270/1260	1240
Approx. Weight/Lbs.	512	583/638	684

¹ Calculation of maximum equivalent gauge is based on empirical data developed by the automotive industry, and the S.A.E.'s structural requirements to compare resistance to denting for various material and thicknesses. For further information contact Alumacraft Boat Company's Engineering Department.

Classic Deluxe Color Options: Opal Gray/Stone Gray exterior with Charcoal Graycarpet, interior paint Stone Gray; Burgundy/Stone Gray exterior with Burgundy carpet, interior paint Stone Gray.

Backtroller 14 & 16 Color Options: Stone Gray exterior w/charcoal Gray carpet or Stone Gray exterior w/Burgundy carpet.


FISHERMAN 150 SERIES




Optional Custom Accessory Package




Bow Storage Fisherman 150



Optional Rear Casting Platform Fisherman 150 CS



Fisherman 150



Fisherman 150 CS

Fisherman 150

Shown with Optional Custom Accessory Package



Fisherman 150 CS

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH MERCURY, MARINER OR FORCE OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.

Standard Features	Fisherman 150	Fisherman 150/CS
Upholstered Pedestal Seats	2	2
Bench Seats	1	1
Seat Pedestal Sockets	3	3
Aerated Livewell	1	1
Aerated Drop in Baitwell	•	•
Bilge Pump	Opt.	Opt.
Console Steering	Opt.	•
Lockable Storage Compartment	N/A	N/A
Rod Savers	•	•

Standard Features	Fisherman 150	Fisherman 150/CS
Lockable Rod Compartment	N/A	N/A
Mooring Cover	Opt.	Opt.
Navigation Lights	•	•
Custom Accessory Package	Opt. ¹	Opt. ¹
Bow Storage Compartment	•	•
Rear Casting Deck	N/A	Opt.
Automotive Fuse Panel	•	•

¹ Includes factory installed trolling motor and Lowrance X25A liquid crystal graph, wiring for trolling motor receptacle, battery tray, Minnkota 565, 42" shaft, 30 lb. thrust trolling motor. (Fisherman 150 includes battery box no receptacle.)

Specifications	Fisherman 150	Fisherman 150/CS
Persons Capacity	4	4
Overall Length	14'6"	14'6"
Overall Width	67"	67"
Transom Height	20"	20"
Transom Width	63"	63"
Hull Gauge	.065	.065
Rec. H.P. Range	15-35	15-45
B.I.A. Rated Capacity Lbs.	865	865
Approx. Weight/Lbs.	486	533

Color Options: Stone Gray exterior with Charcoal Gray carpet, Misty Gray interior paint.
* Console Steering


FISHERMAN 150 SERIES




Optional Custom
Accessory Package




Bow Storage
Fisherman 150



Optional Rear Casting Platform
Fisherman 150 CS



Fisherman
150



Fisherman
150 CS

Fisherman 150

Shown with
Optional Custom
Accessory Package



Fisherman 150 CS

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Standard Features	Fisherman 150	Fisherman 150/CS
Upholstered Pedestal Seats	2	2
Bench Seats	1	1
Seat Pedestal Sockets	3	3
Aerated Livewell	1	1
Aerated Drop in Baitwell	•	•
Bilge Pump	Opt.	Opt.
Console Steering	Opt.	•
Lockable Storage Compartment	N/A	N/A
Rod Savers	•	•

Standard Features	Fisherman 150	Fisherman 150/CS
Lockable Rod Compartment	N/A	N/A
Mooring Cover	Opt.	Opt.
Navigation Lights	•	•
Custom Accessory Package	Opt. ¹	Opt. ¹
Bow Storage Compartment	•	•
Rear Casting Deck	N/A	Opt.
Automotive Fuse Panel	•	•

¹ Includes factory installed trolling motor and Lowrance X25A liquid crystal graph, wiring for trolling motor receptacle, battery tray, Minnkota 565, 42" shaft, 30 lb. thrust trolling motor. (Fisherman 150 includes battery box no receptacle.)

Specifications	Fisherman 150	Fisherman 150/CS
Persons Capacity	4	4
Overall Length	14'6"	14'6"
Overall Width	67"	67"
Transom Height	20"	20"
Transom Width	63"	63"
Hull Gauge	.065	.065
Rec. H.P. Range	15-35	15-45
B.I.A. Rated Capacity Lbs.	865	865
Approx. Weight/Lbs.	486	533

Color Options: Stone Gray exterior with Charcoal Gray carpet, Misty Gray interior paint.

* Console Steering


LUNKER SERIES




Optional Custom Accessory Package




Aerated Livewell with Drop In Baitwell
LV-16 LTD, LV-14 LTD Only




LV16 LTD



LV16




LV14 LTD



LV14

Lunker V16

Shown with
Optional Custom
Accessory Package



Lunker V16 LTD

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Standard Features	Lunker V-16 LTD	Lunker V-14 LTD	Lunker V-16	Lunker V-14
Upholstered Pedestal Seats	2	2	Opt.*	Opt.*
Bench Seats	N/A	N/A	2	2
Seat Pedestal Sockets	4	3	N/A	N/A
Livewell	1	1	1	1
Aerator Pump	•	•	Opt.	Opt.
Aerated Drop In Baitwell	•	•	N/A	N/A
Bilge Pump	•	•	Opt.	Opt.
Console Steering	Opt.	N/A	Opt.	Opt. ²
Lockable Storage Compartment	•	•	•	•
Lockable Rod Compartment	•	•	N/A	N/A
Mooring Cover	Opt.	Opt.	Opt.	Opt.
Navigation Lights	•	•	•	•
Custom Accessory Package	Opt. ¹	Opt. ¹	Opt. ¹	Opt. ¹
Bow Storage Compartment	•	•	N/A	N/A
Automotive Fuse Panels	•	•	N/A	N/A
Rod Savers	•	•	N/A	N/A

* Upholstered seat with seat clamp

Standard Features	Lunker V-16 LTD	Lunker V-14 LTD	Lunker V-16	Lunker V-14
Persons Capacity	5	5	7	5/6
Overall Length	16'9"	14'6"	16'6"	14'2"
Overall Width	71"	68"	68"	66"
Transom Height	20"	20"	20"	15/20"
Transom Width	67"	67"	63"	63"
Hull Gauge	.070	.065	.070	.065
Rec. H.P. Range	15-45	15-35	15-40	15-35
B.I.A. Rated Capacity Lbs.	1245	930	1310	970/1160
Approx. Weight/Lbs.	563	503	451	330/340

¹ Includes factory installed trolling motor and Lowrance X20A liquid crystal graph, wiring for trolling motor receptacle, battery tray, Minnkota Mag 24, 42" shaft, 24 lb. thrust trolling motor (Lunker V16 and LV14 includes battery box no receptacle.)

² Lunker V14's console is black plastic w/o switches.

Color options: Stone Gray exterior with Charcoal Gray carpet, Misty Gray interior paint.

* Console Steering


VALUE TOTABLE SERIES




Optional Swivel Seat
Clamp and Seat




Optional SV Steering Console




V16




V14



T14S



T14



T12S



T12



T12

T14S

V14

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH EVINRUDE
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Specifications	V-16	V-14	T-14S	T-12S	T-14	T-12
Overall Length	16'7"	14'3"	13'11"	12'0"	13'4"	11'10"
Overall Width	70"	68"	55"	55"	53"	53"
Overall Bow Ht.	30"	30"	26"	25½"	23"	23"
Transom Ht.	15"/20"	15"/20"	15"	15"	15"	15"
Persons Cap.	7/8	5/6	4	4	3	2
Transom Width	63"	63"	52"	52"	46½"	46½"
Hull Gauge	.070	.065	.050	.050	.050	.050
Rec. H.P. Range	15-40	7.5-25	6-20	6-15	4-10	4-7.5
B.I.A Rated Cap./Lbs.	1255/1385	1015/1195	725	630	545	465
Approx. Wt./Lbs.	270/280	225/230	170	130	145	120


Color: T12S, T14S, V-14 & V-16: Marine Gray exterior, Misty Gray interior paint. T12 & T14: Clear Coated Natural Finish exterior, Dove Gray interior paint.

Ask Your Dealer About Value/Totable Series Accessories


PHANTOM 185 F/S FISH & SKI



Optional Bow Platform with Pro Seat



Optional Ski Pylon



Trolling Motor Panel with Battery Condition Gauge



Optional Custom Accessory Package



Shown with Optional Custom Accessory Package and Optional Bow Casting Platform

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH Evinrude or Johnson Outboards. See your ALUMACRAFT DEALER FOR DETAILS.



Instrument Console

Standard Features	Phantom 185 F/S
Upholstered Pedestal Seats	2
Bucket Seats With Slide	2
Pedestal Sockets (Pin Style)	1
Pedestal Holder	•
Recirculating Aerated Livewells with Timers	2
Locking Rod & Ski Storage	•
Rod Holders	•
Storage Compartments	•
Insulated Ice Chest/Dry Storage	•
Tempered Glass Wrap Around Windshield	•
Tilt & Trim Switch (Fore)	•
Convertible Top Set	Opt.
Windshield Curtain	Opt.
Interior Courtesy Lights	•
Lockable Glove Compartment	•
Stowable Running Lights	•

Standard Features	Phantom 185 F/S
No Feedback Steering	•
Flush Mounted Fire Extinguisher	•
Center Seat & Back Rest	•
Bow Rails	•
Bow Casting Platform with Socket	Opt.
Tilt Wheel	•
Fused Trolling Motor Plug, Socket with Battery Condition Gauge	•
12/24 Volt Electric System (8 Gauge Wire) (Circuit Breakers)	•
Mooring Cover	Opt.
Fuel Tank and Gauge (Gal.)	41
Grab Rail Amidship	2
Instrument Package	• ¹
Custom Accessory Package	Opt. ²
Ski Pylon	Opt.
Cup Holders	•

Specifications	Phantom 185 F/S
Persons Capacity	7
Center Length	18'5"
Maximum Depth	35"
Width	91 3/4"
Transom Width	87"
Transom Height	20"
Hull Gauge Bottom	.100
Hull Gauge Sides	.080
Aluma Plate Bow	.100
Rec.H.P. Range	70-175
B.I.A. Rated Capacity Lbs.	1625
Approx. Weight/Lbs.	1386
Hull Style	Deep Vee

² Includes trolling motor and Lowrance X25 liquid crystal graph and removable trolling motor bracket.


Colors: Burgundy/Stone Gray exterior with Burgundy carpet, interior paint Stone Gray; Opal Gray/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray.

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

PHANTOM V170



Optional Custom Accessory Package



Dry Storage



Insulated Ice Chest



Shown with Optional Custom Accessory Package

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH MERCURY, MARINER OR FORCE OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.



Console w/instruments

Standard Features	Phantom V170
Upholstered Pedestal Seats	2
Stationary Seats	2
Pedestal Sockets (Pin Style)	2
Pedestal Holder	•
Recirculating Aerated Livewells with Timers	2
7' Locking Rod Storage	•
Storage Compartments	•
Insulated Ice Chest	•
Windshield	•
Tilt-Trim Switch (Fore)	•
Stowable Running Lights	•
No Feedback Steering	•

Standard Features	Phantom V170
Courtesy Light	•
Flush Mounted Fire Extinguisher	•
Tilt Wheel	•
Bow Dry Storage Compartment	•
Fused Trolling Motor Plug, Socket and Battery Condition Gauge	•
12/24 Volt Electric System (8 gauge wire) Automotive Fuse Panel	•
Mooring Cover	Opt.
Automotive Fuse Panel	•
Fuel Tank and Gauge (Gal.)	23
Grab Rail & Courtesy Light	•
Long Life Treated Plywood Platforms	•
Instrument Package	• ¹
Custom Accessory Package	Opt. ²

¹ Includes speedometer, tachometer, voltmeter, horn and AM/FM stereo cassette w/2 spkr/external antenna and weatherband.

² Includes trolling motor with removable bracket and Lowrance X25 liquid crystal graph.

Specifications	Phantom V170
Persons Capacity	6
Center Length	17'4"
Maximum Depth	32"
Width	81"
Transom Width	78"
Transom Height	20"
Hull Gauge Bottom	.100
Hull Gauge Sides	.080
Aluma Plate Bow	.100
Rec. H.P. Range	60-135
B.I.A. Rated Capacity Lbs.	1365
Approx. Weight/Lbs.	1049
Hull Style	Deep Vee

Colors: Burgundy/Stone Gray exterior with Burgundy carpet, interior paint Stone Gray; Opal Gray/Stone Gray exterior with Charcoal Gray carpet, interior paint Stone Gray.

MODIFIED VEE BASS BOAT SERIES



Optional Custom Accessory Package



New Deck Super Bandit




Insulated Ice Chest

NEW HULL DESIGN

MV Super Bandit

5 Year Limited Warranty



Shown with Optional Custom Accessory Package

MV Maverick

ALUMACRAFT BOATS ARE AVAILABLE PERFORMANCE MATCHED WITH EVINRUDE OR JOHNSON OUTBOARDS. SEE YOUR ALUMACRAFT DEALER FOR DETAILS.

Standard Features	MV Super Bandit	MV Maverick
Black Polyethylene Aerated Livewell	2 ¹	2 ¹
Stowable Running Lights	•	•
105 Amp Battery Compartment	Forward	AFT
Interior Courtesy Light	•	•
Upholstered Pedestal Seats	2	2
Upholstered Fold Down Seats	2	2
Dry Storage Compartment	•	•
Rod Storage Compartment/Rod Savers	•	N/A
Prewired Bow Trolling Receptacle and Plug w/Trim & Tilt Switch	•	•
Pedestal Extension Storage Holders	•	•
Automotive Fuse Panel	•	•

¹ Aft livewell is recirculating with timer.

² Includes speedometer, tachometer, voltmeter, horn, AM/FM stereo cassette w/2 speakers and weatherband.

³ Includes Motor Guide 730, 30 lb. thrust, 36" shaft foot control trolling motor and Lowrance X25 liquid crystal graph.

Standard Features	MV Super Bandit	MV Maverick
Console Windshield	•	•
Electric System (8 Gauge Wire)	12/24V	12V
Aluminum Interior Floor	•	•
Insulated Ice Chest & Lid	•	•
Mooring Cover	Opt.	Opt.
Aluminum Decks Fore & AFT	•	•
Fuel Tank	18 gal.	12 gal. Opt.
Instrument Package	• ¹	• ²
Custom Accessory Package	Opt. ³	Opt. ³
Bilge Pump	•	•

Color Options: Light Slate Gray Metallic hull with Burgundy or Gray interior carpet.

³Capacity rating with factory installed fuel tank.

Standard Features	MV Super Bandit	MV Maverick
Persons Capacity	5	4
Aluma Plate Bow	.074	.072
Center Length	17'8"	16'8"
Maximum Beam	75"	72"
Bottom Width	52"	48"
Transom Height	20"	20"
Side Height	23"	21"
Hull Gauge	.074	.072
Rec. H.P. Range	40-90	40-80
B.I.A. Rated Capacity/Lbs.	1170	965/905*
Approx. Weight/Lbs.	857	737


MODIFIED VEE BASS BOAT SERIES



Optional Custom Accessory Package



Livewell



Seat Storage



MV Angler



Shown with Optional Custom Accessory Package

MV Super Hawk CS

Special Features	MV Super Hawk CS	MV Angler
Raised Casting Deck Fore & Aft	●	●
Black Polyethylene Aerated Livewell	●	●
Stowable Running Lights	●	●
Bilge Pump	●	●
Upholstered Fold Down Seats	2	2
Upholstered Pedestal Seats	1	2
Storage Forward & Aft	●	●
Prewired Bow Trolling Receptacle	●	●
Pedestal Extension Storage Holders	N/A	●

¹ Includes Motor Guide 730, 30 lb. Thrust, 36" shaft foot control trolling motor and Lowrance X25 liquid crystal graph.

Special Features	MV Super Hawk CS	MV Angler
Automotive Fuse Panel	●	●
Console Windshield	Opt.	Opt.
12 Volt Electric System w/10 Gauge Wire	●	●
Aluminum Interior Floor	●	●
Instrument Package	N/A	N/A
Custom Accessory Package	Opt. ¹	Opt. ¹
Mooring Covers	Opt.	Opt.
Aluminum Decks Fore & Aft	N/A	●

Specifications	MV Super Hawk CS	MV Angler
Persons Capacity	4	4
Aluma Plate Bow	N/A	.072
Center Length	15'	15'11"
Maximum Beam	62"	69"
Bottom Width	42"	44"
Transom Height	20"	20"
Side Height	20"	21"
Hull Gauge	.063	.072
Rec. H.P. Range	15-40	25-50
B.I.A. Rated Capacity Lbs.	795	890
Approx. Weight/Lbs.	487	577

Color Options: MV Angler - Light Slate Gray Metallic hull with Burgundy or Gray interior carpet.

Super Hawk CS available in Gray interior only.

CRAPPIE SERIES



Crappie Jon Jr.

Crappie Jon



Crappie Deluxe

Crappie Pro



Shown with Optional
Custom Accessory Package
(Crappie Pro & Crappie Deluxe)



Optional Custom Accessory
Package

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

Standard Features	Crappie Pro	Crappie Deluxe	Crappie Jon	Crappie Jon Jr.
Raised Casting Deck Forward	•	N/A	N/A	N/A
Aerated Livewell	•	•	•	N/A
Stowable Running Lights	•	•	N/A	N/A
Bilge Pump	•	N/A	N/A	N/A
Upholstered Fold Down Seats	4	2	2	2
Pedestal Seat Sockets	2	N/A	N/A	N/A
Storage Compartment	•	•	•	N/A
Automotive Fuse Panel	•	N/A	N/A	N/A


Standard Features	Crappie Pro	Crappie Deluxe	Crappie Jon	Crappie Jon Jr.
Prewired Bow Trolling Receptacle & Plug	•	N/A	N/A	N/A
Steering Console	•	N/A	N/A	N/A
Console Windshield	Opt.	N/A	N/A	N/A
Aluminum Interior Floor	•	•	•	•
Mooring Cover	Opt.	Opt.	Opt.	N/A
Custom Accessory Package	Opt. ¹	Opt. ¹	N/A	N/A

¹ Factory installed Motor Guide 730, 30 lb. thrust, 36" shaft foot control trolling motor and Lowrance X25 liquid crystal graph.

Specifications	Crappie Pro	Crappie Deluxe	Crappie Jon	Crappie Jon Jr.
Persons Capacity	4	3	4	3
Aluma Plate Bow	.072	N/A	N/A	N/A
Center Length	16'	15'	14'	13'10"
Maximum Beam	71"	64"	64"	53"
Bottom Width	48"	42"	42"	36"
Transom Height	20"	15"	15"	15"
Side Height	21"	20"	20"	19"
Hull Gauge	.072	.063	.063	.063
Rec. H.P. Range	30-60	15-30	10-25	6-20
B.I.A. Rated Capacity Lbs.	860	745	740	580
Approx. Weight/Lbs.	625	426	330	300

Color: Light Slate Gray Metallic exterior with Charcoal Gray carpet.


ALL WELDED JON BOAT SERIES




1542AW* 1650AW* 1860AW* MV1542AW* MV1650AW* MV1860AW*

*Optional Center Seat/Livewell Available

NEW



Optional Center Console/Livewell
1650AW/1860AW Series Only




MV1542 AW

1650 AW w/Optional
Center Seat/Livewell

NEW

1860 AW w/Optional
Center Console/Livewell

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.



Tunnel Hull
Optional on 1650AW/1860AW Only

	Welded Jon Boats					
Specifications	1542AW	MV1542AW	1650AW ²	MV1650AW	1860AW ²	MV1860AW
Persons Capacity	4	4	5	5	6	6
Center Length	15'	15'	16'	16'	18'	18'
Max. Beam	63"	63"	74"	74"	88"	88"
Bottom Width	42"	42"	50"	50"	60"	60"
Transom Height	15"	15"	20"	20"	20"	20"
Transom Width	62"	62"	71"	71"	86"	86"
Side Height	19"	19"	22"	22"	25"	25"
Center Console/LW	NA	NA	Opt.	Opt.	Opt.	Opt.
Side Console	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Center Seat/LW	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
No. of Ribs	11	11	12	12	13	13
Hull Gauge	.082	.082	.102	.102	.102	.102
Horsepower	10-25	10-25	15-35/50 ¹	15-35/50 ¹	35-50/75 ¹	35-50/75 ¹
B.I.A. Capacity	825 lbs.	825 lbs.	1100 lbs.	1100 lbs.	1600 lbs.	1600 lbs.
Approx. Wt. Lbs.	250	250	300	300	500	500

¹ With Console Steering

² Opt. Tunnel Hull Available

Standard Color: Khaki

All Welded Boats have a Limited "ONE YEAR" Warranty


JON BOAT SERIES




1032




1232



1236



1436 LITE




1436*




ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.


1432




1442*




1448*



1542



1648*




* Livewell Option

Specifications	Economy Line Jon Boats				Superior Line Jon Boats			Commercial Line Jon Boats						
	1032	1232	1432	1436 Light Weight	1236	1436	1436 w/LW	1442	1442 w/LW	1542	1448	1448 w/LW	1648	1648 w/LW
Persons Capacity	2	2	3	3	3	3	3	4	4	4	5	5	5	5
Center Length	10'	12'	14'	14'	12'	14'	14'	14'	14'	15'	14'	14'	16'	16'
Maximum Beam	48"	48"	48"	55"	55"	55"	55"	62"	62"	62"	70"	70"	70"	70"
Bottom Width	32"	32"	32"	36"	36"	36"	36"	42"	42"	42"	48"	48"	48"	48"
Transom Width	45"	45"	45"	53"	53"	53"	53"	62"	62"	62"	69"	69"	69"	69"
Transom Height	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"	15"
Side Height	17"	17"	17"	19"	19"	19"	19"	20"	20"	20"	21"	21"	21"	21"
No. of Ribs	2	4	5	6	5	7	7	7	7	8	7	7	9	9
Hull Gauge	.053	.053	.053	.053	.063	.063	.063	.063	.063	.063	.070	.070	.070	.070
Rec. H.P. Range	1-3	4-8	4-10	6-15	4-15	6-20	6-20	10-25	10-25	10-25	10-25	10-25	15-35	15-35
B.I.A. Rated Capacity Lbs.	365	455	555	625	540	625	605	770	770	775	885	885	1010	1010
Approx. Weight Lbs.	100	120	130	145	150	165	170	200	200	226	240	230	270	260


Standard Color: Olive Drab

JON BOAT SERIES


MV 1442*




MV 1448*




MV 1542




MV 1648*




MV Tex CS



MV Tex Special CS



MV Tex



ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH EVINRUDE
OR JOHNSON OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.

* Livewell Option

Specifications	MV Superior Line	MV Commercial Line						MV Tex Line		
	MV 1542	MV1442	MV1442 w/LW	MV 1448	MV1448 w/LW	MV1648	MV1648 w/LW	MV Tex	MV Tex CS	MV Tex Spec CS
Persons Capacity	4	4	4	5	5	5	5	5	5	5
Center Length	15'	14'	14'	14'	14'	16'	16'	16'	16'	16'
Maximum Beam	62"	62"	62"	70"	70"	70"	70"	70"	70"	70"
Bottom Width	42"	42"	42"	48"	48"	48"	48"	48"	48"	48"
Transom Width	62"	62"	62"	69"	69"	69"	69"	66"	66"	66"
Transom Height	15"	15"	15"	15"	15"	15"	15"	20"	20"	20"
Side Height	20"	20"	20"	21"	21"	21"	21"	21"	21"	21"
No. Ribs	8	7	7	7	7	9	9	10	10	10
Hull Gauge	.063	.063	.063	.070	.070	.070	.070	.070	.070	.070
Rec. H.P. Range	10-25	10-25	10-25	10-25	10-25	15-35	15-35	15-35	15-50	15-50
B.I.A. Rated Capacity Lbs.	805	770	770	885	885	1010	1010	1010	1010	1010
Approx. Weight/Lbs.	230	200	200	240	250	270	285	340	355	425

Standard Color: Olive Drab

MV Tex Line Color: Light Slate Gray Metallic exterior with Charcoal Gray carpet on MV Tex Special CS.



Optional Camouflage Upholstered
Seat and Clamp




Optional Steering Console

CANOEES

WHY ALUMACRAFT IS AMERICA'S PREMIER CANOE.

- **Overlap design** . . . each side of the hull is preformed, overlapped on the center seam, and spot-welded for greater strength.
- **Flat bottom** . . . a flat bottom provides greater stability and easier padding than a rocker bottom design.
- **Spotwelding** . . . aircraft-tough spotwelds on ribs, gunwales and center seam eliminate rivet shearing, drag and leakage.
- **Stronger stems** . . . made of .090 gauge solid aluminum, they're thicker and stronger to stand up to rocks, gravel and other obstructions.

- **6010 Marine alloy** . . . lightweight, this remarkable space age alloy is heat treated for greater durability and resistance to punctures and wear.
- **Plus** . . . built in carrying yoke on most models, gas resistant foam flotation, rugged roll seat design, attractive decal, and stainless steel tie-down eyelets.



Voyager 17

CO 17

QT 17 C
Shown with
Optional
Portage
Pads

ALUMACRAFT BOATS ARE AVAILABLE
PERFORMANCE MATCHED WITH MERCURY,
MARINER OR FORCE OUTBOARDS. SEE YOUR
ALUMACRAFT DEALER FOR DETAILS.



Optional Motor Bracket

Specifications	QT-15C Quetico	QT-17CL Quetico	QT-17C Quetico	QT-17WWR Quetico ¹	QT-185CL Quetico	CO-17 ² Camper	Voyageur (Ultralight)
Persons Capacity	3	4	4	4	4	4	4
Gauge	.050	.040	.050	.060	.040	.050	.035
Center Length	15'	17'	17'	17'	18'5"	17'	17'
Maximum Beam	36"	36"	36"	36"	37"	37"	36"
Amidship Depth	14"	13"	13"	13"	13"	13"	12"
Keel Type	All cruising type except on QT-17WWR which features Whitewater Keel						
No. of Ribs	3	5	3	5	8	5	3
B.I.A. Rated Capacity Lbs.	725	710	730	725	795	810	675
Approx. Weight/Lbs.	62	64	71	83	71	85	57
Curved Center Thwart	Opt.	•	•	Opt.	•	Opt.	Opt.

¹ Transom Height - 16" Max. Rec. H.P. - 4

² Ribless model also available



Car Top



Portage

LIMITED WARRANTY TO ORIGINAL BOAT OWNERS

Alumacraft provides one of the best limited warranty programs available in the industry to the original purchaser. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer.

See your dealer for specific details. Prices and specifications subject to change without notice.

NMMA Certified-All Alumacraft aluminum fishing boats and canoes are NMMA certified and all ratings comply with the Federal Boat Safety Act of 1971.

ALUMACRAFT®

315 West St. Julien Street, St. Peter, MN 56082
Phone (507) 931-1050, Fax (507) 931-9056
Highway 67 North, Box 189, Arkadelphia, AR 71923
Phone (501) 246-5555, Fax (501) 246-4507

