

BOAT CO.

1997 ALUMACRAFT®

Fish & Ski Sport Boats • Tournament Pro Boats • Utility Boats • Canoes



TOURNAMENT PRO 175 CS

NEW FOR '97

MAGNUM 165 CS

NEW FOR '97



RUGGED, DEPENDABLE ALUMACRAFT CONSTRUCTION WITHSTANDS THE TESTS OF TIME, WEATHER AND WATER.

HIGHEST GRADE MARINE ALUMINUM

There's none better. Greatly increases strength, puncture resistance and wear.

LIVEWELL LINERS

Polyethylene liners with rounded edges help keep your catch fresh. Some models are also insulated for even greater fish preservation.

ALUMA CLAD TRANSOM

Treated wood clad on both sides with strong aluminum. Minimizes vibration, runs quieter and eliminates maintenance. Other designs will bend, not Alumacraft.

FOAM-IN-PLACE FLOATATION

Gas resistant poured foam fills small crevices, increases hull strength. Quieter and more stable.

GAS TANKS

Space-saving, built-in gas tanks are standard on many models. Positioned for optimum balance, performance and ride.

ALUMINUM COVERS AND LIDS

Solid covers with piano style hinges hold their shape and are stronger and lighter than wood. Extra long life even with rough use.

ALUMA-FRAME CONSTRUCTION

Heavy gauge aluminum transverse and longitudinal framing is formed to optimal hull bottom shape. Maximum structural support with minimum weight. Standard on most models.

CASTING PLATFORM

Specially treated marine plywood platform is covered with superior Olefin marine carpeting to last.

REINFORCED CENTER KEEL

One piece extruded uni-keel extends from bow tip to stern for extra strength. Preformed for no stress on rivets. Reinforced with 1/4" solid aluminum at wear points.

SPRAY RAIL


Large Reverse Dispersal Wave Action Spray Rails. Contoured for heavy spray disbursement. Deflects backsplash for a drier ride even in rough water.

SEAT BASE PLATES

Heavy gauge aluminum base plates under the floor provide an extra strong platform for seat base mounts.

ALUMACRAFT[®] BOAT CO.

EVINRUDE[®]
OUTBOARDS



RIVETED CONSTRUCTION

Special heat-treated and hardened aircraft-type rivets ensures durability and long life. Special oversized rivets are used in stress areas instead of drilling more holes and doubling up with smaller rivets.

Oversized rivets also are used to attach floors to interior frames. Superior holding power. Much stronger and more durable than screwed down floors.

HULL REINFORCEMENT

New for '97. The revolutionary 2XB Hull features twin aluminum plates that cover the entire boat bottom. Standard on Trophy, Tournament Pro, Competitor and Phantom models.

Aluma Plate twin plating reinforcement adds extra strength to critical bow areas. Standard on Dominator, MV Super Bandit, MV Maverick, MV Angler and Crappie Pro.

INSTRUMENT PACKAGES

Customized long-life, high-tech instrument packages give you detailed information for greater control and safer boat operation.



URETHANE FINISH

The best available. Super tough, high gloss and resists corrosion and wear for years of good looks. Long life graphics always look good.

2XB

HULL BOTTOM

WE'VE RAISED THE ANTE WHEN IT COMES TO DOUBLE TOUGH HULLS.

NEW FOR '97
2XB HULL



Closeup view of the revolutionary 2XB Hull. The only place you can find one is on the bottom of a 1997 Alumacraft.

Fishermen and boaters who want their craft to be extra strong have always looked for an aluminum

boat with twin plates in the bow – like our AlumaPlate construction. For 1997 we've taken twin plate construction to a higher level.

Introducing our new 2XB Hull.

With this revolutionary design, twin aluminum plates extend the entire length of the boat bottom, not just under the bow.

Mother Nature doesn't throw rough stuff only at the front of your boat – when you're on plane your bow is out of the water. The entire boat bottom has to endure rough waves, shallow rock filled waters, deadheads and ever-lurking boulders.

When you have an Alumacraft 2XB Hull, the entire boat bottom is reinforced with a second plate of marine alloy aluminum, the highest grade available. You simply can not buy more protection. You'll find this industry-leading hull design only on 1997 Alumacraft Trophy, Tournament Pro, Competitor and Phantom Series boats. When you run with a 2XB hull, your bottom is double protected.

PAINT & CARPET COLORS

Exterior Paint	Metallic Dark Gray	Metallic Burgundy	Metallic Green	Stone Gray	Stone Gray	Sand	Stone Gray
	Stone Gray	Sand	Sand	Misty Gray	Misty Gray	Sand	Misty Gray
	Gunmetal Gray	Burgundy	Hunter Green	Gunmetal Gray	Burgundy	Hunter Green	Dove Gray
Interior Paint							
Carpet							
Trophy Series, Phantom Series, Competitor Series, Tournament Series, Magnum Series, Dominator Series, Classic Deluxe				Backtrollers Lunker LTD's, Lunker V's, Fisherman 150		Backtrollers Lunker LTD's	

T12S, T14S,
V-14, V-16

T12, T14,
Canoes

**FISHING, SKIING, CRUISING—
DO IT ALL WITH A TROPHY.**



*Sun top stows out of the way
inside a special storage enclosure.*



TROPHY 165

Shown with optional sun top and accessories.



TROPHY 185

Shown with optional accessories.

Trophy console



**MERCURY
OUTBOARDS**

TROPHY


185/175/165/190 I/O

A Trophy is the choice of serious fishermen everywhere, but it's also great for skiing and cruising with friends. Compare a Trophy to others. The size is ideal and


we've loaded them with the finest fishing features. The high style transom area is a popular feature. It minimizes following seas and has built-in storage for the sun top.

The Trophy is the only fish & ski boat with the revolutionary 2XB Hull – twin aluminum plates that cover the entire hull bottom, not just the bow. Count on a Trophy to always keep you comfortable, depend on it when the weather turns, enjoy it for years to come.

NEW FOR '97
2XB HULL




TROPHY 190 I/O
Shown with optional accessories




TROPHY 175
Shown with optional accessories


Aft baitwell




Trophy 185



Trophy 175



Trophy 165



Trophy 190 I/O

TROPHY SERIES

185 • 175 • 165 • 190 I/O

SPECIFICATIONS

	185	175	165	190 I/O
Center line length	18'10" (5.7m)	18'0" (5.5m)	16'11" (5.1m)	18'10" (5.7m)
Maximum depth	43" (1.0m)	39" (.95m)	39" (.95m)	43" (1.0m)
Width	90" (2.2m)	82" (2.0m)	79" (1.9m)	90" (2.2m)
Transom width/height	83"/20" (2.0/.49m)	79"/20" (1.9/.49m)	76"/20" (1.8/.49m)	83"/20" (2.0/.49m)
Horsepower range	60-175hp (45-130kw)	60-150hp (45-112kw)	60-115hp (45-112kw)	I/O —
Capacity (persons)	7	6	6	7
Capacity (B.I.A.lbs, kg)	2200 (998kg)	1900 (862kg)	1430 (649kg)	1500 (680kg)
Hull gauge (bottom/side)	.100/.080" (2mm)	.100/.080" (2mm)	.100/.080" (2mm)	.100/.080" (2mm)
2XB double plated hull bottom	.100/.080" (2.0/2.0mm)	.100/.080" (2.0/2.0mm)	.100/.080" (2.0/2.0mm)	.100/.080" (2.0/2.0mm)
Weight (approx. lbs.)	1392 (631kg)	1296 (588kg)	1129 (512kg)	2025/2218 (919/1006kg)
Hull style	Deep-V	Deep-V	Deep-V	Deep-V
Insulated aerated livewell w/light	2	1	1	1
Insulated, aerated baitwell	—	1	1	—
Seats, upholstered pedestal	4	3	3	2
Pedestals	3adj, 1sta	2adj, 1sta	2adj, 1sta	1adj, 1sta
Pedestal sockets	3	3	3	1
Fuel capacity (gallons/liters, gauge)	41gal (186L)	28gal (127L)	23gal (105L)	35gal (159L)

STANDARD FEATURES (All models)

- No feedback steering • Tilt wheel w/dual cables (185, 175) • Tempered glass curved windshield
- Instrument package: speedometer, tachometer, voltmeter, blank gauge (not I/O), horn • AM/FM stereo cassette w/weatherband and two speakers • 12/24-volt prewired bow trolling motor panel w/trim switch • Ice chest/dry storage • Remote livewell drain • Master electrical switch • Forward battery storage • Lockable storage compartment • Lockable rod storage compartment (7')
- Lockable glove compartment • Concealed top storage (not I/O) • Two 2-drawer tackle compartments
- Interior courtesy lights • Stowable running lights • Automotive fuse panel • Accessory socket for spotlight or phone • Auto bilge pump • Flush mounted fire extinguisher • Bow rails • Grab handles
- Cup holders.

OPTIONS

- Custom Accessory Package includes: Factory-installed bow casting platform, Lowrance X25 liquid crystal graph, vinyl top and boot; an extra seat and pedestal is included with the Trophy 175 and 165 package • Bow seat cushions • Bow casting platform w/pedestal socket • Laydown sleeper seat • Windshield curtain • Convertible top set with tonneau • Mooring cover

COLOR OPTIONS

- Metallic Dark Gray w/Stone Gray exterior, Gunmetal Gray carpet and Diamond Brush Gray instrument panel • Metallic Burgundy w/Sand exterior, Burgundy carpet and Woodgrain instrument panel
- Metallic Green w/Sand exterior, Hunter Green carpet and Woodgrain instrument panel

MARINER
OUTBOARDS

**SWEET AND SASSY
WITH A BASSIN' ATTITUDE.**




Two lighted livewells keep your catch fresh.

PHANTOM 185 F/S
*Shown with optional bow platform
and optional accessory package*



EVINRUDE
OUTBOARDS

PHANTOM 185 F/S/V170



Dry storage, Phantom 185 F/S



Phantom V170 console


PHANTOM V170
Shown with optional
accessory package




Phantoms have everything a great bass boat needs. They're fast, they're quick and tough as nails. The double V-bottom 2XB Hull puts high performance at your fingertips and an extra .080" of aluminum under you for confidence.

When you fish in your new Phantom you'll think you went to hawg heaven. The side livewell is 60" huge, the deck laid out for effortless flippin, the dry storage is exactly that - dry. You'll also find two convenient rod boxes and an insulated ice chest.

Get a little more for your fishing dollar, get a Phantom.



Phantom 185 F/S



Phantom V170

PHANTOM SERIES

185 F/S • V170

SPECIFICATIONS

	185 F/S	V170
Center line length	18'5" (5.4m)	17'4" (5.1m)
Maximum depth	35" (.85m)	32" (.78m)
Width	91 1/4" (2.2m)	81" (1.9m)
Transom width	87" (2.1m)	78" (1.9m)
Transom height	20" (.49m)	20" (.49m)
Horsepower range	70-175hp (52-130kw)	60-135hp (48-135kw)
Capacity (persons/B.I.A.lbs)	7/1625 (737kg)	4/1365 (619kg)
Hull gauge (bottom/side)	.100/.080" (2mm)	.100/.080" (2mm)
2XB double plated hull bottom (bow/aft)	.100/.080 (2.5/2mm)	.100/.080 (2.5/2mm)
Weight (approx. lbs.)	1431 (649kg)	1094 (496kg)
Hull style	Deep-V	Deep-V
Recirculating livewell w/timer, light	2	1
Seats, upholstered pedestal	2	2
Seats, upholstered stationary	2 buckets w/slide, 1 center	2
Pedestal sockets (pin style)	2	2
Pedestal holder	2	2
Fuel capacity (gallons, w/gauge)	41 gal (186L)	23 gal (105L)
Locking rod storage compartment	1 (7')	2 (7', 6')
Ice chest/dry storage	1/1	1/2

STANDARD FEATURES

- No feedback steering w/tilt wheel and dual cables • Windshield (V170)
- Tempered curved glass windshield (185 F/S) • Vinyl wrapped console
- Instrument Package: speedometer, tachometer, voltmeter, horn, AM/FM stereo cassette w/weatherband and two speakers • Master electrical switch
- 12/24-volt trolling motor panel with plug socket, trim, tilt and battery condition gauge • Remote livewell drain • Extra large flippin deck w/long life treated plywood (170) • Storage compartment • Rod holders (185F/S) • 2-drawer tackle box (170) • Lockable glove compartment (185 F/S) • Interior courtesy lights • Stowable running lights • Accessory socket • Auto bilge pump • Cup holders • Bow rails (185 F/S) • Grab handle

OPTIONS

- Custom Accessory Package: Trolling motor with removable bracket and Lowrance X25 • Bow casting platform w/socket (185 F/S) • Convertible top set (185 F/S) • Windshield curtain (185 F/S) • Ski pylon (185 F/S) • Mooring cover

COLOR OPTIONS

- Metallic Dark Gray w/Stone Gray exterior, Gunmetal Gray carpet and Diamond Brush Gray instrument panel • Metallic Burgundy w/Sand exterior, Burgundy carpet and Woodgrain instrument panel • Metallic Green w/Sand exterior, Hunter Green carpet and Woodgrain instrument panel



**THESE BOATS WILL
MAKE YOU FEEL LIKE
A TOURNAMENT PRO.**

NEW FOR '97

TOURNAMENT PRO 175 CS
Shown with optional accessory package



Console, Tournament Pro 175 CS



Electronics console, Tournament Pro 175



Bow livewell, Tournament Pro 175

TOURNAMENT PRO 175
Shown with optional accessories



**MERCURY
OUTBOARDS**

**MERCURY
OUTBOARDS**

TOURNAMENT PRO 175CS/175 COMPETITOR 190CS/190

The Tournament Pro is all new. It's deeper and wider than other 17' pro boats and



NEW FOR '97


TOURNAMENT PRO 175
Shown with optional
accessory package




COMPETITOR 190 CS
Shown with optional accessory package




COMPETITOR 190
Shown with optional
accessory package




Tournament
Pro 175 CS



Tournament
Pro 175



Competitor 190 CS



Competitor 190

is protected with our revolutionary 2XB hull. We gave it a sleek bow rake for a drier ride. When the water gets rougher this boat just gets better. The Competitor also gets the new double-tough 2XB hull.

Both are first class tournament boats for serious fisherman, not just for pros. Check out the long list of features. And remember, you can pay more for a slick pro boat image, and end up fishing with a lot less boat.

**NEW FOR '97
2XB HULL**

TOURNAMENT PRO 175 CS • 175 Tiller COMPETITOR 190 CS • 190

SPECIFICATIONS

	175CS	175	190CS	190
Center line length	17'10" (5.2m)	17'10" (5.2m)	18'10" (5.5m)	18'10" (5.5m)
Maximum depth	40" (.98m)	40" (.98m)	43" (1.1m)	43" (1.1m)
Width	88" (2.2m)	88" (2.2m)	91" (2.2m)	91" (2.2m)
Transom width/height	88"/20" (2.2/.49m)	88"/20" (2.2/.49m)	88"/20" (2.2/.49m)	88"/20" (2.2/.49m)
Horsepower range	50-175hp (37-130kw)	50-80hp (37-60kw)	50-175hp (37-130kw)	50-90hp (37-67kw)
Capacity (persons/B.I.A.lbs)	5	5	6	6
Capacity (B.I.A. lbs, kg)	1410 (639kg)	1250 (567kg)	1710 (775kg)	1735 (786kg)
Hull gauge (bottom/side)	.100/.080" (2.5/2.0mm)	.100/.080" (2.5/2.0mm)	.100/.080" (2.5/2.0mm)	.100/.080" (2.5/2.0mm)
2XB double plate hull bottom (bow/aft)	.100/.080" (2.5/2.0mm)	.100/.080" (2.5/2.0mm)	.100/.080" (2.5/2.0mm)	.100/.080" (2.5/2.0mm)
Weight (approx. lbs.)	TBD	TBD	1273 (577kg)	1223 (555kg)
Hull style	Deep-V	Deep-V	Deep-V	Deep-V
Console steering with tilt wheel	✓	—	✓	—
No-feedback steering w/dual cables	✓	—	✓	—
Windshield	✓	—	✓	—
Recirculating livewell w/timer, light	2	2	2	2
Drop-in bait bucket	2	2	1	1
Insulated, aerated baitwell	—	—	1	1
Seats, upholstered pedestal	3	3	3	3
Pedestals	2adj, 1sta	2adj, 1sta	2adj, 1sta	2 adj, 1pwr
Pedestal sockets	5	4	5	4
Fuel capacity (gallons, w/gauge)	34 gal (155L)	34 gal (155L)	41 gal (186L)	41 gal (186L)
Electronics compartment (locking)	—	✓	✓	✓
Tackle drawers	2	2	4	4

STANDARD FEATURES

- Instrument Package: speedometer, tachometer, voltmeter, horn, blank gauge, AM/FM stereo cassette w/weatherband and two speakers • 12/24-volt trolling motor system, bow/aft receptacles
- Forward battery storage (2) • Master electrical switch • Remote livewell drain • Locking dry storage compartment (bow) • Locking rod storage compartment (7) • Rod savers • Bow trolling motor receptacle (w/trim & tilt) • Trolling motor battery Condition gauge • Interior courtesy lights
- Stowable running lights • Automotive fuse panel • Accessory socket • Auto bilge pump • Grab rails • Cup holders

OPTIONS

- Dual console (Tournament Pro 175 CS) • Custom Accessory Package (tiller models): Extra factory-installed seat and pedestal, trolling motor with removable bracket and Lowrance X25 • Custom Accessory Package C (console models): Factory-installed trolling motor and Lowrance X25, extra seat • Mooring cover

COLOR OPTIONS

- Metallic Dark Gray w/Stone Gray exterior, Gunmetal Gray carpet and Diamond Brush Gray instrument panel • Metallic Burgundy w/Sand exterior, Burgundy carpet and Woodgrain instrument panel • Metallic Green w/Sand exterior, Hunter Green carpet and Woodgrain instrument panel

THE RIGHT SIZE AND LOADED WITH FISHING PERFORMANCE.

MAGNUM 165 CS
Shown with optional accessory package

NEW FOR '97



EVINRUDE
OUTBOARDS


COMPETITOR 170/Sport/CS MAGNUM 165/CS

When we say Magnum, we mean it. The Magnum 165 is a big boat, deep and wide (look at the specs). But like


the 170 Competitor, you don't need a huge rig to tow it or a large motor for top performance. It's a great new boat and a great value.

Like the 190s, the Competitor 170s feature the rugged 2XB Hull. With this new hull and proven Competitor performance it has taken a big step in front of the competition. You get classic quality and superb performance at a competitive price.


NEW FOR '97
2XB HULL



COMPETITOR 170 SPORT
Shown with optional accessory package




COMPETITOR 170 CS
Shown with optional accessory package




MAGNUM 165
Shown with optional accessory package


NEW FOR '97




Competitor 170 Sport




Competitor 170 CS



Competitor 170



Magnum 165 CS



Magnum 165

COMPETITOR SERIES

170 Sport • 170 CS • 170

MAGNUM SERIES 165 CS • 165

SPECIFICATIONS	170Sport	170CS	170	165CS	165
Center line length	16'10" (4.9m)	16'10" (4.9m)	16'10" (4.9m)	16'5" (4.98m)	16'5" (4.8m)
Maximum depth	36" (.88m)	36" (.88m)	36" (.88m)	36" (.88m)	36" (.88m)
Width	79" (2m)	79" (2m)	79" (2m)	81" (2m)	81" (2m)
Transom width/height	77" (20") (1.9/.49mm)	77" (20") (1.9/.49mm)	77" (20") (1.9/.49mm)	81" (20") (1.9/.49mm)	81" (20") (1.9/.49mm)
Horsepower range	50-115hp (37-86kw)	50-115hp (37-86kw)	40-60hp (30-45kw)	40-80hp (30-60kw)	40-60hp (30-45kw)
Capacity (persons)	5	5	5	5	5
Capacity (B.I.A. lbs. kg)	1400 (635kg)	1415 (642kg)	1260 (571kg)	1245 (566kg)	1250 (568kg)
Hull gauge (bottom/sides)	.100/.063" (2.5/1.6mm)	.100/.063" (2.5/1.6mm)	.100/.063" (2.5/1.6mm)	.080/.063" (2/1.6mm)	.080/.063" (2/1.6mm)
2XB double hull bottom (bow/aft)	.100/.080" (2.5/2.0mm)	.100/.080" (2.5/2.0mm)	.100/.080" (2.5/2.0mm)	—	—
Aluma Plate bow	—	—	—	.080" (2.0mm)	.080" (2.0mm)
Weight (approx. lbs., kg)	1035 (469kg)	962 (436kg)	918 (416kg)	TBD (TBD)	TBD (TBD)
Hull style	Deep-V	Deep-V	Deep-V	Deep-V	Deep-V
Console steering with tilt wheel	✓	✓	—	✓	—
Windshield	Opt.	Opt.	—	Opt.	—
Recirculating livewell w/timer, light	1	1	1	1	1
Drop in bait bucket	—	—	—	1	1
Insulated, aerated baitwell	✓	✓	✓	—	—
Seats, upholstered pedestal	2	2	2	2	2
Pedestals	1 adj. 1 sta	1 adj. 1 sta	1 adj. 1 sta	1 adj. 1 sta	1 adj. 1 sta
Pedestal sockets	3	5	5	4	3
Fuel capacity (gallons, gauge)	23 gal (105L)	23 gal (105L)	23 gal (105L)	23 gal (105L)	23 gal (105L)
Electronics compartment (locking)	✓	—	✓	✓	✓
Forward battery storage	2	2	2	2	2
Trolling motor receptacle	Bow/aft	Bow	Bow/aft	Bow/aft	Bow/aft
Tackle drawers	2	2	2	—	—

STANDARD FEATURES

COMPETITOR SERIES • Instrument package: speedometer, tachometer, voltmeter, horn, AM/FM stereo cassette w/weatherband and two speakers • 12/24-volt trolling motor system • Remote livewell drain • Master electrical switch • Locking rod storage compartment (7") • Locking bow dry storage compartment • Bow trolling motor receptacle w/trim, tilt and battery condition gauge • Interior courtesy lights • Stowable running lights • Automotive fuse panel • Accessory socket • Auto bilge pump • Cup holders • Ice chest (170 Sport)

MAGNUM SERIES: • 12-volt trolling motor system • Remote livewell drain • Locking rod storage compartment (7") • Interior courtesy lights • Stowable running lights • Automotive fuse panel • Bilge pump

OPTIONS

• Custom Accessory Package T (tiller models): Extra factory-installed seat and pedestal, Trolling motor with removable bracket and Lowrance X25 • Custom Accessory Package C (console models): Factory-installed trolling motor and Lowrance X25, extra seat • Aft casting deck (170 Sport) • Mooring cover

COLOR OPTIONS

• Metallic Dark Gray w/Stone Gray exterior, Gunmetal Gray carpet and Diamond Brush Gray instrument panel
• Metallic Burgundy w/Sand exterior, Burgundy carpet and Woodgrain instrument panel
• Metallic Green w/Sand exterior, Hunter Green carpet and Woodgrain instrument panel



Console, Dominator CS




Livewell, Backtroller 16

DOMINATOR CS
Shown with optional accessory package

**A GREAT COMBINATION
OF PRICE AND PERFORMANCE.**

EVINRUDE
OUTBOARDS



DOMINATOR
Shown with optional
accessory package




CLASSIC DELUXE
Shown with optional
accessory package



BACKTROLLER 16
Shown with optional
accessory package

New easy to grab
lid latches



Dominator CS Dominator Classic Deluxe Backtroller 16 Backtroller 14

DOMINATOR CLASSIC DELUXE BACKTROLLER

You could almost consider the Dominators to be smaller versions of our

Competitor Series. They're full-featured fishing boats that run great on low horsepower – a nice fit for the new 4-strokes. It would be hard to find a better combination of price and performance.

The Classic Deluxe and Backtrollers have a long history of success. Fishermen just plain love them. The unique stretch-form hull makes them both stable and roomy. And that's the right combination for anglers who like to spend time on the water.

DOMINATOR CS • Tiller CLASSIC DELUXE BACKTROLLER 16 • 14



SPECIFICATIONS

	Dominator CS	Tiller	Classic Deluxe	Backtroller 16/CS	Backtroller 14
Center line length	16'5" (4.8m)	16'5" (4.8m)	16'4" (4.8m)	16'2" (4.7m)	14'3" (4.2m)
Width/maximum depth	74"/33" (1.8/.8m)	74"/33" (1.8/.8m)	73"/31" (1.7/.7m)	73"/31" (1.7/.7m)	74"/31" (1.7/.7m)
Transom width/height	73"/20" (1.8/.49m)	73"/20" (1.8/.49m)	66"/20" (1.6/.49m)	66"/20" (1.6/.49m)	66"/20" (1.6/.49m)
Horsepower range	35-80hp (26-60kw)	35-60hp (26-48kw)	25-60hp (19-48kw)	15-45/60hp (11-34/48kw)	15-40hp (11-30kw)
Capacity (persons)	5	5	5	5	4
Capacity (B.I.A. lbs., kg)	1330 (603kg)	1145 (519kg)	1240 (562kg)	1270 (576kg)	1155 (524kg)
Hull gauge (bottom/sides)	.080/.63" (2/16mm)	.080/.63" (2/16mm)	.075" (1.9mm)	.075" (1.9mm)	.075" (1.9mm)
AlumaPlate bow gauge	.080" (2.0mm)	.080" (2.0mm)	—	—	—
Weight (approx. lbs., kg)	797 (361kg) (361kg)	782 (355kg) (355kg)	684 (310kg) (310kg)	583/638 (265/289) (265/289kg)	512 (232kg) (232kg)
Hull style	Deep-V	Deep-V	Semi-V	Semi-V	Semi-V
Console steering (no feed-back)	✓	—	✓	Opt.	—
Windshield	Opt.	—	Opt.	CS Opt.	—
Aerated livewell w/timer	✓Recirc.	✓Recirc.	✓	✓	✓
Livewell light	✓	✓	✓	—	—
Seats, upholstered w/pedestals	1 adj, 1 sta	1 adj, 1 sta	2 adj, 1 sta	1 adj, 1 sta	1 adj, 1 sta
Pedestal sockets	2	2	2	2	1
Fuel capacity (gallons, gauge)	23gal (104L)	23gal (104L)	9 gal (41L)	—	—
Tackle drawers	2	2	2	2	—
Lockable rod storage	✓(7')	✓(7')	✓	✓	✓

STANDARD FEATURES

• Instrument package (DominatorCS, Classic Deluxe): Speedometer, tachometer, voltmeter, blank gauge, horn, AM/FM stereo cassette, two speakers; weatherband (Dominator CS) • Instrument package (Dominators): Tachometer, blank gauge, horn, AM/FM stereo cassette w/weatherband and two speakers • Bow trolling motor receptacle w/trim, tilt • Forward battery storage w/hold down • Drop-in bait bucket • Lockable storage compartment • Interior courtesy lights (Dominators, Classic Deluxe) • Stowable running lights • Automotive fuse panel • Accessory socket (Dominators, Classic Deluxe) • Fire extinguisher (Dominators) • Bilge pump • Transom curtain (Dominator CS, Classic Deluxe, Backtrollers) • Rear pod wire way tube (Backtrollers)

OPTIONS

• Factory-installed Custom Accessory Packages: Trolling motor w/removable bracket and Lowrance X25 liquid crystal graph (Dominators); Trolling motor and Lowrance X25 (Classic Deluxe); Trolling motor and Lowrance X25 plus receptacle wiring and battery tray (Backtroller 16) • Mooring cover

COLOR OPTIONS

• Dominators, Classic Deluxe: Metallic Dark Gray exterior w/Stone Gray exterior, Gunmetal Gray carpet, Diamond Brush Gray instrument panel; Metallic Burgundy w/Sand exterior, Burgundy carpet, Woodgrain instrument panel; Metallic Green w/Sand exterior, Hunter Green carpet, Woodgrain instrument panel
• Backtroller 16, 14: Stone Gray exterior, Misty Gray interior, Gunmetal Gray or Burgundy carpet

LUNKER V16
Shown with optional accessory package

**LUNKER
FISHERMAN**

We build
them to
fish, we

build them to be roomy and comfortable, we build them to give you years and years of trouble-free fishing performance. No wonder they are so popular.

There are thousands of Lunker and Fisherman Series boats on lakes all over America. Their performance has been tested on every kind of lake imaginable, big and small. They've probably gotten more kids excited about fishing than any other boat.

If you want a solid no-nonsense boat you can depend on, one that makes it easy to fish, these are your boats.

**LUNKER V16 LTD • V16 • V14 LTD • V14
FISHERMAN 150/CS • 150**

SPECIFICATIONS	Lunker V16 LTD	Lunker V14 LTD	Lunker V16	Lunker V14	Fisherman 150	Fisherman 150 CS
Center line length	16'9" (4.9m)	14'6" (4.2m)	16'6" (4.8m)	14'2" (4.1m)	14'6" (4.2m)	14'6" (4.2m)
Overall width	71" (1.7m)	68" (1.6m)	68" (1.6m)	66" (1.6m)	67" (1.6m)	67" (1.6m)
Horsepower range	15-45hp (11-36kw)	15-35hp (11-26kw)	15-40hp (11-30kw)	15-35hp (11-26kw)	15-35hp (11-26kw)	15-45hp (11-36kw)
Transom width/height	67"/20" (1.6/.49m)	67"/20" (1.6/.49m)	63"/20" (1.5/.49m)	63"/20"; 15" (1.5/.49, .37m)	63"/20" (1.5/.49m)	63"/20" (1.5/.49m)
Capacity (persons/B.I.A.lbs)	5/1245	4/930	5/1310	4/970, 1160	4/865	4/865
Capacity (persons/B.I.A.kg)	(5/564kg)	(4/422kg)	(5/594kg)	(4/440, 562kg)	(4/392kg)	(4/392kg)
Weight (approx. lbs., kg)	563 (255kg)	503 (228kg)	451 (204kg)	330, 340 (150, 154kg)	486 (220kg)	533 (242kg)
Hull gauge	.070" (1.7mm)	.065" (1.6mm)	.070" (1.7mm)	.065" (1.6mm)	.065" (1.6mm)	.065" (1.6mm)
Hull style	Semi-V	Semi-V	Semi-V	Semi-V	Semi-V	Semi-V
Console steering (no feed-back)	Opt.	—	Opt.	—	—	✓
Windshield	CS/Opt.	—	CS/Opt.	—	—	Opt.
Livewell	1 w/light	1 w/light	1	1	1	1
Livewell aeration	✓	✓	Opt.	Opt.	✓	✓
Drop-in bait bucket	✓	✓	—	—	✓	✓
Seats, upholstered (pedestal)	1 adj., 1 sta.	1 adj., 1 sta.	Opt. (clamp)	Opt. (clamp)	1 adj., 1 sta.	1 adj., 1 sta.
Seat pedestal sockets	2	1	—	—	1	2
Seats (bench, aft)	—	—	✓bench	✓bench	✓aft	✓aft
Lockable rod compartment	✓	✓	—	—	—	—
Rod savers	✓	✓	—	—	✓	✓
Lockable storage	✓	✓	✓	✓	—	—
Bow storage	✓	✓	✓	—	✓	✓

STANDARD FEATURES

- Stowable running lights • Automotive fuse panel, wire way tubes in pod (Fisherman, V16 LTD, V14 LTD)
- Trolling motor receptacle and battery tray (V16 LTD, V14 LTD) • Hand rails • Bilge pump (V16 LTD and V14 LTD)


OPTIONS

- Factory-installed Custom Accessory Package: trolling motor, Lowrance X25 liquid crystal graph, wiring for receptacle, battery tray (Fisherman 150, Lunker V16 and Lunker V14 include battery tray, no receptacle) • Rear casting deck (Fisherman 150) • Mooring cover • Bilge pump (Fisherman 150, Lunker V16 and Lunker V14)

COLORS

- Stone Gray exterior, Misty Gray interior with Gunmetal Gray carpet • Sand exterior, Sand interior with Hunter Green carpet (Lunker V16 LTD and V14 LTD)

FISHERMAN 150
Shown with optional accessory package



**MERCURY
OUTBOARDS**

**STRONG, DEPENDABLE,
RUGGED –
THE PERFECT
PADDLING COMPANION.**

CANOES QUETICO CAMPER VOYAGEUR

We're America's premier canoe builder for good reason.

Our lightweight 6010 marine alloy is heat treated for greater durability.

We preform and overlap the hull sides on the center seam and spot-weld it for strength. Our flat bottom hull design is more stable and easier to paddle than a rocker bottom. By spot welding the ribs, gunwales and center seam we eliminate rivet drag and leaks. The

stems are made from extra strong .090" gauge solid aluminum

and the tie-down eyelets are stainless steel. The roll seat design is extra rugged and the foam

we use is gas resistant.

The result is a stronger, better performing canoe.



Optional motor bracket.

CO 17 CAMPER

QT 17 C QUETICO

Shown with optional portage pads

VOYAGEUR 17

QUETICO QT-17CL • QT-17C • QT-17WWR • QT-185CL CAMPER CO-17 VOYAGEUR 17 Ultralight • 15 Ultralight

SPECIFICATIONS	QT-17CL Quetico	QT-17C Quetico	QT-17WWR Quetico	QT-185CL Quetico	CO-17 Camper	Voyageur 17	Voyageur 15
Type	Cruising Light	Cruising	Whitewater	Cruising Light	Square Stern	Cruising	Ultralight
Center line length	17' (5.0m)	17' (5.0m)	17' (5.0m)	18'5" (5.4m)	17' (5.0m)	17' (5.0m)	15' (4.4m)
Maximum beam	36" (.9m)	36" (.9m)	36" (.9m)	37" (.9m)	37" (.9m)	36" (.9m)	36" (.9m)
Amidship depth	13" (.3m)	13" (.3m)	13" (.3m)	13" (.3m)	13" (.3m)	12" (.3m)	12" (.3m)
Capacity (persons)	4	4	4	4	4	4	3
Capacity (B.I.A. lbs., kg)	710 (322kg)	730 (331kg)	725 (329kg)	795 (360kg)	810 (367kg)	675 (305kg)	650 (295kg)
Hull gauge	.040" (1.0mm)	.050" (1.3mm)	.060" (1.5mm)	.040" (1.0mm)	.050" (1.3mm)	.035" (.9mm)	.035" (.9mm)
Stem gauge	.090" (2.3mm)	.090" (2.3mm)	.090" (2.3mm)	.090" (2.3mm)	.090" (2.3mm)	.090" (2.3mm)	.090" (2.3mm)
Weight (approx. lbs., kg)	64 (29kg)	71 (32kg)	83 (38kg)	71 (32kg)	85 (39kg)	57 (26kg)	53 (24kg)
Keel type	5/8" Cruising	5/8" Cruising	5/8" Whitewater	5/8" Cruising	5/8" Cruising	5/8" Cruising	5/8" Cruising
Bottom type	Flat	Flat	Flat	Flat	Flat	Flat	Flat
Number of ribs	5	3	5	8	5	3	3
Curved center thwart	✓	✓	Opt.	✓	Opt.	Opt.	Opt.
Maximum rec. horsepower	—	—	—	—	4hp (3kw)	—	—

STANDARD FEATURES

• 6010 marine alloy aluminum • Gas resistant foam flotation • Roll seat design • Stainless steel tie-down eyelets • Graphics

OPTIONS

• Portage pads • Motor bracket • Ribless models available (QT-17WWR)

COLOR

• Clear Coated Natural finish with Dove Gray interior

5/8" Cruising
Keel

5/8" Whitewater
Keel


LIKE IT.



Protect your boat from the elements. Custom mooring covers are available for most models. See your dealer.



Optional pro seat with power pedestal for quick, easy, unobstructed action.



Swim platform makes boarding from the water safer and easier. Selected models.



COMPETITOR 170 CS
Shown with optional accessory package

LIMITED WARRANTY.

Alumacraft stands behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information.

Photos, illustrations, and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications and options are subject to change. Alumacraft reserves the right to make changes without noti-

fication or obligation. Specifications calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All Alumacraft boats are NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical and safety. All ratings comply with the Federal Boat Safety act of 1971.

Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.

Special thanks to Plano Tackle, Stearns and JWA for their help in producing this catalog.

EVINRUDE
OUTBOARDS



ALUMACRAFT
BOAT CO.

315 West St. Julien Street, St. Peter, MN 56082
507-931-1050 Fax: 507-931-9056

Highway 67 North, Box 189, Arkadelphia, AR 71923
501-246-5555 Fax: 501-246-4507

© 1996, Alumacraft Boat Company
Printed in the USA



FISH & SKI SPORT BOATS

Trophy 185	4-5
Trophy 175	4-5
Trophy 165	4-5
Trophy 190 I/O	4-5



TOURNAMENT PRO BOATS

Tournament Pro 175 CS	8-9
Tournament Pro 175	8-9
Competitor 190 CS	8-9
Competitor 190	8-9
Competitor 170 Sport	10-11
Competitor 170 CS	2, 10-11
Competitor 170	10-11
Magnum 165 CS	10-11
Magnum 165	10-11



CLASSIC FISHING BOATS

Dominator CS	12-13
Dominator	12-13
Classic Deluxe	12-13
Backtroller 16, 16/CS, 14	12-13
Lunker V-16 LTD, V-14 LTD	14-15
Lunker V-16, V-14	14-15
Fisherman 150 CS, 150	14-15



UTILITY BOATS

V16, V16 SS, V14	16
T14S, T14	16
T12S, T12	16



CANOES

QT-17CL, QT-17C Quetico	17
QT-17WWR Quetico	17
QT-185CL Quetico	17
CO-17 Camper	17
Voyageur 17, Voyageur 15	17



BASS BOATS

Phantom 185 F/S	6-7
Phantom 170	6-7



**Ask your dealer for our second 1997 catalog featuring:
Bass Boats, Crappie Boats, Modified-V and Flat Bottom
Jon Boats.**



1997
ALUMACRAFT
BOAT CO.

315 West St. Julien Street, St. Peter, MN 56082
507-931-1050 Fax: 507-931-9056
Highway 67 North, Box 189, Arkadelphia, AR 71923
501-246-5555 Fax: 501-246-4507



© 1996, Alumacraft Boat Company
Printed in the USA

VALUE TOTABLE SERIES

V16 • V14 • T14S • T14 • T12S • T12

**THIS IS AS CLOSE AS IT GETS
TO A GUARANTEE
IN FISHING**



V16 Split Seat
Shown with optional
clamp-on seat



V14




T14S



T12

Johnson
OUTBOARDS



V16

**V16
Split Seat**

V14

T14S


T14

T12S

T12



Optional upholstered seat and clamp
with armrests.



Optional steering console.

There are no guarantees when you go fishing, but with fishing boats the Value and Totable Series come close. Your grandfather's boat was likely an Alumacraft like these. You see them at docks everywhere – they just keep going and going. Just load them into your pickup or onto your roof rack and spend your time fishing. It doesn't get any easier than this.

VALUE/TOTABLE SERIES

V16 • V14 • T14S • T14 • T12S • T12

SPECIFICATIONS	V16	V14	T14S	T14	T12S	T12
Center line length	16'7" (4.8m)	14'3" (4.2m)	13'11" (4.0m)	13'4" (3.9m)	12'0" (3.5m)	11'10" (3.4m)
Overall width	70" (1.7m)	68" (1.6m)	55" (1.3m)	53" (1.2m)	55" (1.3m)	53" (1.2m)
Overall bow height	30" (7m)	30" (7m)	26" (6m)	23" (5m)	26" (6m)	23" (5m)
Transom height/width	15' 20"/63" (36, 49/1.5m)	15' 20"/63" (36, 49/1.5m)	15' 52" (36/1.2m)	15' 46 1/2" (36/1.1m)	15' 52" (36/1.2m)	15' 46 1/2" (36/1.1m)
Horsepower range	15-40hp (11-30kw)	7.5-25hp (6-19kw)	6-20hp (4.5-15kw)	6-10hp (4.5-7.5kw)	4-15hp (3-11kw)	4-7.5hp (3-5.5kw)
Persons capacity	5	5	4	3	4	2
B.I.A. rated capacity (lbs.)	1255, 1385 (569, 628kg)	1015, 1195 (546, 541kg)	725 (329kg)	545 (247kg)	630 (286kg)	465 (210kg)
Hull gauge	.070" (1.7mm)	.065" (1.6mm)	.050" (1.3mm)	.050" (1.3mm)	.050" (1.3mm)	.050" (1.3mm)
Weight (approx. lbs.)	270/280 (122, 126kg)	225/230 (102, 104kg)	170 (77kg)	145 (66kg)	130 (59kg)	120 (54kg)
Hull style	Semi-V	Semi-V	Round Bilge	Round Bilge	Round Bilge	Round Bilge

OPTIONS

• Steering console • Split aft seating (V16, V14) • Clamp-on seats • Seat arm rests • Mooring cover

COLOR OPTIONS

• Stone Gray exterior with Misty Gray interior paint (V16, V14, T14S, T12S)
• Clear Coated Natural finish with Dove Gray interior paint (T14, T12)

ACCESSORIES CLOTHING

OUTFIT YOUR NEW ALUMACRAFT THE WAY YOU



Keep the sun at bay with a bimini top.
Available for Trophy Series.




Gear For Sports® makes the finest outdoor wear you can find. Visit your Alumacraft dealer and see the shirts, jackets, coats and sweats they make for us. Choose from stylish water-resistant nylon taffeta jackets, stone-washed denim jackets, heavy-duty denim shirts, traditional cotton guide shirts, heavy-weight sweat-shirts and pants, versatile hooded sweatshirts and classic 3-button polo shirts – with matching hats.




Hold on to your Alumacraft hats (and shirts) or you'll find them on your kids when they go out to play on the water – just like dad.



Trophy Series optional bow casting platform.
Upholstered seat, armrests.




Trophy Series optional bow cushions. Convert your fishing rig into a sport cruiser in seconds.



Optional aft casting platform for your Competitor Sport or Competitor 190.
See your dealer.




Optional clamp-on upholstered seat with locking swivel and armrests.
Pedestal seats are also available.



Optional ski pylon for the Phantom 185 F/S.
When the fish aren't biting go skiing.



Dual console and windshield protects your passenger from wind and cold.
Tournament Pro 175 CS.



Optional side steering console.



Optional windshield keeps the wind and rain away. Available for most console models.

BOAT CO.

1997 ALUMACRAFT®

Bass Boats • Crappie Boats • Jon Boats

MV MAVERICK

*Shown with optional
accessory package*



NEW FOR '97

MV 1542 AW DD

**A RUGGED, ALL-WELDED, FULL-FEATURED
HIGH-PERFORMANCE FISHING BOAT.**



Bow panel, Predator



PREDATOR 17 AW
Shown with optional accessory package

Johnson
OUTBOARDS

PREDATOR 17 AW

If you want the performance of a modified-V but prefer welded construction, this is your boat. Roomy flippin' decks, aluminum floors and platforms, lockable rod storage (two of them), full instrumentation, ice chest, 12/24V electrical, an extra rugged .102" gauge hull, and more. This is one of the toughest, full-featured fishing boats you can find. Our famous Alumacraft design means it's fast, smooth and dry on open water and can maneuver effortlessly in the backwater. This is one boat that can do it all.



The insulated cooler and recirculating livewell are close at hand.




Spend a day behind the Predator's console and you'll understand the meaning of boat control.

PREDATOR 17 AW

SPECIFICATIONS

Center line length	17' TBD
Maximum beam	TBD"
Bottom width	TBD"
Side height	22" TBD
Transom height/width	20"/TBD"
Horsepower range	TBDhp
Capacity (persons/B.I.A.lbs)	4/1100
Hull gauge	.102"
Weight (approx. lbs./kg)	TBD
Hull style	Mod-V
Aerated recirculating livewell w/timer	1
Seats, upholstered, pedestal	2
Seats, upholstered, stationary pedestal	2
Fuel tank (gallons, w/gauge)	18 gal
Trolling motor electrical(volts, 8 gauge wire)	12/24V
Floor/deck construction	Alum/alum
Rod storage compartments (lockable)	2

17 AW



STANDARD FEATURES

• Console with no feedback steering and windshield • Pedestal extension storage holders • 105 amp aft battery compartment • Instrument package: Speedometer, tachometer, voltmeter, fuel gauge, horn, AM/FM stereo cassette w/weatherband and two speakers • Bow trolling motor receptacle, plug, w/trim, tilt switch, battery gauge • Dry storage compartment • Insulated ice chest and lid • Accessory socket for phone or spotlight • Two drawer tackle tray • Interior courtesy light • Stowable running lights • Automotive fuse panel • Bilge pump

OPTIONS

• Factory-installed Custom Accessory Package: MotorGuide 730 trolling motor, foot control, 30 lb. thrust, 36" shaft, Ninja power prop, Lowrance X25 liquid crystal graph • Mooring cover

COLOR OPTIONS

- Sand exterior with Burgundy carpet
- Sand exterior with Hunter Green carpet
- Stone Gray exterior with Gunmetal Gray carpet

ALUMACRAFT PAINT & CARPET COLORS

PAINT	Stone Gray	Sand	Sand	Stone Gray	Stone Gray	Olive Drab Green	Khaki
	Gunmetal Gray	Burgundy	Hunter Green	Gunmetal Gray	Hunter Green		
CARPET							

Predator, MV Super Bandit, MV Maverick,
MV Angler, MV Crappie Pro

MV Super Hawk CS,
MV Crappie Deluxe,
Crappie Jon, Crappie Jon Jr.,
MV Tex Special CS

MV Tex Series,
All Riveted
Jons

All Welded
Jons

Johnson
OUTBOARDS

**YOU'LL APPRECIATE THE QUALITY,
THE PERFORMANCE, AND THE PRICE TAG.**

MV MAVERICK

Shown with optional accessory package




Johnson
OUTBOARDS

MV SUPER BANDIT
Shown with optional accessory package




MV ANGLER
Shown with optional accessory package




MV SUPER HAWK CS
Shown with optional accessory package


EVINRUDE
OUTBOARDS




MV Super Bandit



MV Maverick



MV Angler



MV Super Hawk CS

SUPER BANDIT MAVERICK ANGLER SUPER HAWK

These modified-V boats are loaded with fishing features, built with proven Alumacraft quality and come with a price tag you'll appreciate. One of them will match your fishing style perfectly. Pick from features like this: recirculating and aerated livewells, top-quality upholstered seats, full instrumentation, aluminum floors and decks, AlumaPlate bow construction, stereos w/weatherband, 12/24V electrical, lots of storage, and more. Check them out at your local Alumacraft dealer. He'll get you exactly what you need.

MV SUPER BANDIT MV MAVERICK • MV ANGLER MV SUPER HAWK CS

SPECIFICATIONS

	S. Bandit	Maverick	Angler	S. Hawk
Center line length	17'8"	16'8"	15'11"	15'0"
Maximum beam/bottom width	75'/52"	72'/48"	69'/44"	62'/42"
Side height	23"	21"	21"	20"
Transom height	20"	20"	20"	20"
Horsepower range	40-90hp	40-80hp	25-50hp	15-40hp
Capacity (persons/B.I.A.lbs)	4/1170	4/965/905*	4/890	4/795
Hull gauge	.074	.072	.072	.063
AlumaPlate bow gauge	.074	.072	.072	—
Weight (approx. lbs.)	857	737	577	487
Hull style	Mod-V	Mod-V	Mod-V	Mod-V
Console steering (no feed-back)	✓	✓	✓	✓
Windshield	✓	✓	Opt.	Opt.
Aerated livewell (black polyethylene)	2	1	1	1
Aft livewell recirculation (w/timer)	✓	✓	—	—
Seats, upholstered, pedestal	2	2	2	1
Seats, upholstered, fold-down	2	2	2	2
Pedestal extension storage holders	✓	✓	✓	—
Fuel tank (gallons, w/gauge)	18 gal	12 gal. (Opt.)	—	—
Trolling motor electrics (volts, wire ga.)	12/24V, 8g	12V, 8g	12V, 10g	12V, 10g
105 amp battery compartment	Aft	Aft	—	—
Bow trolling motor receptacle	✓Trim/tilt	✓Trim/tilt	✓	✓
Floor/deck construction	Alum/alum	Alum/alum	Alum/alum	Alum/alum
Storage/dry storage/rod storage	✓Dry/rod	✓Dry/rod	✓Fwd, aft	✓Fwd, aft

STANDARD FEATURES

• Instrument package (Super Bandit, Maverick): Speedometer, tachometer, voltmeter, blank gauge, horn, AM/FM stereo cassette w/weatherband and two speakers • Accessory socket (Super Bandit, Maverick) • Interior courtesy light (Super Bandit, Maverick) • Stowable running lights • Automotive fuse panel • Bilge pump

OPTIONS

• Factory-installed Custom Accessory Package: MotorGuide 730 trolling motor, foot control, 30 lb. thrust, 36" shaft, Lowrance X25 liquid crystal graph • Mooring cover

COLOR OPTIONS

• Sand exterior with Burgundy carpet or Hunter Green carpet (Super Bandit, Maverick, Angler)
• Stone Gray exterior with Gunmetal Gray carpet (Super Bandit, Maverick, Angler)
• Stone Gray exterior with Gunmetal Gray carpet or Hunter Green carpet (Super Hawk CS)

*Capacity rating with factory installed fuel tank.

**IF YOU'RE INTO CRAPPIE FISHING,
WE'VE GOT THE BOAT FOR YOU.**



*The Crappie Pro console.
Shown with optional windshield.*




CRAPPIE PRO
Shown with optional accessory package



CRAPPIE DELUXE



CRAPPIE JON



CRAPPIE JON JR.



**MV TEX
SPECIAL CS**

CRAPPIE PRO CRAPPIE DELUXE

CRAPPIE JON CRAPPIE JON JR. MV TEX SPECIAL CS

Sit back and work the port side, then swing around and catch the action starboard – crappie and panfish angling is as fun and exciting as it gets.

When you hook up with one of these boats you're going to make the most of every precious minute. We designed them for the panfish angler. The modified-V hull gives you easy and precise boat control. The seats give you all day comfort, and the livewells in the Crappie Pro and Crappie Deluxe are always just an arm's length away.

If you thought your crappie fishing couldn't be more fun, you should fish from one of these boats.

**MERCURY
OUTBOARDS**

CRAPPIE PRO • CRAPPIE Deluxe CRAPPIE JON • CRAPPIE JON Jr. MV TEX Special CS

SPECIFICATIONS

	Crappie Pro	Crappie Deluxe	Crappie Jon	Crappie Jon Jr.	MV Tex Special CS
Center line length	16'8"	15'	14'	13'10"	16'
Maximum beam/bottom width	71 1/4"	64 1/4"	64 1/4"	53 3/8"	70 1/4"
Side height	21"	20"	20"	19"	21"
Transom height	20"	20"	15"	15"	20"
Horsepower range (recommended)	30-60hp	15-25hp	10-25hp	6-20hp	15-50hp
Capacity (persons/B.I.A.lbs)	4/860	3/745	3/740	3/580	5/1010
Hull gauge	.072"	.063"	.063"	.063"	.070"
AlumaPlate bow gauge	.072"	—	—	—	—
Hull style	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V
Weight (approx. lbs.)	650	426	330	300	425
Console steering (no feed-back)	✓	—	—	—	✓
Windshield	Opt.	—	—	—	Opt.
Aerated livewell	✓	✓	—	—	✓
Seats, upholstered, fold-down	3	2	2	2	—
Pedestal seat sockets	2	—	—	—	—
Bow trolling motor receptacle/plug	✓	—	—	—	—
Floor/deck construction	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Storage compartment	✓	✓	✓	✓	✓

STANDARD FEATURES

• Raised forward casting deck (Crappie Pro, MV Tex Special CS) • Arm rest seats (Crappie Deluxe, Crappie Jon, Crappie Jr.) • Stowable running lights (Crappie Pro, Crappie Deluxe, MV Tex Special CS) • Automotive fuse panel (Crappie Pro) • Bilge pump (Crappie Pro)

OPTIONS

• Factory-installed Custom Accessory Package: MotorGuide 730 trolling motor, foot control, 30 lb. thrust, 36" shaft, Lowrance X25 liquid crystal graph (Crappie Pro, Crappie Deluxe, MV Tex Special CS) • Mooring cover (Crappie Pro, Crappie Deluxe, Crappie Jon)

COLOR OPTIONS

• Stone Gray exterior with Gunmetal Gray carpet (all models) • Stone Gray exterior with Hunter Green carpet (all models) • Sand exterior with Burgundy carpet or Hunter Green carpet (only Crappie Pro)

NEW FOR '97

MV 1542 AW DD



MV 1860 AW

**MV 1650
AW DD**



Bow deck storage on
the MV 1650 AW DD



- Optional accessories:
- Center console with grab rails
 - Seat and backrest cushions
 - Windshield • Livewell



**EVINRUDE
OUTBOARDS**

JON BOAT SERIES **ALL WELDED MV BOTTOM**

HIGH PERFORMANCE JON BOATS

These all-welded modified-V jons are the ultimate in jon boat performance. The strong welded construction is as tough as they come. The modified-V hull will give you a drier ride and overall improved performance in most running conditions.

Side steering, center console steering and a drop deck are available on select models.

ALL WELDED MV JON BOATS

**MV 1860 AW • MV 1650 AW DD • MV 1650 AW
MV 1542 AW DD • MV 1542 AW • MV 1450 AW • MV 1442 AW**

SPECIFICATIONS	MV 1860 AW	MV 1650 AW, AW DD	MV 1542 AW, AW DD	MV 1450 AW	MV 1442 AW
Center line length	18'	16'	15'	14'	14'
Maximum beam/bottom width	86"/60"	74"/50"	63"/42"	74"/50"	63"/42"
Side height	25"	22"	19"	22"	19"
Transom height/width	20"/86"	20"/71"	15"/62"	15"/71"	15"/62"
Horsepower range (recommended)	35-50hp	15-35hp	10-25hp	15-30hp	10-25hp
Horsepower range (w/console steer)	35-75hp	15-60hp	10-25hp	15-30hp	10-25hp
Capacity (persons/B.I.A.lbs)	6/1600	6/1100	4/825	5/1010	4/770
Hull gauge/hull style	.102"/MV	.102"/MV	.082"/MV	.102"/MV	.082"/MV
Drop deck	—	✓(AW DD)	✓(AW DD)	—	—
Weight (approx. lbs.)	500	300	250	265	230
Number of ribs	13	12	11	10	10
Dry storage	—	—	✓(DD)	—	—


OPTIONS

- Center console with livewell, windshield, seat/backrest cushions, grab rail (MV 1860 AW, MV 1650 AW)
- Side console • Center seat with livewell (MV 1860 AW, MV 1650 AW, MV 1542 AW)
- Camouflage upholstered seat and clamp • Aluminum floor (MV 1860 AW, MV 1650 AW, MV 1650 AW DD)

COLOR

- Khaki

All welded boats have a Limited Two Year Warranty



MV 1860 AW

**MV 1650
AW DD**

**MV 1650
AW**

**MV 1542
AW DD**

**MV 1542
AW**

**MV 1450
AW**


**MV 1442
AW**

NEW FOR '97

JON BOAT SERIES ALL WELDED FLAT BOTTOM

V-Bow 1860 AW Tunnel

Pictured with optional accessories:
center console, windshield, livewell,
seat and backrest, cushions, grab rail,
aluminum floor.



1650 AW
With optional center seat



1450 AW




Optional tunnel hull maximizes
stability and engine performance.

THE STANDARD BY WHICH OTHER JONS ARE MEASURED

Flat bottom performance with a higher standard of construction. In the AWs you get a heavier gauge of marine alloy aluminum (up to .102"), more ribs, and all welded construction.

The result is an extra tough, extra strong jon boat that sets the standard for everyone else to shoot for. You can order yours with the optional center console accessories, or a tunnel hull on selected models.



V-Bow 1860
AW Tunnel

1860 AW

1650 AW

1542 AW

1450 AW

1442 AW

ALL WELDED FLAT BOTTOM JON BOATS

1860 AW • 1650 AW • 1542 AW • 1450 AW • 1442 AW

SPECIFICATIONS

	1860 AW	1650 AW	1542 AW	1450 AW	1442 AW
Center line length	18'	16'	15'	14'	14'
Maximum beam/bottom width	86"/60"	74"/50"	63"/42"	74"/50"	63"/42"
Side height	25"	22"	19"	22"	19"
Transom height/width	20"/86"	20"/71"	15"/62"	15"/71"	15"/62"
Horsepower range (recommended)	35-50hp	15-35hp	10-25hp	15-30hp	10-25hp
Horsepower range (with console)	35-75hp	15-60hp	10-25hp	15-30hp	10-25hp
Capacity (persons/B.I.A.lbs)	6/1600	5/1100	4/825	5/1010	4/770
Hull gauge/hull style	.102"/Flat	.102"/Flat	.082"/Flat	.102"/Flat	.082"/Flat
V-Bow tunnel hull	Opt.	Opt.	—	—	—
Weight (approx. lbs.)	500	300	250	265	230
Number of ribs	13	12	11	10	10

OPTIONS

- Center console with livewell, windshield, seat/backrest cushions, grab rail (1860 AW, 1650 AW)
- Side console • Center seat with livewell (1860 AW, 1650 AW, 1542 AW) • Camouflage upholstered seat and clamp • Aluminum floor (50 and 60 Series)

COLOR

- Khaki

All welded boats have a Limited Two Year Warranty



NEW FOR '97

MV Tex CS DD

MV Tex CS

MV 1648

MV 1542

MV 1448

MV 1442

JON BOAT SERIES **RIVETED MV BOTTOM**

DRIER RIDE, SUPERIOR PERFORMANCE

The modified V-hull makes these hard-working jon boats ride a little drier and perform better. Add the optional steering console and you can run more horsepower (see the specs). You can also order a center seat livewell for your 1648, 1448, or 1442. The MV Tex features a deeper 20" transom to keep the following seas out of your jon during quick stops.



Optional steering console.

Alumacraft jons - there's one to fit your needs exactly.

MV Tex

RIVETED MV JON BOATS

MV Tex CS DD • MV Tex CS • MV Tex • MV 1648 • MV 1448 • MV 1542 • MV 1442

SPECIFICATIONS	MV Tex CS DD	MV Tex CS	MV Tex	MV 1648	MV 1448	MV 1542	MV 1442
Center line length	16'	16'	16'	16'	14'	15'	14'
Maximum beam/bottom width	70"/48"	70"/48"	70"/48"	70"/48"	70"/48"	62"/42"	62"/42"
Side height	21"	21"	21"	21"	21"	20"	20"
Transom height/width	20"/66"	20"/66"	20"/66"	15"/69"	15"/69"	15"/62"	15"/62"
Horsepower range (recommended)	15-50hp	15-50hp	15-35hp	15-35hp	10-25hp	10-25hp	10-25hp
Capacity (persons/B.I.A.lbs)	5/1010	5/1010	5/1010	5/1010	5/885	5/805	4/770
Hull gauge/hull style	.070"/MV	.070"/MV	.070"/MV	.070"/MV	.070"/MV	.063"/MV	.063"/MV
Livewell	—	—	—	Opt.	Opt.	—	Opt.
Weight (approx. lbs.)	375	355	340	270	250	230	200
Weight with optional livewell	—	—	—	285	240	—	200
Number of ribs	10	10	10	9	7	8	7
Console steering	✓	✓	—	Opt.	Opt.	Opt.	Opt.
Seats, upholstered, clamp down	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Dry storage	✓	—	—	—	—	—	—

OPTIONS

- Steering console • Livewell in center seat (MV 1442, MV 1448, MV 1648)
- MV 1442 also available without center seat • Camouflage upholstered seat and clamp

COLOR • Olive Drab Green

MERCURY
OUTBOARDS

JON BOAT SERIES RIVETED FLAT BOTTOM


THE PROVEN PERFORMANCE OF A FLAT BOTTOM IN ANY SIZE YOU WANT.

From 10' to 16' long. From 32" up to 48" wide. We've got your jon.


Maneuver in the shallowest backwaters with these classic riveted flat bottoms. You'll have light weight and the stability you need for fishing, duck hunting or just poking around. Four models are available with optional livewells in the center seat.



Optional camo seat



1648




1448



1542
Shown without center seat
(optional)



1442



1436



1436 Lite



1432



1236



1232



1032

RIVETED FLAT BOTTOM JON BOATS

1648 • 1448 • 1542 • 1442 • 1432 • 1436 • 1436 Lite • 1236 • 1232 • 1032

SPECIFICATIONS

	1648	1448	1542	1442	1436	1436 Lite	1236	1432	1232	1032
Center line length	16'	14'	15'	14'	14'	14'	12'	14'	12'	10'
Maximum beam/bottom width	70"/48"	70"/48"	62"/42"	62"/42"	55"/36"	55"/36"	55"/36"	48"/32"	48"/32"	48"/32"
Side height	21"	21"	20"	20"	19"	19"	19"	17"	17"	17"
Transom height/width	15"/69"	15"/69"	15"/62"	15"/62"	15"/53"	15"/53"	15"/53"	15"/45"	15"/45"	15"/45"
Horsepower range (rec.)	15-35hp	10-25hp	10-25hp	10-25hp	6-20hp	6-15hp	4-15hp	4-10hp	4-8hp	1-3hp
Capacity (persons/B.I.A.lbs)	5/1010	5/885	4/775	4/770	3/625	3/625	3/540	3/555	2/455	2/365
Hull gauge/hull style	.070"/Flat	.070"/Flat	.063"/Flat	.063"/Flat	.063"/Flat	.053"/Flat	.053"/Flat	.053"/Flat	.053"/Flat	.053"/Flat
Livewell	Opt.	Opt.	Opt.	Opt.	—	Opt.	—	—	—	—
Weight (approx. lbs.)	270	240	226	200	165	145	150	130	120	100
Weight with optional livewell	260	230	—	200	170	—	—	—	—	—
Number of ribs	9	7	8	7	7	6	5	5	4	2
Console steering	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Seats, upholstered, clamp down	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.

OPTIONS • Steering console • Livewell in center seat (1648, 1448, 1442, 1436)

• 1542 & 1442 available without center seat • Camouflage upholstered seat and clamp

COLOR • Olive Drab Green




BASS BOATS

Predator 17 AW	2-3
MV Super Bandit	4-5
MV Maverick	4-5
MV Angler	4-5
MV Super Hawk CS	4-5


CRAPPIE BOATS

Crappie Pro	6-7
Crappie Deluxe	6-7
Crappie Jon	6-7
Crappie Jon Jr.	6-7
MV Tex Special CS	6-7


**WELDED
JON BOATS**

Modified Vee Bottom:

MV 1860 AW,	
MV 1650 AW DD, MV 1650 AW,	
MV 1542 AW DD, MV 1542 AW,	
MV 1450 AW, MV 1442 AW	8

Flat Bottom:

1860 AW, 1650 AW,	
1542 AW, 1450 AW, 1442 AW	9


**RIVETED
JON BOATS**

Modified Vee Bottom:

MV Tex CS DD, MV Tex CS	10
MV Tex	10
MV 1648, MV 1448	
MV 1542, MV 1442	10

Flat Bottom:

1648, 1448, 1542, 1442, 1436, 1436 Lite,	
1236, 1432, 1232, 1032	11


LIMITED WARRANTY.

Alumacraft stands behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information.

Photos, illustrations, and data in this catalog were based on information available at time of publication. See your dealer for most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulation. All Alumacraft boats are NMMA and CMMA certified for compliance with standards for floatation, fuel

systems, ventilation, electrical and safety. All ratings comply with the Federal Boat Safety act of 1971.

Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.

ALUMACRAFT BOAT CO.

Highway 67 North, Box 189, Arkadelphia, AR 71923
501-246-5555 Fax: 501-246-4507

315 West St. Julien Street, St. Peter, MN 56082
507-931-1050 Fax: 507-931-9056

Special thanks to
Plano Tackle, Stearns
and JWA for their help in
producing this catalog.



© 1996, Alumacraft Boat Company
Printed in the USA