ALUMATERAFIE



FISH & SPORT BOATS
TOURNAMENT PRO BOATS
CLASSIC FISHING BOATS
UTILITY BOATS
CANOES

Building confidence, one boat a time.

Alumacraft Boats - hand assembled, using the finest materials, for more than 50 years.

HIGHEST GRADE MARINE ALUMINUM There is none better. An exceptional blend of strength, puncture resistance and long life.

FOAM-IN-PLACE FLOTATION Gas-resistant poured foam fills every crevice, increasing hull strength, quieting the ride and adding stability.

ALUMA CLAD TRANSOM Treated wood is clad inside and out with thick aluminum to minimize vibrations, quiet the ride and eliminate maintenance.

TRANSOM DOUBLE PLATE An extra .080" plate riveted to the Aluma Clad Transom adds protection to this critical part of the hull.

ONE-PIECE BOTTOM The entire boat bottom is made from a single piece of aluminum. A one-piece bottom is stronger and has greater structural integrity than piecedtogether bottoms.

RIVETED CONSTRUCTION Special heat-treated and hardened aircraft-grade rivets ensure durability and long life. Oversized rivets are utilized in stress areas instead of drilling more holes and doubling up with smaller rivets.

SEAT BASE PLATES Heavy gauge aluminum base plates under the floor provide a rock-solid platform for seat base mounts.

LIVEWELL LINERS Protective polyethylene liners with rounded edges to help keep your catch fresh. Some models are further insulated for even greater fish preservation.

CASTING PLATFORM Specially treated marine plywood platform is covered with high quality Olefin marine carpeting to shrug off weather

1/4" solid aluminum at wear points. ALUMA PLATE TWIN PLATING Adds an extra layer of strength to critical bow areas on Trophy, Tournament Pro. Phantom, Dominator, MV Super Bandit, MV

Pro models

The hull that redefined the standard for durability. Twin aluminum plates run the entire length of the boat bottom. Trophy, Tournament Pro and Phantom models.

Maverick, MV Angler and Crappie

REINFORCED CENTER KEEL

One-piece, preformed, extruded

keel extends from bow tip to stern

providing a backbone of strength

and protection. Engineered with

TOURNAMENT PRO 175

ALUMA-FRAME CONSTRUCTION Heavy gauge aluminum transverse and longitudinal framing is formed to optimal hull bottom shape. Provides maximum structural support with minimum weight. Standard on most models.

FORWARD LOCKING PEDESTALS Pedestals can be locked in the forward facing position as well as three others to prevent seats from swiveling while running. When hoat is running always sit in the cockpit area, riding in the bow area is unsafe.

HAND HOLDS

Your passengers find one everywhere they need one -- in all running positions.

URETHANE FINISH

The best finish available—matches current automotive colors. Tough, high-gloss, resists chipping, corrosion and wear for years of brilliance.

Large Reverse Dispersal Wave Action

Spray Rail is contoured to deflect splash down and away. Provides a drier ride even in rough water.

SPRAY RAIL

TOURNAMENT PRO 170 CS

GAS TANKS


Space-saving built-in tanks.

performance and ride.

standard on many models, are

positioned for optimum balance,

INSTRUMENT PACKAGES Customized long-life, high-tech instrument packages present detailed information in clear view for greater control and safer boat operation.



We've taken aluminum hull design to a higher plane.

Never before has a hull bottom been graced with so much protection. The revolutionary 2XB Hull features twin aluminum plates that extend over the entire

length of the boat bottom—not just under the bow. .100"

Mother Nature doesn't throw rough stuff only at the front of your boat. When you're on plane your bow is out of the water. The entire boat bottom has to endure

brutal waves, shallow rock-filled waters, deadheads and ever-lurking boulders.

But it's not only strong, it's also the silent type—as quiet as it is rugged.

The **2XB Hull** adds minimal weight and is coupled with the **Aluma Plate** twin plate bow—you simply can not buy greater protection. You'll find this industry-leading hull design only

ACTUAL THICKNESS OF ALUMA PLATE BOW PLATES-Tournament Pro 195 & 175

on Alumacraft Trophy, Tournament Pro and Phantom Series boats. When you run with a 2XB Hull, you run with the unspoken confidence of a true fishing legend.




ACTUAL THICKNESS OF 2XB HULL PLATES – Tournament Pro 195 & 175

Metallic Dark Grav Metallic Burgundy Metallic Green exterior exterior exterior Lite Gray interior Lite Sand interior Lite Sand interior Midnight Star Gray carpet **Burgundy carpet** Hunter Green carpet

Trophy Series, Tournament Series, Phantom Series, Magnum Series, Dominator Series, Classic Deluxe

Lite Gray exterior	Lite Gray exterior	Lite Sand exterior
Lite Gray interior	Lite Gray interior	Lite Sand interior
Midnight Star Gray carpet	Burgundy carpet	Hunter Green carpet
Backtrollers, Lunker LTD's, Lunker V's, Fisherman 150	Backtrollers	Lunker LTD's



Dove Gray exterior

T12, T14, Canoes







New for '98. Ergonomically improved console. State-of-the-art instrumentation. eye level mounting of electronics. Dual cable no-feedback steering on the 185.

ALUMACAAI

ALUMACAAFT

MERCURY

Retractable sun top stows out of the way in an integrated storage compartment.

You'll find a hand hold right next to every seat.

·NEW FOR 1998 ·

TROPHY SPORT 165

·NEW FOR 1998 ·

TROPHY SPORT 175

MORE FOR YOUR MONEY. Foot for

foot, pound for pound, feature for

MERCURY OUTBOARDS

feature, no one gives you more

boat for your money.

Shown with optional accessories

. Tilt wheel w/dual steering

cables (185)

motor panel w/trim switch (185)

· Master electrical switch (185)

compartments (185) • Interior courtesy lights (185)

spotlight or phone (185)

Auto bilge pump (185)

· Flush mounted fire

OPTIONS

- · Factory installed Minn Kota trolling motor

TROPHY SERIES **SPECIFICATIONS**

Center line length

Maximum depth 43" (1.0m) Width 90" (2.2m) Transom width/height 83"/20" (2.0/.49m) Horsepower range 60-175hp

Capacity (persons) Capacity (B.I.A.Ibs, kg) Hull gauge (bottom/side)

2XB double plated hull bottom (bow/aft gauge) Aluma Plate double plate bow

Weight (approx. lbs)

(631kg) Hull style Deep-V Insulated aerated livewell 2 w/light Seats, upholstered pedestal Pedestals 3adi, 1sta

Pedestal sockets Fuel capacity (gallons/liters, gauge) 41gal (155L)

185 18'10" (5.7m)

(45-130kw)

2200 (998kg)

.100/.080

(2/1.2mm)

.100/.080

(2.5/2.0mm)

.100/.100"

(2.5/2.5mm)

1392

17'3"(5.5m) 16'11"(5.1m) 39" (.95m) 39" (.95m) 87" (2.0m) 79" (1.9m) 84"/20" (1.9/.49m) 60-115hp (45-112kw) 6 1900 (862kg) .080/.060" (2/1.5mm).080/.060" (2.0/1.5mm).080/.060" (2.0/1.5mm)1100 (500kg) Deep-V

Sport 175

76"/20" (1.8/.49m) 60-115hp (45-112kw) 1430 (649kg) .080/.060" (2/1.5mm).080/.060* (2/1.5mm).080/.060° (2.0/1.5mm) 933 (425kg) Deep-V 2adj, 1sta 23gal (87L)

Sport 165

STANDARD FEATURES

- · No feedback steering
- · Tempered glass curved windshield
- · Instrument package: speedometer. tachometer, voltmeter, blank gauge
- · AM/FM stereo cassette w/two speakers
- · Bow casting platform
- · Convertible top set with boot
- · Concealed top storage
- · Grab handles
- · Positive locking seat pedestals
- Lockable storage compartment
- . Lockable rod storage compartment (7')
- · Lockable glove compartment
- · Stowable running lights · Forward battery storage
- · Automotive fuse panel
- · Bow rails
- · Cup holders.

TROPHY 185 additional features:

- Horn (185)
- . 12/24-volt prewired bow trolling
- · Remote livewell drain (185)
- · Ice chest/dry storage (185) . Two 2-drawer tackle
- · Accessory socket for
- extinguisher (185)
- · Lowrance liquid crystal graph
- · Bow seat cushions

- · Laydown sleeper seat
- Extra seat and pedestal · Side and aft curtain


2adj, 1sta


23gal (87L)

- · Windshield curtain
- · Mooring cover

COLOR OPTIONS

- . Metallic Dark Gray w/Lite Gray exterior. Midnight Star Gray carpet and Brushed Pewter instrument panel
- · Metallic Burgundy w/Lite Sand exterior, Burgundy carpet and Roman Bronze instrument panel
- · Metallic Green w/Lite Sand exterior. Hunter Green carpet and Roman Bronze instrument panel





Trophy 185

Trophy Sport 175 Trophy Sport 165



195 Tiller

19'4" (5.7m)

43" (1.1m)

94" (2.4m)

94"/20" (2.4/.49m)

50-100hp

(37-67kw)

1735 (786kg)


1283 (583kg)

Deep-V

2

2 adj, 1pwr

41 gal (155L)



NEW FOR '98. The ultimate in comfort thick stepped cushions and side lumbar bolsters provide all-day back support. Four locking positions for running.


AWESOME POWER! The new Tournament Pro 195 tiller can handle up to 100 hp. That's a lot of get-up-and-go fishing.

·NEW FOR 1998·

TOURNAMENT PRO 195 Shown with optional accessories







· Instrument Package: speedometer, tachometer, voltmeter, horn, blank gauge, AM/FM stereo cassette w/two speakers

TOURNAMENT PRO 195


- 12/24-volt trolling motor system, bow/aft receptacles
- · Bow trolling motor receptacle (w/trim & tilt)
- · Trolling motor battery condition gauge
- . Forward battery storage (2)
- · Master electrical switch
- · Remote livewell drain
- · Locking dry storage compartment (bow)
- · Locking rod storage compartment (7')
- · Rod savers (195 tiller)
- · Interior courtesy lights
- · Stowable running lights
- · Automotive fuse panel
- · Accessory socket
- · Auto bilge pump
- · Grab rails
- · Cup holders

OPTIONS

- · Dual console (195 CS)
- · Factory installed Minn Kota trolling motor
- · Lowrance liquid crystal display
- Extra seat and pedestal
- · Mooring cover
- · Battery charger

- . Metallic Dark Gray w/Lite Gray exterior, Midnight Star Gray carpet and Brushed Pewter Gray instrument panel
- Metallic Burgundy w/Lite Sand exterior, Burgundy carpet and Roman Bronze instrument panel
- · Metallic Green w/ Lite Sand exterior, Hunter Green carpet and Roman Bronze instrument panel





Tournament Pro 195 CS







TOURNAMENT PRO 175 & 170 • PHANTOM V170

TOURNAMENT THE 17	, α 110 ·	I HANTON V	1/0		
0	175 CS	175 Tiller	170 CS	170 Tiller	Phantom V17
Center line length	17'10" (5.2m)	17'10" (5.2m)	16'10" (4.9m)	16'10" (4.9m)	17'4" (5.1m)
Maximum depth	40" (.98m)	40" (.98m)	36" (.88m)	36" (.88m)	32" (.78m)
Width	88" (2.2m)	88" (2.2m)	81" (2m)	81" (2m)	81" (2m)
Transom width/height	88"/20"	88"/20"	81"/20"	81"/20"	78"/20"
	(2.2/.49m)	(2.2/.49m)	(2/.49mm)	(1.9/.49mm)	(1.9m/.49m)
Horsepower range	50-175hp	50-80hp	50-115hp	40-60hp	60-135hp
	(37-130kw)	(37-60kw)	(37-86kw)	(30-45kw)	(48-135kw)
Capacity (persons)	5	5	5	5	4
Capacity (B.I.A. Ibs, kg)	1410 (639kg)	1250 (567kg)	1415 (642kg)	1260 (571kg)	1365 (619kg)
Hull gauge (bottom/side)	.100/.080"	.100/.080"	.100/.065"	.100/.065"	.100/.080" (2mm
	(2.5/2mm)	(2.5/2mm)	(25/1.6mm)	(2.5/1.6mm)	(2.5/2mm)
2XB Hull-double plate bottom	.100/.080"	.100/.080"	.100/.080"	.100/.080"	.100/.080
	(2.5/2mm)	(2.5/2mm)	(2.5/2.0mm)	(2.5/2.0mm)	(2.5/2mm)
AlumaPlate-double plate bow	.100/.100"	.100/.100"	.100/.100"	.100/.100"	.100/.100"
	(2.5/2mm)	(2.5/2mm)	(2.5/2mm)	(2.5/2mm)	(2.5/2mm)
Weight (approx. lbs.)	990 (450kg)	940 (427kg)	962 (436kg)	918 (416kg)	1094 (496kg)
Hull style	Deep-V	Deep-V	Deep-V	Deep-V	Deep-V
Console steering with tilt wheel	1	-	1	_	/
No-feedback steering w/dual cables	/	-	/	-	/
Windshield	/	-	/	_	
Recirculating livewell w/timer, light	2	2	2	2	1
Drop-in bait bucket	2	2	1	1	
Seats, upholstered pedestal	3	3	2	2	2ped, 2sta
Pedestals	2adj, 1pwr	2 adj, 1pwr	1 adj,1 pwr	1 adj,1 pwr	2 adj
Pedestal sockets	6	4	4	4	2 pin
Fuel capacity (gallons, w/gauge)	34 gal (128L)	34 gal (128L)	23 gal (87L)	23 gal (87L)	23 gal (87L)
Electronics compartment (locking)	/	1	-	1	
Tackle drawers	0	0	2	2	-
STANDARD FEATURES	• Locking	dry storage compart	ment (how) mo	tor with removat	ala bracket
- Instrument Declares and decide	Looming	ury storage compan	mont (bow) IIIO	tor with removat	ne biacket

- · Instrument Package: speedometer, tachometer, voltmeter, horn, blank gauge, AM/FM stereo cassette w/two speakers
- 12/24-volt trolling motor system, bow/aft receptacles (bow only V170)
- · Bow trolling motor receptacle (w/trim & tilt)
- Trolling motor battery condition gauge Auto bilge pump
- Forward battery storage (2)
- · Master electrical switch
- · Remote livewell drain

- · Locking rod storage compartment (7') • Rod savers (T.Pro 175 & 165 tillers)
- Ice chest/dry storage (V170)
- · Interior courtesy lights
- · Stowable running lights
- · Grab handles
- · Automotive fuse panel
- · Accessory socket

- · Cup holders


OPTIONS

- . Dual console (175 CS)
- · Factory installed Minn Kota trolling

- Lowrance liquid crystal display
- · Mooring cover
- · Battery charger

COLOR OPTIONS

- · Metallic Dark Gray w/Lite Gray exterior, Midnight Star Gray carpet and Brushed Pewter instrument panel
- · Metallic Burgundy w/Lite Sand exterior, Burgundy carpet and Roman Bronze instrument panel
- · Metallic Green w/Lite Sand exterior. Hunter Green carpet and Roman Bronze instrument panel



Tournament Pro 175 CS

LIVEWELL STORAGE BAITWELL DRY STORAGE




175



Tournament Pro 170 CS



Tournament Pro 170



Phantom V170





- tachometer, voltmeter, horn, blank

165 CS 16'5" (4.98m)

81" (2m)

165 16'5" (4.8m) 36" (.88m) 36" (.88m) 81" (2m) 81"/20"(1.9/.49mm) 81"/20" (1.9/.49mm) 40-60hp

40-80hp (30-60kw) 5 1245 (566kg) .080/.063" (2/1.6mm)

.080/.080"(2.0mm)

860 (391ka)

Opt.

1250 (568kg) .080/.063" (2/1.6mm) .080/.080"(2.0mm) 800 (364ka) Deep-V

(30-45kw)

Deep-V

1 adj, 1 sta 1 adi, 1 sta

23 gal (87L) 23 gal (87L)

OPTIONS

- · Factory-installed Minn Kota trolling motor
- · Lowrance liquid crystal graph
- · Mooring cover
- · Battery charger

COLOR OPTIONS

- . Metallic Dark Gray w/Lite Gray exterior, Midnight Star Gray carpet. Brushed Pewter instrument panel
- . Metallic Burgundy w/Lite Sand exterior, Burgundy carpet, Roman Bronze instrument panel
- · Metallic Green w/Lite Sand exterior. Hunter Green carpet, Roman Bronze instrument panel





Magnum 165 CS Magnum 165





DOMINATOR • CLASSIC DELUXE • BACKTROLLER 16.14

	SPECIFICATIONS	Dom	inator	Classic	Backtroller		
		CS	Tiller	Deluxe	16/CS	14	
	Center line length	16'5" (4.8m)	16'5" (4.8m)	16'4" (4.8m)		14'3" (4.2m)	
	Width/maximum depth	74"/33"	74"/33"	73"/31"	73"/31"	74"/31"	
		(1.8/.8m)	(1.8/.8m)	(1.7/.7m)	(1.7/.7m)	(1.7/.7m)	
	Transom width/height	73"/20"	73"/20"	66"/20"	66"/20"	66"/20"	
		(1.8/.49m)	(1.8/.49m)	(1.6/.49m)	(1.6/.49m)	(1.6/.49m)	
	Horsepower range	35-80hp	35-60hp	25-60hp	15-45/60hp	15-40hp	
		(26-60kw)	(26-48kw)	(19-48kw)	(11-34/48kw)	(11-30kw)	
	Capacity (persons)	5	5	5	5	4	
	Capacity (B.I.A. lbs, kg)	1330 (603kg)	1145 (519kg)	1240 (562kg)	1270 <i>(576ka)</i>	1155 <i>(524ka)</i>	
	Hull gauge (bottom/sides) .0	80/.65" (2/1.6mm	n).080/.65" (2/16mm)			.075"(1.9mm)	
	AlumaPlate-double plate bow	.080/.080"	.080/.080"	_		-	
		(2.0/2.0mm)	(2.0/2.0mm)				
	Weight (approx. lbs., kg)	797 (361kg)	782 (355kg)	684 (310kg)	583/638(265/289)	1512 (232ka)	
	Hull style	Deep-V	Deep-V	Semi-V	Semi-V	Semi-V	
	Console steering (no feed-back)	1		1	Opt.	-	
	Windshield	1	-	1	CS Opt.		
	Aerated livewell w/timer	✓Recirc.	✓Recirc.	1	1	1	
	Livewell light	/	/	1			
	Seats, upholstered w/pedestals	1 adj. 1 sta	1 adj, 1 sta	2 adj, 1 sta	1 adj, 1 sta	1 adj, 1 sta	
	Pedestal sockets	5	3	3	3	1	
	Fuel capacity (gallons, gauge)	23gal (87L)	23 gal (87L)	9 gal (34L)			
	Tackle drawers	_	-	2	2		
	Lockable rod storage	✓(7')	√ (7')	1	1	1	
2			1-1				

STANDARD FEATURES

- Instrument package (Classic Deluxe): Speedometer, tachometer, voltmeter, blank gauge, AM/FM stereo cassette, two speakers, horn
- · Instrument package (Dominator): Speedometer (CS only), tachometer, voltmeter, blank gauge

 • Bow trolling motor receptable, (w/trim, tilt on Classic
- Deluxe)
- · Forward battery storage w/hold down
- · Grab handles at running positions
- · Drop-in bait bucket
- · Positive locking seat pedestals
- · Lockable storage compartment
- Interior courtesy lights (Classic Deluxe)
 Stowable running lights
 Automotive fuse panel

- · Accessory socket (Classic Deluxe)
- Transom curtain (Classic Deluxe, Backtrollers)
- · Rear pod wire way tube (Backtrollers)
- · Bilge pump

OPTIONS


- · Factory-installed Minn Kota trolling motor
- Lowrance liquid crystal graph
- No-feedback console steering (Backtroller 16)
- · Mooring cover

COLOR OPTIONS

DOMINATORS, CLASSIC DELUXE:

- · Metallic Dark Gray w/Lite Gray exterior. Midnight Star Gray carpet, Brushed Pewter instrument panel
- Metallic Burgundy w/Lite Sand exterior,
 Burgundy carpet, Roman Bronze instrument panel
- · Metallic Green w/Lite Sand exterior, Hunter Green carpet, Roman Bronze instrument panel
- BACKTROLLER 16, 14: · Lite Gray exterior, Lite Gray interior, Gunmetal Gray or Burgundy carpet






Dominator CS



Dominator



Classic Deluxe





0

Backtroller 16 Backtroller 14



LIVEWELL STORAGE





LUNKER Mag Series • FISHERMAN 150

		Lunker M	ag Series		Fisherman		
SPECIFICATIONS	V16 LTD	V14 LTD	V16	V14	150	150 CS	
Center line length	16'6" (5m)	14'6" (4.2m)	16'6" (4.8m)	14'6" (4.2m)	14'6" (4.2m)	14'6" (4.2m	
Overall width	75" (1.9m)	66" (1.7m)	75" (1.9m)	66" (1.7m)	67" (1.7m)	67" (1.7m)	
Horsepower range	15-45hp	15-35hp	15-40hp	15-35hp	15-35hp	15-45hp	
	(11-36kw)	(11-26kw)	(11-30kw)	(11-26kw)	(11-26kw)	(11-36kw)	
Transom width/height	72.5"/20"	63"/20"	72.5"/20"	63"/20"	63"/20"	63"/20"	
	(1.8/.49m)	((1.6/.49m)	(1.8/.49m)	(1.6/.49m)	(1.5/.49m)	(1.5/.49m)	
Capacity (persons/lbs)	5/1310	4/930	5/1310	4/970	4/865	4/865	
Capacity (persons/kg)	(5/595kg)	(4/422kg)	(5/594kg)	(4/440kg)	(4/392kg)	(4/392kg)	
Weight (approx. lbs., kg)	563	503	451	330, 340	486	533	
	(255kg)	(228kg)	(204kg)	(150kg)	(220kg)	(242kg)	
Hull gauge	.080" (2mm)	.080" (2mm)	.080" <i>(2mm)</i>	.080" (2mm)	.065" (1.6mm)	.065" (1.6mm	
Hull style	Semi-V	Semi-V	Semi-V	Semi-V	Semi-V	Semi-V	
Console steering (no feed-b		-	Opt.	Opt.		1	
Windshield.	CS/Opt.	-	CS/Opt.	-	' -	Opt.	
Livewell	1 w/light	1 w/light	1	1	1	1	
Livewell aeration pump	/	1	Opt.	Opt.	1	1	
Drop-in bait bucket	/	1	-	-	/	1	
Seats, upholstered (pedesta	al) 1 adj,1 sta	1 adj,1 sta	Opt.(clamp)	Opt.(clamp)	1 adj,1 sta	1 adj,1 sta	
Seat pedestal sockets	3	2	-	-	1	2	
Seats (bench, aft)	-	-	2 bench	2 bench	1 bench	1 bench	
Lockable rod compartmen	t 🗸	1	-	-	-	_	
Rod savers	/	1	1	/	1	/	
Lockable storage	1	/	1	/		Redenie <u>-</u>	
Bow storage	1	1	/	-	1	1	

STANDARD FEATURES

- · Stowable running lights
- Automotive fuse panel (V16 LTD, V14 LTD, Fisherman)
- . Trolling motor receptacle and battery tray (V16 LTD,
- · Grab handles at seat running positions (V16 LTD, V14 LTD, Fisherman)
- . Positive locking seat pedestals (V16 LTD, V14 LTD,
- · Bilge pump (V16 LTD and V14 LTD, Lunker V16)
- Interior lights (V16 LTD, V14 LTD)
- · Wireway tubes
- · Vinyl floor (V16)


LIVEWELL STORAGE

OPTIONS

- · Factory-installed Minn Kota trolling motor
- · Lowrance liquid crystal graph
- Wiring for receptacle, battery tray (Lunker V16, Lunker V14, Fisherman 150 include battery tray, no receptacle)
- · Clamp seat w/swivel (V16, V14)
- Rear casting deck (Fisherman 150)
- · Mooring cover
- Bilge pump (Fisherman 150, Lunker V14)

COLOR OPTIONS

- · Lite Gray exterior, Lite Gray interior with Midnight Star
- · Lite Sand exterior, Lite Sand interior with Hunter Green carpet (Lunker V16 LTD and V14 LTD)


















Fisherman 150 Fisherman 150 CS Lunker V14

MERCURY OUTBOARDS





SWIM/SKI PLATFORM makes boarding from the water safer and easier. (Selected models)



DEEP BOW CUSHIONS convert your bow area into lounging/sun bed. (Trophy Series)



Luxurious new STEPPED CUSHION SEATS with side lumbar support . Available with padded armrests. (Most models)



A must for waterfowl hunters, CAMO SEATS are popular among all outdoor enthusiasts. (most models)



SMOKED WINDSHIELD protects you from wind, glare and rain. (Most console models)



SIDE STEERING CONSOLE allows you to add steering wheel to tiller models.(Value Totable Series)



Professional Alumacraft dealers like Lee Gansen of Drantell Sales & Service in St. Peter, MN can help you select the boat, motor and accessories that are perfect for your kind of boating. And down the road you can count on him to keep your investment in tip-top shape.

LIMITED WARRANTY.

Alumacraft stands behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information.

Photos, illustrations, and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All Alumacraft boats are NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical and safety. All ratings comply with the Federal Boat Safety act of 1971.

Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availabilty and current pricing.

Special thanks to Plano Tackle, Stearns and Minn Kota for their help in producing this catalog.










ALUMACRAFT BOAT CO. 315 West St. Julien Street, St. Peter, MN 56082 507-931-1050 Fax: 507-931-9056 Highway 67 North, Box 189, Arkadelphia, AR 71923 870-246-5555 Fax: 870-246-4507

> © 1997, Alumacraft Boat Company Printed in the USA



QUETICO • CAMPER • VOYAGEUR

SPECIFICATIONS	QT-17CL Quetico	QT-17C Quetico	QT-17WWR Quetico	QT-185CL Quetico	CO-17 Camper	Voyageur 17	Voyageur 15
Type	Cruising Light	Cruising	Whitewater	Cruising Light	Square Stern	Cruising	Ultralight
Center line length	17' (5.0m)	17' (5.0m)	17' (5.0m)	18'5" (5.4m)	17' (5.0m)	17' (5.0m)	15' (4.4m)
Maximum beam	36" (.9m)	36" (.9m)	36" (.9m)	37" (.9m)	37" (.9m)	36" (.9m)	36" (.9m)
Amidship depth	13" (.3m)	13" (.3m)	13" (.3m)	13" (.3m)	13" (.3m)	12" (.3m)	12" (.3m)
Capacity (persons)	4	4	4	4	4	4	3
Capacity (B.I.A. lbs., kg)	710 (332kg)	730 (331kg)	725 (329kg)	795 (360kg)	810 (367kg)	675 (305kg)	650 (295kg)
Hull gauge	.040" (1.0mm)	.050" (1.3mm)	.060" (1.5mm)	.040" (1.0mm)	.050" (1.3mm)	.035" (.9mm)	.035" (.9mm)
Stem gauge	.090" (2.3mm)	.090"(2.3mm)	.090"(2.3mm)	.090"(2.3mm)	.090"(2.3mm)	.090"(2.3mm)	.090"(2.3mm)
Weight (approx. lbs., kg)	64 (29kg)	71 (32kg)	83 (38kg)	71 (32kg)	85 (39kg)	57 (26kg)	53 (24kg)
Keel type	5/8" Cruising	5/8"Cruising	3/8"Whitewater	5/8"Cruising	5/8"Cruising	5/8"Cruising	5/8"Cruising
Bottom type	Flat	Flat	Flat	Flat	Flat	Flat	Flat
Number of ribs	5	3	5	8	5	3	3
Curved center thwart	3	3	Opt.	3	Opt.	Opt.	Opt.
Maximum rec. horsepower	-	-	i di	-	4hp (3kw)	-	<u>'</u>

STANDARD FEATURES

- 6010 marine alloy aluminum
- · Gas resistant foam flotation
- · Roll seat design
- · Stainless steel tie-down eyelets
- · Graphics

OPTIONS

- · Portage pads
- Motor bracket
- · Ribless models available (QT-17WWR)

COLOR

· Clear Coated Natural finish with Dove Gray interior





3/8"Whitewater

5/8"Cruisina

Keel

Any species, any place, any time.

You're looking at three of our all-time favorite boats. Always prepared, always dependable, always willing to do more than what is asked of them. Each gives you a different combination of the features of big, pro-class boats—but in a lighter, easy to tow, easy to power, easy to afford package. No other boats at these price levels equal the all-around fishing and performance capabilities of the Dominator, Classic Deluxe and Backtroller. Three very good reasons to put yourself in a new Alumacraft.

Alumacraft-the best catch you'll ever make.

FULL INSTRUMENTATION. Speedometer, tachometer, voltmeter



These are excellent boats for FOUR STROKE MOTORS!

DOMINATOR CS
Shown with optional accessories

ALUMA PLATE BOW. A second plate of .080" aluminum protects the bow area.

AERATED LIVEWELL. Built-in timer automatically recirculates water to keep catch fresh.

DROP-IN BAIT BUCKET. Keeps live bait lively, close at hand, yet out of way.

Redesigned bow area features an expanded casting deck.

CUSTOMIZE YOUR BOAT. Wired and set up for adding optional equipment and electronics.

LOCKABLE ROD STORAGE. Safely stores your extra rods out of harms way.

NEW SEATS. Thick stepped cushion seats with built-in side lumbar supports, four position

locking pedestals.

E





Open Wide and Say Ahhh.

It's wide and it's deep. It's a true pleasure to fish from. The new Magnums may be the most versatile fishing boats on the water. Whether you're trolling for lake trout, jigging for walleye or casting for pike, the Magnum gives you lots of room to operate and a place for all your gear. The possibilities are endless. Locking electronics compartment and state-of-the-art instrumentation are standard. Seats, gas tank, storage lockers and livewell are all bigger than average. The only thing not big on the Magnum is the price.

Alumacraft — more boat for your money.



NEW EASY-TO-READ GAUGES, eye level electronics and finger tip master controls.

MARINE

MAGNUM 165 CS

Shown with optional accessories

You don't need a large motor for top performance or a huge rig to tow a Magnum.

RECIRCULATING LIVEWELL Operates on timer to keep your catch tresh.

NO FEEDBACK STEERING. Reduces steering torque for smooth, responsive control.

LOCKING ROD STORAGE. Securely holds your valuable rods out of harms way.

HUGE GAS TANK. Even the gas tank is big-a whopping 23 gallons!

ALUMACRAF



INDEX TO 1998 MODELS

FISH & SPORT BOATS
Trophy 185 4-5 Trophy Sport 175 NEW FOR '98 4-5 Trophy Sport 165 NEW FOR '98 4-5
TOURNAMENT PRO BOATS Tournament Pro 195 CS .NEW FOR '98 6-7 Tournament Pro 195 .NEW FOR '98 6-7 Tournament Pro 175 CS 8-9 Tournament Pro 170 CS .NEW FOR '98 8-9 Tournament Pro 170 .NEW FOR '98 8-9 Magnum 165 CS 10-11 Magnum 165 .10-11
BASS BOATS Phantom V1708-9
CLASSIC FISHING BOATS Dominator CS 12-13 Dominator 12-13 Classic Deluxe 12-13 Backtroller 16, 16/CS, 14 12-13 Lunker V16 LTD Mag Series NEW FOR '98 14-15 Lunker V14 LTD 14-15 Lunker V16 Mag Series NEW FOR '98 14-15 Lunker V14 14-15 Fisherman 150 CS, 150 14-15
UTILITY BOATS V16, V16 Split Seat, V14, V14 Split Seat 16 T14S, T14 16 T12S, T12 16 CANOES QT-17CL, QT-17C Quetico 17 QT-17WWR Quetico 17 QT-185CL Quetico 17 CO-17 Camper 17 Voyageur 17, Voyageur 15 17
ACCESSORIES Accessories, Factory Options, Warranty



Visit your dealer and see why Alumacraft is the number one choice in aluminum boats.

Ask for a copy of our second catalog featuring: Bass Boats, Crappie Boats, Modified-V Jon Boats and Flat Bottom Jon Boats.



315 West St. Julien Street, St. Peter, MN 56082 507-931-1050 Fax: 507-931-9056 Highway 67 North, Box 189, Arkadelphia, AR 71923 870-246-5555 Fax: 870-246-4507









The boat that rocked the industry.

2XBHULL

This is the boat that took the market by storm last year. In it's first season on the water, the Tournament Pro 175 captured the hearts of serious fishermen across North America – so many, in fact, we added special production runs. The double-tough, double-quiet **2XB Hull** set a higher standard for hull design. This year, we're building even more and making slight improvements along the way. We gave it a new console, added an aft electronics compartment and put in the most comfortable seats we've ever sat in. Who says you can't improve upon perfection.

Alumacraft – quality you can afford.

TOURNAMENT PRO 175 CS
Shown with optional accessories

HANDLES BIG WATER. The Tournament Pro is deeper and wider than other 17' pro class boats

ALUMACAAI

2XB HULL. The only hull with twin aluminum plates protecting the entire boat bottom.

BOW AND AFT LIVEWELLS. There's always one within easy reach.

TOURNAMENT PRO 175 Tiller Shown with optional accessories

Rods are kept out of harms way in flush ROD LOCKERS that are out of your way.

SLEEKER BOW RAKE. Produces a drier, superb handling ride. Tracks easier and straighter especially in rough water. MERCURY OUTBOARDS

Ask your Alumacraft Dealer about available options and accessories.





Optional MINN KOTA TROLLING MOTOR. Factory installed Minn Kota 812 Autopilot, Minn Kota 30AT and Minn Kota 865 available. See your dealer for details and model availability.




Optional LOWRANCE LIQUID CRYSTAL GRAPHS available. Factory installed. See your dealer.



BIMINI TOP keeps the sun and rain at bay. (Trophy Series)







PASSENGER CONSOLE with tinted windshield protects your guest from wind, cold and glare. (Tournament Pro 195 &175 CS, 1997 console shown)



Protect your investment from the elements with a CUSTOM MOORING COVER. (most models)





Optional upholstered seat with armrests and mounting clamp.

Optional steering console.

Simplicity is beauty.

The most unpretentious boats on the water. Pure workhorses. No frills, no bells, no whistles. Just honest dependable performance. Performance built on 50 years of aluminum boat design and rugged Alumacraft craftsmanship. There's a reason you see them at docks on nearly every lake across North America. They last and last and last.

Alumacraft-we don't charge a thing for our great reputation.

VALUE/TOTABLE S	SERIES					
SPECIFICATIONS	V16	V14	T145	T14	T12S	T12
Center line length	16'7" (4.8m)	14'3" (4.2m)	13'11" (4.0m)	13'4" (3.9m)	12'0" (3.5m)	11'10" (3.4m)
Overall width	70" (1.7m)	68"(1.6m)	55"(1.3m)	53"(1.2m)	55"(1.3m)	53"(1.2m)
Overall bow height	30"(.7m)	30"(.7m)	26"(.6m)	23"(.5m)	26"(.6m)	23"(.5m)
Transom height/width	15", 20"/63"	15", 20"/63"	15"/52"	15"/461/2"	15"/52"	15"/461/2"
Hanson noighe that		(.36,.49/1.5m)	(.36/1.2m)	(.36/1.1m)	(.36/1.2m)	(.36/1.1m)
Horsepower range	15-40hp	7.5-25hp	6-20hp	6-10hp	4-15hp	4-7.5hp
Thorsepower runge	(11-30kw)	(6-19kw)	(4.5-15kw)	(4.5-7.5kw)	(3-11kw)	(3-5.5kw)
Persons capacity	5	5	4	3	4	2
B.I.A. rated capacity (lbs.)	1255,1385	1015,1195	725	545	630	465
D.I.F. ration dapasity (1991)	(569, 628kg)	(546, 541kg)	(329kg)	(247kg)	(286kg)	(210kg)
Hull gauge	.070°(1.7mm)	.065"(1.6mm)	.050"(1.3mm)	.050"(1.3mm)	.050"(1.3mm)	.050"(1.3mm)
Weight (approx. lbs.)	270/280	225/230	170	145	130	120
Holghi (approxi issi)	(122, 126kg)	(102, 104kg)	(77kg)	(66kg)	(59kg)	(54kg)
Hull style	Semi-V	Semi-V	Round Bilge	Round Bilge	Round Bilge	Round Bilge

OPTIONS

- Steering console
- . Split aft seating (V16, V14)
- · Clamp-on seats
- · Seat arm rests
- Mooring cover


COLOR OPTIONS

V16, V14, T14S, T12S:

· Lite Gray exterior with Lite Gray interior paint

T14, T12:

· Clear Coated Natural finish with Dove Gray interior paint



A Purebred Fishing Machine

·NEW FOR 1998·

TOURNAMENT PRO 195 CS

Shown with optional accessories

NEW FOR '98. Ergonomically improved console. State-of-the-art instrumentation, eye level mounting of electronics.

00000

ELECTRONICS COMMAND CENTRAL puts everything you need, precisely where you want it, for pinpoint control. Tiller version shown.

SHHHHH. The 2XB hull is so quiet you won't believe it's aluminum.



2XB Hull. The only hull with twin aluminum plates protecting the entire boat bottom.

HUGE BOW AND AFT LIVEWELLS for keeping daily limits alive. Recirculating, with timer, light, baitwells and remote drain.

No pro-style tournament class boat gives you more. This craft was bred for one thing. Serious fishing. The Tournament Pro took the market by storm last season. With its revolutionary 2XB double thick, double quiet hull and sleek bow rake, it's a dream to operate—at any speed. No tournament class boat will give you a drier, quieter, and more responsive ride. Period. So whether you're screaming across open water or tip-toeing along your favorite ledge, there's never any doubt of who holds the reins.

Alumacraft. Compare the boat, then compare the price.

HAND HOLDS. Even your favorite water can get downright ugly.

WHAT POWER! Handles up to 175 hp.

MERCURY OUTBOARDS









CAMO PATTERN —MV1542 AW DD Duck Special. New for 1998. Console, aluminum floor and side panels are standard. 40 hp rating. Optional center console with livewell—equipped with individual console options including: remote control, windshield, cushions and grab rail.

Tough, hard working boats that don't know the meaning of quit. The strong welded construction, the modified-V hull and bottom, the heavy gauge aluminum, the number of ribs (go ahead, count 'em). These jons are built to work hard, fast and dry.

ALL-WELDED MV BOTTOM JON BOATS

SPECIFICATIONS	MV 1860 AW	MV 1650 AW, DD	MV 1542 AW, DD	MV 1542 AW DD	MV 1450 AW	
	AW	Avi, DD	Av, DD	Duck Spec.		
Center line length	18'	16'	15'	15'	14'	
Maximum beam/bottom width	86"/60"	74"/50"	63"/42"	63"/42"	74°/50°	
Side height	25"	22"	20"	20"	22"	
Transom height/width	21"/86"	21"/71"	15"/62"	20"/62"	15"/71"	
Horsepower range (recommended)	35-50hp	15-35hp	10-25hp	-	15-30hp	
Horsepower range (w/console steer)	35-75hp	15-60hp	10-25hp	10-40hp	15-30hp	
Capacity (persons/B.I.A.lbs)	6/1600	5/1100	4/825	4/795	5/1010	
Hull gauge/hull style	.102"/MV	.102"/MV	.082"/MV	.082*/MV	.102"/MV	
Drop deck	-	✓(AW DD)	✓(AW DD)	✓(AW DD)	+	
Side steering console	Opt.	Opt.	Opt.	/	Opt.	į
Weight (approx. lbs.)	500	300	250	TBD	265	
Number of ribs	13	12	11	11	10	
Dry storage	-	✓(DD)	✓(DD)	✓(DD)	-	
Pedestal bases	-	2 DD	2 DD	2 DD	+	

OPTIONAL EQUIPMENT

- Center console w/livewell(MV1860, MV1650)
 Options for center console:
 - Windshield
 - · Seat/backrest cushions
 - · Grab rail
- Side steering (all models, standard Duck Special)
- Side console w/livewell (MV1860s, MV1650s)

AW DD

Center seat with livewell or storage box
 (MV 1860 AW, MV 1650 AW, MV 1542 AW)

- · Camouflage upholstered seat
- Aluminum floor (MV 1860 AW, MV 1650 AW, MV 1650 AW DD. Standard on Duck Special) Not available in boats with center seat option
- Light package (MV 1860 AW, MV 1650 AW, MV 1650 AW DD) includes: navigation lights (console models w/floor only); bilge pump; trolling motor harness w/olug

AW

• Gun box

COLOR

Khaki

AW DD

All-welded boats have a Limited Two Year Warranty

MV 1450

AW



AW





CRAPPIE DELUXE

CRAPPIE JON

MV TEX SPECIAL CS

CRAPPIE PRO • CRAPPIE MAGNUM CRAPPIE DELUXE • CRAPPIE JON MV TEX SPECIAL CS

SPECIFICATIONS	Crappie Pro	Crappie Magnum	Crappie Deluxe	Crappie Jon	MV Tex Special CS
Center line length	16'8"	17'	15'	14'	16'
Maximum beam/bottom width	74"/52"	71"/48"	64"/42"	64"/42"	70"/48"
Side height	23"	21"	20"	20"	21"
Transom height	20"	20"	20"	15"	20"
Horsepower range (recommended)	30-60hp	25-40hp	15-25hp	10-25hp	15-55hp
Capacity (persons/B.I.A.lbs)	4/860	3/760	3/745	3/740	5/1010
Hull gauge	.074"	.072"	063"	.063"	.072*
Aluma Plate twin plate bow gauge	.074/.074"	_	_	-	######################################
Hull style	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V
Weight (approx. lbs.)	670	550	426	330	425
Console steering (no feed-back)	1	-	-	-	1
Windshield	Opt.	-	_	-	Opt.
Aerated livewell	1	1	/	-	1
Seats, upholstered, fold-down	3	2	2	2	1- 1
Pedestal seat sockets	1	-	_	-	2
Bow trolling motor receptacle/plug	√12v	√12v	-	-	
Floor/deck construction	Alum/TrPlywood	Aluminum	Aluminum	Aluminum	Alum/TrPlywoo
Storage compartment	✓Fwd/Aft	✓Fwd/Aft	1	1	1
Lockable rod storage	-	2	-	-	-

STANDARD FEATURES

- · Raised forward casting deck (Crappie Pro, MV Tex Special CS)
- · Arm rest seats (Crappie Deluxe, Crappie Magnum, Crappie Jon)
- Stowable running lights (Crappie Pro, Crappie Magnum, Crappie Deluxe, MV Tex Special CS)
- Automotive fuse panel (Crappie Pro)
 Bilge pump (Crappie Pro, Crappie Magnum)

OPTIONS

- Factory-installed Custom Accessory Package: MotorGuide 743 trolling motor, foot control, 43 lb. thrust, 36" shaft, Lowrance X25B liquid crystal graph (Crappie Pro, Crappie Magnum, Crappie Deluxe)
- · Mooring cover

COLOR OPTIONS

CRAPPIE PRO:

- · Lite Stone Gray exterior with Midnight Star Gray
- Lite Sand exterior with Burgundy carpet or Hunter Green carpet

CRAPPIE MAGNUM, CRAPPIE DELUXE, CRAPPIE JON, MV TEX SPECIAL CS:

· Lite Stone Gray exterior with Midnight Star Gray carpet or Hunter Green Carpet

MODIFIED-V HULL. Keeps the ride dry and assures easy control and tracking.

> NEW DASH and windshield for '98.

CRAPPIE PRO

Shown with optional accessories

NEW WIDER 52" BOTTOM. Now there's more room and stability for fast-paced action.



MV Tex Special CS Now rated for 55 hp



The modified-V hull and bottom makes these heavy-duty hard-working jon boats ride drier and respond better. Add the optional steering console and you can run more horsepower. You can also add a center seat livewell to your MV 1648, MV 1448, or MV 1442. See specifications chart for details.

Drier, more responsive performance.

MV TEX CS

Shown with optional floor, optional

camo seats and optional lights

HIRFIED HIR DOLLO	III JUIL DU	ni o					
SPECIFICATIONS	MV Tex CS DD	MV Tex CS	MVTex	MV1648	MV1448	MV 1542	MV 1442
Center line length	16'	16'	16'	16'	14'	15'	14'
Maximum beam/bottom width	70"/48"	70"/48"	70"/48"	70"/48"	70"/48"	62"/42"	62"/42"
Side height	21"	21"	21"	21"	21"	20"	20"
Transom height/width	20"/66"	20"/66"	20"/66"	15,"20"/69"	15", 20"/69"	15"/62"	15762"
Horsepower range (recommend	ed) 15-55hp	15-55hp	15-35hp	15-35hp	10-25hp	10-25hp	10-25hp
Capacity (persons/B.I.A.lbs)	5/1010	5/1010	5/1010	5/1010	5/885	5/805	4/770
Hull gauge/hull style	.070°/MV	.070°/MV	.070"/MV	.070°/MV	.070°/MV	.063"/MV	.063"/MV
Livewell	Opt.	Opt.	Opt.	Opt.	Opt.	-	Opt.
Weight (approx. lbs.)	375	355	340	270	240	230	200
Weight with optional livewell	-	-	-	285	250	-	210
Number of ribs	10	10	10	9	7	8	7
Console steering	/	/	-	Opt.	Opt.	Opt.	Opt.
Seats, upholstered, clamp dow	n Opt.	Opt.	Opt.	Opt.	Opt.	Opt.	Opt.
Pedestal bases	2	2	2	-	-	-	-
Storage	1	_	_	_	_	_	_

OPTIONAL EQUIPMENT

- · Steering console
- . Side mount livewell or storage box (MV Tex series)
- 36" livewell in center seat (MV 1448, MV 1648)
- 24" livewell in center seat (MV 1442)
- MV 1442 available without center seat

- 20" transom (special order MV 1648, MV 1448)
- · Camouflage upholstered seat and clamp
- · Aluminum floor with foam flotation (MV Tex CS, DD)
- Navigation lights w/trolling motor harness and bilge pump (MV Tex CS, DD with floor option only)

COLOR

Olive Drab Green



You name it, we have it. From 10' to 16' long. From 32" to 48" wide. They're tough as nails and they'll take you into the shallowest waters. Ideal for hunting, fishing and working. Optional livewell, console and swivel seats (see specifications).

The premier flat bottom jon in any size you need.

WINEIER LTU ROLL	אטנ ואנ	RANI2								
SPECIFICATIONS	1648	1448	1542	1442	1436 Lite	1436	1236	1432	1232	1032
Center line length	16'	14'	15'	14'	14'	14'	12'	14'	12'	10'
Maximum beam/bottom width	70"/48"	70"/48"	62"/42"	62"/42"	55"/36"	55"/36"	55"/36"	48"/32"	48"/32"	48"/32"
Side height	21"	21"	20"	20"	19"	19"	19"	17"	17"	17"
Transom height/width	15", 20" * /69"	15", 20" * /69"	15"/62"	15"/62"	15"/53"	15"/53"	15"/53"	15"/45"	15"/45"	15"/45"
Horsepower range (rec.)	15-35hp	10-25hp	10-25hp	10-25hp	6-15hp	6-20hp	4-15hp	4-10hp	4-8hp	1-3hp
Capacity (persons/B.I.A.Ibs)	5/1010	5/885	4/775	4/770	3/625	3/625	3/540	3/555	2/455	2/365
Hull gauge/hull style	.070"/Flat	.070"/Flat	.063"/Flat	.063"/Flat	.053"/Flat	.063"/Flat	.053"/Flat	.053"/Flat	.053"/Flat	.053"/Flat
Livewell in center seat	Opt.	Opt.	Opt.	Opt.	_	Opt.	-	-	-	-
Weight (approx. lbs.)	260	230	226	200	145	170	130	130	120	100
Weight with optional livewell	270	240	236	210	-	165	_	-	-	-
Number of ribs	9	7	8	7	6	7	5	5	4	2
Console side steering	Opt.	Opt.	Opt.	Opt.	Opt.	Opt	Opt.	Opt.	Opt.	Opt.
Seats, upholstered, clamp down	Opt.	Opt.	Opt.	Opt.	Opt.	Opt	Opt.	Opt.	Opt.	Opt.
No center seat	-	-	Opt	Ont	_	-		-	-	-

OPTIONAL EQUIPMENT

- · Steering console
- · Livewell in center seat (1648, 1542, 1448, 1442, 1436)
- . 1542 & 1442 available without center seat
- · Camouflage upholstered seat, clamp and swivel

COLOR

- · Olive Drab Green
- * 20" transom height available as a special order only






MV SUPER BANDIT • MV MAVERICK MV ANGLER • MV ANGLER AW • MV SUPER HAWK CS

			Miles	
SPECIFICATIONS	S.Bandit	Maverick	Angler	S. Hawk
Center line length	17'8"	16'8"	15'11"	15'0"
Maximum beam/bottom width	75"/52"	72"/48"	69'/44'	62"/42"
Side height	23"	21"	21"	20"
Transom height	20"	20"	20"	20"
Horsepower range	40-90hp	40-80hp	25-55hp	15-40hp
Capacity (persons/B.I.A.lbs)	4/1170	4/965/905*	4/890	4/795
Hull gauge	.074	.072	.072	.063
			.082 (AW)	.000
AlumaPlate bow gauge	.074	.072	.072	
gadgo	.07 1	.072	NA (AW)	
Weight (approx. lbs.)	857	737	620	487
Hull style	Mod-V	Mod-V	Mod-V	Mod-V
Console steering (no feed-back)	Wiod V	IVIOU-V	/	
Windshield	,	,	-	001
Aerated livewell (black polyethelene)	2	1	Opt.	Opt.
Aft livewell recirculation (w/timer)		,	Essay 4	
	/	~	_	47.000
Seats, upholstered, pedestal	2	2	2	1
Seats, upholstered, fold-down	2	2	2	2
Pedestal extension storage holders		/	/	
Fuel tank (gallons, w/gauge)	18 gal	12 gal.(Opt.)	700 4	D. BERNS
Trolling motor electrics (volts, wire ga.		12V, 8g	12V, 10g	12V, 10g
105 amp battery compartment	Bow/Aft	Aft	Aft	Aft
Bow trolling motor receptacle	✓Trim/tilt	✓Trim/tilt	1	1
Floor/deck construction	Alum/Alum	Alum/Alum	Alum/Alum	Alum/Tr.Ply
Storage/dry storage/rod storage	✓Dry/rod	✓Dry/rod	√Fwd, aft	✓Fwd, aft










*Capacity rating with factory installed fuel tank.



MV Angler MV Super Hawk CS

LIVEWELL STORAGE ICE CHEST DRY STORAGE

STANDARD FEATURES

- · Instrument package (Super Bandit, Maverick): Speedometer, tachometer, voltmeter, blank gauge. horn, AM/FM stereo cassette w/two speakers
- · Ice chest (Super Bandit)
- · Accessory socket (Super Bandit, Maverick)
- · Interior courtesy light (Super Bandit, Maverick)
- · Stowable running lights
- . Two drawer tackle tray (Super Bandit)
- · Automotive fuse panel
- · Bilge pump

OPTIONS

- Factory-installed Custom Accessory Package #8: MotorGuide 743 trolling motor, foot control. 43 lb. thrust, 36" shaft, Lowrance X-25B liquid crystal graph
- . Built-in fuel tank (Maverick)
- · Mooring cover

COLOR OPTIONS

SUPER BANDIT . MAVERICK . ANGLER:

- · Lite Sand exterior with
- Burgundy carpet or Hunter Green carpet
- · Lite Stone Gray exterior with Midnight Star Gray carpet

ANGLER AW:

- · Lite Sand exterior with Burgundy carpet or Hunter Green carpet
- · Mercedes Gray with Midnight Star Gray carpet SUPER HAWK CS:
- · Lite Stone Gray exterior with
- Midnight Star Gray carpet or Hunter Green carpet





PAINT/CARPET COLORS

Lite Gray Lite Sand Lite Sand Exterior Exterior Exterior Burgundy Carpet Midnight Star Hunter Green Gray Carpet Carpet MV Super Bandit • MV Maverick • MV Angler • Crappie Pro

Lite Sand Exterior

Burgundy

Carpet

Lite Sand Exterior

Mercedes Pearl Gray Exterior

Hunter Green Carpet

Midnight Star Gray Carpet

Predator . MV Angler AW

Predator . MV Angler AW Super Hawk AW DD

Lite Gray Exterior

Lite Grav Exterior

Midnight Star Gray Carpet

Hunter Green Carpet

MV Super Hawk CS . Crappie Magnum Crappie Deluxe • Crappie Jon MV Tex Special CS

Olive Drab Paint

Khaki Paint

MV Tex Series Riveted Jon Boats

All-Welded Jon Boats

PREDATOR 17 AW Deluxe • PHANTOM V170 MV SUPER HAWK CS AW Drop Deck

	Predator	Super Hawk	Phantom
SPECIFICATIONS	17 AW Deluxe	CS AW DD	V170
Center line length	17'8"	15'0"	17'4"
Maximum beam	75"	62"	81"
Bottom width	52"	42"	81"
Side height	23"	20"	32"
Transom height/width	20"/75"	20"/60"	20"/78"
Horsepower range	50-90hp	15-40hp	60-135hp
Capacity (persons/B.I.A.lbs)	4/1020	4/795	4/1365
Hull gauge (bottom/side)	.102"	.082	.100/.080"
2XB Hull—double plate bottom	_	104	.100/.080"
Aluma Plate —double plate bow	-	_	.100/.100"
Weight (approx. lbs.)	900	530	1094
Hull style	Mod-V	Mod-V	Deep-V
Console w/no-feedback steering	✓w/tilt	1	√w/tilt, dual cable
Windshield	/	Opt.	1
Aerated recirculating livewell w/timer	1		1 w/light, 60"
Aerated livewell		1	-
Seats, upholstered, pedestal	2	2	2
Seats, upholstered, stationary, fold do	wn 2	1	2 2
Pedestal sockets	2 pin	2 pin	2 pin
Fuel tank (gallons, w/gauge)	18 gal	-	23 gal
Trolling motor electrical (volts,8 gaug		12V, 10 gauge	12/24V
Floor/deck construction	Alum	Alum/TrPlywood	Treated plywood
Rod storage compartments (lockable		_	2
Storage compartments	1 dry	2	2 dry
			200 - AND TO THE REAL PROPERTY.

STANDARD FEATURES

PREDATOR, PHANTOM:

- · Instrument package: Speedometer, tachometer, voltmeter, fuel gauge, horn, AM/FM stereo cassette and two speakers
- · Pedestal extension storage holders Bow trolling motor receptacle, plug, w/trim, tilt switch, battery gauge
- · Insulated ice chest and lid · Accessory socket for phone,
- spotlight . 105 amp aft battery compartment
- · Grab handle
- . Two drawer tackle trav
- · Interior courtesy light
- · Stowable running lights
- · Automotive fuse panel
- · Bilge pump (auto on Phantom)
- · Remote livewell drain
- · Master electrical switch (Phantom)
- · Cup holders
- SUPER HAWK Bow trolling motor receptacle, plug
 105 amp aft battery compartment
- · Stowable running lights
- · Automotive Fuse panel
- · Bilge pump

OPTIONS


· Factory-installed Custom Accessory Package #8: MotorGuide 743 trolling motor, foot control, 43 lb. thrust, 36" shaft, Ninja power prop, Lowrance X-25B liquid crystal graph (Predator, Super Hawk)

· Mooring cover

COLOR OPTIONS

PREDATOR:

- · Lite Sand exterior with Burgundy carpet
- · Lite Sand exterior with Hunter Green carpet
- · Mercedes Pearl Gray exterior with Midnight Star Gray carpet
- PHANTOM: · Metallic Dark Gray w/Lite Gray exterior, Midnight Star Gray carpet and Brushed
- Pewter instrument panel · Metallic Burgundy w/Lite Sand exterior,
- Burgundy carpet and Roman Bronze panel . Metallic Green w/Lite Sand exterior, Hunter Green carpet and Roman Bronze panel
- SUPER HAWK: · Mercedes Pearl Gray with Midnight Star Gray Carpet



Predator 17 AW Phantom V170 MV Super Hawk Deluxe

ALUMACRAFT

AW Drop Deck

LIVEWELL STORAGE ICE CHEST DRY STORAGE

PREDATOR 17 AW DELUXE

How To Make A Bass Sweat.

The Predator and Phantom. Every facet of construction, every ounce of material, is devoted to creating the toughest bass boats to ever stalk on water. The Predator features all-welded Alumacraft construction, the Phantom-riveted. Both are light on their feet, can handle plenty of horsepower, and eat up water. The Phantom's 2XB Hull bottom is double plated from bow to stern. If you're looking for a fearless bass boat that loves to work the stumps, logs, rocks and minefields, you found it.

Alumacraft—quality is included in the price.

·NEW FOR 1998·

REDATOR 17 AW Deluxe Shown with optional accessories

COMPARE, COMPARE, COMPARE. Compare the hull thickness, the quality of construction, the features, the paint, and above all, the price.

ALL-WELDED CONSTRUCTION. This is the finest all-welded bass boat we've ever made.

EVIDRUDE

ALUMACRAFI

HUGE LIVEWELLS. We give you lots of room, and timed, automatic recirculation to keep those big mamas fresh.

ALUMINUM FLOORS. Impervious to water and sun. Nothing lasts longer.

LOCKABLE ROD STORAGE. Keeps rods within arms reach, but safely out of harms way.



2XB HULL. Double plating over the entire length of the Phantom bottom. Compare it to any other boat on the market.

PHANTOM V170 Shown with optional accessories

FOR OPTIMUM PERFORMANCE



d a day behind the ator's console and you'll understand the meaning of boat