

ALUMACRAFT BOAT CO.

'03



FORGED. FOR FISHING.

We're as driven to fish as you are. It's a passion. A fever. A fire. For you, fishing is as serious as it gets.

Whatever the weather, you're out there. Getting on fish. Honing the pattern. Following the bite. And catching fish, even when the other guys aren't.

That's why you run an Alumacraft. Because it's not about fancy. It's about function and performance. Rugged reliability.

It's a boat as driven to fish as you are. And its sole purpose is to help you get bit—every time you head out.

Established in 1946, Alumacraft is the first name in hard core aluminum fishing boats, designed specifically for fishermen. No wimpy fish 'n skis. No fat pontoons. Just tough, die-hard, no-nonsense fishing machines.

Remind you of anyone?

ALUMACRAFT
BOAT CO.





**2XB 20-YEAR
HULL WARRANTY**



2XB. IT BEATS THE HULL OUT OF THE COMPETITION.

To those other aluminum boat companies, Alumacraft's exclusive 2XB hull is double trouble. It's twice as strong. Twice as tough. Twice as smooth. Twice as quiet.

And nothing they have can touch it.

2XB means Two-Times-Bottom. And that means hard core fishing business. Two plates of the finest marine aluminum, riveted one over the other, for twice the strength and protection to the bow and bottom of the boat. Right where it counts.

Belly-slapping waves and a long way to the landing. But as soon as you hit it and run, you'll feel the 2XB hull at work. The double-tough bow blasts through the rollers to get you on plane right now.

Once you're airborne, the double-durable bottom knocks the tops off the whitecaps like they weren't even there, with the smoothest, quietest, most stable ride of any boat in its class.

Alumacraft's exclusive 2XB hull. It'll take any low blow the water dishes out. We guarantee it. For 20 years.

20 YEAR HULL WARRANTY

**The 2XB Hull is so tough, we guarantee it for 20 years!
See your dealer for full details.**

HARD CORE FISH GUTS

Alumacraft fishing function is legendary. Smart layouts. Bulletproof construction. Built to perform on the dry side as well as it does on the wet. But what else would you expect from Alumacraft? This is hard core fishing—inside and out.

LIVEWELLS

Aerated livewells keep fish lively. Some models also feature recirculation with timer, lighting, remote drains and integrated bait buckets.

GAS TANKS

Built-in fuel tanks are positioned for optimum balance and better performance. Reserve pickup on select models.

SOLID SEAT BASE PLATES

Strong aluminum base plates below the floor make a rigid platform for seat base mounts. You'll feel the difference.

POURED FOAM FLOTATION

Gas-resistant flotation foam below deck increases hull strength, quieting the ride and adding stability.

LONG-LIFE DECKS

Floor and platforms are constructed with specially treated marine plywood and covered with high quality Olefin marine carpeting.

NO-FEEDBACK STEERING

Consoles are equipped with no-feedback steering mechanisms so you won't feel the motor tug on the wheel. Dual cables used on select models.

URETHANE PAINT WITH CLEAR COAT FINISH

Best finish available. Durable, high-gloss finish resists chipping, corrosion and wear for years of brilliance. *An Alumacraft exclusive.* Select models.

SPRAY RAIL


Extra large, contoured *Reverse Dispersal Spray Rails* deflect splash down and away from cockpit giving Alumacrafts their famous dry ride.

STATE-OF-THE-ART INSTRUMENTATION

State-of-the-art instruments display accurate information. Engineered to withstand the elements for long life.

HAND HOLDS

Your passengers can reach a hand hold from every seat location. This simple convenience adds a comfortable measure of security when underway.



MORE THAN TOUGH. IT'S DOWNRIGHT STUDLY.

The 2XB Hull is built as tough as aluminum hulls get. From its heavy gauge framing to its studded, double-plated skin, this hull is ready to rumble. Incredibly strong. Incomparably durable. Yet lightweight and agile in any weather. Float like a butterfly...

ONE-PIECE BOTTOM

The hull bottom is made from a single piece of aluminum for additional strength. 2XB adds a second aluminum layer onto this first plate.

REINFORCED CENTER KEEL

A one-piece, preformed, extruded keel extends from bow tip to stern providing a backbone of strength and protection. 1/4" solid aluminum at wear points.

2XB BOW

A second layer of thick aluminum is added to the one-piece bottom in the bow area on Tournament, Trophy, Magnum, Navigator and Lunker models.

2XB HULL SYSTEM

Two aluminum plates protect the boat bottom. A second plate is riveted onto the one-piece bottom on Trophy, Tournament and Magnum 175 models.

LIGHTWEIGHT, STRONG RIVETED CONSTRUCTION


Special hardened aircraft-grade rivets are extra strong. Oversized rivets used in stress areas rather than drilling more holes and doubling up with smaller rivets.

ALUMA-FRAME CONSTRUCTION

Heavy gauge aluminum transverse and longitudinal hull framing maximizes structural strength while minimizing weight.

HIGHEST GRADE MARINE ALUMINUM

There is no better material for building a boat. It's strong, puncture resistant, requires little maintenance and lasts a long time.



TROPHY

MERCURY
The Water Calls



They're getting limits of little ones on the breakline, but the big fish are in the narrows up north.
It's a run. *Big water. Hardly kid stuff.*

DO THE FAMILY THING THIS MORNING. DO THE FISH THING AFTER LUNCH.

Deep, wide and roomy, the Trophy Series has what it takes to handle big water and big fishing parties. Loads of storage. Twin livewells. Casting platforms fore and aft. Yet despite its size, the Trophy trolls down

beautifully, and packs more than enough get-up-and-go when you need it. Smooth. Dry. Comfy. Maneuverable. Now this is fishing in style!

- Twin plated 2XB Hull System with superwide 96 Series beam (200, 190, 180)
- Superior handling and control in all conditions
- Aerated, lighted livewell
- Lighted 7" rod locker
- Dry storage for cameras and valuables (200, 190, 180)
- No-feedback steering w/tilt wheel
- And more, see complete specs on page 33


Boats are shown with optional equipment

2XB HULL

Model	Length	Width	Weight	Max. H.P.	Fuel	Capacity
Trophy 200 I/O	19' 10"	96"	2,610#	190	40 gal.	9
Trophy 200	19' 10"	96"	1,772#	225	60 gal.	9
Trophy 190	18' 11"	96"	1,580#	200	40 gal.	6
Trophy 180	17' 10"	96"	1,392#	175	40 gal.	5
Trophy 175	17' 6"	88"	1,215#	150	23 gal.	5

Running full tilt in choppy water, the two little guys in the back will be glad you've got the AFT JUMP SEATS.

When the weather whips up, Trophy's HIGH-RISE TOPSET keeps your lucky hat dry. When the rain's over, the rig stows away in its own compartment.



TOURNAMENT SPORT



The schools are up and running in wide-open water. Get on 'em and you can follow the action for miles. Downriggers. Flatlines. Crankbaits. Wind. Waves. Spray. *Ten pound walleyes and a wrap-around windshield. Life is good.*

FISH HARD. RIDE EASY.

Tournament Sport is all fishing. And then some. Besides all the usual pro fishing amenities, dual consoles and a walk-through windshield give driver and passenger a quiet, comfortable ride, even in rough seas. And

the expanded forward deck conceals an innovative, tube-style storage locker with room for 10 extra rods. When you're in for the long haul, this is your boat.

- Twin-plated 2XB Hull System with superwide 96 Series beam
- Superior handling in all water conditions
- Driver console with no-feedback steering, dual cables, tilt wheel
- Passenger console with locking glove compartment
- Automotive-style curved, walk-thru windshield
- AM/FM stereo CD with dual speakers
- 4 upholstered seats, 2 permanent seats w/air & slider adjustments and 2 removable air-ride seats
- 12/24 volt trolling motor electronics, forward and aft
- And more, see complete specs on page 33

Boats are shown with optional equipment

2XB HULL

Model	Length	Width	Weight	Max. H.P.	Fuel	Capacity
Tournament Sport 185	18' 11"	96"	1600#	200	41 gal.	6
Tournament Sport 175	17' 11"	96"	1530#	175	34 gal.	6

S STORAGE
L LIVEWELL
D DRY STORAGE
B BAITWELL




The optional TOPSET is great for getting out from under blazing sun and pouring rain. And on big water, you're likely to get both in the same day.



Easy-access BATTERY STORAGE compartments give you plenty of room for the power you need to run all your fishin' gizmos.



An extra-long TUBE STYLE ROD LOCKER lets you stash those 7 1/2-footers under the deck and out of the way. There's room for 10 of 'em.



TOURNAMENT PRO CS



TOURNAMENT PRO

MERCURY
The Water Calls



Dakota reservoir this time. Great Lakes bay next week. Then up to the Canadian Shield. Whatever the water, whatever the bite, you're rigged and ready for action. *Anytime. Anywhere.*

YOU WANT SOME A' THIS??

The name says it all. Pro fishing at its finest. Designed from stem to stern with ultra-serious angling in mind, the Tournament Pro provides the perfect platform to tackle any water with confidence. Full-blown

electronics. Giant livewells. Rod storage galore. And plenty of wide open fightin' room. If you're serious about fishing, Tournament Pro is all the boat you'll ever need.

- Twin plated 2XB Hull System with superwide 96 Series beam (185, 175)
- Superior handling and control in all conditions
- Two aerated, lighted livewells w/bait storage
- Lighted rod locker with capacity for 10 rods

- 12/24 volt trolling electronics
- Dry storage for cameras and valuables
- No-feedback steering w/tilt wheel
- See complete specs on page 33

Boats are shown with optional equipment

2XB HULL




Model	Length	Width	Weight	Max. H.P.	Fuel	Capacity
Tournament Pro 185 CS	18' 11"	96"	1,510#	200	41 gal.	6
Tournament Pro 175 CS	17' 11"	96"	1,415#	175	34 gal.	5
Tournament Pro 170 CS	16' 10"	81"	1,050#	115	22 gal.	5

S STORAGE L LIVEWELL
D DRY STORAGE B BAITWELL

A sleek SIDE CONSOLE, with removable windshield and padded steering wheel. It keeps those big gooey mayflies out of your teeth.

Giant fore and aft LIVEWELLS come with a timer, a removable bait bucket and even a light. Boy, some guys have all the neat stuff.

Underdeck ROD LOCKERS keep all your expensive graphites tucked safely away from your big clumsy brother-in-law and his size 13 boots.



TOURNAMENT PRO CS 185 CS 175 CS 170 CS

Flat as a pancake and nobody's gettin' bit. But you found 'em. Just outside the weedline, 17 feet. The trick is stayin' on 'em. Keep the net down, man! *You want everybody to know?*

FISH CAN RUN, BUT THEY CAN'T HIDE.

Backtrolling a tight inside turn or slip-driftng a subtle breakline, Tournament Pro Tiller is all about control. It trolls down and tracks like a dream. It spins on a dime. And when it's time to move, it jumps out of the

water and runs like a thoroughbred. With all the pro fishing features you could ask for, this boat is just the ticket to get you to the fish — and keep you on the bite.

- Twin plated 2XB Hull System with superwide 96 Series beam (185, 175)
- Superior handling in all conditions
- 12/24 volt trolling motor electronics
- Lighted rod locker with capacity for 10 rods
- Locking electronics compartment
- Stepped transom
- Two aerated lighted livewells with bait storage
- See complete specs on page 33

Boats are shown with optional equipment

2XB HULL


Model	Length	Width	Weight	Max. H.P.	Fuel	Capacity
Tournament Pro tiller 185	18' 11"	96"	1,475#	100	41 gal.	6
Tournament Pro tiller 175	17' 11"	96"	1,385#	90	34 gal.	5
Tournament Pro tiller 170	16' 10"	81"	1,005#	65	22 gal.	5

S STORAGE
L LIVEWELL
D DRY STORAGE
B BAITWELL

Tiller models feature a full-blown COMMAND CONSOLE, with lots of room for your big graph, marine band radio, cassette deck, cell phone, Nut Goodies...

Stash all your batts out of the way in the IN-FLOOR BATTERY STORAGE compartment. There's room for a 24V system and an onboard charger, too.

DRY STORAGE is really important for all the stuff you don't want to get soggy. Oh, and don't forget to take that can of ginger ale out of there before winter.



MAGNUM



YAMAHA
When you want the best



You're on the hunt for big fish. Check the point. Nothin' there. Blast out to the hump. Little guys there. Hey, what about that weedy flat up by the river mouth...Bullseye!

IT'S A RUN AND GUN THING.

If you fish small to mid-size waters, the Magnum Series is tough to beat. Loaded with fishing features and laid out with plenty of room to move around, Magnum gives you lots of storage for rods, gear and tackle.

Extra-large livewells. Raised casting platforms. Space for all your electronics. And your choice of side console or tiller control. Magnum. For real multi-species firepower.

- Twin-plated 2XB Hull System (175s), 2XB Bow (165s)
- Superior handling in all conditions
- No-feedback steering (CS models)
- Locking aft electronics compartment (tiller 165)
- Extra large pro-type livewell w/bait bucket (2 in 175s)
- Stepped transom minimizes splashback
- Lockable 7" rod storage
- And more, see complete specs on page 33

Boats are shown with optional equipment

2XB HULL


Model	Length	Width	Weight	Max. H.P.	Fuel	Capacity
Magnum 175 CS	17' 11"	88"	1,175#	130	34 gal.	5
Magnum 165 CS	16' 5"	81"	903#	90	22 gal.	5
Magnum 175	17' 11"	88"	1,135#	80	34 gal.	5
Magnum 165	16' 5"	81"	840#	65	22 gal.	5

S STORAGE **L** LIVEWELL
D DRY STORAGE **B** BAITWELL

EXTRA-LARGE LIVEWELLS are made for extra-large fish. Or several large fish. Or lots of regular-size fish. Or... well, you get the picture.

Top-loading, 7-foot ROD LOCKERS have room for plenty of rods, plus the carpeted tops provide a handy shelf, and a place for really skinny guys to sit.

Full instrumentation is neatly laid out on the SIDE CONSOLE, with removable windshield and racy steering wheel. Turn your hat backwards for extra coolness.



NAVIGATOR



Winding, backwoods trails to rutted, rocky ramps give you goosebumps. Because untouched fish are worth the effort. Shallow pike. Sly bass. Weedline walleyes. *Fire when ready.*

LIGHT WEIGHT. HEAVY ARTILLERY.

Light and lively, the Navigator is a trimmed down version of our pro fishing models. Lean. Functional. Smooth. Roomy. Fishing features are abundant, with dual 7-foot rod lockers, oversized livewell and baitwell,

and plenty of places to stash your gear. Navigator is undoubtedly the finest, most spacious, best-handling boat in its class. And it's one of the best values in our lineup.

- Twin plated 2XB Bow
- Superior handling in all conditions
- Huge 22 gallon fuel tank for extended range
- No-feedback steering (CS)

- Extra-large pro-type livewell w/baitwell
- Two large rod lockers, lots of storage
- See complete specs page 33

Boats are shown with optional equipment

2XB HULL

Model	Length	Width	Weight	Max. H.P.	Fuel	Capacity
Navigator 165 CS	16' 5"	82"	880#	75	22 gal.	5
Navigator 165	16' 5"	82"	820#	60	22 gal.	5

S STORAGE **L** LIVEWELL **B** BAITWELL



Navigator's large livewell features a bait bucket to keep your live bait separate from the toothy critters. As for your fingers, you're on your own.



Seven-foot rods fit nicely into the ROD LOCKER, safe and out of the way. Take the crankbaits off. Trust us on this one.



Forward deck STORAGE COMPARTMENTS let you stash all your gear. You know, anchor, life jackets, tackle boxes. And that tangled-up yellow rope.



LUNKER

MERCURY
The Water Calls



You're looking for function, not frills. Guts, not glitz. All you want is a boat that packs light, runs tight, and gets the job done. Yup. You're a tough customer. Tell your buddies the fancy stuff is just to keep the family happy.

VERSATILITY PLUS A LITTLE ATTITUDE.

Basic deluxe. That's Lunker. Livewell. Storage. Carpeted floor and casting decks. Even a side console if you like. But basic isn't a bad thing. Especially when it's built on a rugged, durable, Alumacraft hull.

Lunker is light, lean and fishable. Perfect for trailering behind a family car or compact truck. And for getting into places no big boat can go. Available in Standard and Elite versions.

- Superior handling and control in all conditions
- No-feedback steering
- Aerated livewell with drop-in bait bucket
- Thicker hull gauge than competitive boats
- Aft casting platform (CS)
- Built-in rod storage and lockable bow storage
- And more, see complete specs on page 33

Boats are shown with optional equipment



2X6 HULL

Model	Length	Width	Weight	Max. H.P.	Capacity
Lunker 165 LTD CS	16' 6"	76"	700#	50	5
Lunker 165 LTD	16' 6"	76"	660#	50	5

Fancy NEW GRAPHICS make this year's Lunker Series even sexier. So even if you don't catch any fish, you still look good pulling up to the dock.

A sleek SIDE CONSOLE provides plenty of room to mount gauges and graphs and stuff. Maybe even one of those little dancing hula girls. Nah.

Just because you have a mid-size boat doesn't mean you can't have a large side livewell with a bait bucket.



What a mess. *Fish slime everywhere.* Tackle boxes, pliers, lures, line clippers, potato chips, chocolate bars, cola cans. Had some fun today, huh? Heck with the boat. Clean the fish.

DOWN AND DIRTY.

As tough as its name, Yukon gives you maximum fishability with minimum upkeep. It's spacious, stable, and trimmed out with a rugged vinyl floor that's built to take whatever punishment your style of hardcore fishing demands. Fisherman is easy to

handle, easy to trailer, and easy on fuel. Perfect for towing behind a camper or RV, it's the boat of choice for folks who love to hit the road in search of far-flung honey holes.

Model	Length	Width	Weight	Max. H.P.	Capacity
Yukon 165 CS	16' 6"	76"	740#	50	5
Yukon 165	16' 6"	76"	715#	50	5

Model	Length	Width	Weight	Max. H.P.	Capacity
Fisherman 145 CS	14' 6"	70"	485#	35	4
Fisherman 145	14' 6"	70"	460#	35	4

YUKON FISHMAN

MERCURY
The Water Calls



Yukon 165 shown

S
STORAGE

L
LIVEWELL

YUKON

- Superior handling and control in all conditions
- Built-in rod storage and lockable bow storage
- No-feedback steering (CS)
- Thicker hull gauge than competitive boats
- Aerated livewell
- And more, see complete specs on page 33



Even the most basic fishing rig needs a ROD LOCKER. Yukon and Fisherman give you nice, big roomy ones to keep your rods safe and sound.





Same deal with the LIVEWELL. You gotta have one, if for no other reason than nobody's gonna buy the "You should'a seen the one I released" story.



FISHMAN

- Vinyl floor
- Aerated livewell
- Two pedestal seats
- And more, see complete specs on page 33

Boats are shown with optional equipment





MERCURY
The Water Calls

Lighter. Tougher. More agile. More efficient. Why buy a glass bass boat when you get better performance and a lot more boat for the money with Alumacraft? These low-riders pack all the pro fishing features you'll find in any glitter boat. Plenty of storage. Giant livewells. Full electronics. Sprawling casting decks.

And we've neatly tucked it all into a wide, stable, super-durable Alumacraft hull—one you don't need a freight train to haul. Hey, bass live in some awful nasty places. Stumps and logs and rocks and stuff. You wanna be able to go in and get 'em. And not worry about smudging your pretty red boat.

HAUL BASS NOT GLASS.

INVADER

MERCURY
The Water Calls



Big water. Big bass. You'll be out there all day. Better bring all the rods. Jacket, rain suit, camera, check. Crankbait box. Spinnerbait box. Oh, and lunch. Okay. Stashed. Uh-oh. Now where'd you put the key?

SPACE... AND LOTS OF FIT.

Invader is pro bass, Alumacraft style. Lighter and more efficient than glass bass boats, Invader gives you all the pro fishing features, in a more durable, more affordable, more sensible package. Tons of storage.

Expansive casting decks. Gigantic livewell. All the bells and whistles any pro basser could ever want. And as for high speed performance... well, we didn't name it Invader for nothing.

- Huge underdeck storage can accommodate a 38 quart cooler
- Console features no-feedback steering for smooth handling
- The supportive seats keep you comfortable at any speed
- Transom support plate
- And more, see complete specs on page 32


Model	Length	Width	Bottom	Weight	Max. H.P.	Fuel	Hull Thickness	Capacity
Invader 195	19' 4"	92"	67"	1,350#	200	42 gal.	102"	4
Invader 185	18' 4"	92"	67"	1,300#	150	42 gal.	102"	4
Invader 175	17' 5"	88"	64"	1,200#	115	25 gal.	102"	4

S STORAGE **L** LIVEWELL **D** DRY STORAGE

There's enough room in the tournament-size LIVEWELL to bring your limit home alive and kickin'. They will be mad, though. Good thing bass don't have teeth.

Giant twin ROD LOCKERS let you stash all your spendy graphites under the deck. And if you can't fill 'em up, it's a great excuse to buy more rods. Cool.

If your partner's a wimp—or your wife—you'll wanna pop for the optional PORT CONSOLE. We're kidding about the wimp thing. But not the wife thing.



INVADER 195 185 175

So you finally got yourself a bass boat that'll get you up that little inlet and back to the beaver dam.
Stump city. No big boat's comin' in here. Got it all to yourself. *Nah-nah-nah-nah-naaaahhh-naaaaaahhhh...*

PRETTY SNEAKY!

Have we got a bass boat for you! The all-welded Bass Pro 165 is a smaller version of Big Brother Invader, with all the features and function. The all-welded MV Tex Special is a basic bass version just waiting for you to custom rig. And the MV Superhawk is a

sweet little lightweight, riveted-hull boat that'll get you back to where the big ones live. Now all you have to do is pick one.

- Console features no-feedback steering
- Bolstered seats are comfortable and good-looking
- And more, see complete specs on page 32

Model	Length	Beam	Bottom	Weight	Max. H.P.	Hull Thickness	Capacity
Bass Pro	16' 8"	74"	52"	852#	90	.102"	4
MV Tex Special	16' 0"	74"	48"	510#	60	.102"	5
MV Superhawk	15' 10"	62"	42"	487#	40	.063"	4

BASS  **YAMAHA**
When you want the best



Settle in behind the racy **SIDE CONSOLE** and let 'er fly. All your gauges and electronic controls are handy, so all you have to worry about is your hat blowing off.




Everything's big in Texas, and so's the **STORAGE COMPARTMENT** in the MV Tex Special. There's room for tons of tackle and gear, or one ten gallon hat.



- S**
STORAGE
- L**
LIVEWELL
- D**
DRY STORAGE


BASS PRO 165



MV SUPERHAWK CS



MV TEX SPECIAL CS
Shown with optional seats






S STORAGE L LIVEWELL D DRY STORAGE R ROD BOX

CRAPPIE PRO

CRAPPIE SPECIAL

CRAPPIE DELUXE

CRAPPIE JON



CRAPPIE



A full-blown SIDE CONSOLE is standard on the Crappie Pro, with room for all your graphs and gauges. And so little kids can ask incessantly, "What's this thing do?"



With panfish, it's all about catching lots and lots of 'em. A roomy LIVEWELL keeps 'em swimmin', so you can let some go when the kids aren't looking.



Nothing turns your crank like watching your casting bubble tip up suddenly, then disappear without a ripple. Reel down, quick set. Whoa! Mombo slabba-jabba! *Better go get the kids...* right after this next cast.

PAN-TASTIC

Panfish are the most popular game fish in North America, and these specialized designs reflect that enthusiasm. The Crappie Pro features full electronics, dry storage, and takes

up to 75 hp. The Crappie Series are tough and stable and let you work the length of the boat on either side. And if you fish with kids, you know how important that is.

- No-feedback steering (Crappie Pro)
- Easy access livewell (Aerated in Crappie Pro, Special and Deluxe)
- 12 volt trolling motor electrics (Crappie Pro and Special)
- Raised forward casting deck (Crappie Pro)
- Aluminum floor
- And more, see complete specs on page 32

Model	Length	Beam	Bottom	Weight	Max. H.P.	Hull Thickness	Capacity
Crappie Pro	16' 8"	74"	52"	800#	75	.102"	4
Crappie Special	16' 8"	74"	52"	800#	40	.102"	4
Crappie Deluxe	15' 0"	64"	42"	426#	25	.063"	3
Crappie Jon	14' 0"	64"	42"	330#	25	.063"	3

CRAPPIE PRO SPECIAL DELUXE JON

One day you're smackin' big cats in the backwater, the next you're haulin' rocks and driftwood for mama's flower bed. Next week it'll be decoys, dogs and ducks. *Kinda tires you out just lookin' at 'em, huh.*

FISH-A-WORK-A-HUNT-AHOLICS.

For work or for play, Alumacraft all-welded jon boats are as tough as they come. And talk about versatile. Center consoles. Side

consoles. Storage options. Tunnel hulls. Whichever layout you choose, you know you're running the best you can buy.

JONS ALL WELDED: MV 1860

MERCURY
The Water Calls




WF 16




WF 15



MV 1546 AW



MV 2072 AW



MV 1860 CC




Optional TM graph


MV 1860 SPECIAL



MV 1650 AW



New this year on our welded jons is a beefed-up GUNWALE, for extra strength and durability.



When you're hunting, it's a lockable GUN BOX. When you're fishing, it's a ROD BOX.




An AFT SPLIT SEAT is bad on your favorite fishin' jeans, but good on your new jon boat.




JONS RIVITED: MV 1648

MERCURY
The Water Calls


MV 1648



1442 NCS



1236



The optional TROLLING MOTOR BRACKET
gives you a rigid, secure mounting
surface for your bow mount.



Boat's in the truck, gear's in the boat. Out to the marsh, dump the gear. Dump the boat, load the gear. Drag the boat to the water, run to the blind. Shoot some ducks. Now do it all over again, only backwards. *Geez, you do this every weekend?*

WHEN LIGHTER IS RIGHTER.

Lighter and more affordable than our all-welded jons, Alumacraft features 20 riveted models to choose from, and plenty of optional layouts and accessories let you rig up

to match your style of fishing. And they're all tough enough to take whatever punishment you dish out.

No three-car garage? No giant SUV? Who needs 'em when you've got a sweet little fishin' boat you can haul around behind your compact car. Or on top of it. Besides. *No truck payment means more fishin' rods.*

SPLASH IT. STASH IT.

VT stands for Value/Totable, and that's just what they are. Light, classic open bench design. No-nonsense, no-frills fishing boats you can haul in the back of a pickup or on top of a car. You see them

everywhere, and almost every boat company makes them. But there's one big advantage here. This one says Alumacraft on the side. And that makes all the difference in the world.


V/T: VALUE TOTABLE



The optional CLAMP-ON SEAT has a cushy backrest and comfy padding. If you were watching the golf channel, you'd be snoozin' for sure.



With the V models, you can get an optional SIDE CONSOLE if you're not a tiller guy. Try not to make that VROOM-VROOM sound, though.



Model	Length	Width	Weight	Max. H.P.	Hull Thickness	Capacity
V16	16' 7"	70"	287#	40	.070"	5
V14	14' 3"	68"	245#	25	.065"	5
T14V	14' 1"	61"	180#	15	.060"/.050" bottom/sides	4
T12V	12' 1"	60"	153#	10	.060"/.050" bottom/sides	3

QT-185CL
QUETICOCO-17
CAMPERQT-17C
QUETICOQT-15CL
QUETICO

CANOES



Model	Type	Length	Width	Weight	Amidship Depth	Capacity	Hull Thickness	Keel Type	Bottom	Stem Gauge	Number Of Ribs	Curved Thwart	Maximum H.p.
QT-185CL Quetico	Cruising Lgt.	18'5" (5.6m)	37" (.9m)	67# (30.4kg)	13" (.3m)	4/795# (360kg)	.035" (.89mm)	5/8" Cruising	Flat	.090" (2.3mm)	6	Optional	—
CO-17 Camper	Square Stern	17' (5.2m)	37" (.9m)	83# (37.6kg)	13" (.3m)	4/810# (367kg)	.045" (1.14mm)	5/8" Cruising	Flat	.090" (2.3mm)	5	Optional	4 (3kw)
QT-17CL Quetico	Cruising Lgt.	17' (5.2m)	36" (.89m)	61# (27.6kg)	13" (.3m)	4/710# (322kg)	.035" (.89mm)	5/8" Cruising	Flat	.090" (2.3mm)	3	Standard	—
QT-17C Quetico	Cruising Lgt.	17' (5.2m)	36" (.89m)	69# (31.3kg)	13" (.3m)	4/730# (331kg)	.045" (1.14mm)	5/8" Cruising	Flat	.090" (2.3mm)	3	Standard	—
QT-17 WWR Quetico	Whitewater	17' (5.2m)	36" (.89m)	82# (37.2kg)	13" (.3m)	4/725# (329kg)	.060" (1.52mm)	3/8" Whitewater	Flat	.090" (2.3mm)	3	Optional	—
QT-15CL Quetico	Cruising Lgt.	15' (4.4m)	36" (.89m)	53# (24kg)	12" (.3m)	3/650# (295kg)	.035" (.9mm)	5/8" Cruising	Flat	.090" (2.3mm)	3	Optional	—

Pop for the optional PORTAGE PADS and you'll be glad you did. Especially when you have to slap a big, bloodthirsty mosquito off your nose.

The optional MOTOR BRACKET lets you mount an electric trolling motor on any canoe model, leaving both hands free to fish. And snack.



There's nothing quite so exciting as silently sliding around a pine-shrouded point, nestling up to a gently rushing waterfall and making that first graceful, arcing cast. Six pound smallmouth? Okay, that's more exciting.

FISHING AS PURE AS IT GETS.

Whether you're camping and fishing in the Boundary Waters, plying a rushing river, or just cruising the lake with a trolling rod tucked under your knee, Alumacraft makes a canoe to fill the bill.

Choose from six models, each designed to make paddling easier and more stable. And just as with any Alumacraft, they're rugged, durable, and built to last a lifetime.

ALL-WELDED JON BOATS




We've got your jon. From our extra-large, all-welded MV 2072 AW to our lightweight, riveted, two-person 1032. We have 45 jon models to pick from. Long ones, short ones, wide ones, regular ones. We've got jons with center consoles and side console options. We've got them with drop decks, livewells, flip-flop seats, and flat floors.


You can add options like gun boxes and camo paint. You can select all-welded or lightweight rivet construction. For optimum handling choose an MV hull, for the backwaters make it a flatbottom design or specify a tunnel hull for running in shallow water.

● STORAGE ● LIVEWELLS ● COOLER


MERCURY
The Water Calls




MV 1860 AW Special
18' Length
60" Bottom/86" Width
90 HP maximum
Weight: 780#
Hull thickness: .102"
Capacity: 6 persons




MV 1860 AW FF
18' Length
60" Bottom/86" Width
90 HP maximum
Weight: 780#
Hull thickness: .102"
Capacity: 6 persons




MV 1860 AW CC
18' Length
60" Bottom/86" Width
90 HP maximum
Weight: 780#
Hull thickness: .102"
Capacity: 6 persons




MV 1860 SC
18' Length
60" Bottom/86" Width
90 HP maximum
Weight: 780#
Hull thickness: .102"
Capacity: 6 persons




MV 1860 AW
18' Length
60" Bottom/86" Width
90 HP maximum
Weight: 780#
Hull thickness: .102"
Capacity: 6 persons




V-Bow 1860 AW Tunnel Spl
18' Length
60" Bottom/86" Width
90 HP maximum
Weight: 795#
Hull thickness: .102"
Capacity: 6 persons




V-Bow 1860 AW Tunnel FF
18' Length
60" Bottom/86" Width
90 HP maximum
Weight: 795#
Hull thickness: .102"
Capacity: 6 persons




V-Bow 1860 AW Tunnel CC
18' Length
60" Bottom/86" Width
90 HP maximum
Weight: 795#
Hull thickness: .102"
Capacity: 6 persons




V-Bow 1860 AW Tunnel
18' Length
60" Bottom/86" Width
50 HP maximum
Weight: 795#
Hull thickness: .102"
Capacity: 6 persons




Waterfowler 16
16' Length
50" Bottom/74" Width
40 HP maximum
Weight: 525#
Hull thickness: .102"
Capacity: 5 persons




V-Bow 1650 AW Tunnel CC
16' Length
50" Bottom/74" Width
60 HP maximum
Weight: 585#
Hull thickness: .102"
Capacity: 5 persons




V-Bow 1650 AW Tunnel
16' Length
50" Bottom/74" Width
35 HP maximum
Weight: 450#
Hull thickness: .102"
Capacity: 5 persons




MV 1650 AW CC
16' Length
50" Bottom/74" Width
60 HP maximum
Weight: 575#
Hull thickness: .102"
Capacity: 5 persons




MV 1650 SC
16' Length
50" Bottom/74" Width
60 HP maximum
Weight: 575#
Hull thickness: .102"
Capacity: 5 persons




MV 1650 AW
16' Length
50" Bottom/74" Width
40 HP maximum
Weight: 450#
Hull thickness: .102"
Capacity: 5 persons




MV 1450 AW
14' Length
50" Bottom/74" Width
30 HP maximum
Weight: 380#
Hull thickness: .090"
Capacity: 5 persons




Waterfowler 15
15' Length
46" Bottom/65" Width
25 HP maximum
Weight: 330#
Hull thickness: .082"
Capacity: 4 persons




MV 1544 AW DD Tunnel
15' Length
46" Bottom/65" Width
25 HP maximum
Weight: 260#
Hull thickness: .082"
Capacity: 4 persons




MV 1544 AW DD
15' Length
46" Bottom/65" Width
25 HP maximum
Weight: 260#
Hull thickness: .082"
Capacity: 4 persons




MV 1544 AW
15' Length
46" Bottom/65" Width
25 HP maximum
Weight: 250#
Hull thickness: .082"
Capacity: 4 persons




MV 2072 AW Tunnel FF
20' Length
72" Bottom/96" Width
115 HP maximum
Weight: 1100#
Hull thickness: .102"
Capacity: 8 persons



MV 2072 AW Tunnel
20' Length
72" Bottom/96" Width
60 HP maximum
Weight: 800#
Hull thickness: .102"
Capacity: 8 persons



MV 2072 AW FF
20' Length
72" Bottom/96" Width
115 HP maximum
Weight: 1100#
Hull thickness: .102"
Capacity: 8 persons



MV 2072 AW
20' Length
72" Bottom/96" Width
60 HP maximum
Weight: 800#
Hull thickness: .102"
Capacity: 8 persons

RIVETED JON BOATS


MORE SELECTION

Pick the size and style you need—from 10' to 20' long, 48" to 96" wide, with modified-V, flat bottom hull or tunnel hull. Numerous options and configurations are also available.

SEE THE DIFFERENCE


Look closely. You'll see a tighter fit; smooth, even welds; bigger rivets; and precision construction throughout. This is a boat you'll be proud to say is yours.

● STORAGE ● LIVEWELLS ● COOLER




MV 1648 NCS

16' Length
48" Bottom/48" Width
40 HP maximum
Weight: 340#
Hull: .070" MV-R
Capacity: 5 persons




MV 1648

16' Length
48" Bottom/70" Width
40 HP maximum
Weight: 270#
Hull: .070" MV-R
Capacity: 5 persons




MV 1448

14' Length
48" Bottom/70" Width
25 HP maximum
Weight: 240#
Hull: .070" MV-R
Capacity: 5 persons




MV 1542 NCS

15' Length
42" Bottom/62" Width
25 HP maximum
Weight: 230#
Hull: .063" MV-R
Capacity: 4 persons




MV 1442

14' Length
42" Bottom/62" Width
25 HP maximum
Weight: 200#
Hull: .063" MV-R
Capacity: 4 persons




1648 NCS

16' Length
48" Bottom/70" Width
35 HP maximum
Weight: 260#
Hull: .070" Flat-R
Capacity: 5 persons




1648

16' Length
48" Bottom/70" Width
35 HP maximum
Weight: 260#
Hull: .070" Flat-R
Capacity: 5 persons




1448

14' Length
48" Bottom/70" Width
25 HP maximum
Weight: 230#
Hull: .070" Flat-R
Capacity: 5 persons




1542

15' Length
42" Bottom/62" Width
25 HP maximum
Weight: 226#
Hull: .063" Flat-R
Capacity: 4 persons




1442 NCS

14' Length
42" Bottom/62" Width
25 HP maximum
Weight: 200#
Hull: .063" Flat-R
Capacity: 4 persons




1442

14' Length
42" Bottom/62" Width
25 HP maximum
Weight: 200#
Hull: .063" Flat-R
Capacity: 4 persons




1442 LW

14' Length
42" Bottom/62" Width
25 HP maximum
Weight: 200#
Hull: .063" Flat-R
Capacity: 4 persons




1436

14' Length
36" Bottom/55" Width
20 HP maximum
Weight: 165#
Hull: .063" Flat-R
Capacity: 3 persons




1436 LW

14' Length
36" Bottom/55" Width
20 HP maximum
Weight: 165#
Hull: .063" Flat-R
Capacity: 3 persons



1436 Lite

14' Length
36" Bottom/55" Width
15 HP maximum
Weight: 145#
Hull: .053" Flat-R
Capacity: 3 persons




1236

12' Length
36" Bottom/55" Width
15 HP maximum
Weight: 130#
Hull: .053" Flat-R
Capacity: 3 persons




1432

14' Length
32" Bottom/48" Width
10 HP maximum
Weight: 130#
Hull: .053" Flat-R
Capacity: 3 persons



1232

12' Length
32" Bottom/48" Width
10 HP maximum
Weight: 120#
Hull: .053" Flat-R
Capacity: 2 persons



1032

10' Length
32" Bottom/48" Width
8 HP maximum
Weight: 100#
Hull: .053" Flat-R
Capacity: 2 persons

QXR CONSTRUCTION

QXR=QUANTUM CROSS RIBS

MORE RIBS

QXR jon boats are built with cross ribs positioned on narrow 12" centers. Close spacing results in more ribs which makes the hull stronger and more stable the entire length of the boat.

BIGGER RIBS

These ribs can take a pounding. QXR Hull ribs are heavier, wider and stronger. Extra strong ribs make for a tougher, more rigid boat.



ALL-WELDED OR RIVETED CONSTRUCTION

Our AWs are the first choice for those who prefer all-welded construction. If you're looking for rugged with lighter weight, you'll appreciate our five decades of experience building riveted aluminum boats.

HEAVIER GAUGE ALUMINUM

QXR jons are not thin-skinned. The top quality marine grade aluminum we use is thicker than you'll find in most competitive boats.

✓ = Standard Equipment
○ = Optional Equipment

ALL-WELDED BASS

STANDARD FEATURES

FACTORY OPTIONS

- Dual 8' rod lockers w/holders for 16 rods (Invader 195, 185)
- Dual 7' rod lockers w/holders for 8 rods (Invader 175)
- Rod tie-down straps (Invaders, Pro Bass)
- Interior courtesy light (Invaders)
- Stowable running lights
- Raised forward casting deck (Crappie Pro)
- Insulated lids (Invaders, Pro Bass, Crappie Pro)
- Aerated livewell (Crappie Pro. Special. Deluxe. Tex Special and Superhawk)
- Aerated recirculating livewell (Invaders, Bass Pro)
- Bilge pump
- Grab handles
- Automotive style fuse panel
- Rake extrusion
- MotorGuide FW46 or Minnkota 55PD trolling motor w/foot control, and Lowrance X-51 liquid crystal graph
- Mooring cover
- 24 volt Motor Guide or Minnkota trolling motor upgrade for Invaders
- Dual console (Invader 195,185)

STANDARD FEATURES

FACTORY OPTIONS

- Interior courtesy light (SuperHawk)
- Automotive fuse panel (SuperHawk)
- Stowable running lights (SuperHawk, Deluxe)
- Bilge pump (SuperHawk)

FACTORY OPTIONS

OPTIONAL EQUIPMENT

- Center or side console
 - Camo upholstered seat w/clamp
 - Side mount livewell (see chart)
 - Storage or gun box (see chart)
 - Storage box in 1648 & 1448
- center seat can be converted into a livewell by your dealer

FACTORY OPTIONS

OPTIONAL EQUIPMENT

- Side mount livewell (see chart)
- Side steering console
- Camouflage upholstered seat and clamp
- Storage box in 1648 & 1448 center seat can be converted to a livewell by your dealer

ALL-WELDED JOBS

STANDARD FEATURES

FACTORY OPTIONS

CC & FF DELUXE EQUIPMENT:

- Center console (CC, FF), or side console (SC) with no-feedback steering.
- CC Center console includes:
 - Aerated livewell
 - Seat and backrest cushions
 - Windshield
 - Grab rail
- FF includes: center console w/flip-flop seat
- Aluminum floor
- Light Package includes:
 - Navigation and courtesy lights
 - 2 power points
 - Bilge pump
 - Trolling motor harness w/plug & receptacle
 - Horn provision
- 2 Pedestal bases

- 4 Cleats (2072, 1860)

SPECIAL (SPL) FEATURES:
Includes C.C. Deluxe equipment above plus:

- Metallic paint #2 w/special graphics
- Color matched console
- Color-keyed interior vinyl non-skid floor
- 2 Bass styled seats

WATERFOWLER FEATURES:

- Aluminum floor
- 2 Pedestal bases
- Navigation and courtesy lights
- Power points
- Trolling motor harness w/plug
- Bilge pump
- Gun box (wf16-2, wf15-1)
- Gun box cushion



ALUMACRAFT LIMITED WARRANTY

We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information.

Photos, illustrations, and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All Alumacraft boats are NMMA and CMAA certified for compliance with standards for flotation, fuel systems, ventilation, electrical and safety. All ratings comply with the Federal Boat Safety act of 1971.

Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.



BOAT CO

ALUMACRAFT®

The Ultimate in Quality with a Lifetime of Value

MINNESOTA	ARKANSAS
315 West St. Julien Street	Highway 67 North, Box 189
St. Peter, MN 56082	Arkadelphia, AR 71923
507-931-1050 Fax: 507-931-9056	870-246-5555 Fax: 870-246-4507
www.alumacraft.com	www.alumacraft.com

COPYRIGHT © 2002 ALUMACRAFT BOAT CO. Printed in the USA

✓ = Standard Equipment
○ = Optional Equipment

ALL-WELDED BASS

STANDARD FEATURES

FACTORY OPTIONS

- Dual 8' rod lockers w/holders for 16 rods (Invader 195, 185)
- Dual 7' rod lockers w/holders for 8 rods (Invader 175)
- Rod tie-down straps (Invaders, Pro Bass)
- Interior courtesy light (Invaders)
- Stowable running lights
- Raised forward casting deck (Crappie Pro)
- Insulated lids (Invaders, Pro Bass, Crappie Pro)
- Aerated livewell (Crappie Pro. Special. Deluxe. Tex Special and Superhawk)
- Aerated recirculating livewell (Invaders, Bass Pro)
- Bilge pump
- Grab handles
- Automotive style fuse panel
- Rake extrusion
- MotorGuide FW46 or Minnkota 55PD trolling motor w/foot control, and Lowrance X-51 liquid crystal graph
- Mooring cover
- 24 volt Motor Guide or Minnkota trolling motor upgrade for Invaders
- Dual console (Invader 195,185)

STANDARD FEATURES

FACTORY OPTIONS

- Interior courtesy light (SuperHawk)
- Automotive fuse panel (SuperHawk)
- Stowable running lights (SuperHawk, Deluxe)
- Bilge pump (SuperHawk)

FACTORY OPTIONS

OPTIONAL EQUIPMENT

- Center or side console
 - Camo upholstered seat w/clamp
 - Side mount livewell (see chart)
 - Storage or gun box (see chart)
 - Storage box in 1648 & 1448
- center seat can be converted into a livewell by your dealer

FACTORY OPTIONS

OPTIONAL EQUIPMENT

- Side mount livewell (see chart)
- Side steering console
- Camouflage upholstered seat and clamp
- Storage box in 1648 & 1448 center seat can be converted to a livewell by your dealer

ALL-WELDED JOBS

STANDARD FEATURES

FACTORY OPTIONS

CC & FF DELUXE EQUIPMENT:

- Center console (CC, FF), or side console (SC) with no-feedback steering.
- CC Center console includes:
 - Aerated livewell
 - Seat and backrest cushions
 - Windshield
 - Grab rail
- FF includes: center console w/flip-flop seat
- Aluminum floor
- Light Package includes:
 - Navigation and courtesy lights
 - 2 power points
 - Bilge pump
 - Trolling motor harness w/plug & receptacle
 - Horn provision
- 2 Pedestal bases

- 4 Cleats (2072, 1860)

SPECIAL (SPL) FEATURES:
Includes CC Deluxe equipment above plus:

- Metallic paint #2 w/special graphics
- Color matched console
- Color-keyed interior vinyl non-skid floor
- 2 Bass styled seats

WATERFOWL ER FEATURES:

- Aluminum floor
- 2 Pedestal bases
- Navigation and courtesy lights
- Power points
- Trolling motor harness w/plug
- Bilge pump
- Gun box (wf16-2, wf15-1)
- Gun box cushion



ALUMACRAFT LIMITED WARRANTY

We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information.

Photos, illustrations, and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All Alumacraft boats are NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical and safety. All ratings comply with the Federal Boat Safety act of 1971.

Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.



BOAT CO

ALUMACRAFT®

The Ultimate in Quality with a Lifetime of Value

MINNESOTA
315 West St. Julien Street
St. Peter, MN 56082
-931-1050 Fax: 507-931-
www.alumacraft.com

ARKANSAS
Highway 67 North, Box 189
Arkadelphia, AR 71923
870-246-5555 Fax: 870-246-4507
www.alumacraft.com

COPYRIGHT © 2002 ALUMACRAFT BOAT CO. Printed in the USA

The Ultimate in Quality with a Lifetime of Value

MINNESOTA
315 West St. Julien Street
St. Peter, MN 56082
507-931-1050 Fax: 507-931-9056
www.alumacraft.com

ARKANSAS
Highway 67 North, Box 189
Arkadelphia, AR 71923
870-246-5555 Fax: 870-246-4507
www.alumacraft.com

COPYRIGHT © 2002 ALUMACRAFT BOAT CO. Printed in the USA

TROLLING MOTOR
Mini Kota pre-rig
GRAPH Lowrance liquid crystal
STORAGE Lockable 7" rod storage
COLORS
Paint and carpet options

MISC.	COLORS	STANDARD FEATURES	FACTORY OPTIONS
○ ○ ✓	2 #3, #4, #5	<ul style="list-style-type: none"> High rise top set w/boot (200, 190, 180) Bow casting platform Master electrical switch Ice chest/dry storage (200, 190, 180) Automotive style fuse panel Locking glove compartment Lighted rod locker (200, 190, 180) Dual bilge pumps: 1 auto, 1 manual (200, 190) 	<ul style="list-style-type: none"> Top storage (200, 190, 180, 175) Interior courtesy lights Fire extinguisher Grab handles Running lights Jump Seats Extra seat w/pedestal Bow seat cushions High rise top and boot (175) Side, aft, windshield curtains, bow cover Mooring cover
○ ○ ✓	2 #3, #4, #5		
○ ○ ✓	2 #3, #4, #5		
○ ○ ✓	1 #3, #4, #5		
○ ○ ✓	2 #3, #4, #5		
○ ○ ✓	#1, #2, #3, #4	<ul style="list-style-type: none"> Locking electronics compartment w/ fuse box (tillers) Dual console w/walkthrough windshield (Sport 185, 175) Master electrical switch Tilt/trim button (tillers) Trolling motor battery condition gauge Lighted rod lockers w/10 rod tubes (185, 175) Interior courtesy lights EZ pump livewell pickup Fire extinguisher Automatic bilge pump Dual bilge pumps: 1 auto, 1 manual (185) Running lights Grab handles 	<ul style="list-style-type: none"> Extra seat with pedestal Mooring cover
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4	<ul style="list-style-type: none"> Locking electronics compartment (165 tiller) Grab handles Bilge pump Auto bilge pump (175) Fire Extinguisher 	<ul style="list-style-type: none"> Extra seat with pedestal Seat arm rests Mooring cover
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4		
○ ○ ✓	#1, #2, #3, #4	<ul style="list-style-type: none"> Grab Handles Running lights Fire Extinguisher Bilge pump 	<ul style="list-style-type: none"> Extra seat w/pedestal Seat arm rests Mooring cover
○ ○ ✓	#5, #6 Elite-#2, #4 3	<ul style="list-style-type: none"> Interior lights Rod savers Bow storage Bilge pump 	<ul style="list-style-type: none"> Aqueduct tray Wireway tubes Grab Handles Running lights Extra seat w/pedestal Seat arm rests Mooring cover Available in Elite version with metallic paint and deluxe seats
○ ○ ✓	#5, #6 Elite-#2, #4 3		
○ ○ ✓	#7	<ul style="list-style-type: none"> Wireway tubes Running lights Vinyl floor Bilge pump Bow storage Aqueduct tray Grab Handles 	<ul style="list-style-type: none"> Steering console Mooring cover Dead Grass paint Seat arm rests
- - -	#7	<ul style="list-style-type: none"> Vinyl floor Running lights Grab Handles Bilge pump Aqueduct tray 	<ul style="list-style-type: none"> Steering console
- - -	#8	<ul style="list-style-type: none"> 15" outboard shaft (V16, V14) 20" outboard shaft (V16, V16 Split Seat, V14, V14 Split Seat) 	<ul style="list-style-type: none"> Steering console Split aft seat (20" transom only) Clamp-on seats Seat arm rests
- - -	#8		
- - -	#8		<ul style="list-style-type: none"> Seat clamp w/swivel Upholstered seat Seat arm rests
- - -	#8		



1.
Exterior: Mica Black Metallic
w/Silver Metallic
Interior: Silver Metallic
Midnite Star Gray Carpet




2.
Exterior: Green Pearl Metallic
w/Light Sand Metallic
Interior: Light Sand Metallic
Antelope Carpet



3.
Exterior: Midnight Blue Metallic
w/Light Sand Metallic
Interior: Light Sand Metallic
Antelope Carpet




4.
Exterior: Mica Black Metallic
w/Light Sand Metallic
Interior: Light Sand Metallic
Antelope Carpet




5.
Exterior: Oxford White
Interior: Oxford White
Midnite Star Gray Carpet
Accent/Decals: Black



6.
Exterior: Oxford White
Interior: Oxford White
Antelope Carpet
Accent/Decals: Green



7.
Exterior: Oxford White
Interior: Dove Gray
Gray Vinyl floor
Accent/Decals: Black



8.
Exterior: Life Gray
Interior: Dove Gray
Accent/Decals: Black

2003 JON SPECIFICATIONS

MV = Modified Vee bottom
 2072 = 20' length, 72" bottom
 AW = All-welded construction
 V = V-shaped bow with flatbottom hull
 Flat = Flatbottom hull
 Tunnel = Tunnel hull
 NCS = No Center Seat

CC = Center console with deluxe equipment
 SC = Side console
 CS = Console steering (side)
 FF = Flip-flop seat with deluxe equipment
 SPL = Special features
 DD = Drop deck
 LW = Livewell model

MODE	PAGE	LENGTH	WIDTH	SIDE	TRANSOM	HORSEPOWER-Tiller	HORSEPOWER-Console	WEIGHT	CAPACITY	HULL STYLE	HULL GAUGE	RIBS	DROP DECK	SEATS	PEDESTAL	LIVEWELLS	STORAGE	COLORS
		Center line	Maximum width Beam/Bottom	Height	Height/Width	Maximum outboard power w/tiller steering	Maximum outboard power w/console steering	Approximate lbs.	Persons-MMMA lbs.	AW=All-welded, R=Riveted, MV=Modified-V bottom, V=V-Bow, Flat=Flat bottom		(QXR, on 12" centers)	Aluminum	(Optional: pedestal, clamp-on, fold-down)	Bases Pin type	cc=center console, sm=side mounted, cs=center seat	(g=gun box, s=storage box, cs=center seat)	Paint options
ALL-WELDED JONS																		
MV 2072 AW Tunnel FF	P.29	20'	96"/72"	30"	21"/95"	—	115 hp	1100#	8-2100#	MV-AW	.102"	15	—	○	2	✓CC	○-g	Khaki
MV 2072 AW Tunnel	P.29	20'	96"/72"	30"	21"/95"	60 hp	90 hp	800#	8-2100#	MV-AW	.102"	15	—	○	—	—	○-g	Khaki
MV 2072 AW FF	P.29	20'	96"/72"	30"	21"/95"	—	115 hp	1100#	8-2100#	MV-AW	.102"	15	—	○	2	✓CC	○-g	Khaki
MV 2072 AW	P.29	20'	96"/72"	30"	21"/95"	60 hp	90 hp	800#	8-2100#	MV-AW	.102"	15	—	○	—	—	○-g	Khaki
V-Bow 1860 AW Tunnel SPL	P.29	18'	86"/60"	25"	22"/86"	—	90 hp	795#	6-1600#	Flat-AW,V	.102"	13	—	✓2	2	✓CC	○-g	#2
V-Bow 1860 AW Tunnel FF	P.29	18'	86"/60"	25"	22"/86"	—	90 hp	795#	6-1600#	Flat-AW,V	.102"	13	—	○	2	✓CC	○-g	Khaki
V-Bow 1860 AW Tunnel CC	P.29	18'	86"/60"	25"	22"/86"	—	90 hp	795#	6-1600#	Flat-AW,V	.102"	13	—	○	—	✓CC	○-g	Khaki
V-Bow 1860 AW Tunnel	P.29	18'	86"/60"	25"	22"/86"	50 hp	75 hp	500#	6-1600#	Flat-AW,V	.102"	13	—	○	—	—	○-g	Khaki
MV 1860 AW SPL	P.29	18'	86"/60"	25"	21"/86"	—	90 hp	780#	6-1600#	MV-AW	.102"	13	—	✓2	2	✓CC	○-g	#2
MV 1860 AW FF	P.29	18'	86"/60"	25"	21"/86"	—	90 hp	780#	6-1600#	MV-AW	.102"	13	—	○	2	✓CC	○-g	Khaki
MV 1860 AW CC	P.29	18'	86"/60"	25"	21"/86"	—	90 hp	780#	6-1600#	MV-AW	.102"	13	—	○	—	✓CC	○-g	Khaki
MV 1860 AW SC	P.29	18'	86"/60"	25"	21"/86"	—	90 hp	780#	6-1600#	MV-AW	.102"	13	—	○	—	✓CC	○-g	Khaki
MV 1860 AW	P.29	18'	86"/60"	25"	21"/86"	50 hp	75 hp	500#	6-1600#	MV-AW	.102"	13	—	○	—	—	○-g	Khaki
Waterfowler 16	P.29	16'	74"/50"	22"	21"/71"	40 hp	60 hp	525#	5-1100#	MV-AW	.102"	11	✓	○	2	—	○-g	Khaki, Camo (opt)
V-Bow 1650 AW Tunnel CC	P.29	16'	74"/50"	22"	22"/71"	—	60 hp	585#	5-1000#	Flat-AW,V	.102"	11	—	○	—	✓sm	○-g	Khaki
V-Bow 1650 AW Tunnel	P.29	16'	74"/50"	22"	22"/71"	35 hp	60 hp	450#	5-1100#	Flat-AW,V	.102"	11	—	○	—	—	○-g	Khaki, Camo (opt)
MV 1650 AW CC	P.29	16'	74"/50"	22"	21"/71"	—	60 hp	575#	5-1000#	MV-AW	.102"	11	—	○	—	✓cc	○-g	Khaki
MV 1650 AW SC	P.29	16'	74"/50"	22"	21"/71"	—	60 hp	575#	5-1000#	MV-AW	.102"	11	—	○	—	✓cc	○-g	Khaki
MV 1650 AW	P.29	16'	74"/50"	22"	21"/71"	40 hp	60 hp	450#	5-1100#	MV-AW	.102"	11	—	○	—	—	○-g	Khaki, Camo (opt)
MV 1450 AW	P.29	14'	74"/50"	22"	20"/71"	30 hp	40 hp	380#	5-1010#	MV-AW	.090"	10	—	○	—	—	○-g	Khaki
Waterfowler 15	P.29	15'	65"/44"	20"	15"/64"	25 hp	—	330#	4-825#	MV-AW	.082"	11	✓	○	2	—	○-g	Khaki, Camo (opt)
MV 1546 AW DD	P.29	15'	65"/44"	20"	15"/64"	25 hp	—	260#	4-825#	MV-AW	.082"	11	✓	○	2	—	○-g	Khaki, Camo (opt)
MV 1546 AW Tunnel	P.29	15'	65"/44"	20"	15"/64"	25 hp	—	265#	4-825#	MV-AW	.082"	11	✓	○	2	—	○-g	Khaki, Camo (opt)
MV 1546 AW	P.29	15'	65"/44"	20"	15"/64"	25 hp	—	250#	4-825#	MV-AW	.082"	11	—	○	—	—	○-g	Khaki, Camo (opt)
RIVETED JONS																		
MV 1648	P.30	16'	70"/48"	21"	15"/69"	40 hp	—	270#	5-1010#	MV-R	.070"	9	—	○	—	—	✓cs	Olive Drab Green
MV 1448	P.30	14'	70"/48"	21"	15"/69"	25 hp	—	240#	5-885#	MV-R	.070"	7	—	○	—	—	✓cs	Olive Drab Green
MV 1542 NCS	P.30	15'	62"/42"	20"	15"/62"	25 hp	—	230#	4-805#	MV-R	.063"	8	—	○	—	○-sm	—	Olive Drab Green
MV 1442	P.30	14'	62"/42"	20"	15"/62"	25 hp	—	200#	4-770#	MV-R	.063"	7	—	○	—	—	—	Olive Drab Green
1648 NCS	P.30	16'	70"/48"	21"	15"/69"	35 hp	—	260#	5-1010#	Flat-R	.070"	9	—	○	—	—	—	Olive Drab Green
1648	P.30	16'	70"/48"	21"	15"/69"	35 hp	—	260#	5-1010#	Flat-R	.070"	9	—	○	—	—	✓cs	Olive Drab Green
1448	P.30	14'	70"/48"	21"	15"/69"	25 hp	—	230#	5-885#	Flat-R	.070"	7	—	○	—	—	✓cs	Olive Drab Green
1542	P.30	15'	62"/42"	20"	15"/62"	25 hp	—	226#	4-775#	Flat-R	.063"	8	—	○	—	○-sm	—	Olive Drab Green
1442 NCS	P.30	14'	62"/42"	20"	15"/62"	25 hp	—	200#	4-770#	Flat-R	.063"	7	—	○	—	—	—	Olive Drab Green
1442 • 1442 LW	P.30	14'	62"/42"	20"	15"/62"	25 hp	—	200#	4-770#	Flat-R	.063"	7	—	○	—	—, ✓cs	—	Olive Drab Green
1436 • 1436 LW	P.30	14'	55"/36"	19"	15"/53"	20 hp	—	165#	3-625#	Flat-R	.063"	7	—	○	—	—, ✓cs	—	Olive Drab Green
1436 Lite	P.30	14'	55"/36"	19"	15"/53"	15 hp	—	145#	3-625#	Flat-R	.053"	6	—	○	—	○-sm	—	Olive Drab Green
1236	P.30	12'	55"/36"	19"	15"/53"	15 hp	—	130#	3-540#	Flat-R	.053"	5	—	○	—	—	—	Olive Drab Green
1432	P.30	14'	48"/32"	17"	15"/45"	10 hp	—	130#	3-555#	Flat-R	.053"	5	—	○	—	○-sm	—	Olive Drab Green
1232	P.30	12'	48"/32"	17"	15"/45"	8 hp	—	120#	2-455#	Flat-R	.053"	4	—	○	—	○-sm	—	Olive Drab Green
1032	P.30	10'	48"/32"	17"	15"/45"	3 hp	—	100#	2-365#	Flat-R	.053"	2	—	○	—	○-sm	—	Olive Drab Green

Exterior/Interior
Khaki

Exterior/Interior:
Olive Drab Green

NOTE: USE OF
JET OUTBOARDS
ON TUNNEL HULLS
MAY REQUIRE
PERFORMANCE
RELATED
ADJUSTMENTS.

2003 NORTHERN SPECIFICATIONS

Alumacraft reserves the right to make changes without notification or obligation. Dimensions, capacities, ratings, specifications, warranty information and prices are subject to change. See your dealer for current information.

✓ = Standard Equipment

○ = Optional Equipment

2003 NORTHERN SPECIFICATIONS																																											
Alumacraft reserves the right to make changes without notification or obligation. Dimensions, capacities, ratings, specifications, warranty information and prices are subject to change. See your dealer for current information. ✓ = Standard Equipment ○ = Optional Equipment		OVERALL LENGTH		WIDTH Maximum Beam		DEPTH Maximum		TRANSOM Width & Height *25" available on special order		HORSEPOWER Maximum		CAPACITY Persons-MMMA lbs.		WEIGHT Approximate lbs. (kg)		FUEL TANK Capacity, gallons (=built-in reserve)		HULL THICKNESS Bottom/Sides		2XB HULL SYSTEM		SEATS (b=bench)		PEDESTALS (p=power, a=adjustable, s=stationary)		PEDESTAL SOCKETS		CONSOLE No-feedback steering (d=dual cables, t=tilt wheel)		WINDSHIELD (c=curved tempered glass)		INSTRUMENTS Speedometer, tachometer, voltmeter, horn, blank gauge		STEREO AM/FM/CD 2 speakers		LIVEWELLS Aerated (=recirculating, t=timer, l=light d=remote drain, bb=bait bucket)		TROLLING MOTOR SYSTEM Voltage (b=bow, a=aft)		POWER POINT SOCKET		BATTERY STORAGE Forward	
MODEL	PAGE	DIMENSIONS				CAPACITIES				HULL				SEATING		CONSOLE		LIVEWELL		ELECTRONICS																							
FISH & SPORT	Trophy 200 I/O	P.5	19'10" 6.0m	96" 2.4m	44" 1.1m	96" NA 2.4m NA	190hp 141kw	9-2000# 909kg	2610# 1,083kg	40g.r 151L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	6	4p	4	✓t	✓c	✓	✓	1 tld	✓b 12/24V	✓	2																			
	Trophy 200	P.5	19'10" 6.0m	96" 2.4m	44" 1.1m	96" 20"* 2.4m 49m	225hp 167kw	9-2000# 909kg	1772# 803kg	60g.r 226L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	6	4p	5	✓dt	✓c	✓	✓	2 tld	✓b 12/24V	✓	2																			
	Trophy 190	P.5	18'10" 5.7m	96" 2.4m	44" 1.1m	96" 20" 2.1m 49m	200hp 148kw	8-1900# 861kg	1580# 716kg	40g.r 151L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	6	4p	5	✓dt	✓c	✓	✓	2 tld	✓b 12/24V	✓	2																			
	Trophy 180	P.5	17'10" 5.4m	96" 2.4m	44" .96m	96" 20" 2.6m 49m	175hp 130kw	6-1515# 689kg	1392# 631kg	40g.r 151L	100"/.080" 2.0/1.5mm	.080" 1.5mm	.100" 2mm	5	3p	5	✓dt	✓c	✓	✓	2 tld	✓b 12/24V	✓	2																			
	Trophy 175	P.5	17'6" 5.3m	88" 2.2m	41" 1.04m	84" 20" 2.1m 49m	150hp 111kw	6-1500# 680kg	1215# 552kg	23g 87L	100"/.080" 2.5/2mm	.060" 1.5mm	.080" 2mm	5	1a,2s	5	✓dt	✓c	✓	✓ cassette	2 tl	✓b 12V	✓	1																			
TOURNAMENT STYLE	Tournament Sport 185	P.7	18'11" 5.7m	96" 2.4m	43" 1.1m	95" 20"* 2.4m 49m	200hp 148kw	6-1660# 753kg	1600# 726kg	41g.r 155L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	4	4p	5	✓dt	✓c	✓	✓	2 tld w/bb	✓ba 12/24V	✓	2																			
	Tournament Sport 175	P.7	17'11" 5.4m	96" 2.4m	43" 1.1m	95" 20"* 2.4m 49m	175hp 130kw	6-1410# 640kg	1530# 694kg	34g.r 128L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	4	4p	5	✓dt	✓c	✓	✓	2 tld w/bb	✓ba 12/24V	✓	2																			
	Tournament Pro 185 CS	P.9	18'11" 5.7m	96" 2.4m	43" 1.1m	95" 20"* 2.4m 49m	200hp 148kw	6-1750# 795kg	1510# 794kg	41g.r 155L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	3	3p	5	✓dt	✓	✓	✓	2 rtld w/bb	✓ba 12/24V	✓	2																			
	Tournament Pro 185	P.11	18'11" 5.7m	96" 2.4m	43" 1.1m	95" 20" 2.4m 49m	100hp 75kw	6-1750# 795kg	1475# 670kg	41g.r 155L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	3	3p	3	—	—	✓	✓	2 rtld w/bb	✓ba 12/24V	✓	2																			
	Tournament Pro 175 CS	P.9	17'11" 5.4m	96" 2.4m	43" 1.1m	95" 20"* 2.4m 49m	175hp 130kw	5-1550# 705kg	1415# 643kg	34g.r 128L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	3	3p	5	✓dt	✓	✓	✓	2 rtld w/bb	✓ba 12/24V	✓	2																			
	Tournament Pro 175	P.11	17'11" 5.4m	96" 2.4m	43" 1.1m	95" 20" 2.2m 49m	90hp 67kw	5-1550# 705kg	1385# 630kg	34g.r 128L	100"/.080" 2.5/2mm	.080" 2mm	.100" 2.5mm	3	3p	3	—	—	✓	✓	2 rtld w/bb	✓ba 12/24V	✓	2																			
	Tournament Pro 170 CS	P.9	16'10" 5.1m	81" 2m	36" .91m	81" 20" 2.0m 49m	115hp 86kw	5-1400# 636kg	1050# 476kg	22g 83L	100"/.065" 2.5/1.6mm	.080" 2mm	.100" 2.5mm	2	2p	5	✓t	✓	✓	✓	2 rtld w/bb	✓ba 12/24V	✓	2																			
	Tournament Pro 170	P.11	16'10" 5.1m	81" 2m	36" .91m	81" 20" 2.0m 49m	65hp 48kw	5-1250# 568kg	1005# 456kg	22g 83L	100"/.065" 2.5/1.6mm	.080" 2mm	.100" 2.5mm	2	2p	3	—	—	✓	✓	2 rtld w/bb	✓ba 12/24V	✓	2																			
CLASSIC FISHING	Magnum 175 CS	P.13	17'11" 5.4m	88" 22m	41" 1m	88" 20" 2.1m 49m	130hp 97kw	5-1310# 595kg	1175# 534kg	34g 128L	.080/.080" 2/1.5mm	.060" 1.5mm	.080" 2mm	2	1a,1s	5	✓	✓	✓	—	2 rtld w/bb	✓ba 12/24V	—	2																			
	Magnum 175	P.13	17'11" 5.4m	88" 22m	41" 1m	88" 20" 2.1m 49m	80hp 60kw	5-1310# 595kg	1135# 516kg	34g 128L	.080/.080" 2/1.5mm	.060" 1.5mm	.080" 2mm	2	1a,1s	3	—	—	✓	—	2 rtld w/bb	✓ba 12/24V	—	2																			
	Magnum 165 CS	P.13	16'5" 5.0m	81" 2m	36" .91m	81" 20" 1.9m 49m	90hp 67kw	5-1245# 566kg	903# 414kg	22g 83L	.080/.065" 2/1.6mm	—	.080" 2mm	2	1a,1s	5	✓	✓	✓	—	1 rtld w/bb	✓ba 12V	—	1																			
	Magnum 165	P.13	16'5" 5.0m	81" 2m	36" .91m	81" 20" 1.9m 49m	65hp 48kw	5-1250# 568kg	840# 381kg	22g 83L	.080/.065" 2/1.6mm	—	.080" 2mm	2	1a,1s	4	—	—	✓	—	1 rtld w/bb	✓ba 12V	—	—																			
	Navigator 165 CS	P.15	16'5" 5.0m	82" 2m	36" .91m	82" 20" 2m 49m	75hp 56kw	5-1285# 592kg	880# 399kg	22g 83L	.080/.065" 2/1.6mm	—	.080" 2mm	2	1a,1s	5	✓	✓	✓ no horn	—	1 tl w/bb	✓b 12V	—	1																			
	Navigator 165	P.15	16'5" 5.0m	82" 2m	36" .91m	82" 20" 2m 49m	60hp 45kw	5-1295# 567kg	820# 371kg	22g 83L	.080/.065" 2/1.6mm	—	.080" 2mm	2	1a,1s	4	—	—	✓ no voltmeter	—	1 tl w/bb	✓b 12V	—	1																			
	Lunker 165 LTD CS	P.17	16'6" 5m	76" 1.9m	37" .94m	72.5" 20" 1.8m 49m	50hp 37kw	5-1235# 561kg	700# 318kg	—	.080/.065" 2/1.6mm	—	.060" 1.5mm	2	1a,1s	4	✓	✓	—	—	1 L w/bb	✓b 12V	—	1																			
	Lunker 165 LTD	P.17	16'6" 5m	76" 1.9m	37" .94m	72.5" 20" 1.8m 49m	50hp 37kw	5-1235# 561kg	660# 299kg	—	.080/.065" 2/1.6mm	—	.060" 1.5mm	2	1a,1s	3	—	—	—	—	1 L w/bb	✓b 12V	—	1																			
	Yukon 165	P.19	16'6" 5m	76" 1.9m	37" .94m	72.5" 20" 1.8m 49m	50hp 37kw	5-1400# 636kg	715# 325kg	—	100"/.065" 2.5/1.6mm	—	—	2	1a,1s	2	○	—	—	—	1	—	—	1																			
Fisherman 145 LTD	P.19	14'6" 4.4m	70" 1.7m	—	63" 20" 1.5m 49m	35hp 26kw	4-865# 392kg	460# 209kg	—	.065" 1.6mm	—	—	2	1a,1s	2	○	—	—	—	1	—	—	—																				
UTILITY	V16	P.27	16'7" 5.0m	70" 1.7m	30"	63" 15"/20" 1.5m 49m	40hp 30kw	5-1255# 569kg	287# 130kg	—	.070" 1.7mm	—	—	3b	—	—	○	—	—	—	1	—	—	—																			
	V14	P.27	14'3" 4.3m	68" 1.7m	30"	63" 15"/20" 1.5m 49m	25hp 19kw	5-1015# 461kg	245# 111kg	—	.065" 1.6mm	—	—	3b	—	—	○	—	—	—	—	—	—																				
	T14V	P.27	14'1" 4.3m	61" 1.5m	26" .41m	60" 16" 1.5m 41m	15hp 11kw	4-824# 374kg	180# 82kg	—	.060"/.050" 1.5/1.3mm	—	—	3b	—	—	—	—	—	—	—	—	—																				
	T12V	P.27	12'1" 3.6m	60" 1.5m	26" .41m	60" 16" 1.5m 41m	10hp 7.5kw	3-655# 297kg	153# 69kg	—	.060"/.050" 1.5/1.3mm	—	—	3b	—	—	—	—	—	—	—	—	—																				

MINNESOTA

315 West St. Julien Street
St. Peter, MN 56082

507-931-1050 Fax: 507-931-9056
www.alumacraft.com

ARKANSAS

Highway 67 North, Box 189
Arkadelphia, AR 71923

870-246-5555 Fax: 870-246-4507
www.alumacraft.com

Part #: 9-24-300-2003



BOAT ON
ALUMACRAFT