

2005

ALUMACRAFT[®]



2XB HULL 20-YEAR WARRANTY



Always boat safely. This Tournament Pro was driven by a professional on a closed course.

"Right now, you're about three feet in the air and you've got a little time to think about boat construction."

Okay, so you got in a bit of a hurry. Sure enough, one of those big rollers got under you.

Hey, it happens. Let's talk about full-length double hulls. The kind of hulls that can take big impacts from bow to stern. Rocks aren't choosy. Deadheads don't target just the bow of your boat. In fact, when up and running, the only part of your boat that should be in continuous contact with the water is the part left unprotected by some boat makers. In the waters we fish, that can be a little unsettling. And to a lot of intelligent fishermen it's just plain backwards thinking.

2XB HULL SYSTEM

The 2XB Hull (2 x bottom=2XB) is constructed of full-length double plating of the finest marine grade aluminum riveted one over the other from bow to stern. A 2XB Bow hull is twin-plated from bow to midship.

2XB IS A STRONGER HULL

Full-length double plating means twice the strength and protection all the way back to the transom.

2XB IS A QUIETER RIDE

The extra plate and resulting solid bottom construction dramatically reduce sound and vibration from below.

2XB IS NOT A HEAVIER BOAT


Compare Alumacraft 2XB models to competitors' models. Alumacraft boats actually weigh less than many manufacturers' comparable boats.

2XB ENSURES TRUE HANDLING

Not only is it a stronger design, it's a truer design. Even under brutal conditions, the integrity of the hull will not compromise. No flexing and no subtle changes in shape that can affect handling.

2XB MAKES BELIEVERS OUT OF PROS

Pros who have fished out of every top-of-the-line fishing boat made, tell us the 2XB truly is an amazing hull. They like the smoother ride in rough water, the feel for the water, the drier ride, and the quietness of the 2XB Hull. When rigged with a powerful Evinrude outboard, the performance is as outstanding as the ride.



"The 2XB Hull opened my eyes to the difference a truly great hull can make."

TERRY TUMA, Renowned professional fisherman

ALUMACRAFT®

EVINRUDE®

TROPHY 200

2XB HULL



TROPHY 200

Your boss, your father-in-law,
20 miles of open water, life is good.

You finally got her. The boat you've always dreamed of, built to handle big lakes and reservoirs with ease, yet agile enough to trailer and launch on little hot spots. So whether you're guiding, entertaining, enjoying family, or all of the above, the Trophy 200 lets you do it with confidence and style. Confidence is a 60 gallon fuel tank, a 2XB Hull System, deep sidewalls, and an efficient, reliable Honda outboard. And style, well, that's you.

HONDA
MARINE

FORWARD AND AFT LIVEWELLS
Aerated livewells feature timed aeration, light, removable bait keeper, and remote drain.

DUAL CONSOLE
New, sleek driver and passenger consoles with walk-thru windshield protects you from wind and weather.



TROPHY 190 180 175



TROPHY 190

You see it as a great investment. All they see is fun.

The Trophy blends premium quality construction with high-end performance to give your family everything they want in a boat. Go ahead, let them dream about fishing, wake boarding, tubing, running across the lake for a snack and then doing it all again. You can rest easy knowing you made a sound investment in a proven, top-of-the-line AlumaCRAFT Trophy. Match the Trophy's family-friendly design with reliable Yamaha power and you'll enjoy years of priceless return on investment.

Factory Installed with



YAMAHA DOUBLE OVERHEAD CAM DESIGN features fewer moving parts than conventional single overhead design, for greater reliability on F75 and above.



TROPHY 175



2XB HULL



HIGH RISE TOP SET—Keeps your family dry and happy and comfortable when the wet and cold stuff blows in. Shades you from the hot sun. Optional side curtains available.

JUMP SEATS—Standard aft jump seats make the ride home smooth as glass for your guests and family members.

BOW CUSHIONS—Bow casting platform converts to seating area with optional thick lounge cushions.



TROPHY 180

TROPHY

200 190 180 175

DIMENSIONS

LENGTH	19'10" 6.0m	18'10" 5.76m	17'10" 5.43m	17'6" 5.33m
WIDTH—maximum beam	96" 2.43m	96" 2.43m	96" 2.43m	88" 2.24m
DEPTH—maximum/to floor	44"/25.5" 1.12m/.65m	44"/25.5" 1.12m/.65m	44"/25.5" 1.12m/.65m	41"/25.5" 1.04m/.65m
TRANSOM—width/height	96"/25" 2.43m/.64m	96"/25" 2.43m/.64m	96"/20" 2.43m/.51m	84"/20" 2.1m/.51m

CAPACITIES

HORSEPOWER—maximum	225 HP 167kw	200 HP 148kw	175 HP 130kw	150 HP 111kw
CAPACITY—persons/lbs.	9/2000# 9/907kg	8/1900# 8/862kg	6/1515# 6/687kg	6/1500# 6/680kg
WEIGHT—lbs.	1772# 803kg	1580# 717kg	1392# 631kg	1215# 547kg
FUEL TANK—gallons	60g w/res 254L	40g w/res 169L	40g w/res 169L	23g 97L

2XB HULL

THICKNESS bottom/sides	.100"/.080 2.5mm/2.0mm	.100"/.080 2.5mm/2.0mm	.100"/.080 2.5mm/2.0mm	.100"/.080 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"	.100"	.080"
2XB Bottom—2nd plate	.080"	.080"	.080"	.060"

STANDARD FEATURES

SEATING Driver's is stationary w/slider, height adjust (power height in 200, 190)				
SEATS	4+2 jump	4+2 jump	3+2 jump	3+2 jump
PEDESTALS/SOCKETS	3 power/5	3 power/5	1 pwr, 2 fxd/5	1 pwr, 2 fxd/5

STEERING & CONSOLE

STEERING—Hydraulic (200, 190)
CONSOLE—w/tilt wheel, walk-thru tempered windshield, passenger console
SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank
STEREO—AM/FM/CD with 2 speakers

LIVEWELLS—Aerated, insulated, bait system, timer, light, remote drain

BOW LIVEWELL—gallons—w/h/l 26 gal.—19" x 19" x 35"
96L—48cm/48cm/89cm

AFT LIVEWELL—gallons—w/h/l 21 gal.—13" x 9.5" x 31"
84L—33cm/24cm/79cm

STORAGE, ELECTRICAL & EXTRAS See boat diagrams

STORAGE—lockable, lighted rod compartment; lockable glove box
DRY STORAGE/ICE CHEST—lockable (200, 190, 180)
BATTERY STORAGE—forward (2 batteries: 200, 190, 180); (1 battery: 175)
ELECTRICAL—master electrical switch, power point, fuse box
TROLLING SYSTEM—12/24-volt bow outlet (200, 190, 180); 12-volt (175)
LIGHTS—stowable running lights, interior courtesy lights
TOP SET—convertible high-rise w/boot, storage compartment
BILGE PUMP/S—dual, automatic & manual (200, 190); manual (180, 175)
EXTRAS—fire extinguisher, grab handles, cup holders

OPTIONAL EQUIPMENT


TROLLING MOTOR, GRAPH—Minn Kota, Lowrance liquid crystal
VINYL FLOOR—replaces carpeting
HYDRAULIC STEERING (180, 175)
25" TRANSOM—(180, 175), recommended for all 4-stroke applications
SEATS—extra seat and pedestal, bow cushions
COVERS—bow, mooring, snap covers; side, aft, windshield curtains

PAINT COLORS & CARPET


Mica Black metallic w/Silver metallic paint, Midnight Star carpet
Olympic White w/Sand metallic paint, Bronze carpet
Pacific Blue metallic w/Silver metallic paint, Midnight Star carpet
Emerald Green metallic w/Sand metallic paint, Bronze carpet

Storage Dry storage Livewell


TROPHY 200




TROPHY 190



TROPHY 180



TROPHY 175



TOURNAMENT SPORT 185 175



Hey, the pros have families too.

He'll tell you he got that wrap-around windshield for her. But the truth is we haven't met many pros that don't appreciate being comfortable, dry, and out of the wind, especially when the weather gets dicey. More and more serious anglers are opting for the added comfort and protection of our Tournament Sport models. It makes sense, not just for your family, but for all your fishing partners. When backed by a powerful Yamaha four stroke, this is one productive fishing team.

Factory Installed with



ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B. three-star rating.



TOURNAMENT SPORT 175

2XB HULL



TOURNAMENT SPORT 185



CONSOLE—New design. Full instrumentation, room for electronics and switches with circuit breaker resets.

ROD LOCKERS—New top-load 8' locker in the starboard gunnel holds four rods. Second locker in bow floor keeps ten set-ups handy.

LIVEWELLS—Two aerated recirculating livewells with lights, removable bait keepers, and remote drains.



TOURNAMENT SPORT

185 175

DIMENSIONS

LENGTH	18'11" 5.76m	17'11" 5.46m
WIDTH—maximum beam	96" 2.43m	96" 2.43m
DEPTH—maximum/to floor	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m
TRANSOM—width/height	95"/25" 2.41m/.64m	95"/25" 2.41m/.51m

CAPACITIES

HORSEPOWER—maximum	200 HP 149kw	175HP 130kw
CAPACITY—persons/lbs.	6/1660# 6/752kg	6/1410# 6/640kg
WEIGHT—lbs.	1600# 725kg	1530# 680kg
FUEL TANK w/reserve	41 gal. 155L	34 gal. 129L

2XB HULL

THICKNESS bottom/sides	.100"/.080 2.5mm/2.0mm	.100"/.080 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"
2XB Bottom—2nd plate	.080"	.080"

STANDARD FEATURES

SEATING Driver's is stationary w/power height, slider

SEATS 4 (2 fixed) 4 (2 fixed)

PEDESTALS/SOCKETS 4 power/4 4 power/4

STEERING & CONSOLE

DUAL CONSOLES w/curved tempered glass, walk-thru windshield. Tilt steering wheel w/ hydraulic steering

SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank

STEREO—AM/FM/CD with 2 speakers

LIVEWELLS See diagrams below

BOW LIVEWELL gal.—w/h/l 35.8 gal.—13"x11"x36"
135L—33cm/28cm/91cm

AFT LIVEWELL gal.—w/h/l 22 gal.—16"x10"x27"
83L—41cm/25cm/69cm

Aerated, recirculating, bait system, timer, light, remote drain

STORAGE, ELECTRICAL & EXTRAS See diagrams

RODS—locking, lighted, 7' compartment w/10 tubes;
8' compartment w/4 tubes, Sto-N-Go rod case

BATTERY STORAGE—forward storage for 2 batteries

POWER—master electrical switch, power point, fuse box

TROLLING—two 12/24V outlets, battery condition gauge

LIGHTS—stowable running lights, interior courtesy lights

BILGE PUMP—1 automatic, 1 manual (185), 1 manual (175)

EXTRAS—fire extinguisher, grab handles, cup holders

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

DUAL BUBBLE WINDSHIELDS

VINYL FLOOR—replaces carpeting

SEAT—extra seat and pedestal

COVERS—convertible high-rise top set, snap cover

PAINT COLORS & CARPET

Mica Black metallic w/Silver metallic, Midnight Star carpet



Olympic White w/Sand metallic paint, Bronze carpet

Pacific Blue metallic w/Silver metallic paint,

Midnight Star Gray carpet

Emerald Green metallic w/Sand metallic, Bronze carpet

Storage Dry storage Livewell Bait system



TOURNAMENT PRO 185

TOURNAMENT PRO 185 CS



There's no excuse now!

It's loaded. All the pro fishing amenities set up just the way you want them. This boat was designed, laid out and equipped to do one thing; put fish, and lots of them, in the giant livewells. The 2XB hull and 200 horses of raw Evinrude power will transcend you from the starting spot to Honey Hole over to Arnie's Reef on to Twin Sisters then to Paradise and Hank's Rock over to Secret Hump and back before check in time. The rest is up to you. Think you're up to it?

EVINRUDE



2XB HULL



TILLER CONSOLE—Full instrumentation tiller command center with lockable station for your graph, GPS, marine band, keys, etc.

CS CONSOLE—New design. Full instrumentation, room for electronics and switches with circuit breaker resets.

LIVEWELLS—Two giant, aerated, recirculating livewells with lights, removable bait keepers, and remote drains.

ROD LOCKERS—New top-load 8' locker in the starboard gunnel holds four rods. Second locker in bow floor keeps ten set-ups handy.



TOURNAMENT PRO 185

TOURNAMENT PRO 185

185 CS 185

DIMENSIONS

LENGTH	18'11" 5.76m	18'11" 5.76m
WIDTH—maximum beam	96" 2.43m	96" 2.43m
DEPTH—maximum/to floor	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m
TRANSOM—width/height	95"/25" 2.41m/.64m	95"/20" 2.41m/.51m

CAPACITIES

HORSEPOWER—maximum	200 HP 148kw	100 HP 75kw
CAPACITY—persons/lbs.	6/1750# 6/793kg	6/1750# 6/793kg
WEIGHT—lbs.	1510# 684kg	1475# 669kg
FUEL TANK w/reserve	41 gal. 155L	41 gal. 155L

2XB HULL

THICKNESS bottom/sides	.100"/.080 2.5mm/.20mm	.100"/.080 2.5mm/.20mm
2XB Bow—2nd plate	.100"	.100"
2XB Bottom—2nd plate	.080"	.080"

STANDARD FEATURES

SEATING Driver's is stationary w/power height, slider

SEATS	3	3
PEDESTALS/SOCKETS	3 power/5	3 power/3

STEERING & CONSOLE

CS: Hydraulic steering, tilt wheel, removable windshield

TILLER: Electronics compartment, tilt/trim button

SPEEDOMETER: tach, voltmeter, fuel gauge, horn, blank

STEREO—AM/FM/CD with 2 speakers

LIVEWELLS See diagrams below

BOW LIVEWELL gal.—w/h/l	35.8 gal.—13"x11"x36" 135L—33cm/28cm/91cm
AFT LIVEWELL gal.—w/h/l	22 gal.—16"x10"x27" 83L—41cm/25cm/69cm

Aerated, recirculating, bait system, timer, light, remote drain

STORAGE, ELECTRICAL & EXTRAS See diagrams

RODS—locking, lighted, 7' compartment w/10 tubes, 8' compartment w/4 tubes, Sto-N-Go rod case

BATTERY STORAGE—forward storage for 2 batteries

STO-N-GO—portable rod storage

POWER—master electrical switch, power point, fuse box

TROLLING—two 12/24V outlets, battery condition gauge

LIGHTS—stowable running lights, interior courtesy lights

BILGE PUMPS—dual: 1 automatic, 1 manual

EXTRAS—fire extinguisher, grab handles, cup holders

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

VINYL FLOOR—replaces carpeting

25" TRANSOM—(185 tiller) recommended for all 4-stroke applications

SEAT—extra seat and pedestal

COVERS—mooring cover or snap cover

PAINT COLORS & CARPET



Mica Black metallic w/Silver metallic, Midnight Star carpet

Olympic White w/Sand metallic paint, Bronze carpet

Pacific Blue metallic w/Silver metallic paint, Midnight Star carpet

Emerald Green metallic w/Sand metallic, Bronze carpet

Storage Dry storage Livewell Bait system



TOURNAMENT PRO 175



Fishing is not life and death, it's way more important.

These guys fish when it's snowing. They've been known to break ice at the landing just so they could put in. They demand a boat that absolutely will not let them down. And they want a floor plan and layout that's as serious as they are about fishing. Tournament Pro 175 gives them all that plus a 2XB Hull System that combined with a dependable Evinrude, is second to none for performance. Plus, it fits in the garage, right next to the snow machine, ice house, 4-wheeler, climbing deer stands....

EVINRUDE



2XB HULL

TOURNAMENT PRO 175 CS



TOURNAMENT PRO & SPORT EXCLUSIVES—New for 2005!

STO-N-GO ROD SYSTEM—Allows you to safely and easily transport and stow up to 4 rods. Patent applied for.

TOP LOADING ROD LOCKER—In the starboard side gunnel. Gives effortless access to four rods and reels. No more kneeling and bending over. Plus you can store ten more rods in the extra-large BOW ROD LOCKER.



TOURNAMENT PRO 175

175 CS 175

DIMENSIONS

LENGTH	17'11" 5.46m	17'11" 5.46m
WIDTH—maximum beam	96" 2.43m	96" 2.43m
DEPTH—maximum/to floor	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m
TRANSOM—width/height	95"/25" 2.41m/.51m	95"/20" 2.41m/.51m

CAPACITIES

HORSEPOWER—maximum	175 HP 130kw	90 HP 67kw
CAPACITY—persons/lbs.	5/1550# 6/703kg	5/1550# 5/703kg
WEIGHT—lbs.	1415# 641kg	1385# 628kg
FUEL TANK w/reserve	34 gal. 129L	34 gal. 129L

2XB HULL

THICKNESS bottom/sides	.100"/.080 2.5mm/2.0mm	.100"/.080 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"
2XB Bottom—2nd plate	.080"	.080"

STANDARD FEATURES

SEATING Driver's is stationary w/power height adj., slider

SEATS 3 3

PEDESTALS/SOCKETS 3 power/5 3 power/3

STEERING & CONSOLE

CS: Hydraulic steering, tilt wheel, removable windshield

TILLER: Electronics compartment, tilt/trim button

SPEEDOMETER, tach, voltmeter, fuel gauge, horn, blank

STEREO—AM/FM/CD with 2 speakers

LIVEWELLS See diagrams below

BOW LIVEWELL gal.—w/h/l 35.8 gal.—13"x11"x36"
135L—33cm/28cm/91cm

AFT LIVEWELL gal.—w/h/l 22 gal.—16"x10"x27"
83L—41cm/25cm/69cm

Aerated, recirculating, 1 bait system, timer, light, remote drain

STORAGE, ELECTRICAL & EXTRAS See diagrams

RODS—locking, lighted, 7' compartment w/10 tubes, 8' compartment w/4 tubes

BATTERY STORAGE—forward storage for 2 batteries

STO-N-GO—portable rod storage

POWER—master electrical switch, power point, fuse box

TROLLING—two 12/24V outlets, battery condition gauge

LIGHTS—stowable running lights, interior courtesy lights

BILGE PUMP—automatic

EXTRAS—fire extinguisher, grab handles, cup holders

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

25" TRANSOM—(175 tiller) recommended for all 4-stroke applications

VINYL FLOOR—replaces carpeting

SEAT—extra seat and pedestal

COVERS—mooring cover or snap cover

PAINT COLORS & CARPET


Mica Black metallic w/Silver metallic paint, Midnight Star carpet

Olympic White w/Sand metallic paint, Bronze carpet

Pacific Blue metallic w/Silver metallic paint, Midnight Star carpet

Emerald Green metallic w/Sand metallic, Bronze carpet

Storage Dry storage Livewell Bait system



TOURNAMENT PRO 175

MAGNUM 175



Your family will love this boat.

The first time you laid eyes on her, you knew the Magnum was the boat for you. Made for the way you fish, the big roomy Magnum boasts abundant storage space for your family's gear, and a flexible floorplan that includes two side storage/seating benches-ideal for teaching the little ones to fish and building lifelong memories. Big, comfortable, flexible. Perfect for family fishing. Add a dependable Johnson outboard and you've got something you can share with your family and friends for many years to come.

Johnson



2XB HULL

MAGNUM 175 CS



DUAL LIVEWELLS—Two large aerated livewells with timers, lights, drop in bait system, and remote fill and drain.

ROD LOCKER—7" locking rod lockers keep your favorite rods safe, secure, and ready to go.

CS CONSOLE—New sleek design with ample room for your graphs. Our switches feature individual electronic breakers—no more fuses.



MAGNUM 175

MAGNUM 175

175 CS 175

DIMENSIONS

LENGTH	17'11" 5.46m	17'11" 5.46m
WIDTH—maximum beam	88" 2.24m	88" 2.24m
DEPTH—maximum/to floor	41"/22" 1.04m/.56m	41"/22" 1.04m/.56m
TRANSOM—width/height	88"/20" 2.24m/.51m	88"/20" 2.24m/.51m

CAPACITIES

HORSEPOWER—maximum	140 HP 104kw	80 HP 60kw
CAPACITY—persons/lbs.	5/1310# 5/594kg	5/1310# 5/594kg
WEIGHT—lbs.	1175# 532kg	1135# 515kg
FUEL TANK	34 gal. 129L	34 gal. 129L

2XB HULL

THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm
2XB Bow—2nd plate	.080"	.080"
2XB Bottom—2nd plate	.060"	.060"

STANDARD FEATURES

SEATING Driver's is stationary w/height adjust., slider	
SEATS	2 2
PEDESTALS/SOCKETS	2 (1fixed)/5 2 (1fixed)/3
STEERING & CONSOLE	
CS: No-feedback steering, removable windshield	
TILLER: Electronics compartment, tilt/trim button	
SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank	
LIVEWELLS See diagrams below	
BOW LIVEWELL gal.—w/h/l	34 gal.—13"x17"x54" 129L—33cm/43cm/137cm
AFT LIVEWELL gal.—w/h/l	22 gal.—13"x11"x36" 83L—41cm/28cm/91cm

Aerated, 2 bait system, timer, light, drains

STORAGE, ELECTRICAL & EXTRAS See diagrams

ROD STORAGE—two 7" locking compartments

BATTERY STORAGE—forward storage for 2 batteries

POWER—automotive style fuse panel

TROLLING—two 12/24V outlets

LIGHTS—stowable running lights, interior courtesy lights

BILGE PUMP—automatic

EXTRAS—fire extinguisher, grab handles

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

HYDRAULIC STEERING

25"TRANSOM—(CS) recommended for all 4-stroke applications

VINYL FLOOR—replaces carpeting

SEAT—extra seat and pedestal

COVERS—mooring cover or snap cover

PAINT COLORS & CARPET


Mica Black metallic w/Silver metallic paint,
Midnight Star carpet

Olympic White w/Sand metallic paint, Bronze carpet

Pacific Blue metallic w/Silver metallic paint,
Midnight Star carpet

Emerald Green metallic w/Sand metallic, Bronze carpet

Storage Livewell Bait system



MAGNUM 165



The top gun in its class.

No other 16-footer gives you the high performance fishing options of the Magnum 165. The smart, tight design keeps everything close at hand while giving you plenty of room to work big fish and operate electronics. If you like a quick, responsive boat that can put you on fish, hold a line in the wind, and blast you from one little hotspot to another, the Magnum is your choice. Even when packing 90 horses of Mercury fury, the Magnum fits easily in grandma's tiny garage.

MERCURY
"1 On The Water"



MAGNUM 165

2XB BOW




MAGNUM 165 CS



SIDE LIVEWELL—Large, aerated, side-livewell with light, removable bait keeper, and remote drain.

MAGNUM STORAGE—Plenty of storage in the bow, and if you need it, more in the aft area.

CS CONSOLE—New sleek design with ample room for your graphs. Our switches feature individual electronic breakers—no more fuses.



MAGNUM 165

165 CS

165

DIMENSIONS

LENGTH	16'5" 5.00m	16'5" 5.00m
WIDTH—maximum beam	81" 2.08m	81" 2.08m
DEPTH—maximum/to floor	36"/22" .91m/.56m	36"/22" .91m/.56m
TRANSOM—width/height	81"/20" 2.05m/.51m	81"/20" 2.05m/.51m

CAPACITIES

HORSEPOWER—maximum	90 HP 67kw	65 HP 48kw
CAPACITY—persons/lbs.	5/1245# 5/565kg	5/1250# 5/567kg
WEIGHT—lbs.	903# 410kg	840# 381kg
FUEL TANK	22 gal. 83L	22 gal. 83L

2XB BOW HULL

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
2XB Bow—2nd plate	.080"	.080"

STANDARD FEATURES

SEATING

Driver seat is stationary w/height adjuster and slider

SEATS	2	2
PEDESTALS/SOCKETS	2 (1fixed)/5	2 (1fixed)/4

STEERING & CONSOLE

CS: No-feedback steering, removable windshield

TILLER: Aft electronics compartment, lockable

SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank

LIVEWELLS See diagrams below

LIVEWELL gal.—w/h/l	22 gal.—10"x13"x52" 83L—25cm/41cm/132cm
---------------------	--

Aerated, drop-in bait container, light, remote drain

STORAGE, ELECTRICAL & EXTRAS See diagrams

ROD STORAGE—7' locking compartment

BATTERY STORAGE—forward storage

POWER—automotive style fuse panel

TROLLING—two 12V outlets

LIGHTS—stowable running lights, interior courtesy lights

BILGE PUMP—manual

EXTRAS—fire extinguisher, grab handles

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

HYDRAULIC STEERING

VINYL FLOOR—replaces carpeting

SEAT—extra seat and pedestal

COVERS—mooring cover or snap cover

PAINT COLORS & CARPET



Mica Black metallic w/Silver metallic paint,
Midnight Star carpet

Olympic White w/Sand metallic paint, Bronze carpet

Pacific Blue metallic w/Silver metallic paint,
Midnight Star carpet

Emerald Green metallic w/Sand metallic paint,
Bronze carpet

Storage Livewell Bait system



NAVIGATOR 185

NEW FOR 2005



A trimmed down pro class series.

Here's a new eighteen-plus footer that doesn't take 200 horses to giddy-up and go. The Navigator is a trimmed down version of our pro class boats. We're able to reduce the weight by trimming back the top rail and keeping her lean and mean. You still get the rock solid 2XB Hull system and Alumacraft quality construction throughout. Imagine the looks you'll get when you blow by 'em with that Yamaha F150 four-stroke just purring along.

Factory Installed with




THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.



2XB HULL



NAVIGATOR 185 CS



DRY BOW STORAGE—Lots of storage for whatever you need to store, binoculars, rain gear, anchor and more.

LIVEWELL—Two aerated livewells feature timer, lights, remote drain and a drop-in bait keeper.

OPTIONAL DUAL BUBBLE WINDSHIELDS—Streamlined protection for both driver and passenger.



NAVIGATOR SPORT 185

NAVIGATOR 185

Sport

CS

DIMENSIONS

LENGTH	18'7" 5.66m	18'7" 5.66m
WIDTH—maximum beam	96" 2.44m	96" 2.44m
DEPTH—maximum/to floor	39"/22" .99m/.56m	39"/22" .99m/.56m
TRANSOM—width/height	93"/20" 2.36m/.51m	93"/20" 2.36m/.51m

CAPACITIES

HORSEPOWER—maximum	150 HP 111kw	150 HP 111kw
CAPACITY—persons/lbs.	6/1550# 6/703kg	6/1550# 6/703kg
WEIGHT—lbs.	1440# 653kg	1351# 613kg
FUEL TANK w/reserve	40 gal. 151L	40 gal. 151L

2XB HULL

THICKNESS bottom/sides	.098"/.080" 2.5mm/2.0mm	.098"/.080" 2.5mm/2.0mm
2XB bow—2nd plate	.098"	.098"
2XB bottom—2nd plate	.080"	.080"

STANDARD FEATURES

SEATING

Driver seat is stationary w/height adjuster and slider

SEATS 2 2

PEDESTALS/SOCKETS 2 (1 fixed)/5 2 (1 fixed)/5

STEERING & CONSOLE

CS: No-feedback steering, removable windshield

SPORT: No-feedback steering, walk-thru windshield

SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank

LIVEWELLS See diagrams below

Gallons—width/height/length

Bow: 34g—12"x14"x54" Aft: 12.5g—12"x10"x30"

128L—32cm/45cm/137cm 47L—32cm/25cm/76cm

Aerated, drop-in bait container, light, remote drain

STORAGE, ELECTRICAL & EXTRAS See diagrams

ROD STORAGE—dual 7" locking compartments

BATTERY STORAGE—forward storage for 2 batteries

POWER—automotive style fuse panel

TROLLING—12/24V bow outlet

LIGHTS—stowable running lights, interior courtesy lights

BILGE PUMP—manual

EXTRAS—fire extinguisher, grab handles

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

HYDRAULIC STEERING

25" TRANSOM—recommended for all 4-stroke applications

DUAL BUBBLE WINDSHIELDS (Sport)

VINYL FLOOR—replaces carpeting

SEAT—extra seat and pedestal

COVERS—mooring cover or snap cover

PAINT COLORS & CARPET


Mica Black metallic w/Silver metallic paint,
Midnight Star carpet

Olympic White w/Sand metallic paint, Bronze carpet

Pacific Blue metallic w/Silver metallic paint,
Midnight Star carpet

Emerald Green metallic w/Sand metallic paint,
Bronze carpet

Storage Dry storage Livewell Bait system



NAVIGATOR 175



Putting money away for college.

By choosing a Navigator, you'll not only save on the price of your boat, but you'll save on the motor, too. The beauty of the lighter weight Navigator is you don't need as many horses to power it. You still get the top performance of the 2XB Hull system, Alumacraft construction throughout, dependable Johnson power; plus you get piece of mind from knowing you're setting

something aside for your family's future. Who would have dreamed it could be such fun.



NAVIGATOR 175 CS

Johnson

NAVIGATOR 175

2XB HULL

NAVIGATOR SPORT 175

with optional bubble windshields replacing the standard walk-thru



LIVEWELLS—Aerated livewells in the bow and stern area feature timer, lights, a remote drain (keeps your arms and sleeves dry) and a drop-in bait keeper.

BOW STORAGE—Lots of storage for whatever you need to store, binoculars, rain gear, anchor and more. Plus there's more storage area in the cockpit and stern area.

NEW CONSOLE—Easy to read, full instrumentation, in a sleek console with padded steering wheel. Switches feature push-button breakers. Goodbye fuse box.

NAVIGATOR 175

Sport 175 CS 175

DIMENSIONS

LENGTH	17'6" 5.33m	17'3" 5.26m	17'3" 5.26m
WIDTH—maximum beam	93" 2.36m	93" 2.36m	93" 2.36m
DEPTH—maximum/to floor	39"/22" 99m/56m	37"/22" 94m/56m	37"/22" 94m/56m
TRANSOM—width/height	93"/20" 2.36m/51m	93"/20" 2.36m/51m	93"/20" 2.36m/51m

CAPACITIES

HORSEPOWER—maximum	140 HP 104kw	140 HP 104kw	80HP 60kw
CAPACITY—persons/lbs.	5/1345# 5/610kg	5/1245# 5/565kg	5/1145 5/519kg
WEIGHT—lbs.	1345# 610kg	1245# 565kg	1145# 519kg
FUEL TANK w/reserve	40 gal. 151L	40 gal. 151L	40gal. 151L

2XB HULL

THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm
2XB Bow—2nd plate	.080"	.080"	.080"
2XB Bottom—2nd plate	.080"	.080"	.080"

STANDARD FEATURES

SEATING

Driver seat is stationary w/height adjuster and slider

SEATS	2	2	2
PEDESTALS/SOCKETS	2 (1 fixed)/5	2 (1 fixed)/5	2 (1 fixed)/3

STEERING & CONSOLE

SPORT: Dual consoles w/walk-thru tempered glass windshield, no-feedback steering

CS: Console w/no-feedback steering, removable windshield

TILLER: Aft electronics panel

SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank gauge

LIVEWELL See diagrams below

Gallons—width/height/length

Bow: 34g—12"x14"x54" Aft: 12.5g—12"x10"x30"

128L—32cm/45cm/137cm

47L—32cm/25cm/76cm

Aerated livewell w/timer, light, drop-in bait tamer, remote drain

STORAGE, ELECTRICAL & EXTRAS See diagrams

ROD STORAGE—Dual 7' locking compartments

BATTERY STORAGE—forward storage for 2 batteries

POWER—automotive style fuse panel

TROLLING—12/24V bow outlet

LIGHTS—stowable running lights, interior courtesy lights

BILGE PUMP—manual

EXTRAS—fire extinguisher, grab handles

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

HYDRAULIC STEERING

25" TRANSOM—(Sport, CS) recommended for all 4-stroke applications

DUAL BUBBLE WINDSHIELD—(Sport)

VINYL FLOOR—replaces carpeting

SEAT—extra seat and pedestal

COVERS—mooring cover

PAINT COLORS & CARPET


Mica Black metallic w/Silver metallic paint, Midnight Star carpet

Olympic White w/Sand metallic paint, Bronze carpet

Pacific Blue metallic w/Silver metallic paint, Midnight Star carpet

Emerald Green metallic w/Sand metallic paint, Bronze carpet

Storage Livewell Bait system



THREE NEW, WIDER MODELS NAVIGATOR 165



NAVIGATOR 165



NAVIGATOR 165 CS CLASSIC

Great performer wherever you go.

If you want to catch fish, you go where the fish are biting. That means running to rivers, lakes, reservoirs, and even private ponds with makeshift landings. You gotta be adaptable. The Navigator 165 is one of the most adaptable boats you'll find. Look at all the different seat positions. Look at all the fishing options. Look at all the room. It's easy to launch, easy to load and easy to trailer. When backed by a dependable Yamaha outboard, the Navigator 165 is the way to get there and back.

Factory Installed with



THE MULTI-FUNCTION TILLER HANDLE, optional on F30 though F115, gives you fingertip control of starting, shifting, steering and throttle.

2XB BOW



NAVIGATOR SPORT 165



ROD STORAGE—There's two large rod lockers, so bring all your rigs.

LIVEWELL—Big-time 34 gal. aerated livewell with light, timer, drop-in bait keeper and a remote drain so you can keep your sleeves dry.

SWEET SEATS—Firm, comfortable, ergonomic seats keep you smiling all day long. Hand holds are located next to each running position.

NAVIGATOR 165 CS



NAVIGATOR 165

	NEW Sport	NEW 165 CS	NEW 165	CLASSIC 165 CS	CLASSIC 165
DIMENSIONS					
LENGTH	16'7" 5.05m	16'7" 5.05m	16'7" 5.05m	16'5" 5.00m	16'5" 5.00m
WIDTH—maximum beam	90" 2.29m	90" 2.29m	90" 2.29m	82" 2.08m	82" 2.08m
DEPTH—maximum/to floor	36"/21" .99m/.53m	36"/21" .99m/.53m	36"/21" .99m/.53m	36"/21" .99m/.53m	36"/21" .99m/.53m
TRANSOM—width/height	90"/20" 2.29m/.51m	90"/20" 2.29m/.51m	90"/20" 2.29m/.51m	82"/20" 2.08m/.51m	82"/20" 2.08m/.51m

CAPACITIES

HORSEPOWER—maximum	90 HP 67kw	90 HP 67kw	60 HP 45kw	75 HP 56kw	60 HP 45kw
CAPACITY—persons/lbs.	5/1340# 5/608kg	5/1340# 5/608kg	5/1245# 5/565kg	5/1285# 5/583kg	5/1295# 5/587kg
WEIGHT—lbs.	1050# 476kg	965# 438kg	925# 420kg	880# 399kg	820# 372kg
FUEL TANK	23 gal. 87L	23 gal. 87L	23 gal. 87L	22 gal. 83L	22 gal. 83L

2XB BOW HULL

THICKNESS bottom/sides	.098"/.080" 2.4mm/2.0mm	.098"/.080" 2.4mm/2.0mm	.098"/.080" 2.4mm/2.0mm	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------

2XB Bow—2nd plate	.080"	.080"	.080"	.080"	.080"
-------------------	-------	-------	-------	-------	-------

STANDARD FEATURES

SEATING

Driver seat is stationary w/height adjuster and slider

SEATS	2	2	2	2	2
-------	---	---	---	---	---

PEDESTALS/SOCKETS	1/5	1/5	1/3	2(1fixed)/5	2(1fixed)/4
-------------------	-----	-----	-----	-------------	-------------

STEERING & CONSOLE

SPORT: Dual consoles w/walk-thru tempered glass windshield, no-feedback steering

CS: Console w/no-feedback steering, removable windshield

TILLER: Aft electronics panel

SPEEDOMETER (Sport & CS), tachometer, voltmeter, fuel gauge, horn, blank

LIVEWELL See diagrams below

LIVEWELL gal.—w/h/l	34 gal.—12"x14"x54" 128l—32cm/36cm/137cm	Classics: 22 gal.—12"x17"x54" 83l—32cm/43cm/137cm
---------------------	---	--

Aerated w/timer, light, drop-in bait holder, remote drain

STORAGE, ELECTRICAL & EXTRAS See diagrams

ROD STORAGE—Dual 7" locking compartments

BATTERY STORAGE—forward storage for 1 battery

POWER—automotive style fuse panel

TROLLING—12V bow outlet

LIGHTS—stowable running lights, interior courtesy lights

BILGE PUMP—manual

EXTRAS—fire extinguisher, grab handles

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

DUAL BUBBLE WINDSHIELD (Sport)

VINYL FLOOR—replaces carpeting

SEAT—extra seat and pedestal

COVERS—mooring cover

PAINT COLORS & CARPET


Mica Black metallic w/Silver metallic, Midnight Star carpet

Olympic White w/Sand metallic paint, Bronze carpet


Pacific Blue metallic w/Silver metallic, Midnight Star carpet

Emerald Green metallic w/Sand metallic, Bronze carpet


Storage Livewell Bait system




NAVIGATOR 165 Classic




NAVIGATOR SPORT 165



NAVIGATOR 165 CS



NAVIGATOR 165



NAVIGATOR 165 CS Classic

LUNKER 165 LTD



LUNKER 165 LTD CS

LUNKER 165 LTD



Pure and simple, they are Alumacraft classics.

You're looking at classic Alumacraft workmanship. For decades these boats have been some of our most popular models. Dependable, durable and functional. They've served the needs of fishermen who want a boat that works as hard as they work. Whether it's the first boat or the last boat you're planning to buy, you simply cannot go wrong with one of these Alumacraft classics. When paired with a reliable Honda outboard, you'll own the next classic fishing combination.

HONDA
MARINE

2XB BOW



LUNKER ROD LOCKER—Lockable rod storage compartment holds and protects rods up to 7'. Rod savers too.

LUNKER LIVEWELL—Large 21 gallon, aerated livewell with light, timer, drop-in bait keeper and remote drain.

LUNKER CONSOLE—Designed for comfort and function, you'll like the way it feels, and looks.

YUKON 165



YUKON 165

Johnson

LUNKER 165 LTD YUKON 165

	CS	Tiller	Yukon
DIMENSIONS			
LENGTH	16'6" 5.03m	16'6" 5.03m	16'6" 5.03m
WIDTH—maximum beam	76" 1.93m	76" 1.93m	76" 1.93m
DEPTH—maximum/to floor	37"/22" 94m/56m	37"/22" 94m/56m	37"/22" 94m/56m
TRANSOM—width/height	72.5"/20" 1.84m/51m	72.5"/20" 1.84m/51m	72.5"/20" 1.84m/51m

CAPACITIES			
HORSEPOWER—maximum	50 HP 37kw	50 HP 37kw	50 HP 37kw
CAPACITY—persons/lbs.	5/1235# 5/560kg	5/1235# 5/560kg	5/1400# 5/635kg
WEIGHT—lbs.	700# 318kg	660# 299kg	715# 318kg

2XB BOW HULL			
THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm	.100"/.065" 2.5mm/1.7mm
2XB Bow—2nd plate	.060"	.060"	—

STANDARD FEATURES

SEATING

Driver seat is stationary w/height adjuster and slider

SEATS	2	2	2
PEDESTALS/SOCKETS	1 fixed/4	1 fixed/3	1 fixed/2

STEERING & CONSOLE

CS: Console w/no-feedback steering, removable windshield

OPTIONAL CONSOLE (Yukon)— w/no-feedback steering, optional removable windshield

FLOOR—carpet (Lunker), vinyl flooring (Yukon)

LIVEWELL See diagrams below

LUNKER LIVEWELL—21 gallon, 8"x11"x 44" (79L—20cm/28cm/112cm)

Aerated w/timer, light, drop-in bait tamer, remote drain

YUKON LIVEWELL—10gallon, 10"x 11"x 27" (38L—25cm/28cm/69cm)

Aerated

STORAGE, ELECTRICAL & EXTRAS See diagrams

ROD STORAGE—7" locking compartment, rod savers (Lunker)

Dual locking compartments (Yukon)

BATTERY STORAGE—1 battery (forward, Lunker) (aft tray, Yukon)

POWER—automotive style fuse panel, wireway tubes

TROLLING—12V bow outlet (Lunker)

LIGHTS—stowable running lights; interior courtesy lights (Lunker)

BILGE PUMP—manual

EXTRAS—aqueduct tray, grab handles

OPTIONAL EQUIPMENT

TROLLING MOTOR—Minn Kota

GRAPH—Lowrance liquid crystal

VINYL FLOOR—replaces carpeting (Lunker)

SEAT—extra seat and pedestal

COVERS—mooring cover

PAINT COLORS & CARPET

Lunker: Oxford White paint w/Midnight Star carpet

Mica Black metallic w/Silver metallic, Midnight Star carpet

Olympic White w/Sand metallic paint, Bronze carpet


Pacific Blue metallic w/Silver metallic, Midnight Star carpet

Emerald Green metallic w/Sand metallic, Bronze carpet

Yukon: Oxford White, Gray vinyl floor

Khaki Dead Grass, Tan vinyl floor

Storage Livewell Bait system



FISHERMAN 145




Brings back memories.

At one time in our lives, nearly all of us have fished out of these simple, unpretentious, workhorses. Practical, affordable, nearly indestructible—with a legendary Evinrude outboard. There's something to be said for keeping it simple.


FISHERMAN 145 CS



FISHERMAN 145



FISHERMAN 145 w/opt. console



Storage Livewell

OPTIONAL CONSOLE—With no feedback steering and room to mount your graph.

LIVEWELL—Easy access aerated, side-livewell.

FISHERMAN 145

DIMENSIONS

LENGTH	14'6" 4.42m
WIDTH—maximum beam	70" 1.78m
DEPTH—maximum/to floor	37"/23" 94m/58m
TRANSOM—width/height	63"/20" 1.60m/.51m

CAPACITIES

HORSEPOWER—maximum	35 HP 26kw
CAPACITY—persons/lbs.	4/865# 4/392kg
WEIGHT—lbs.	460# 208kg

FULL VEE HULL

THICKNESS bottom/sides	.065" / .065" 1.7mm/1.7mm
------------------------	------------------------------

STANDARD FEATURES

SEATING Driver seat stationary w/height adjuster

SEATS/PEDESTALS/SOCKETS 2 seats/1 fixed/2

STEERING & CONSOLE Tiller standard

OPTIONAL CONSOLE—w/no-feedback steering.
Optional removable windshield

LIVEWELL—aerated 13 gal.—13"x11"x32"
49L—33cm/29cm/81cm

ELECTRICAL & EXTRAS

POWER—fuse panel, wireway tubes

LIGHTS—stowable running lights

EXTRAS—Bilge pump, aqueduct tray, grab handles

OPTIONAL EQUIPMENT

TROLLING MOTOR, GRAPH—Minn Kota, Lowrance

SEAT—extra seat and pedestal

COVERS—mooring cover

PAINT COLORS & FLOORING

Oxford White, Dove Gray interior, Gray vinyl floor

Midnight Star Gray carpet on decks and lids

Dead Grass, Tan vinyl flooring, camo seats

V/T Series

V16 V14 T14V T12V

DIMENSIONS

LENGTH	16'7" 5.05m	14'3" 4.34m	14'1" 4.29m	12'1" 3.68m
MAX. BEAM	70" 1.78m	68" 1.73m	61" 1.55m	61" 1.55m
BOW HEIGHT	30" .76M	30" .76m	26" .66M	26" .66m
TRANSOM—Width	63" 1.60m	63" 1.60m	60" 1.52m	60" 1.52m
Height	15", 20" .38m, .51m	15", 20" .38m, .51m	16" .41m	16" .41m

CAPACITIES

HORSEPOWER—max	40 HP 30kw	25 HP 19kw	15 HP 11kw	10 HP 7kw
----------------	---------------	---------------	---------------	--------------

CAPACITY—20" tran: 5/1385# 5/1050#
Persons/lbs 5/682kg 5/476kg

15" tran: 5/1255# 5/1195# 4/824# 3/655#
5/569kg 5/542kg 4/373kg 3/297kg

WEIGHT—20" tran: 292# 245# 180# 153#
Lbs 132kg 111kg 81kg 69kg

15" tran: 287# 230#
130kg 104kg

FULL VEE HULL

THICKNESS bottom .070" .065" .060" .060"
1.8mm 1.7mm 1.5mm 1.5mm


THICKNESS sides .070" .065" .050" .050"
1.8mm 1.7mm 1.3mm 1.3mm

SEATING—bench/bow 3/1 3/1 3/0 3/0

OPTIONAL SEATS—clamp-on seats w/swivel

PAINT COLOR—Lite Gray paint w/Dove Gray interior

Johnson



V16

V14

T14V

T12V



V14

Vs & Ts

BAY INVADER 195



There's a time for stalking and a time for charging.

The Bay Invader is light afoot, wide and stable enough to sneak around in the skinniest water. Yet when the time comes, she will flat out run. Her 92-inch beam, large overall footprint, pad V hull, and all-welded aluminum construction give you the optimal balance of hull strength, weight and water displacement. Backed up by a maximum 150 horses of dependable Yamaha power, this is one impressive little bay boat. Hold on to your hat, we're gonna have us some fun.




YAMAHA'S EXCLUSIVE YDC-30 ALLOY is the most corrosion-resistant base material in the industry.

Factory Installed with



ICE CHEST—right below the seat is a cooler for your cold ones or your big reds.

CENTER CONSOLE—Gives you plenty of room for fighting big fish and lets you sit up high for better visibility.



BAY INVADER 195

DIMENSIONS

LENGTH	19'4" 5.89m
WIDTH—beam/bottom	92"/67" 2.33m/1.70m
SIDE HEIGHT	23" .58m
TRANSOM—width/height	92"/22" 2.4m/.6m

CAPACITIES

HORSEPOWER—maximum	150 HP 112kw
CAPACITY—persons/lbs.	5/925# 5/420kg
WEIGHT—lbs.	1400# 635kg
FUEL TANK w/reserve	42 gal. 153L

ALL-WELDED HULL

THICKNESS bottom/sides	.102" 2.5mm
------------------------	----------------

All-welded, stepped, pad-V hull w/reversed chines

ALL-ALUMINUM TRANSOM

FLOOR—welded-in aluminum floor and decks w/spray-in liner

STANDARD FEATURES

SEATING See diagrams

SEATS—cushioned bench seat over bait well, leaning post w/handrail & ice chest retainer

STEERING & CONSOLE See diagrams

CONSOLE—Center walk-around fiberglass console, hydraulic steering, windscreen, rod holders and grab rail

SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn

LIVEWELL/BAIT WELL See diagrams

LIVEWELL—33 gal. aerated (125L)

BAIT WELL—and fish box

STORAGE, ELECTRICAL, EXTRAS See diagrams

RODS—6 standup console rod holders and 6 side rod holders

STORAGE—2 lockable bow compartments, 1 aft

BATTERY STORAGE—1 aft, 2 under console

POWER—master electrical switch with breakers, 12V power point, saltwater resistant and water proof electrical system

TROLLING—12/24V bow outlet, 6 gauge wiring w/reset buttons

LIGHTS—stowable running lights, interior courtesy

BILGE PUMP—500 gph

EXTRAS—grab handles

OPTIONAL EQUIPMENT

TROLLING MOTOR—Motorguide, Minn Kota

GRAPH—Lowrance liquid crystal

PAINT COLORS & CARPET

White paint, Gray spray-in liner, Gray seats

Storage Livewell Bait Well/Ice Chest


INVADER 195 185 175

INVADER 195



Double shot of adrenaline.

When you drop that hammer, you better be holding on, cause she's gonna go. Lighter, quicker and more durable than glass bass boats, the Invader gives you all the pro fishing features and performance in a more affordable package. That means you can put more money toward that big Yamaha outboard for awesome hole shots and a breathtaking top end. Look at the size of those casting decks. The livewells are huge. You wanna talk storage, how many tackle boxes you got?





INVADER 175

Factory Installed with



Connect Yamaha's DIGITAL ENGINE MANAGEMENT SYSTEM to a GPS unit and track your mileage, speed and ETA along with your position



INVADER 185
Step-up in deck has cooler underneath

INVADER 195 185 175

DIMENSIONS

LENGTH	19'4" 5.89m	18'4" 5.59m	17'5" 5.31m
WIDTH-beam/bottom	92"/67" 2.33m/1.70m	92"/67" 2.33m/1.70m	88"/64" 2.23m/1.63m
SIDE HEIGHT	23" 58cm	23" 58cm	23" 58cm
TRANSOM-width/height	92"/22" 2.4m/.6m	92"/22" 2.4m/.6m	88"/22" 2.2m/.6m

CAPACITIES

HORSEPOWER-maximum	200 HP 148kw	150 HP 111kw	115 HP 85kw
CAPACITY-persons/lbs.	4/1400# 4/635kg	4/1300# 4/589kg	4/1200# 4/544kg
WEIGHT-lbs.	1350# 612kg	1300# 590kg	1200# 544kg
FUEL TANK w/reserve	35 gal. 132L	35 gal. 132L	25 gal. 91L

ALL-WELDED HULL

THICKNESS bottom/sides	.102" 2.5mm	.102" 2.5mm	.102" 2.5mm
------------------------	----------------	----------------	----------------

All-welded, stepped, pad-V hull with reversed chines

FLOOR-welded-in aluminum floor and decks

STANDARD FEATURES

SEATING See diagrams below

SEATS-Deluxe bench bucket seats, bike seat, pedestal seat

SOCKETS-2 pin sockets

STEERING & CONSOLE

CONSOLE-Fiberglass console w/windscreen; no-feedback dual-cable steering (195, 185); single steering (175)

SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, Lowrance X51 with temperature gauge in console

LIVEWELLS See diagrams below

LIVEWELL gal./length	33g/42" 125L/1.1m	33g/42" 125L/1.1m	33g/42" 125L/1.1m
----------------------	----------------------	----------------------	----------------------

Lighted, aerated, recirculating livewell with pumpout

STORAGE, ELECTRICAL & EXTRAS See diagrams

RODS-2 lockable compartments w/holders for 12 rods, Rod tie down straps on decks

DRY STORAGE-3 lockable compartments

BATTERY STORAGE-aft, 105 amp

POWER-salt water resistant system, master electrical switch with breakers, 12V power point

TROLLING-12/24V bow panel outlet, tilt/trim switch, 6 gauge wiring with reset buttons

LIGHTS-stowable running lights, interior courtesy lights, lighted rod and storage boxes, lighted livewell

BILGE PUMP-500 gph

EXTRAS-grab handles, cup holders, lift arms on lids

OPTIONAL EQUIPMENT

TROLLING MOTOR-Motorguide, Minn Kota

GRAPH-Lowrance liquid crystal

SPRAY-IN LINER

DUAL CONSOLE (195, 185)


HYDRAULIC STEERING

PAINT COLORS & CARPET

Light Sand metallic paint, Antelope carpet, Tan seats

Gunmetal Gray metallic paint, Charcoal Gray carpet, Gray seats

Storage Dry storage Livewell Ice chest



VS170

NEW MODEL FOR 2005



Coming in under the radar.

Some guys want a bass boat with a little more stealth. Something they can sneak into backwaters without banging timber and waking up the neighborhood. The VS170 may be the little brother to our Invader, but it's all business in performance. Big, wide decks, lots of dry storage, a pro-style console with full instrumentation, port side rod locker protects four 7' rods, and the large aerated livewell has a remote operated drain. Strap on a powerful Yamaha outboard and you're flying.

Factory Installed with



THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.



FIBERGLASS CONSOLE—Sleek new fiberglass console, standard with tachometer, speedometer, fuel gauge, and saltwater-resistant wiring.

LIVEWELL—Big 36" aerated, recirculating, livewell with remote drain.

VS170

DIMENSIONS

LENGTH	17'0"	5.18m
WIDTH—beam/bottom	74"/52"	1.88m/1.32m
SIDE HEIGHT	22"	.56m
TRANSOM—width/height	74"/22"	1.88m/.60m

CAPACITIES

HORSEPOWER—maximum	90 HP	67kw
CAPACITY—persons/lbs.	4/1100#	4/499kg
WEIGHT—lbs.	852#	387kg
FUEL TANK	18 gal.	.68L

Storage Dry storage Livewell

ALL-WELDED HULL

All-welded, stepped pad-V hull w/reversed chines

THICKNESS bottom/sides .102" 2.5mm

FLOOR—welded-in aluminum floor and decks

TRANSOM—all aluminum

STANDARD FEATURES

SEATING—4 fold-down seats

SOCKETS—2 pin sockets

STEERING & CONSOLE

CONSOLE—fiberglass with windscreen; no-feedback steering

GAUGES—Speedometer, tachometer, fuel

LIVEWELLS—20 gal., aerated with timer, remote drain

STORAGE, ELECTRICAL & EXTRAS See diagram

RODS—7' locking compartment w/holders for 4 rods

STORAGE—3 dry compartments

POWER—saltwater resistant system, nav and trim switch on bow, 12V power points

TROLLING—12 volt harness

LIGHTS—stowable running lights, interior courtesy

BILGE PUMP—500 gph

OPTIONAL EQUIPMENT

TROLLING MOTOR—MotorGuide, Minn Kota


GRAPH—Lowrance liquid crystal

SPRAY-IN LINER

PAINT COLORS & CARPET

Gunmetal Gray metallic paint, Charcoal Gray carpet

Light Sand metallic paint, Antelope carpet



PF170

NEW MODEL FOR 2005

PF170

The best guarded secret in crappie fishing.

We know how tight lipped crappie fishermen can be. We don't blame you. The last thing you need is somebody homing in on your favorite brush pile. But we can't keep this a secret any longer. Our Crappie Series has a new leader, the new PF170. Designed by crappie fishermen for crappie fishermen, it features full electronics, plenty of storage and dual livewells/baitwells. This roomy, comfortable, stable, panfishing machine can handle up to 75 horses of Yamaha power.

Factory Installed with



THE FRONT-MOUNTED FRESHWATER FLUSH DEVICE makes it easy to completely flush the engine, in the slip or at home.

COMFORTABLE SEATS—Fish all day. The PF170 has forward and aft pedestal seats and a livewell/baitwell beside each position.

FIBERGLASS CONSOLE—The PF170's sleek, sporty, fiberglass console has a tachometer, speedometer and volt gauge.

CRAPPIE JON

CRAPPIE DELUXE

CRAPPIE SERIES

DIMENSIONS	Crappie		
	PF170	Deluxe	Jon
LENGTH	17'0" 5.18m	15'0" 4.57m	14'0" 4.27m
WIDTH—beam/bottom	74"/52" 1.88m/1.32m	64"/42" 1.62m/1.07m	64"/42" 1.62m/1.07m
SIDE HEIGHT	22" .56m	20" .51m	20" .51m
TRANSOM—width/height	74"/22" 1.88m/.60m	62"/20" 1.57m/.50m	62"/15" 1.57m/.38m

CAPACITIES

HORSEPOWER—maximum	75 HP 58kw	25 HP 19kw	25 HP 19kw
CAPACITY—persons/lbs.	4/900# 4/408kg	3/745# 3/338kg	3/740# 3/336kg
WEIGHT—lbs.	800# 363kg	426# 193kg	330# 150kg

HULL/CONSTRUCTION

THICKNESS bottom/sides	.102" 2.5mm	.063" 1.6mm	.063" 1.6mm
PF170—all-welded, stepped pad-V hull w/reverse chines			
DELUXE, JON—riveted modified-V			
FLOOR—aluminum floor & decks, PF170 are welded-in			

STANDARD FEATURES

SEATING See diagrams

SEATS—PF170: 2 fold-down seats, 2 pedestal seats
DELUXE, JON: 2 upholstered seats w/arm rests

STEERING & CONSOLE

CONSOLE—fiberglass w/no-feedback steering and speedometer, tachometer, volt gauge (PF170)

LIVEWELLS See diagrams

PF170: two 17 gal. aerated livewells bait wells
DELUXE: aerated w/seat cushion
JON: livewell box

STORAGE, ELECTRICAL & EXTRAS See diagrams

RODS—lockable rod box (PF170)

STORAGE—2 compartments (PF170, Dlx), 1 compartment (Jon)

POWER—12V power point (PF170)

TROLLING—12V bow outlet (PF170), bow bracket (Deluxe, Jon)

LIGHTS—stowable running lights (PF170, Deluxe)

BILGE PUMP—500gph (PF170)

OPTIONAL EQUIPMENT

TROLLING MOTOR—Motorguide, Minn Kota


GRAPH—Lowrance liquid crystal

PAINT COLORS & CARPET

Light Sand metallic paint, Antelope carpet

Gunmetal Gray metallic, Charcoal Gray carpet (PF170)

Storage Livewell Baitwell



MV TEX Special

NEW MODEL FOR 2005



She ain't so fancy, but boy can she fish.

Everything in the MV Tex Special is about bass fishing. No make up, no glitter, if it doesn't catch bass, it's out. This big-bottomed, wide-open, no-nonsense bass boat remains one of our most popular models. Pure and simple and hard working, it's a boat you can trailer anywhere and launch at the most primitive landings. MV Tex Special comes standard with four seats, a side console, dry storage and a large aerated livewell. Add a reliable Yamaha outboard and you're fishing.

MV TEX SPECIAL

DIMENSIONS

LENGTH	16'0"	4.88m
WIDTH-beam/bottom	74"/50"	1.88m/1.27m
SIDE HEIGHT	21"	53cm
TRANSOM-width/height	69"/20"	1.75m/.50m

CAPACITIES

HORSEPOWER-maximum	60 HP	45kw
CAPACITY-persons/lbs.	5/1010#	4/458kg
WEIGHT-lbs.	510#	231kg
FUEL TANK-portable	9 gal.	34L

ALL-WELDED HULL

THICKNESS bottom/sides	.102"	2.5mm
All-welded modified-V with 11 extruded ribs		
FLOOR-welded-in aluminum floor and decks		
TRANSOM-all aluminum		

STANDARD FEATURES

SEATING-4 fold-down seats

CONSOLE-fiberglass w/windscreen, no-feedback steering

GAUGES-speedometer

LIVEWELLS-20 gallon, aerated

STORAGE, ELECTRICAL & EXTRAS

STORAGE-2 compartments (1 is dry)

TROLLING-12 volt harness

LIGHTS-stowable running lights, interior courtesy

BILGE PUMP-500 gph

OPTIONS

TROLLING MOTOR-Motorguide, Minn Kota

GRAPH-Lowrance liquid crystal

SPRAY-IN LINER

PAINT COLORS & CARPET

Charcoal Gray met. paint, Charcoal gray carpet

Light Sand met. paint, Antelope carpet

Storage Dry storage Livewell



LIVEWELL-Big, wide, aerated livewell keeps your catch fresh and lively. Plus two big storage compartments for your gear.

CONSOLE-Good-looking fiberglass console with no-feedback steering and windscreen.



TWO-YEAR LIMITED WARRANTY protects every Yamaha Two Stroke.



Factory Installed with



MV 1756 AW RR

NEW MODEL FOR 2005




Born and Bred to run the rivers

This boat is all about navigating rock and gravel bottom rivers with confidence. The MV 1756 AW RR was developed to run with jet outboard power in as little as 4 inches of water. The strong, durable aluminum construction is wide and stable. If you enjoy fishing the winding currents and eddies of our beautiful rivers, this boat will take you to some remote and pristine fishing spots. And the Yamaha powered Jet will make your trip as much fun as landing that first fish.

STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.

TUNNEL HULL—Design allows jet lower units to function in shallow water.

LIVEWELL—An oversize aerated livewell keeps your catch fresh all the way home.



MV 1756 AW RR

DIMENSIONS

LENGTH	17'0"	5.18m
WIDTH—beam/bottom	83"/56"	2.10m/1.42m
SIDE HEIGHT	24"	.60m
TRANSOM—width/height	83"/29"	2.11m/.73m

CAPACITIES

HORSEPOWER—maximum	115 HP	85kw
CAPACITY—persons/lbs.	5/825#	4/371kg
WEIGHT—lbs.	600#	272kg
FUEL TANK—gallons	25 gal.	95L

ALL-WELDED HULL

THICKNESS bottom/sides	.102"	2.5mm
All-welded modified-V with 6 keel breaks, 2" tunnel		
FLOOR—aluminum floor and decks		
ALL-ALUMINUM TRANSOM		

STANDARD FEATURES

SEATING—2 fold-down seats, 1 bench, 2 pin sockets

CONSOLE—Fiberglass console, no-feedback steering, speedometer, tachometer, fuel gauge

LIVEWELL—23 gallon aerated (750 gph)

STORAGE, ELECTRICAL & EXTRAS

STORAGE—2 storage, 1 dry compartment, rod box

TROLLING—12/24V trolling harness

LIGHTS—stowable running lights, interior courtesy

EXTRAS—power point, bilge pump, fuse panel

OPTIONAL EQUIPMENT

TROLLING MOTOR—Motorguide, Minn Kota


GRAPH—Lowrance liquid crystal

SPRAY-IN LINER

PAINT COLORS

Khaki paint, Optional Camo paint


■ Storage ■ Dry storage ■ Livewell



Factory Installed with



JONS All-Welded & Riveted



MV 1756 AW SC
Shown with
optional camo paint

The toughest jon boats you can buy.

Compare and you'll find Alumacraft jons are built significantly stronger than other jons. Our all-welded 1650s and up models have three more keel breaks (the longitudinal corrugations formed into the bottom) and up to three more lateral ribs than other manufacturers' all-welded jons. Not only do we use more ribs, we use heavier, wider, stronger ribs, heavier gauge aluminum and an all-aluminum transom. Rig yours with a rugged Johnson outboard and you're set for years.

ALL-ALUMINUM
TRANSM

BIGGER RIBS
MORE RIBS

MORE KEEL BREAKS

HEAVIER GAUGE ALUMINUM

MV 2072 AW

Johnson



WATERFOWLER 15



IT TAKES GUTS TO BE THIS TOUGH.

MORE SELECTION—Pick the size and layout you need— from 10' to 20' long, 32" to 72" wide, with modified-V, flat bottom hull or tunnel hull. Choose a center console, side console or tiller steering. You can get fishing seats, flip-flop seats, aluminum floors and decks, spray-on liners, livewells, and special paint on select models. It's your choice.

ALL-WELDED OR RIVETED CONSTRUCTION—Our AWs are the first choice for those who prefer all-welded construction. If you're looking for rugged with less weight, you'll appreciate our five decades of experience building riveted aluminum boats.

MORE RIBS—Our AW jons are built with ribs positioned on narrow 12" centers. Close spacing results in more ribs making the hull stronger and more stable the entire length of the boat.

BIGGER RIBS—These AW ribs can take a pounding. They're heavier, wider and stronger, making the jon tougher and more rigid.

KEEL BREAKS—These longitudinal corrugations in the bottom act just like the corrugations in a metal roof. They give you a much stronger bottom design.

HEAVIER GAUGE ALUMINUM—The top quality 5052 marine grade aluminum we use is heavier than you'll find in a thin-skinned competitive jon boat.

SEE THE DIFFERENCE—Look closely. You'll see a tighter fit; smooth, even welds; bigger rivets; and precision construction throughout. This is a jon boat you'll be proud to call your own.



GUN BOX—The Waterfowler's lockable gun box holds up to six cased shotguns plus shells. The camo cushion makes it the perfect place to hunker down.



MV 1648 Riveted

JONS All-Welded



Tough jons attract tough customers



Tough customers can be hard to please. They demand center consoles, side consoles, rod storage, tunnel hulls, flip-flop seats, drop decks, ice chests, flat floors, livewells, flat-bottom hulls, dry storage, V-bow hulls, modified-V bottoms, camo paint, gun boxes, and on and on. But hey, it keeps us on our toes. We're sure you'll be able to find the boat you've always wanted in our extensive selection of jons. Power it with a dependable Evinrude outboard and you'll have a great rig for a long, long time.

EVINRUDE





MV 1860 AW SPECIAL



TUNNEL HULL—Lets you raise your prop to run in shallow waters. Tunnel models.

FUEL STORAGE—Store dual portable fuel tanks securely out of the way with easy access. 1756, 1860 and 2072 AW models.

STORAGE COMPARTMENT—All 1756, 1860 and 2072 AW jons feature a large easy-access storage compartment in the bow.

CENTER CONSOLE—With no-feedback steering, livewell, seat, backrest cushion, windshield, and grab rail. It keeps your load centered, provides storage and gives you walk-around fighting room.


*VB 1860 AW TUNNEL CC
Shown with optional sponsons*




JON BOATS/ALL-WELDED

AW = All Welded construction
CC = Center Console
DD = Drop Deck
FF = Flip-Flop seat
MV = Modified Vee hull
SC = Side Console


 Storage
 Livewell
 Cooler
 Gun Box




**MV 2072 AW
FF**




**MV 2072 AW
Tunnel FF**




**MV 2072 AW
CC**




**MV 2072 AW
Tunnel CC**



**MV 2072 AW
SC**



**MV 2072 AW
Tunnel SC**



MV 2072 AW



**MV 2072 AW
Tunnel**


	MV 2072 AW FF	MV 2072 AW Tunnel FF	MV 2072 AW CC	MV 2072 AW Tunnel CC	MV 2072 AW SC	MV 2072 AW Tunnel SC	MV 2072 AW	MV 2072 AW Tunnel
LENGTH	20'0"	20'0"	20'0"	20'0"	20'0"	20'0"	20'0"	20'0"
BOTTOM WIDTH	72"	72"	72"	72"	72"	72"	72"	72"
BEAM/SIDE HEIGHT	96"/30"	96"/30"	96"/30"	96"/30"	96"/30"	96"/30"	96"/30"	96"/30"
TRANSOM HEIGHT	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum
MAXIMUM HP	130 HP	130 HP	130 HP	130 HP	130 HP	130 HP	60 HP, 130 w/cons	60 HP, 130w/cons
WEIGHT (approx.)	1200#	1200#	1150#	1150#	1100#	1100#	850#	850#
CAPACITY	8 persons/2100#	8 persons/2100#	8 persons/2100#	8 persons/2100#	8 persons/2100#	8 persons/2100#	8 persons/2100#	8 persons/2100#
HULL TYPE	MV-AW	MV-AW tunnel	MV-AW	MV-AW tunnel	MV-AW	MV-AW tunnel	MV-AW	MV-AW tunnel
HULL GAUGE/# RIBS	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs
CONSOLE	Center console	Center console	Center console	Center console	Side console	Side console	Opt. side steering	Opt. side steering
LIVEWELL	Aerated LW	Aerated LW	Aerated LW	Aerated LW	Aerated LW	Aerated LW	—	—
SEATS	Flip-flop, console	Flip-flop, console	Console seat	Console seat	Opt. seats	Opt. seats	Opt. seats	Opt. seats
PEDESTAL SEAT BASES	2 pin seat bases	2 pin seat bases	2 pin seat bases	2 pin seat bases	2 pin seat bases	2 pin seat bases	Opt. seat bases	Opt. seat bases
FLOOR	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Opt. floor	Opt. floor
FUEL TANKS, Portable	Two 10.5 gal.	Two 10.5 gal.	Two 10.5 gal.	Two 10.5 gal.	Two 10.5 gal.	Two 10.5 gal.	—	—
COLOR	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki

STANDARD FEATURES: • Center console with no-feedback steering, livewell, seat, backrest cushion, windshield, grab rail (FF, CC) • Flip-flop seat with cooler (FF) • Bow storage w/hatch • Navigation and courtesy lights (FF, CC, SC) • 2 Power points (FF, CC, SC) • Bilge pump (FF, CC, SC) • 12/24V Trolling motor harness w/plug and receptacle (FF, CC, SC), plus tilt/trim (FF, CC)


OPTIONAL EQUIPMENT: • Spray-in liner (FF, CC, SC) • MotorGuide or Minn Kota trolling motor • Lowrance graph • Fishing seat • Seat base • Windshield (SC) • Side console • Gun box (no console) • Light package • Floor w/sides • Sponsons

 **KHAKI PAINT**


 **WHITE PAINT
w/GRAY LINER
(1860 Special)**




**V-bow 1860 AW
Tunnel**




**MV 1756 AW
CC**




**V-bow 1756 AW
Tunnel CC**




**MV 1756 AW
SC**




**V-bow 1756 AW
Tunnel SC**



MV 1756 AW



**V-bow 1756 AW
Tunnel**



**MV 1650 AW
CC**

	V-bow 1860 AW Tunnel	MV 1756 AW CC	V-bow 1756 AW Tunnel CC	MV 1756 AW SC	V-bow 1756 AW Tunnel SC	MV 1756 AW	V-bow 1756 AW Tunnel	MV 1650 AW CC
LENGTH	18'0"	17'0"	17'0"	17'0"	17'0"	17'0"	17'0"	16'0"
BOTTOM WIDTH	60"	56"	56"	56"	56"	56"	56"	50"
BEAM/SIDE HEIGHT	86"/25"	83"/24"	83"/24"	83"/24"	83"/24"	83"/24"	83"/24"	74"/22"
TRANSOM HEIGHT	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum
MAXIMUM HP	50HP, 115w/cons	75 HP	75 HP	75 HP	75 HP	50 HP	50 HP	60 HP
WEIGHT (approx.)	680#	860#	860#	830#	830#	600#	600#	690#
CAPACITY	6 persons/1600#	5 persons/825#	5 persons/825#	5 persons/825#	5 persons/825#	5 persons/825#	5 persons/825#	5 persons/1000#
HULL TYPE	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW
HULL GAUGE/# RIBS	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/11 ribs
CONSOLE	Opt. side console	Center console	Center console	Side console	Side console	Opt. side console	Opt. side console	Center console
LIVEWELL	—	Aerated LW	Aerated LW	Aerated LW	Aerated LW	—	—	Aerated LW
SEATS	Opt. seats	Console seat	Console seat	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Console seat
PEDESTAL SEAT BASES	Opt. seat bases	2 pin seat bases	2 pin seat bases	2 pin seat bases	2 pin seat bases	Opt. seat bases	Opt. seat bases	2 pin seat bases
FLOOR	Opt.	Aluminum	Aluminum	Aluminum	Aluminum	Opt.	Opt.	Aluminum
FUEL TANKS, Portable	—	Two 7.5 gal.	Two 7.5 gal.	Two 7.5 gal.	Two 7.5 gal.	—	—	—
COLOR	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki


STANDARD FEATURES: • Center console with no-feedback steering, livewell, seat, backrest cushion, windshield, grab rail (FF, CC) • Navigation and courtesy lights (FF, CC, SC) • 2 Power points (FF, CC, SC) • Bilge pump (FF, CC, SC) • Trolling motor harness w/plug and receptacle (12/24V—1860, 2072 CC, SC), (12V—1756, 1650 CC, SC; Waterfowler 15 & 16) • Bow storage w/hatch (1860, 1756)

OPTIONAL EQUIPMENT: • Spray-in liner (FF, CC, SC) • MotorGuide or Minn Kota trolling motor • Lowrance graph • Fishing seat • Seat base • Windshield (SC) • Side console • Gun box (not FF, CC) • Camo paint • Light package • Floor w/sides • Sponsons



MV 1860 AW SPECIAL—For maximum performance, rig your Alumacraft jon with a powerful Evinrude outboard.


EVINRUDE




MV 1860 AW Special




V-bow 1860 AW Special Tunnel




MV 1860 AW FF




V-bow 1860 AW Tunnel FF




MV 1860 AW CC




V-bow 1860 AW Tunnel CC



MV 1860 AW SC



V-bow 1860 AW Tunnel SC




MV 1860 AW


18'0"	18'0"	18'0"	18'0"	18'0"	18'0"	18'0"	18'0"	18'0"
60"	60"	60"	60"	60"	60"	60"	60"	60"
86"/25"	86"/25"	86"/25"	86"/25"	86"/25"	86"/25"	86"/25"	86"/25"	86"/25"
21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum
115 HP	115 HP	115 HP	115 HP	115 HP	115 HP	115 HP	115 HP	50 HP, 115w/cons
1050#	1050#	940#	940#	905#	905#	875#	875#	680#
6 per./1600#	6 per./1600#	6 per./1600#	6 per./1600#	6 per./1600#	6 per./1600#	6 per./1600#	6 per./1600#	6 persons/1600#
MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW
.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs
Center console	Center console	Center console	Center console	Center console	Center console	Side console	Side console	Opt. side console
Aerated LW	Aerated LW	Aerated LW	Aerated LW	Aerated LW	Aerated LW	Aerated LW	Aerated LW	—
2, flip-flop, console	2, flip-flop, console	Flip-flop, console	Flip-flop, console	Console seat	Console seat	Opt. seats	Opt. seats	Opt. seats
2 pin bases	2 pin bases	2 pin bases	2 pin bases	2 pin bases	2 pin bases	2 pin bases	2 pin bases	Opt. seat bases
Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Opt.
Two 7.5 gal.	Two 7.5 gal	Two 7.5 gal	Two 7.5 gal	Two 7.5 gal	Two 7.5 gal	Two 7.5 gal	Two 7.5 gal	—
White/gray, Linex	White/gray, Linex	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki

STANDARD FEATURES: • Center console w/no-feedback steering, livewell, seat, backrest cushion, windshield, grab rail (Special, FF, CC) • Flip-flop seat w/cooler (Special, FF) • Spray-in liner, Gray or Tan color (Special) • Navigation and courtesy lights • 12/24V Trolling motor harness w/plug and receptacle • 2 Power points • Bilge pump • Bow storage w/hatch


OPTIONAL EQUIPMENT: • Spray-in liner (models w/floor) • MotorGuide or Minn Kota trolling motor • Lowrance graph • Fishing seat • Seat base (MV 1860 AW) • Side console (MV 1860 AW) • Windshield (SC) • Light package • Camo paint • Gun box (MV 1860 AW) • Floor w/sides (MV 1860 AW) • Sponsons




V-bow 1650 AW Tunnel CC




MV 1650 AW SC




V-bow 1650 AW SC Tunnel




MV 1650 AW




V-bow 1650 AW Tunnel




Waterfowler 16




Waterfowler 15




MV 1546 AW DD



MV 1546 AW Tunnel DD



MV 1546 AW



MV 1450 AW

16'0"	16'0"	16'0"	16'0"	16'0"	16'0"	15'0"	15'0"	15'0"	15'0"	14'0"
50"	50"	50"	50"	50"	50"	46"	46"	46"	46"	50"
74"/22"	74"/22"	74"/22"	74"/22"	74"/22"	74"/22"	65"/20"	65"/20"	65"/20"	65"/20"	74"/22"
21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	15"all-aluminum	15"all-aluminum	15"all-aluminum	15"all-aluminum	20"all-aluminum
60 HP	60 HP	60 HP	40 HP, 60 w/con	40 HP, 60 w/con	40 HP	25 HP	25 HP	25 HP	25 HP	30 HP, 40 w/con
690#	680#	485#	485#	450#	525#	330#	340#	330#	310#	390#
5 per/1000#	5 per/1100#	5 per/1100#	5 per/1100#	5 per/1100#	5 per/1100#	4 per/825#	4 per/825#	4 per/825#	4 per/825#	5 per/1010#
Flat-V AW Tunnel	MV-AW	MV-AW Tunnel	MV-AW	Flat-V AW Tunnel	MV-AW	MV-AW	MV-AW	MV-AW tunnel	MV-AW	MV-AW
.102"/11 ribs	.102"/11 ribs	.102"/11 ribs	.102"/11 ribs	.102"/11 ribs	.102"/11 ribs	.082"/11 ribs	.082"/11 ribs	.082"/11 ribs	.082"/11 ribs	.090"/10 ribs
Center console	Side console	Side console	Opt. side cons.	Opt. side cons.	—	—	Opt. side cons.	Opt. side cons.	Opt. side cons.	Opt. side cons.
Aerated LW	Aerated LW	Aerated LW	—	—	—	—	—	—	—	—
Console seat	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Cushion, opt. seat	Cushion, opt. seat	Opt. seats	Opt. seats	Opt. seats	Opt. seats
2 pin bases	2 pin bases	2 pin bases	Opt. seat bases	Opt. seat bases	1 pin base	1 pin base	2 pin bases	2 pin bases	—	Opt. seat bases
Aluminum	Aluminum	Aluminum	Opt. floor	Opt. floor	Alum. floor	Alum. floor	Alum. deck	Alu. drop deck	Opt. floor	Opt. floor
—	—	—	—	—	—	—	—	—	—	—
Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki


STANDARD FEATURES: • Navigation and courtesy lights (FF, CC, SC, Waterfowler) • 2 Power points (FF, CC, SC, Waterfowler) • Gun box w/cushion (2-Waterfowler 16, 1-Waterfowler 15) • Drop deck (Waterfowler, DD) • Bilge pump (FF, CC, SC, Waterfowler) • Bow storage • Center seat w/livewell (MV1546AW)

OPTIONAL EQUIPMENT: • Spray-in liner (FF, CC, SC, Waterfowler) • MotorGuide or Minn Kota trolling motor (FF, CC, SC) • Lowrance graph (FF, CC, SC) • Fishing seat • Camo seat • Seat base • Windshield (SC) • Side console • Gun box (not CC or SC) • Camo paint • Light package • Floor w/sides • Aft deck (Waterfowler) • Sponsons (1650)

JON BOATS/RIVETED

LW = Livewell
MV = Modified Vee hull
NCS = No Center Seat

Storage
Livewell




MV 1648




MV 1648 NCS



MV 1448




1648



1648 NCS



1448




1542




1442

LENGTH	16'0"	16'0"	14'0"	16'0"	16'0"	14'0"	15'0"	14'0"
BOTTOM WIDTH	48"	48"	48"	48"	48"	48"	42"	42"
BEAM/SIDE HEIGHT	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	62"/20"	62"/20"
TRANSOM HEIGHT	15" or 20" trans.	15" or 20" trans.	15" or 20" trans.	15" or 20" trans.	15" or 20" trans.	15" or 20" trans.	15" transom	15" transom
MAXIMUM HP	40 HP	40 HP	25 HP	35 HP	35 HP	25 HP	25 HP	25 HP
WEIGHT (approx.)	280#	310#	250#	285#	260#	260#	210#	190#
CAPACITY	5 persons/1010#	5 persons/1010#	5 persons/885#	5 persons/1010#	5 persons/1010#	5 persons/885#	4 persons/775#	4 persons/770#
HULL TYPE-Riveted	MV-R	MV-R	MV-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R
HULL GAUGE/# RIBS	.070"/9 ribs	.070"/9 ribs	.070"/7 ribs	.070"/9 ribs	.070"/9 ribs	.070"/7 ribs	.063"/8 ribs	.063"/7 ribs
CONSOLE STEERING	Opt. side	Opt. side	Opt. side	Opt. side	Opt. side	Opt. side	Opt. side	Opt. side
LIVEWELL	Opt. seat LW	—	Opt. seat LW	Opt. seat LW	—	Opt. seat LW	—	—
SEATS	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats
SPECIAL FEATURE	Seat storage	No center seat	Seat storage	Seat storage	No center seat	Seat storage	—	—
COLOR	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green



1442 LW




1442 NCS



1436



1436 Lite



1436 LW



1236



1432



1232



1032

OLIVE DRAB
GREEN PAINT

LENGTH	14'0"	14'0"	14'0"	14'0"	14'0"	12'0"	14'0"	12'0"	10'0"
BOTTOM WIDTH	42"	42"	36"	36"	36"	36"	32"	32"	32"
BEAM/SIDE HEIGHT	62"/20"	62"/20"	55"/19"	55"/19"	55"/19"	55"/19"	48"/17"	48"/17"	48"/17"
TRANSOM HEIGHT	15" transom	15" transom	15" transom	15" transom	15" transom	15" transom	15" transom	15" transom	15" transom
MAXIMUM HP	25 HP	25 HP	20 HP	15 HP	20 HP	15 HP	10 HP	8 HP	3 HP
WEIGHT (approx.)	210#	230#	160#	135#	170#	125#	120#	105#	95#
CAPACITY	4 persons/770#	4 persons/770#	3 persons/625#	3 persons/625#	3 persons/625#	3 persons/540#	3 persons/555	2 persons/455	2 persons/365
HULL TYPE-Riveted	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R
HULL GAUGE/# RIBS	.063"/7 ribs	.063"/7 ribs	.063"/7 ribs	.053"/6 ribs	.063"/7 ribs	.053"/5 ribs	.053"/5 ribs	.053"/4 ribs	.053"/2 ribs
CONSOLE STEERING	Opt. side	Opt. side	Opt. side	Opt. side	Opt. side	Opt. side	Opt. side	Opt. side	—
LIVEWELL	Seat livewell	—	—	Opt. box LW	Seat livewell	—	Opt. box LW	Opt. box LW	Opt. box LW
SEATS	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats	Opt. seats
SPECIAL FEATURE	Seat livewell	No center seat	—	Light weight	Seat livewell	—	—	—	—
COLOR	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green

OPTIONS: • No-feedback side steering (all except 1032) • Camouflage upholstered seat and clamp • Light bracket • Trolling motor bracket • Locking swivel

Johnson




1442

1436 LITE



1648

CANOES



MERCURY
"1 On The Water"

CO-17 CAMPER

QT-17C QUETICO

QT-15CL QUETICO

Mercury's lightweight, reliable portables are the perfect outboard for our Camper canoes.

Impervious to sun, sand, rocks, truck beds and teenagers.

Alumacraft builds hard-working rugged canoes that will shrug off whatever Mother Nature, or the creative minds of teenagers, can dish out. Six models range from 15' to 18-1/2' and meet a variety of needs. Each is designed to make paddling easier and more stable. Alumacraft canoes—built to last a lifetime and then some.

OPTIONAL MOTOR BRACKET—lets you mount an electric trolling motor on any model.

OPTIONAL PORTAGE PADS—make portaging more appealing.



CANOES


MODEL	TYPE	LENGTH	WIDTH	WEIGHT	AMIDSHIP DEPTH	PEOPLE/# CAPACITY	HULL THICKNESS	KEEL TYPE	BOTTOM	STEM GAUGE	NUMBER OF RIBS	CURVED THWART	MAXIMUM HP
QT-185CL QUETICO	Cruising light	18'5" 5.61m	37" 94cm	67# 30.4kg	13" 33cm	4/795# 4/361kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	6	Optional	—
CO-17 CAMPER	Square stern	17'0" 5.18m	37" 94cm	83# 37.6kg	13" 33cm	4/810# 4/367kg	.045" 1.14mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	5	Optional	4 HP 3kw
QT-17CL QUETICO	Cruising light	17'0" 5.18m	36" 91cm	61# 27.6kg	13" 33cm	4/710# 4/322kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—
QT-17C QUETICO	Cruising	17'0" 5.18m	36" 91cm	69# 31.3kg	13" 33cm	4/730# 4/331kg	.045" 1.14mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—
QT-15CL QUETICO	Cruising light	15'0" 4.57m	36" 91cm	53# 24.0kg	12" 30cm	3/650# 3/295kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—

10 REASONS you should own an Alumacraft boat


1. ONE PIECE HULL. Our hull is made from a single piece of aluminum which is cut and shaped to form the hull. This one piece design assures there are no seams on the boat's bottom—providing the greatest possible inherent strength and no heaving.




2. 2XB HULL. Twin aluminum plates run the entire length of the boat bottom giving the hull exceptional strength. The 2XB is standard on the Trophy Series, Tournament Pro Series, and select models of Magnum and Navigator Series.




3. CENTER KEEL. One-piece extruded hardened keel adds strength and integrity from the top of the bow to stern. Preformed to match the profile curve of the bow assuring no stress on rivets. The one-piece keel, reinforced with 1/4" solid aluminum at wear points, runs the entire length of the boat. This greatly improves boat control on windy days and reduces weathervaning—allowing you to stay on fish longer.




4. LARGER AIRCRAFT GRADE RIVETS. Inherent strength is greater with larger rivets. Larger rivets mean stronger rivets. Stronger rivets mean fewer rivets needed. Fewer rivets mean fewer holes and significantly lower chance of popping rivets.



5. CONCAVE SPRAY RAIL. Large Reverse Dispersal Wave Action Spray Rails make for drier rides. These concave spray rails are engineered to deflect the spray downward. In addition, they provide lift and stability. This feature provides a noticeably drier ride in rough water.



6. HIGHEST QUALITY PAINT. Our boats are painted in the same base coat/clear coat process and colors used by the big three auto makers. The beauty of this process is it allows for repairing small scratches and areas of dock rash without repainting your entire boat. Matching touch up paint can be found at more than 4000 outlets.



7. THICKER HATCH DOORS mean bigger hatch doors. By using .125 thick aluminum rather than .090 like our competitors, we can put bigger doors on our floor and deck hatches. That makes it a whole lot easier to get tackle boxes, life jackets and clothing in and out of all the storage areas.



8. HIGH QUALITY HARDWARE PULLS. Alumacraft uses the highest quality hardware on the market. Chromed metal hardware is strong, durable and easy to grab and open, even with gloves on. Compare some of the hardware on other boats and you'll be surprised.



9. MARINE PLYWOOD. It costs more to use marine-grade plywood in the construction of floors and decks. It's not something you would notice unless you looked or asked. But with the affects of time, water and sun, anything but marine grade plywood will not hold up.



10. THE ALUMACRAFT RIDE. Our pros named it the Alumacraft Ride. These guys have driven or ridden in virtually every boat on the market. They tell us the Alumacraft Ride is drier, quieter, smoother and more responsive. The exceptional ride of an Alumacraft with the outstanding performance of a powerful Evinrude outboard—it doesn't get any better than this.



EVINRUDE

SEE YOUR ALUMACRAFT DEALER:

ALUMACRAFT LIMITED WARRANTY

We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information.

Photos, illustrations and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All Alumacraft boats are NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical and safety. All ratings comply with the Federal Boat Safety act of 1971.

Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.

COPYRIGHT © 2004 ALUMACRAFT BOAT CO. PRINTED IN THE USA.
Part# 9-24-300-2005



ALUMACRAFT®

ALUMACRAFT BOAT CO.

315 West St. Julien Street, St. Peter, MN 56082
507-931-1050 Fax: 507-931-9056

1329 N. 10th St., Box 189, Arkadelphia, AR 71923
870-246-5555 Fax: 870-246-4507

www.alumacraft.com