


2006


ALUMACRAFT




INSIDE INFORMATION



2XB TWIN PLATING EXTENDS BOW TO TRANSOM




DEEP-V EXTENDS ALL THE WAY TO THE TRANSOM



COMPETITIVE HULLS

SHALLOW BOW RAKE

SHORT, SHALLOW KEEL




LONG, DEEP KEEL



EXTRA LARGE SPRAY RAILS

Yamaha Double overhead cam design features fewer moving parts than conventional single overhead design, for greater reliability on F75 and above.



Factory Installed with



On the 2XB Hull

STRENGTH

Full-length double plating means twice the strength and protection all the way back to the transom.

QUIET

The extra plate and resulting solid bottom construction dramatically reduces sound and vibration from below.

WEIGHT

Alumacraft twin-plated 2XB Hull models actually weigh less than many manufacturers' competing boats with twin-plating in the bow only.

HANDLING

Not only is 2XB a stronger design, it's a truer design. Even under brutal conditions, the integrity of the hull will not compromise. No flexing and no subtle changes in shape that can affect handling.



The 'Alumacraft Ride' is a softer, drier ride. Here's why:

SLEEKER RAKE—Alumacraft's sleeker bow rake cuts through big waves to eliminate their pounding affect. This reduces boat bounce and assures a smoother ride even in rough water.

DEEPER KEEL—A deeper keel adds strength, helps maintain hull integrity, and maximizes water contact longer, thus improving boat handling, tracking and control in all conditions.

LONGER KEEL—Heat-treated, extra strong, one-piece keel runs nearly the entire length of the boat to improve handling, control and eliminate doglegging when drift fishing.

ALUMACRAFT PROFILE—The deep-V shape extends all the way to the transom. This creates a natural lift which softens the ride. The concave bottom traps a cushion of air in flat to light chop. This softens bumps and creates lift to increase top end performance. It also allows for a lower floor and higher gunnels in the interior.

SPRAY RAILS—Directs spray downward. Our extra large rails have two affects, they keep water spray out of the boat, and they create a downward hydro force that softens the impact of rough water.



LIVEWELLS

Aerated livewells keep your catch lively. Most come insulated, recirculating with timer, lighted, with remote drains and integrated bait containers.



LONGER LIFE DECKS

Floor and decks utilize only marine grade plywood and high quality Olefin carpet. Some premium manufacturers use cheaper plywood.



STEERING

Consoles are equipped with no-feedback steering technology so you won't feel the motor tug on the wheel. Hydraulic or dual cables on select models.



ACCURATE INSTRUMENTATION

High quality instruments display accurate information. Built to withstand the elements and pounding of rough water.



HANDHOLDS

Passengers can reach a handhold from every seat location. Everyone appreciates the added security and comfort of this feature.



CARPETED DECK RAILS

Carpeted deck rails do not get slippery when wet, they don't get hot to the touch and they don't scuff or scratch.

**147 waypoints, 20 miles of open water,
and 12 glorious hours.**

It's show time for you and the boys. The Trophy 200 and its 60-gallon fuel tank will eat up miles of water and get you to all those honey holes you've been marking over the years. The 2XB Hull and Alumacraft Ride keep you dry and comfortable even on rough water. So stow away the rods, the bait, the tackle bags and camera, turn off the phones, grab the thermos, fire up the Suzuki and enjoy the ride, boys.




TROPHY 200

2XB HULL



DUAL CONSOLE



BOW LIVEWELL



AFT LIVEWELL

DUAL CONSOLE—New, sleek driver and passenger consoles with walk-thru windshield protects you from wind and weather.

FORWARD AND AFT LIVEWELLS—Aerated livewells feature timed aeration, lights, removable bait keepers, and remote drain.



He just won over all the women in his life.

Comfortable, secure, roomy and "Waaaaay fun Dad". The Trophy defines luxury and multi sport performance for every member of your family. The 2XB Hull and Alumacraft Ride assure a dry, smooth ride and make you a hero in all their eyes. Look into a Trophy today for fishing, cruising, boarding, tubing and relaxing. With a quiet, powerful Yamaha four stroke, you can add napping to that list.

Factory Installed with



ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B. three-star rating.



TROPHY 190 180 175

2XB HULL





TROPHY 180

TROPHY 190



TROPHY 175



TOP SET WITH OPTIONAL CURTAINS



STANDARD TOP SET



BOW CUSHIONS



JUMP SEATS

HIGH RISE TOP SET—Keeps your family dry and comfortable when the drizzle and rains come. Shades you from the hot sun. Shut out the nasty weather completely with the optional aft and side curtains.

JUMP SEATS—Standard aft jump seats make the ride home smooth as glass for your guests and family members. A fun place to ride.

BOW CUSHIONS—Bow casting platform converts to seating area with optional thick lounge cushions.

TROPHY	200	190	180	175
DIMENSIONS				
LENGTH	19'10" 6.0m	18'10" 5.78m	17'10" 5.43m	17'6" 5.33m
WIDTH—Maximum beam	96" 2.43m	96" 2.43m	96" 2.43m	88" 2.24m
DEPTH—Maximum/to floor	44"/25.5" 1.12m/.65m	44"/25.5" 1.12m/.65m	44"/25.5" 1.12m/.65m	41"/25.5" 1.04m/.65m
TRANSOM—Width/height	96"/25" 2.43m/.64m	96"/25" 2.43m/.64m	96"/25" 2.43m/.64m	84"/25" 2.1m/.64m
CAPACITIES				
HORSEPOWER—Maximum	225 HP 167kw	200 HP 148kw	175 HP 130kw	150 HP 111kw
CAPACITY—Persons/lbs.	9/2000# 9/907kg	8/1900# 8/862kg	6/1515# 6/687kg	6/1500# 6/680kg
WEIGHT—Lbs.	1772# 803kg	1580# 717kg	1392# 631kg	1215# 547kg
FUEL TANK—Gallons	60g w/res 254L	40g w/res 169L	40g w/res 169L	23g 97L
2XB HULL				
THICKNESS bottom/sides	.100"/.080" 2.5mm/2mm	.100"/.080" 2.5mm/2mm	.100"/.080" 2.5mm/2mm	.100"/.080" 2.5mm/2mm
2XB Bow—2nd plate	.100"	.100"	.100"	.080"
2XB Bottom—2nd plate	.080"	.080"	.080"	.060"

SEATING

Driver's is stationary w/slider, height adjust (power height in 200, 190)

SEATS 4+2 jump 4+2 jump 3+2 jump 3+2 jump

PEDESTALS/SOCKETS 3 power/5 3 power/5 1pwr,2fxd/5 1pwr,2fxd/5

STEERING & CONSOLE

- STEERING—Hydraulic (200, 190)
- CONSOLE—With tilt wheel, walk-thru tempered windshield, passenger console
- SPEEDOMETER, Tachometer, voltmeter, fuel gauge, horn, blank
- STEREO—AM/FM/CD with 2 speakers

LIVEWELLS—Aerated, insulated, bait systems, timers, lights, remote drains

BOW LIVEWELL—Gallons—w/h/l 26gal.—18"x19"x35"

98L—46cm/48cm/69cm

AFT LIVEWELL—Gallons—w/h/l 17gal.—13"x9.5"x31"

64L—33cm/24cm/79cm

STORAGE, ELECTRICAL & EXTRAS

- TOP SET—Convertible high-rise w/boot, quick-disconnect hardware
- STORAGE—Lockable, lighted 8' rod compartment; lockable glove box
- DRY STORAGE/ICE CHEST—Lockable (200, 190, 180)
- BATTERY STORAGE—Forward (2 batteries: 200,190,180); (1 battery: 175)
- ELECTRICAL—Master electrical switch, 5 power points, circuit breakers
- TROLLING SYSTEM—12/24V bow outlet (200, 190, 180); 12V (175)
- LIGHTS—Stowable running lights, interior courtesy lights, livewell lights
- BILGE PUMP(S)—Dual, automatic & manual (200, 190); manual (180, 175)
- EXTRAS—Fire extinguisher, grab handles, cup holders


OPTIONAL EQUIPMENT

- TROLLING MOTOR, GRAPH—Minn Kota, Lowrance liquid crystal graph
- VINYL FLOOR—Replaces carpeting in cockpit
- HYDRAULIC STEERING (180, 175)
- SEATS—Extra seat and pedestal, bow cushions
- COVERS—Bow, mooring, snap covers; side, aft and windshield curtains

PAINT COLORS & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet

Storage Dry storage Livewell Bait system Battery storage



TROPHY 200

TROPHY 190

TROPHY 180

TROPHY 175

First Class seating in rows one and two.

Who says our Tournament boats are just for tough guys? With lumbar-supported ergonomic seats, adjustable shock-absorbing pedestals, wrap-around windshield, handholds and Alumacraft Ride, you'll travel in comfort, and in style, to all your favorite hot spots. So whether you're out to catch dinner or put it on your credit card, the Tournament Sport with a reliable quiet Evinrude will make the trip a pleasure.



TOURNAMENT SPORT

2XB HULL



EVINRUDE



TOURNAMENT SPORT 175

185 175

TOURNAMENT SPORT 185



CONSOLE



TOP-LOAD ROD LOCKER



BOW ROD LOCKER



BOW LIVEWELL



AFT LIVEWELL



DRY STORAGE

CONSOLE—Full instrumentation, tilt wheel, hydraulic steering, room for electronics, and switches with breakers.

ROD LOCKERS—Top-load 8' locker in the starboard gunnel holds four rods. Redesigned locker in the bow floor keeps up to four 7-1/2' set-ups handy (9 rods total).

LIVEWELLS—Two aerated, recirculating livewells; forward and aft, with lights, removable bait keepers, and remote drains.

DRY STORAGE—Large compartment in the bow keeps your expensive cameras and other valuables secure, dry and handy.

TOURNAMENT SPORT 185 175

DIMENSIONS

LENGTH	18'11" 5.76m	17'11" 5.46m
WIDTH—Maximum beam	96" 2.43m	96" 2.43m
DEPTH—Maximum/to floor	42"/22" 1.1m/.56m	43"/22" 1.1m/.56m
TRANSOM—Width/height	95"/25" 2.41m/.64m	95"/25" 2.41m/.51m

CAPACITIES

HORSEPOWER—Maximum	200 HP 148kw	175HP 130kw
CAPACITY—Persons/lbs.	6/1660# 6/752kg	6/1410# 6/640kg
WEIGHT—Lbs.	1600# 725kg	1530# 690kg
FUEL TANK w/reserve	41 gal. 155L	34 gal. 129L

2XB HULL

THICKNESS Bottom/sides	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"
2XB Bottom—2nd plate	.080"	.080"

SEATING

Driver's is stationary w/power height, slider

SEATS	4 (2 fixed)	4 (2 fixed)
PEDESTALS/SOCKETS	4 power/4	4 power/4

STEERING & CONSOLE

- DUAL CONSOLES w/curved tempered glass, walk-thru windshield. Tilt steering wheel w/hydraulic steering
- SPEEDOMETER, tach, voltmeter, fuel gauge, horn, blank
- STEREO—AM/FM/CD with 2 speakers

LIVEWELLS

See diagrams below

BOW LIVEWELL gal.—w/h/l	30 gal.—27"x12"x38" 114L—69cm/30cm/97cm
AFT LIVEWELL gal.—w/h/l	21 gal.—13"x11"x36" 79L—33cm/28cm/91cm

Aerated, recirculating, bait systems, timers, lights, remote drains

STORAGE, ELECTRICAL & EXTRAS

- RODS—Locking, lighted, 7-1/2' compartment w/9 tubes; 8' compartment w/4 tubes
- STORAGE BAG—Portable rod storage case
- BATTERY STORAGE—Forward storage for 2, 1 rear starting
- POWER—Master electrical switch, 3 power points, breakers
- TROLLING—Two 12/24V outlets, battery condition gauge
- LIGHTS—Stowable running lights, interior courtesy lights, livewell lights
- BILGE PUMP—1 automatic, 1 manual (185); 1 automatic (175)
- EXTRAS—Fire extinguisher, grab handles, cup holders


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- DUAL BUBBLE WINDSHIELDS
- VINYL FLOOR—Replaces carpeting in cockpit
- SEAT—Extra seat and pedestal
- COVERS—Convertible high-rise top set, snap cover

PAINT COLORS & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet

- Storage Dry storage Livewell Bait system
- Battery storage



Just topped their best day on the water.

Either they're getting better, or all those tournament class amenities are making them more productive. The large easy to access livewells, the top-loading rod lockers, the tight tracking, the 2XB Hull system, the Alumacraft Ride, and the 200 horses of reliable Yamaha powering them home while the memories of those two 30-plus walleye play over and over.

Factory Installed with



THE MULTI-FUNCTION TILLER HANDLE, optional on F30 through F115, gives you fingertip control of starting, shifting, steering and throttle.



TOURNAMENT PRO 185

2XB HULL





TOURNAMENT PRO 185



TOURNAMENT PRO 185 CS



TILLER CONSOLE



CS CONSOLE




BOW LIVEWELL



AFT LIVEWELL



TOP-LOAD ROD LOCKER



BOW ROD LOCKER

TILLER CONSOLE—Full instrumentation tiller command center with lockable station for your graph, GPS, marine band, keys, etc.

CS CONSOLE—Full instrumentation, room for electronics and switches with circuit breaker resets.

LIVEWELLS—Two giant, aerated, recirculating livewells with lights, removable bait keepers, and remote drain on bow livewell.

ROD LOCKERS—Exclusive top-load locker in the starboard gunnel holds four 8' rods. Second bow locker keeps nine set-ups handy (four up to 7-1/2').

TOURNAMENT PRO 185 CS 185 Tiller

DIMENSIONS

LENGTH	18'11" 5.76m	18'11" 5.76m
WIDTH—Maximum beam	96" 2.43m	96" 2.43m
DEPTH—Maximum to floor	42"/22" 1.1m/.56m	42"/22" 1.1m/.56m
TRANSOM—Width/height	95"/25" 2.41m/.64m	95"/25" 2.41m/.51m

CAPACITIES

HORSEPOWER—Maximum	200 HP 148kw	100 HP 75kw
CAPACITY—Persons/lbs.	6/1750# 6/793kg	6/1750# 6/793kg
WEIGHT—Lbs.	1510# 684kg	1475# 669kg
FUEL TANK w/reserve	41 gal. 155L	41 gal. 155L

2XB HULL

THICKNESS bottom/sides	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"
2XB Bottom—2nd plate	.080"	.080"

SEATING

Driver's is stationary w/power height, slider

SEATS	3	3
PEDESTALS/SOCKETS	3 power/5	3 power/3

STEERING & CONSOLE

- CS: Hydraulic steering, tilt wheel, removable windshield
- TILLER: Electronics compartment, foot trim
- SPEEDOMETER, tach, voltmeter, fuel gauge, horn, blank
- STEREO—AM/FM/CD with 2 speakers

LIVEWELLS

See diagrams below

BOW LIVEWELL gal.—w/h/l	30 gal.—27"x12"x38" 114L—69cm/30cm/97cm
AFT LIVEWELL gal.—w/h/l	21 gal.—13"x11"x36" 79L—33cm/28cm/91cm

Aerated, recirculating, bait systems, timers, lights, remote drains

STORAGE, ELECTRICAL & EXTRAS

- RODS—Locking, lighted, 7-1/2' compartment w/9 tubes, 8' compartment w/4 tubes
- STORAGE BAG—Portable rod storage case
- BATTERY STORAGE—Forward storage for 2, 1 aft
- POWER—Master electrical switch, power points, breakers
- TROLLING—Two 12/24V outlets, battery condition gauge
- LIGHTS—Stowable running lights, interior courtesy lights, livewell lights
- BILGE PUMPS—Dual: 1 automatic, 1 manual
- EXTRAS—Fire extinguisher, grab handles, cup holders


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- VINYL FLOOR—Replaces carpeting in cockpit
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover or snap cover

PAINT COLORS & CARPET


- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet

Storage Dry storage Livewell Bait system
Battery storage



It always turns into a competition.

You can't blame them. The Tournament Pro raises your level of fishing efficiency and brings out the competitor in everyone. The bow rod locker is capable of holding nine different setups. The two oversized aerated and insulated livewells, the top loading storage lockers, the 12/24 volt system, 2XB Hull—it goes on and on and on. Bolt on a Suzuki 4 stroke and stand back.



TOURNAMENT PRO 175

2XB HULL






TOURNAMENT PRO 175 CS




TOURNAMENT PRO 175



TOP LOAD ROD STORAGE



BOW ROD STORAGE



STO-N-GO ROD CASE



BATTERY STORAGE



DRY STORAGE COMPARTMENT

ALL TOURNAMENT MODELS FEATURE:

TOP LOADING ROD LOCKER—In the starboard gunnel. Gives effortless access to four 8' rods and reels. No more kneeling and bending over. Plus you can store nine more rods in the extra-large bow rod locker—four of those can be 7-1/2' rods.

STO-N-GO ROD SYSTEM—Allows you to safely and easily stow and transport four rods.

BATTERY STORAGE—Easy access compartment below the bow rod storage holds two batteries.

DRY STORAGE—Keep your camera, binocs and other valuables dry and secure in this large bow compartment.

TOURNAMENT PRO 175CS 175 Tiller

DIMENSIONS

LENGTH	17'11" 5.46m	17'11" 5.46m
WIDTH—Maximum beam	96" 2.43m	96" 2.43m
DEPTH—Maximum to floor	41.5"/22" 1.1m/56m	41.5"/22" 1.1m/56m
TRANSOM—Width/height	95"/25" 2.41m/51m	95"/25" 2.41m/51m

CAPACITIES

HORSEPOWER—Maximum	175 HP 130kw	90 HP 67kw
CAPACITY—Persons/lbs.	5/1550# 6/703kg	5/1550# 5/703kg
WEIGHT—Lbs.	1415# 641kg	1385# 628kg
FUEL TANK w/reserve	34 gal. 129L	34 gal. 129L

2XB HULL

THICKNESS bottom/sides	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"
2XB Bottom—2nd plate	.080"	.080"

SEATING Driver's is stationary w/power height, slider

• SEATS	3	3
• PEDESTALS/SOCKETS	3 power/5	3 power/3

STEERING & CONSOLE

- CS: Hydraulic steering, tilt wheel, removable windshield
- TILLER: Electronics compartment, foot trim
- SPEEDOMETER, tach, voltmeter, fuel gauge, horn, blank
- STEREO—AM/FM/CD with 2 speakers

LIVEWELLS See diagrams below

BOW LIVEWELL gal.—w/h/l	30 gal.—27"x12"x38" 114L—69cm/30cm/97cm
AFT LIVEWELL gal.—w/h/l	21 gal.—13"x11"x36" 79L—33cm/28cm/91cm

Aerated, recirculating, bait systems, timers, lights, remote drains

STORAGE, ELECTRICAL & EXTRAS

- RODS—Locking, lighted, 7-1/2' compartment w/9 tubes, 8' compartment w/4 tubes, Sto-N-Go rod case
- STORAGE BAG—Portable rod storage case
- BATTERY STORAGE—Forward storage for 2 batteries, 1 aft
- POWER—Master electrical switch, power points, breakers
- TROLLING—Two 12/24V outlets, battery condition gauge
- LIGHTS—Stowable running lights, interior courtesy lights, livewell lights
- BILGE PUMP—Automatic
- EXTRAS—Fire extinguisher, grab handles, cup holders


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- VINYL FLOOR—Replaces carpeting in cockpit
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover or snap cover

PAINT COLORS & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet

■ Storage ■ Dry storage ■ Livewell ■ Bait system ■ Battery storage



These two put a lot of quality fish in the boat.

They're not professionals, but you wouldn't know it by their success. They like the fact the Dominator has the same wide-open floor plan, bow rod box, dual livewells, 2XB Hull, and the Alumacraft ride as our Tournament series. But they really like the Dominator's lower weight, horsepower and price ratio. Leaves more money for that efficient new Yamaha and custom graphite rods.

Factory Installed with




Yamaha Double overhead cam design features fewer moving parts than conventional single overhead design, for greater reliability on F75 and above.



DOMINATOR 175

NEW FOR 2006

2XB HULL





DOMINATOR SPORT 175



DOMINATOR 175 CS




CS CONSOLE



BOW LIVEWELL



AFT LIVEWELL



ROD STORAGE COMPARTMENT



BOW STORAGE

CONSOLE: Sleek design has ample room for your graphs. Driver console on CS models, walk-thru windshield and dual consoles on Sport models. Dual consoles with bubble windshields are optional on Sport model.

DUAL LIVEWELLS—Two large, aerated livewells with timers, lights, drop-in bait system, and remote drain in the bow.

ROD LOCKER—Bow rod locker keeps up to eight of your favorite rods safe, secure, and ready to go (up to 7' long).

BOW STORAGE—Livewell, rod storage and a convenient dry storage compartment, perfect for your camera and other valuables, are all easily accessed in the large bow area.

DOMINATOR 175

Sport

CS

DIMENSIONS

LENGTH	17'5" 5.31m	17'5" 5.31m
WIDTH—Maximum beam	93" 2.36m	93" 2.36m
DEPTH—Maximum to floor	41"/22.5" 1.04m/57m	41"/22.5" 1.04m/57m
TRANSOM—Width/height	93"/25" 2.36m/64m	93"/25" 2.36m/64m

CAPACITIES

HORSEPOWER—Maximum	150 HP 111kw	150 HP 111kw
CAPACITY—Persons/lbs.	5/740# 5/336kg	5/740# 5/336kg
WEIGHT—Lbs.	1415# 643kg	1340# 608kg
FUEL TANK	40 gal. 151L	40 gal. 151L

2XB HULL

THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm
2XB Bow—2nd plate	.080"	.080"
2XB Bottom—2nd plate	.060"	.060"

SEATING Driver's is stationary w/height adjust., slider

SEATS	2	2
PEDESTALS/SOCKETS	1/4	1/4

STEERING & CONSOLE

- CONSOLE (CS): No-feedback steering, removable windshield
- CONSOLE (Sport): No-feedback steering, walk-thru windshield
- SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank

LIVEWELLS See diagrams below

BOW LIVEWELL gal.—w/h/l 30 gal.—27"x12"x38"

114L—69cm/30cm/97cm

AFT LIVEWELL gal.—w/h/l 13 gal.—12"x10"x30"

49L—30cm/25cm/76cm

Aerated, 2 bait systems, timers, lights, 1 remote drain (bow)

STORAGE, ELECTRICAL & EXTRAS

- ROD STORAGE—Two 7' locking compartments
- BATTERY STORAGE—Forward storage for 2 batteries, 1 aft
- POWER—Circuit breakers
- TROLLING—Two 12/24V outlets
- LIGHTS—Stowable running lights, interior courtesy lights livewell lights
- BILGE PUMP—Manual
- EXTRAS—Fire extinguisher, grab handles



OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- HYDRAULIC STEERING
- DUAL BUBBLE WINDSHIELDS—Sport model
- VINYL FLOOR—Replaces carpeting in cockpit
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover or snap cover

PAINT COLORS & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet

Storage Dry storage Livewell Bait system Battery storage



You won't hear whoopin' and hollerin' from this boat.

They've caught enough quality fish to know that making noise just scares away fish and attracts other fishermen. The Dominator fits their style. It gives them top of the line tournament boat features in a smaller, lighter weight package that requires less power and is easy to trailer and store. Plus, that efficient Yamaha 4 stroke saves on fuel costs, and that is something to cheer about.

Factory Installed with



THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.



DOMINATOR 165

NEW FOR 2006

2XB BOW





DOMINATOR 165 CS



DOMINATOR 165 CS



ROD STORAGE



LIVEWELL



BOW COMPARTMENTS

DUAL CONSOLES—You have a choice of three consoles in the new Dominator. CS models have a driver console with a bubble windshield. Sport models feature dual consoles with a walk-thru windshield. The dual console option gives you two consoles with two bubble windshields on the Sport model.

TRIPLE ROD LOCKERS—Keep your favorite rods secure and ready to go. Bow locker holds eight rods up to 7'. Two other lockers line the port and starboard gunnels.

LIVEWELL—Serious fishermen will like the large, aerated livewells with timers, lights, drop-in bait systems, and remote drains.

STORAGE—Keep your gear handy and secure in a convenient bow storage compartment.

SPORT CONSOLE

DOMINATOR 165	Sport	CS
DIMENSIONS		
LENGTH	16'7" 5.05m	16'7" 5.05m
WIDTH—Maximum beam	90" 2.28m	90" 2.28m
DEPTH—Maximum/to floor	42"/21.4" 1.06m/54m	42"/21.4" 1.06m/54m
TRANSOM—Width/height	90"/20" 2.28m/51m	90"/20" 2.28m/51m

CAPACITIES		
HORSEPOWER—Maximum	90 HP 67kw	90 HP 48kw
CAPACITY—Persons/lbs.	5/700# 5/318kg	5/700# 5/318kg
WEIGHT—Lbs.	1250# 618kg	1175# 534kg
FUEL TANK	23 gal. 87L	23 gal. 87L

2XB BOW HULL		
THICKNESS bottom/sides	.098"/.080" 2.4mm/2.0mm	.098"/.080" 2.4mm/2.0mm
2XB Bow—2nd plate	.080"	.080"

SEATING		
Driver seat is stationary w/height adjuster and slider		
SEATS	2	2
PEDESTALS/SOCKETS	1/5	1/5

STEERING & CONSOLE		
• CONSOLE (CS): No-feedback steering, removable windshield		
• CONSOLE (Sport): No-feedback steering, walk-thru windshield		
• SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank		

LIVEWELLS See diagrams below		
BOW LIVEWELL gal.—w/h/l	16 gal.—16"x12"x28" 61L—41cm/30cm/71cm	
AFT LIVEWELL gal.—w/h/l	5 gal.—12"x10"x11" 19L—30cm/25cm/27cm	


Aerated, bait systems, lights, remote drain (bow)

- STORAGE, ELECTRICAL & EXTRAS**
- ROD STORAGE—Three 7' locking compartments
 - BATTERY STORAGE—Forward storage for 2 batteries, 1 aft
 - POWER—Circuit breakers
 - TROLLING—Two 12/24V outlets, bow and aft
 - LIGHTS—Stowable running lights, interior courtesy lights livewell lights
 - BILGE PUMP—Manual
 - EXTRAS—Fire extinguisher, grab handles

- OPTIONAL EQUIPMENT**
- TROLLING MOTOR—Minn Kota
 - GRAPH—Lowrance liquid crystal
 - HYDRAULIC STEERING
 - DUAL BUBBLE WINDSHIELDS—Sport model
 - VINYL FLOOR—Replaces carpeting in cockpit
 - SEAT—Extra seat and pedestal
 - COVERS—Mooring cover or snap cover

- PAINT COLORS & CARPET**
- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
 - Olympic White w/Silver metallic paint, Midnight Star Gray carpet
 - Olympic White w/Sand metallic paint, Bronze carpet
 - Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
 - Victory Red w/Silver metallic paint, Midnight Star Gray carpet

- Storage Dry storage Livewell Bait system Battery storage



rear 4w plug
2-39-103-0050
Filter Screen plug

Their needs match up with our values.

They worked hard and saved for this boat. They want a solid, well-built, roomy boat that's easy on gas, easy to tow, yet will perform when they need to get off the lake in hurry. The Navigator is the ideal boat for them. When backed by a high performance, fuel-efficient new Yamaha outboard they have found a great value that will serve them for years to come.



NAVIGATOR 185

2XB HULL






NAVIGATOR 185 CS




NAVIGATOR SPORT 185



DUAL CONSOLE



BOW LIVEWELL



AFT LIVEWELL



DRY STORAGE COMPARTMENT

DUAL CONSOLES—The dual console option on the Sport provides consoles for both driver and passenger. Two low-profile bubble windshields give you streamlined protection.

DUAL LIVEWELLS—Aerated livewells bow and aft feature timer, lights, remote drain and a drop-in bait keeper.

DRY STORAGE—Keep your cameras, binocs and other valuables dry and secure in this convenient bow compartment.

Yamaha Double overhead cam design features fewer moving parts than conventional single overhead design, for greater reliability on F75 and above.



NAVIGATOR 185 Sport CS

DIMENSIONS

LENGTH	18'7" 5.66m	18'7" 5.66m
WIDTH—Maximum beam	96" 2.44m	96" 2.44m
DEPTH—Maximum to floor	39"/22" .99m/.56m	39"/22" .99m/.56m
TRANSOM—Width/height	93"/25" 2.36m/.51m	93"/25" 2.36m/.51m

CAPACITIES

HORSEPOWER—Maximum	150 HP 111kw	150 HP 111kw
CAPACITY—Persons/lbs.	6/1550# 6/703kg	6/1550# 6/703kg
WEIGHT—Lbs.	1440# 653kg	1351# 613kg
FUEL TANK	40 gal. 151L	40 gal. 151L

2XB HULL

THICKNESS bottom/sides	.098"/.080" 2.5mm/2.0mm	.098"/.080" 2.5mm/2.0mm
2XB BOW—2nd plate	.098"	.098"
2XB BOTTOM—2nd plate	.080"	.080"

SEATING

Driver seat is stationary w/height adjuster and slider		
SEATS	2	2
PEDESTALS/SOCKETS	2 (1 fixed)/5	2 (1 fixed)/5

STEERING & CONSOLE

- CS: No-feedback steering, removable windshield
- SPORT: No-feedback steering, walk-thru windshield
- SPEEDOMETER, tach, voltmeter, fuel gauge, horn, blank

LIVEWELLS See diagrams below

GALLONS—width/height/length		
Bow: 34 gal—13"x18"x54"	Aft: 13 gal—12"x10"x30"	
128L—33cm/46cm/137cm	48L—32cm/25cm/76cm	

Aerated, bait systems, lights, remote drain (bow)

STORAGE, ELECTRICAL & EXTRAS

- ROD STORAGE—Dual 7-1/2' locking compartments
- BATTERY STORAGE—Forward storage for 2, 1 aft
- POWER—Circuit breaker switches
- TROLLING—12/24V bow outlet
- LIGHTS—Stowable running lights, interior courtesy lights, livewell light
- BILGE PUMP—Manual
- EXTRAS—Fire extinguisher, grab handles


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- HYDRAULIC STEERING
- DUAL BUBBLE WINDSHIELDS (Sport)
- VINYL FLOOR—Replaces carpeting in the cockpit
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover or snap cover

PAINT COLORS & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet

- Storage ■ Dry storage ■ Livewell ■ Bait system ■ Battery storage



Factory Installed with
YAMAHA

**He liked the floor plan,
she liked the price.**

There's plenty of room for taking the whole family along and teaching the little ones to fish. The Navigator gives you our 2XB Hull system, dual livewells, and generous storage space in a lighter weight boat that requires fewer Yamaha horses to achieve top end performance. That means you get more, pay less and everyone in your family enjoys a great value.

ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B. three-star rating.

Factory Installed with



NAVIGATOR 175 CS

NAVIGATOR 175

2XB HULL





NAVIGATOR 175

NAVIGATOR SPORT 175
SHOWN WITH OPTIONAL THIRD SEAT



BOW STORAGE



CONSOLE



BOW LIVEWELL



AFT LIVEWELL

BOW STORAGE—Lots of storage for whatever you need to store; binoculars, rain gear, anchor and more. Plus, there's more storage area in the cockpit and stern area.

LIVEWELLS—Aerated livewells in the bow and stern areas feature timers, lights, and a remote bow drain (keeps your arms and sleeves dry) and drop-in bait keepers.

CONSOLE—Full instrumentation in a sleek console with padded wheel. Switches feature push-button breakers. Goodbye fuse box.

NAVIGATOR 175	Sport	CS	Tiller
DIMENSIONS			
LENGTH	17'6" 5.33m	17'6" 5.26m	17'6" 5.26m
WIDTH—Maximum beam	93" 2.36m	93" 2.36m	93" 2.36m
DEPTH—Maximum/to floor	39"/22" .99m/.56m	37"/22" .94m/.56m	37"/22" .94m/.56m
TRANSOM—Width/height	93"/25" 2.36m/.51m	93"/25" 2.36m/.51m	93"/20" 2.36m/.51m
CAPACITIES			
HORSEPOWER—Maximum	150 HP 104kw	150 HP 104kw	80 HP 60kw
CAPACITY—Persons/lbs.	5/1345# 5/610kg	5/1245# 5/565kg	5/1145 5/519kg
WEIGHT—Lbs.	1145# 610kg	1245# 565kg	1145# 519kg
FUEL TANK	40 gal. 151L	40 gal. 151L	40gal. 151L
2XB HULL			
THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm
2XB BOW—2nd plate	.080"	.080"	.080"
2XB BOTTOM—2nd plate	.080"	.080"	.080"
SEATING Driver seat is stationary w/height adjuster and slider			
SEATS	2	2	2
PEDESTALS/SOCKETS	2 (1 fixed)/5	2 (1 fixed)/5	2 (1 fixed)/3

STEERING & CONSOLE

- SPORT: Dual consoles w/walk-thru windshield, no-feedback steering
- CS: Console w/no-feedback steering, removable windshield
- TILLER: Aft electronics panel
- SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank gauge

LIVEWELL See diagrams below

Gallons—width/height/length
Bow: 34 g—13"x18"x54"
128L—33cm/46cm/137cm
Aft: 13g—12"x10"x30"
47L—32cm/25cm/76cm

Aerated livewell w/ timer, light, bait system, remote drain (bow)

STORAGE, ELECTRICAL & EXTRAS

- ROD STORAGE—Dual 7' locking compartments
- BATTERY STORAGE—Forward storage for 2 batteries, 1 aft
- POWER—Automotive style fuse panel
- TROLLING—Circuit breaker switches
- LIGHTS—Stowable running lights, interior courtesy lights, livewell lights
- BILGE PUMP—Manual
- EXTRAS—Fire extinguisher, grab handles


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- HYDRAULIC STEERING
- 25" TRANSOM—Tiller model
- DUAL BUBBLE WINDSHIELD—Sport only
- VINYL FLOOR—Replaces carpeting in the cockpit
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover

PAINT COLORS & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet

Storage Dry storage Livewell Bait system
Battery storage



The classroom, the teacher, the pupil, the lesson.

It's amazing what you learn on the water. You learn about nature, about conservation, helping others, and sharing. You learn the unforgettable sensation of that tap at the end of a line. The Navigator 165 with its easy to operate, wide open, rock solid design is the perfect place to share some of life's lessons. Add a quiet, fuel-

THE MULTI-FUNCTION
TILLER HANDLE, optional on
F30 through F115, gives you
fingertip control of starting,
shifting, steering and throttle.



Factory Installed with



efficient Yamaha and
the water becomes
your classroom.



NAVIGATOR 165 TILLER

NAVIGATOR 165

2XB BOW





NAVIGATOR 165 CS

NAVIGATOR SPORT 165



DUAL ROD LOCKERS



BOW LIVEWELL



COMFORTABLE SEATS

ROD STORAGE—There are two large rod lockers, one with tubes, so bring all your rigs.

LIVEWELL—Big-time 34 gallon aerated livewell with a light, timer, drop-in bait keeper and a remote drain so you can keep your sleeves dry.

SEATS—Firm, comfortable, ergonomic seats keep you smiling all day long. Hand holds are located next to each running position.

NAVIGATOR 165	Sport	CS	Tiller
DIMENSIONS			
LENGTH	16'7" 5.05m	16'7" 5.05m	16'7" 5.05m
WIDTH—Maximum beam	90" 2.29m	90" 2.29m	90" 2.29m
DEPTH—Maximum/to floor	36"/21" .99m/.53m	36"/21" .99m/.53m	36"/21" .99m/.53m
TRANSOM—Width/height	90"/20" 2.29m/.51m	90"/20" 2.29m/.51m	90"/20" 2.29m/.51m
CAPACITIES			
HORSEPOWER—Maximum	90 HP 67kw	90 HP 67kw	60 HP 45kw
CAPACITY—Persons/lbs.	5/1340# 5/608kg	5/1340# 5/608kg	5/1245# 5/565kg
WEIGHT—Lbs.	1050# 476kg	965# 436kg	925# 420kg
FUEL TANK	23 gal. 87L	23 gal. 87L	23 gal. 87L
2XB BOW HULL			
THICKNESS bottom/sides	.098"/.080" 2.4mm/2.0mm	.098"/.080" 2.4mm/2.0mm	.098"/.080" 2.4mm/2.0mm
2XB BOW—2nd plate	.080"	.080"	.080"
SEATING Driver seat is stationary w/height adjuster and slider			
SEATS	2	2	2
PEDESTALS/SOCKETS	1/5	1/5	1/3

STEERING & CONSOLE

- SPORT: Dual consoles w/walk-thru windshield, no-feedback steering
- CS: Console w/no-feedback steering, removable windshield
- TILLER: Aft electronics panel
- SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank

LIVEWELL See diagrams below

LIVEWELL gal.—w/h/l 34 gal.—13"x18"x54"
128L—33cm/46cm/137cm

Aerated w/ timer, light, bait system, remote drain

STORAGE, ELECTRICAL & EXTRAS

- ROD STORAGE—Dual 7' locking compartments
- BATTERY STORAGE—Forward storage for 2, 1 aft starting
- POWER—Circuit breaker switches
- TROLLING—12/24V bow outlet
- LIGHTS—Stowable running lights, interior courtesy lights, livewell lights
- BILGE PUMP—Manual
- EXTRAS—Fire extinguisher, grab handles


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- DUAL BUBBLE WINDSHIELD—Sport only
- VINYL FLOOR—Replaces carpeting in the cockpit
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover


PAINT COLORS & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet


Storage Dry storage Livewell Bait system
Battery storage



NAVIGATOR SPORT 165



NAVIGATOR 165 CS



NAVIGATOR 165

A family classic for all generations.

The Classic is renowned for its ease in storing, trailering and maneuverability on water. Not as wide nor as long as our Navigator Series, the Classic's quick responsiveness makes it perfect for first time owners as well as seasoned veterans who want a boat that's quick to plane and has excellent top end performance. Add a reliable Yamaha outboard for a great family value.



CLASSIC 165 CS

CLASSIC 165

2XB BOW



CLASSIC 165

DIMENSIONS

	CS	Tiller
LENGTH	16'5" 5.00m	16'5" 5.00m
WIDTH—Maximum beam	82" 2.08m	82" 2.08m
DEPTH—Maximum/to floor	36"/21" 93m/53m	36"/21" 93m/53m
TRANSOM—Width/height	82"/20" 2.08m/51m	82"/20" 2.08m/51m

CAPACITIES

HORSEPOWER—Maximum	75 HP 55kw	60 HP 45kw
CAPACITY—Persons/lbs.	5/1285# 5/583kg	5/1295# 5/587kg
WEIGHT—Lbs.	880# 399kg	820# 372kg
FUEL TANK	22 gal. 83L	22 gal. 83L

2XB BOW HULL

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
2XB BOW—2nd plate	.080"	.080"

SEATING

Driver seat is stationary w/height adjuster, slider	
SEATS	2 2
PEDESTALS/SOCKETS	2 (1 fixed)/5 2 (1 fixed)/4

STEERING & CONSOLE

- CS: Console w/no-feedback steering, removable windshield
- TILLER: Aft electronics panel
- SPEEDOMETER, tach, voltmeter (CS), fuel gauge, horn, blank

LIVEWELL See diagrams below

LIVEWELL gallons—w/h/l	34 gal.—13"x18"x54 83L—33cm/46cm/137cm
------------------------	---

Aerated w/timer, light, bait system, remote drain

STORAGE, ELECTRICAL & EXTRAS

- ROD STORAGE—Dual 7' locking compartments
- BATTERY STORAGE—Forward storage for 1 battery
- POWER—Automotive style fuse panel
- TROLLING—12V bow outlet
- LIGHTS—Stowable running lights, interior courtesy lights
- BILGE PUMP—Manual
- EXTRAS—Fire extinguisher, grab handles

OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- VINYL FLOOR—Replaces carpeting
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover

PAINT COLORS & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet

- Storage Battery Storage
- Livewell Bait system


THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.



Factory Installed with



CLASSIC 165 CS



CLASSIC 165 tiller

These guys have some stories to tell.

They out-fish and out-hunt ninety percent of the people on the lake. Efficient and productive, they need a boat that works hard, is easy to care for and can be launched virtually anywhere. If you want to learn something new about the outdoors, jump in with them and listen up as the quiet, dependable Mercury purrs in the background.



YUKON 165 CS

YUKON 165

YUKON 165



YUKON 165	CS	Tiller
DIMENSIONS		
LENGTH	16'6" 5.03m	16'6" 5.03m
WIDTH—Maximum beam	76" 1.93m	76" 1.93m
DEPTH—Maximum/to floor	37"/22" .94m/.56m	37"/22" .94m/.56m
TRANSOM—Width/height	72.5"/20" 1.84m/.51m	72.5"/20" 1.84m/.51m
CAPACITIES		
HORSEPOWER—Maximum	50 HP 37kw	50 HP 37kw
CAPACITY—Persons/lbs.	5/1400# 5/635kg	5/1400# 5/635kg
WEIGHT—Lbs.	755# 331kg	715# 318kg
HULL Full Vee		
THICKNESS bottom/sides	100"/.065" 2.5mm/1.7mm	100"/.065" 2.5mm/1.7mm
SEATING		
Driver seat is stationary w/height adjuster		
SEATS	2	2
PEDESTALS/SOCKETS	1 fixed/2	1 fixed/2

STEERING & CONSOLE

- CS CONSOLE—With no-feedback steering, optional removable windshield (CS model)
- FLOOR—Vinyl flooring

LIVEWELL

Aerated. See diagrams below

LIVEWELL—Gallons—w/h/l 10g—10"x11"x27"
38L—25cm/28cm/69cm

STORAGE, ELECTRICAL AND EXTRAS

- ROD STORAGE—Dual locking compartments
- BATTERY STORAGE—1 aft battery tray
- POWER—Circuit breakers, wireway tubes
- BILGE PUMP—Manual
- EXTRAS—Aqueduct tray, grab handles

OPTIONAL EQUIPMENT


- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal

- SEAT—Extra seat and pedestal
- COVERS—Mooring cover

PAINT COLORS & CARPET

- Oxford White, Dove Gray interior, Gray vinyl floor,
- Khaki Dead Grass, Tan vinyl floor, camo seats

■ Storage ■ Battery Storage ■ Livewell



LIVEWELL—Aerated livewell in bow platform.

MERCURY
"1 On The Water"

They're legends around here.

These two don't need a lot of expensive gadgets to put fish in the boat. In fact they prefer a more simple, basic approach to their time on the water. Live bait still outproduces any other tactic. Simple, classy, timeless. A lot of wonderful memories were shaped in these boats. When backed by a dependable Evinrude outboard, this remains one of our classic fishing rigs.

EVINRUDE

LUNKER 165 LTD

2XB BOW





LUNKER 165 LTD TILLER



LUNKER 165 LTD CS



ROD LOCKER



LIVEWELL



CONSOLE

ROD LOCKER—Lockable compartment holds and protects rods up to 7'. Rod savers too.

LIVEWELL—Large 21 gallon, aerated livewell with light and drop-in bait system.

CONSOLE—First class control. New switches with circuit breakers for 2006. Room for your graph, too.

LUNKER 165 LTD	CS	Tiller
DIMENSIONS		
LENGTH	16'6" 5.03m	16'6" 5.03m
WIDTH—Maximum beam	76" 1.93m	76" 1.93m
DEPTH—Maximum/to floor	37"/22" 94m/56m	37"/22" 94m/56m
TRANSOM—Width/height	72.5"/20" 1.84m/51m	72.5"/20" 1.84m/51m
CAPACITIES		
HORSEPOWER—Maximum	50 HP 37kw	50 HP 37kw
CAPACITY—Persons/lbs.	5/1235# 5/560kg	5/1235# 5/560kg
WEIGHT—Lbs.	700# 318kg	660# 299kg

2XB BOW HULL

THICKNESS bottom/sides .080"/.065" .080"/.065"
2.0mm/1.7mm 2.0mm/1.7mm

2XB BOW—2nd plate .060" .060"

SEATING

Driver seat is stationary w/height adjust; slider (CS)

SEATS 2 2

PEDESTALS/SOCKETS 1 fixed/4

1 fixed/3

STEERING & CONSOLE

• CS: Console w/no-feedback steering, removable windshield

• TILLER: Tiller steering

LIVEWELL See diagrams below

LIVEWELL—gallons—w/h/l 21 gal—10"x13"x45"
79L—25cm/33cm/114cm

Aerated with light and bait system

STORAGE, ELECTRICAL & EXTRAS

- ROD STORAGE—7' locking compartment, rod savers
- BATTERY STORAGE—1 forward, 1 aft starting
- POWER—Circuit breakers, wireway tubes
- TROLLING—12V bow outlet
- LIGHTS—Stowable running lights, interior courtesy lights, livewell light
- BILGE PUMP—Manual
- EXTRAS—Aqueduct tray, grab handles


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- VINYL FLOOR—Replaces carpeting
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover

PAINT COLORS & CARPET

- Oxford White paint w/Midnight Star Gray carpet
- Mica Black w/Silver metallic, Midnight Star Gray carpet
- Olympic White w/Sand metallic paint, Bronze carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue metallic w/Silver metallic, Midnight Star Gray carpet
- Victory Red w/Silver metallic, Midnight Star Gray carpet

Storage Battery Storage
Livewell Bait system



There's really no reason to change a good thing.

The Fisherman's classic design and layout has proven to be a favorite among families for generations. These workhorses are practical, affordable, and legendary performers. When powered by a reliable Mercury outboard you'll enjoy years of great fishing moments.



LIVEWELL

OPTIONAL CONSOLE

LIVEWELL—Easy access aerated, 32" side-livewell

OPTIONAL CONSOLE—No feedback steering and room to mount your graph

FISHERMAN 145



FISHERMAN 145 with optional console

FISHERMAN 145

DIMENSIONS

LENGTH	14'6" 4.42m
WIDTH—Maximum beam	70" 1.78m
DEPTH—Maximum/to floor	37"/23" .94m/.58m
TRANSOM—Width/height	63"/20" 1.60m/.51m

CAPACITIES

HORSEPOWER—Maximum	35 HP 26kw
CAPACITY—Persons/lbs.	4/865# 4/392kg
WEIGHT—Lbs.	460# 208kg

HULL Full Vee

THICKNESS bottom/sides	.065"/.065" 1.7mm/1.7mm
------------------------	----------------------------

SEATING

Driver seat is stationary w/height adjuster	
SEATS	2
PEDESTALS/SOCKETS	1 fixed/2

STEERING & CONSOLE

- OPTIONAL CONSOLE— w/no-feedback steering, optional removable windshield
- FLOOR—Vinyl flooring

LIVEWELL Aerated. See diagrams

LIVEWELL—Gallons—w/h/l	13g—10"x13"x32" 49L—25cm/33cm/81cm
------------------------	---------------------------------------

STORAGE, ELECTRICAL & EXTRAS

- POWER—Circuit breakers, wireway tubes
- BILGE PUMP—Manual

- EXTRAS—Aqueduct tray, grab handles

OPTIONAL EQUIPMENT


- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover

PAINT COLORS & CARPET


- Oxford White, Dove Gray interior, Gray vinyl floor, w/Midnight Star Gray carpet on decks and lids)
- Khaki Dead Grass, Tan vinyl floor, camo seats

- Storage
- Livewell

MERCURY
'1 On The Water



FISHERMAN 145



FISHERMAN 145 w/opt. console

V&T Series

The possibilities are endless

These simple, durable, nearly indestructible workhorses are available in 12' to 16' lengths and 61" to 70" widths to fit any task.


Add a dependable, lightweight, portable Mercury outboard and you're ready to go.



V/T SERIES	V16	V14	T14V	T12V
DIMENSIONS				
LENGTH	16'7" 5.05m	14'3" 4.34m	14'1" 4.29m	12'1" 3.68m
MAX. BEAM	70" 1.78m	68" 1.73m	61" 1.55m	61" 1.55m
BOW HEIGHT	30" .76m	30" .76m	26" .66m	26" .66m
TRANSOM-Width	63" 1.60m	63" 1.60m	60" 1.52m	60" 1.52m
Height	15", 20" 38m, 51m	15", 20" 38m, 51m	15" 38m	15" 38m
FULL VEE HULL				
THICKNESS bottom	.070" 1.8mm	.065" 1.7mm	.060" 1.5mm	.060" 1.5mm
THICKNESS sides	.070" 1.8mm	.065" 1.7mm	.050" 1.3mm	.050" 1.3mm

CAPACITIES	V16	V14	T14V	T12V
HORSEPOWER-max	40 HP 30kw	25 HP 19kw	15 HP 11kw	10 HP 7kw
PERSONS- 20" tran:	5/1385# 5/682kg	5/1050# 5/478kg	—	—
15" tran:	5/1255# 5/569kg	5/1195# 5/542kg	4/824# 4/373kg	3/655# 3/297kg
WEIGHT- 20" tran:	292# 132kg	245# 111kg	—	—
15" tran:	287# 130kg	230# 104kg	180# 81kg	153# 69kg
SEATING				
BENCH/BOW	3/1	3/1	3/0	3/0
OPTIONAL SEATS-clamp-on seats w/swivel				
PAINT COLOR	Lite Gray paint w/Dove Gray interior			


MERCURY
"1 On The Water"



CANOEES

He's off.

Alumacraft canoes have proven to be one of the most reliable and enjoyable ways to explore North America. Drop on a lightweight Mercury portable and you can run upstream for miles.



CANOEES													
MODEL	TYPE	LENGTH	WIDTH	WEIGHT	AMIDSHIP DEPTH	PEOPLE/# CAPACITY	HULL THICKNESS	KEEL TYPE	BOTTOM	STEM GAUGE	NUMBER OF RIBS	CURVED THWART	MAXIMUM HP
QT-185CL QUETICO	Cruising light	18'5" 5.61m	37" 94cm	67# 30.4kg	13" 33cm	4/795# 4/361kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	6	Optional	—
CO-17 CAMPER	Square stern	17'0" 5.18m	37" 94cm	83# 37.6kg	13" 33cm	4/810# 4/367kg	.045" 1.14mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	5	Optional	4 HP 3kw
QT-17CL QUETICO	Cruising light	17'0" 5.18m	36" 91cm	61# 27.6kg	13" 33cm	4/710# 4/322kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—
QT-17C QUETICO	Cruising	17'0" 5.18m	36" 91cm	69# 31.3kg	13" 33cm	4/730# 4/331kg	.045" 1.14mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—
QT-15CL QUETICO	Cruising light	15'0" 4.57m	36" 91cm	53# 24.0kg	12" 30cm	3/650# 3/295kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—

These boys can be flat sneaky

They maneuver that boat into some of the tightest, gnarliest pockets of water you've ever seen. And more times than not come out with a hefty reward for their effort. The big decks, ample storage, pro-style console, rod locker and big recirculating livewell make it easy to fish from. And with a quiet, fuel-efficient Mercury outboard, you can get real close without spooking fish.

FIBERGLASS CONSOLE—Sleek new fiberglass console, standard with tach, speedometer, fuel gauge, and saltwater-resistant wiring.

LIVEWELL—Big 36" aerated, recirculating, livewell with remote drain.



CONSOLE



LIVEWELL

VS 170



MERCURY
"On The Water"

VS170

DIMENSIONS

LENGTH	17'0"	5.18m
WIDTH—Beam/bottom	74"/52"	1.88m/1.32m
SIDE HEIGHT	22"	.56m
TRANSOM—Width/height	74"/22"	1.88m/.60m

CAPACITIES

HORSEPOWER—Maximum	75 HP	67kw
CAPACITY—Persons/lbs.	4/1100#	4/499kg
WEIGHT—Lbs.	852#	387kg
FUEL TANK	16 gal.	60L

Storage DryStorage Livewell BatteryStorage

ALL-WELDED HULL

ALL-WELDED, stepped pad-V hull w/reversed chines
THICKNESS bottom/sides .102" 2.5mm
FLOOR—Welded-in aluminum floor and decks
TRANSOM—All aluminum

SEATING

SEATS—4 fold-down
SOCKETS—2 pin sockets

STEERING & CONSOLE

- CONSOLE—Fiberglass with windscreen; no-feedback steering
- GAUGES—Speedometer, tachometer, fuel
- LIVEWELL—20 gal., aerated with timer, remote drain

STORAGE, ELECTRICAL & EXTRAS


- RODS—7' locking compartment w/holders for 4 rods
- STORAGE—3 dry compartments
- POWER—Saltwater resistant system, nav and trim switch on bow, 12V power points
- TROLLING—12 volt harness
- LIGHTS—Stowable running lights, interior courtesy
- BILGE PUMP—500 gph

OPTIONAL EQUIPMENT

- TROLLING MOTOR—Motorguide, Minn Kota
- GRAPH—Lowrance liquid crystal
- SPRAY-IN LINER

PAINT COLORS & CARPET

- Gunmetal Gray metallic paint, Charcoal Gray carpet
- Light Sand metallic paint, Antelope carpet
- White paint, Charcoal Gray carpet




VS170

It doesn't get any better than this.

It's hard to say which one is having more fun in this boat. That's the idea of crappie fishing. Our crappie boats just make the whole experience better. The PF 170 features full electronics, lots of storage and dual livewell/baitwells for all those crappies. Roomy, comfortable, stable; it'll handle up to 75 horses of dependable Yamaha power.

PF 170



CONSOLE

SEATS

FIBERGLASS CONSOLE—The PF170's sleek, sporty, fiberglass console has a tachometer, speedometer and volt gauge.

COMFORTABLE SEATS—The PF170 has forward and aft pedestal seats and a livewell/baitwell beside each position. Fish all day.



PF 170


CRAPPIE JON

CRAPPIE DELUXE

Factory Installed with



YAMAHA'S EXCLUSIVE YDC-30 ALLOY is the most corrosion-resistant base material in the industry.



Storage Livewell Battery Storage

CRAPPIE SERIES

DIMENSIONS	PF170	Cr. Deluxe	Cr. Jon
LENGTH	17'0" 5.18m	15'0" 4.57m	14'0" 4.27m
WIDTH—Beam/bottom	74"/52" 1.88m/1.32m	64"/42" 1.62m/1.07m	64"/42" 1.62m/1.07m
SIDE HEIGHT	22" 56cm	20" 51cm	20" 51cm
TRANSOM—Width/height	74"/22" 1.88m/60cm	62"/20" 1.57m/50cm	62"/15" 1.57m/38cm

CAPACITIES

HORSEPOWER—Maximum	60 HP 44kw	25 HP 19kw	25 HP 19kw
CAPACITY—Persons/lbs.	4/900# 4/409kg	2/620# 2/281kg	2#620 2/281kg
WEIGHT—Lbs.	800# 363kg	426# 193kg	330# 150kg

HULL/CONSTRUCTION

THICKNESS bottom/sides	.102" 2.5mm	.063" 1.6mm	.063" 1.6mm
------------------------	----------------	----------------	----------------

PF170—All-welded, stepped pad-V hull w/reverse chines
DELUXE, JON—Riveted modified-V

FLOOR—Aluminum floor & decks, PF170 are welded-in

SEATING

SEATS—PF170: 2 fold-down seats, 2 pedestal seats
Deluxe & Jon: 2 upholstered seats w/arm rests

STEERING & CONSOLE

CONSOLE—Fiberglass w/no-feedback steering and speedometer, tachometer, volt gauge (PF170)

LIVEWELLS

- See diagrams
• PF170: Two 17 gal. aerated livewells/bait wells
• DELUXE: Aerated w/seat cushion
• JON: Livewell box

STORAGE, ELECTRICAL & EXTRAS

- STORAGE—2 compartments (PF170, DLX), 1 compartment (Jon)
- POWER—12V power point (PF170)
- TROLLING—12V bow outlet (PF170), bow bracket (Deluxe, Jon)
- LIGHTS—Stowable running lights (PF170, Deluxe)
- BILGE PUMP—500gph (PF170)

OPTIONAL EQUIPMENT

- TROLLING MOTOR—Motorguide, Minn Kota
- GRAPH—Lowrance liquid crystal

PAINT COLORS & CARPET

- Light Sand metallic paint, Antelope carpet (Deluxe & Jons)
- Gunmetal Gray metallic, Charcoal Gray carpet (PF170)
- White paint, Charcoal Gray carpet (PF170)

He'll fish that boat in 70 different lakes this year.

For some, fishing is part exploring, part locating fish, and part catching them. That's what makes the MV TEX Special so "special." It's a big-bottomed, wide-open, hard-working, no-nonsense bass boat you can launch at even the most remote locations. It comes standard with four seats, dry storage, and a large aerated livewell. Add a powerful Mercury outboard and you're set.



LIVEWELL—Big, wide, aerated livewell keeps your catch fresh and lively. Plus two big storage compartments for your gear.

CONSOLE—Good-looking fiberglass console with no-feedback steering and windscreen.

MV TEX SPECIAL



MV TEX SPECIAL

DIMENSIONS

LENGTH	16'0"	4.88m
WIDTH—Beam/bottom	74"/50"	1.88m/1.27m
SIDE HEIGHT	21"	53cm
TRANSOM—Width/height	69"/20"	1.75m/.50m

CAPACITIES

HORSEPOWER—Maximum	60 HP	45kw
CAPACITY—Persons/lbs.	5/1010#	4/458kg
WEIGHT—Lbs.	675#	307kg

ALL-WELDED HULL

- THICKNESS bottom/sides .102" 2.5mm
- ALL-WELDED modified-V with 11 extruded ribs
- FLOOR—Welded-in aluminum floor and decks
- TRANSOM—All-Aluminum

SEATING—4 fold-down seats

CONSOLE

- CONSOLE—Fiberglass w/windscreen, no-feedback steering
- GAUGES—Speedometer, tachometer and voltmeter

LIVEWELLS—20 gallon, aerated

STORAGE, ELECTRICAL & EXTRAS

- STORAGE—2 compartments (1 is dry)

- TROLLING—12 volt harness
- LIGHTS—Stowable running lights, interior courtesy
- BILGE PUMP—500 gph


OPTIONS

- TROLLING MOTOR—Motorguide, Minn Kota
- GRAPH—Lowrance liquid crystal
- SPRAY-IN LINER

PAINT COLORS & CARPET

- Charcoal Gray metallic paint, Charcoal gray carpet
- Light Sand metallic paint, Antelope carpet

Storage Dry Storage Livewell Battery Storage



They know every mile of this river.

They run this river 300 days of the year. There are times they navigate in just a few inches of water. The MV 1756 AW RR with jet outboard is designed to run in as little as 4 inches of water. Wide, stable, and big bottomed; the tunnel hull design allows you to navigate water others wouldn't consider. When backed by a dependable, Yamaha powered jet, the journey gets sweeter every time.



JET OUTBOARD

LIVEWELL

TUNNEL HULL—Design allows jet units to function in shallow water.

LIVEWELL—An oversize aerated livewell keeps your catch fresh all the way home.

MV 1756 AW RR



STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.



Factory Installed with



MV 1756 AW RR

DIMENSIONS

LENGTH	17'0"	5.18m
WIDTH—Beam/bottom	83"/56"	2.10m/1.42m
SIDE HEIGHT	24"	.60m
TRANSOM—Width/height	83"/29"	2.11m/.73m

CAPACITIES

HORSEPOWER—Maximum	115 HP	85kw
CAPACITY—Persons/lbs.	5/825#	4/371kg
WEIGHT—Lbs.	860#	391kg
FUEL TANK—Gallons	25 gal.	95L

ALL-WELDED HULL

- THICKNESS bottom/sides .102" 2.5mm
- ALL-WELDED modified-V w/6 keel breaks, 2" tunnel
- FLOOR—Aluminum floor and decks
- TRANSOM—All-Aluminum

SEATING

- 4 FOLD-DOWN SEATS, 2 pin sockets
- CONSOLE—Fiberglass console, no-feedback steering, speedometer, tachometer, fuel gauge
- LIVEWELL—23 gallon aerated (500 gph)

STORAGE, ELECTRICAL & EXTRAS

- STORAGE—2 storage, 1 dry compartment, rod box

- TROLLING—12/24V trolling harness
- LIGHTS—Stowable running lights, interior courtesy
- EXTRAS—Power point, bilge pump, fuse panel


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Motorguide, Minn Kota
- GRAPH—Lowrance liquid crystal
- SPRAY-IN LINER

PAINT COLORS

- Khaki paint
- Optional Camo paint

■ Storage ■ Dry Storage ■ Livewell ■ Battery Storage



Jon boats tough enough to outlive you.

We've heard stories of some of our jons being used by the third generation of the original owners. Our all-welded 1650s and larger have three more keel breaks (the longitudinal corrugations formed in the bottom) and up to three more lateral ribs than other manufacturers' all-welded jons. Not only do we use more ribs, we use heavier, wider, stronger ribs, and heavier gauge aluminum. Rigged with dependable Yamaha outboard these boats are made to perform for decades.

Factory Installed with



TWO-YEAR LIMITED WARRANTY protects every Yamaha Two Stroke.



JONS ALL-WELDED & RIVETED





MV 1648 RIVETED



WATERFOWLER 15



7 reasons you should own an Alumacraft

GREATER SELECTION

You will find the size and floorplan you need—from 10' to 20' long, 32" to 72" wide, with modified-V, flat bottom hull or tunnel hull. Choose from center console, side console or tiller steering. You can get fishing seats, flip-flop seats, aluminum floors and decks, spray-in liners, livewells, and special paint on select models.

ALL WELDED OR RIVETED CONSTRUCTION

Our AWs are the first choice for those who prefer all-welded construction. If you are looking for rugged with less weight, you'll appreciate our six decades of experience building riveted aluminum boats.

MORE RIBS

Our AW jons are built with ribs positioned on narrow 12" centers. This spacing results in more ribs making the hull stronger and more stable the entire length of the boat.

BIGGER RIBS

Our AW ribs can take a pounding. They're

GUN BOX—The Waterfowler's lockable gun box holds up to six cased shotguns plus shells. The camo cushion makes it the perfect place to hunker down.



heavier, wider and stronger; making the entire boat tougher and more rigid.

KEEL BREAKS

These longitudinal corrugations in the bottom act just like the corrugations in a metal roof. They give you a much stronger and rigid bottom design.

HEAVIER GAUGE ALUMINUM

The top quality 5052 marine grade aluminum we use is heavier than you'll find in a thin-skinned competitive jon boat.

SEE THE DIFFERENCE


Look closely. You'll see a tighter fit; smooth, even welds; larger rivets; and precision construction throughout. This is a jon boat you'll be proud to call your own.



MV 1756 AW SC

They ask a lot of their boat.

Our jon boat customers are some of the toughest customers we have. They demand center consoles, side consoles, rod storage, tunnel hulls, flip-flop seats, drop decks, ice chests, flat floors, livewells, flat-bottom hulls, dry storage, V-bow hulls, modified-V bottoms, camo paint...we have to stop right there. No way in this space can we tell you all the different ways you can get one of our jons. So, turn the page, study the chart, and call your dealer today.




JONS ALL-WELDED





MV 1650 AW SC



TUNNEL HULL



OPTIONAL SPONSONS



VB 1860 AW CC TUNNEL



BOW STORAGE



CENTER CONSOLE



SIDE CONSOLE

TUNNEL HULL—Lets you raise your prop to run in shallow waters. Tunnel models only.

OPTIONAL SPONSONS—Increases aft buoyancy on tunnel hulls.

STORAGE COMPARTMENT—All 1756, 1860 and 2072 AW jons feature a large easy-access storage compartment in the bow.

CENTER CONSOLE—With no-feedback steering, livewell, cushioned seat, windshield, and grab rail. It keeps your load centered and gives you walk-around fighting room.


NEW SIDE CONSOLE—Sleek, lightweight fiberglass design with optional removable windshield.

MERCURY
1 On The Water


JON SALL-WELDED

AW = All Welded construction
CC = Center Console
SC = Side Console
DD = Drop Deck
FF = Flip-Flop seat
MV = Modified Vee hull
VB = Vee bow hull


Storage
Dry Storage
Battery locations
Livewell
Cooler
Gun Box




**MV 2072 AW
FF**




**MV 2072 AW
Tunnel FF**



**MV 2072 AW
SC**



**MV 2072 AW
Tunnel SC**



MV 2072 AW



**MV 2072 AW
Tunnel**

	MV 2072 AW FF	MV 2072 AW Tunnel FF	MV 2072 AW SC	MV 2072 AW Tunnel SC	MV 2072 AW	MV 2072 AW Tunnel
LENGTH	20'0"	20'0"	20'0"	20'0"	20'0"	20'0"
BOTTOM WIDTH	72"	72"	72"	72"	72"	72"
BEAM/SIDE HEIGHT	96"/30"	96"/30"	96"/30"	96"/30"	96"/30"	96"/30"
TRANSOM HEIGHT	21" all-aluminum	21" all-aluminum	21" all-aluminum	21" all-aluminum	21" all-aluminum	21" all-aluminum
MAXIMUM HP	130 HP	130 HP	115 HP	115 HP	60 HP, 90 w/cons	60 HP, 90w/cons
WEIGHT (approx.)	1200#	1200#	1100#	1100#	850#	850#
CAPACITY	8 persons/2100#	8 persons/2100#	8 persons/2100#	8 persons/2100#	8 persons/2100#	8 persons/2100#
HULL TYPE	MV-AW	MV-AW tunnel	MV-AW	MV-AW tunnel	MV-AW	MV-AW tunnel
HULL GAUGE/# RIBS	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs	.102"/15 ribs
CONSOLE	Center console	Center console	Side console	Side console	Optional side steering	Optional side steering
LIVEWELL	Aerated Livewell	Aerated Livewell	Aerated Livewell	Aerated Livewell	—	—
SEATS	Flip-flop & console seats	Flip-flop & console seats	2 seats	2 seats	Optional seats	Optional seats
PEDESTAL SEAT BASES	2 pin seat bases	2 pin seat bases	2 pin seat bases	2 pin seat bases	Optional seat bases	Optional seat bases
FLOOR	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Optional floor	Optional floor
FUEL TANK	—	—	—	—	—	—
COLOR	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki A

STANDARD FEATURES: • Center console with no-feedback steering, livewell, seat, backrest cushion, windshield, grab rail, flip-flop seat with cooler (FF) • Bow dry storage w/hatch • Navigation and courtesy lights (FF, SC) • 2 Power points (FF, SC) • Bilge pump (FF, SC) • 12/24V Trolling motor harness w/plug and receptacle (FF, SC), plus tilt/trim (FF)


OPTIONAL EQUIPMENT: • Spray-in liner (FF, SC) • MotorGuide or Minn Kota trolling motor • Lowrance graph • Fishing seat • Seat base • Windshield (SC) • Side console • Gun box (models without consoles) • Light package • Floor w/sides • Sponsons (Tunnel hull models)




KHAKI PAINT




WHITE PAINT
w/GRAY LINER
(1860 Special)




MV 1860 AW




**V-bow 1860 AW
Tunnel**




**MV 1756 AW
CC**



**V-bow 1756 AW
Tunnel CC**




**MV 1756 AW
SC**



**V-bow 1756 AW
Tunnel SC**



MV 1756 AW



**V-bow 1756 AW
Tunnel**

	MV 1860 AW	V-bow 1860 AW Tunnel	MV 1756 AW CC	V-bow 1756 AW Tunnel CC	MV 1756 AW SC	V-bow 1756 AW Tunnel SC	MV 1756 AW	V-bow 1756 AW Tunnel
LENGTH	18'0"	18'0"	17'0"	17'0"	17'0"	17'0"	17'0"	17'0"
BOTTOM WIDTH	60"	60"	56"	56"	56"	56"	56"	56"
BEAM/SIDE HEIGHT	86"/25"	86"/25"	83"/24"	83"/24"	83"/24"	83"/24"	83"/24"	83"/24"
TRANSOM HEIGHT	21" all-aluminum	21" all-aluminum	21" all-aluminum	21" all-aluminum	21" all-aluminum	21" all-aluminum	21" all-aluminum	21" all-aluminum
MAXIMUM HP	50 HP, 75w/cons	50 HP, 75w/cons	75 HP	75 HP	75 HP	75 HP	50 HP	50 HP
WEIGHT (approx.)	680#	680#	860#	860#	830#	830#	600#	600#
CAPACITY	6 persons/1600#	6 persons/1600#	5 persons/825#	5 persons/825#	5 persons/825#	5 persons/825#	5 persons/825#	5 persons/825#
HULL TYPE	MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel
HULL GAUGE/# RIBS	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs
CONSOLE	Opt side console	Opt. side console	Center console	Center console	Side console	Side console	Opt. side console	Opt. side console
LIVEWELL	—	—	Aerated Livewell	Aerated Livewell	Aerated Livewell	Aerated Livewell	—	—
SEATS	Optional seats	Optional seats	Console seat	Console seat	2 seats	2 seats	Optional seats	Optional seats
PEDESTAL SEAT BASES	Optional seat bases	Optional seat bases	2 pin seat bases	2 pin seat bases	2 pin seat bases	2 pin seat bases	Optional seat bases	Optional seat bases
FLOOR	Optional floor	Optional floor	Aluminum	Aluminum	Aluminum	Aluminum	Optional floor	Optional floor
COLOR	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki

STANDARD FEATURES: • Center console with no-feedback steering, livewell, seat, backrest cushion, windshield, grab rail (CC) • Navigation and courtesy lights (CC, SC) • 2 Power points (CC, SC) • Bilge pump (CC, SC) • Trolling motor harness w/plug and receptacle (12/24V-1860 CC, SC; 1756 CC, SC) • Bow dry storage w/hatch (1860, 1756, 1650)

OPTIONAL EQUIPMENT: • Spray-in liner (CC, SC) • MotorGuide or Minn Kota trolling motor • Lowrance graph • Fishing seat • Seat base • Windshield (SC) • Side console • Gun box (not CC) • Camo paint • Light package • Floor w/sides • Sponsons (Tunnel models) • Floor w/sides (MV 1860 & 1756 AW) • Seat base (MV 1860 & 1756 AW) • Side console (MV 1860 & 1756 AW)



VB 1860 AW CC Tunnel—For maximum performance, rig your Alumacraft jon with a powerful Mercury outboard.

MERCURY
1 On The Water

MV 1860 AW Special	V-bow 1860 AW Special Tunnel	V-bow 1860 AW FF	V-bow 1860 AW Tunnel FF	MV 1860 AW CC	V-bow 1860 AW Tunnel CC	MV 1860 AW SC	V-bow 1860 AW Tunnel SC
18'0"	18'0"	18'0"	18'0"	18'0"	18'0"	18'0"	18'0"
60"	60"	60"	60"	60"	60"	60"	60"
86"/25"	86"/25"	86"/25"	86"/25"	86"/25"	86"/25"	86"/25"	86"/25"
21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum
115 HP	115 HP	115 HP	115 HP	115 HP	115 HP	90 HP	90 HP
1050#	1050#	940#	940#	905#	905#	875#	875#
6 per./1600#	6 persons/1600#	6 persons/1600#	6 persons/1600#	6 persons/1600#	6 persons/1600#	6 persons/1600#	6 persons/1600#
MV-AW	Flat-V AW tunnel	Flat-V AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel	MV-AW	Flat-V AW tunnel
.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs	.102"/13 ribs
Center console	Center console	Center console	Center console	Center console	Center console	Side console	Side console
Aerated Livewell	Aerated Livewell	Aerated Livewell	Aerated Livewell	Aerated Livewell	Aerated Livewell	Aerated Livewell	Aerated Livewell
Flip-flop & console seats	Flip-flop & console seats	Flip-flop & console seats	Flip-flop & console seats	Console seat	Console seat	2 seats	2 seats
2 pin bases	2 pin bases	2 pin bases	2 pin bases	2 pin bases	2 pin bases	2 pin bases	2 pin bases
Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor	Aluminum floor
16 gal.	16 gal.	—	—	—	—	—	—
White/gray, Linex	White/gray, Linex	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki

STANDARD FEATURES: • Center console with no-feedback steering, livewell, seat, backrest cushion, windshield, grab rail (Special, FF, CC) • Flip-flop seat w/cooler (Special, FF) • Spray-in liner, Gray (Special) • Navigation and courtesy lights • 12/24V Trolling motor harness w/plug and receptacle • 2 Power points • Bilge pump • Bow dry storage w/hatch

OPTIONAL EQUIPMENT: • Spray-in liner • MotorGuide or Minn Kota trolling motor • Lowrance graph • Fishing seat • Windshield (SC) • Ca mo paint • Sponsons (Tunnel hull models)

MV 1650 AW SC	V-bow 1650 AW SC Tunnel	MV 1650 AW	V-bow 1650 AW Tunnel	Waterfowler 16	Waterfowler 15	MV 1546 AW DD	MV 1546 AW Tunnel DD	MV 1546 AW
16'0"	16'0"	16'0"	16'0"	16'0"	15'0"	15'0"	15'0"	15'0"
50"	50"	50"	50"	50"	46"	46"	46"	46"
74"/22"	74"/22"	74"/22"	74"/22"	74"/22"	65"/20"	65"/20"	65"/20"	65"/20"
21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	21"all-aluminum	15"all-aluminum	15"all-aluminum	15"all-aluminum	15"all-aluminum
60 HP	60 HP	40 HP	40 HP	40 HP	25 HP	25 HP	25 HP	25 HP
680#	680#	485#	485#	525#	340#	340#	340#	310#
5 persons/1100#	5 persons/1100#	5 persons/1100#	5 persons/1100#	5 persons/1100#	4 persons/825#	4 persons/825#	4 persons/825#	4 persons/825#
MV-AW	Flat-V AW Tunnel	MV-AW	Flat-V AW Tunnel	MV-AW	MV-AW	MV-AW	MV-AW tunnel	MV-AW
.102"/11 ribs	.102"/11 ribs	.102"/11 ribs	.102"/11 ribs	.102"/11 ribs	.082"/11 ribs	.082"/11 ribs	.082"/11 ribs	.082"/11 ribs
Side console	Side console	Opt. side console	Opt. side console	—	—	Opt. side console	Opt. side console	Opt. side console
Aerated Livewell	Aerated Livewell	—	—	—	—	—	—	Optional w/seat
2 seats	2 seats	Optional seats	Optional seats	Cushion, opt. seat	Cushion, opt. seat	Optional seats	Optional seats	Optional seats
2 pin bases	2 pin bases	Optional seat bases	Optional seat bases	1 pin base	1 pin base	2 pin bases	2 pin bases	—
Aluminum floor	Aluminum floor	Optional floor	Optional floor	Aluminum drop deck	Aluminum drop deck	Aluminum drop deck	Aluminum drop deck	Optional floor
Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki

STANDARD FEATURES: • Navigation and courtesy lights (SC, Waterfowlers) • 2 Power points (SC, Waterfowlers) • Gun box w/cushion (2—Waterfowler 16, 1—Waterfowler 15) • Drop deck (Waterfowlers, DD) • Bilge pump (SC, Waterfowlers) • Trolling motor harness w/plug and receptacle (12V—1650 SC, Waterfowlers) • Bow storage


OPTIONAL EQUIPMENT: • Spray-in liner (SC) • MotorGuide or Minn Kota trolling motor (SC) • Lowrance graph (SC) • Fishing seat • Camo seat • Seat base • Windshield (SC) • Side console • Gun box (not CC or SC) • Camo paint • Light package • Floor w/sides • Aft deck (Waterfowlers) • Sponsons (1650 Tunnel)

They work everything from the bays to bayous.

The MV 1860 AW Special may be the most versatile fishing boat Alumacraft makes. The center console and big wide footprint make it perfect for running around in skinny water, yet the stable V-bow design and large raised front deck allow total control when snaking through the timber. Built-in cooler, aerated livewell, spray-in liner, and a powerful Mercury outboard are icing on the cake.



CONSOLE LIVEWELL



CENTER CONSOLE

CENTER CONSOLE—With no-feedback steering, livewell, cushioned seat, windshield, rod holders, and grab rail. It keeps your load centered and gives you walk-around fighting room.

MV 1860 AW Special



MERCURY
1 On The Water

MV 1860 AW SPECIAL VB 1860 AW SPECIAL TUNNEL

DIMENSIONS

LENGTH	18'0"	5.49m
WIDTH—Beam/bottom	86"/60"	2.19m/1.52m
SIDE HEIGHT	25"	.63m
TRANSOM—Width/height	86"/21"	2.19m/.53m

CAPACITIES

HORSEPOWER—Maximum	115 HP	85kw
CAPACITY—Persons/lbs.	6/1600#	6/726kg
WEIGHT—Lbs.	1050#	476kg
FUEL TANK—Gallons	16 gal.	58L

ALL-WELDED HULL

THICKNESS bottom, sides .102" 2.5mm

- ALL-WELDED modified-V, 11 keel breaks, 13 ribs
- FLOOR—Aluminum floor and decks
- TRANSOM—All-Aluminum
- TUNNEL HULL—Tunnel model only

SEATING

- 2 FOLD-DOWN SEATS, 1 flip-flop, console seat and backrest, 2 pin sockets
- CONSOLE—Fiberglass console, no-feedback steering, windshield, grab rail, 6 rod holders

LIVEWELL—Aerated, 15 gallons

STORAGE, ELECTRICAL & EXTRAS

- STORAGE—Bow storage, rod holders in console
- COOLER—Below flip-flop seat
- TROLLING—12/24V trolling harness
- LIGHTS—Stowable running lights, interior courtesy
- SPRAY-IN LINER
- EXTRAS—2 power points, bilge pump, fuse panel


OPTIONAL EQUIPMENT

- TROLLING MOTOR—Motorguide, Minn Kota
- GRAPH—Lowrance liquid crystal

PAINT COLORS

- White paint with Gray spray-in liner

■ Storage ■ Livewell ■ Cooler





1442 AND 1436 LITE

CENTER SEAT LIVEWELL



MV 1648

JONZ RIVETED

LW = Livewell
MV = Modified Vee hull
NCS = No Center Seat

Storage
Livewell



MV 1648



MV 1648 NCS



MV 1448



1648



1648 NCS



1448




1542

LENGTH	16'0"	16'0"	14'0"	16'0"	16'0"	14'0"	15'0"
BOTTOM WIDTH	48"	48"	48"	48"	48"	48"	42"
BEAM/SIDE HEIGHT	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	62"/20"
TRANSOM HEIGHT	15" or 20" transom	15" or 20" transom	15" or 20" transom	15" or 20" transom	15" or 20" transom	15" or 20" transom	15" transom
MAXIMUM HP	40 HP	40 HP	25 HP	35 HP	35 HP	25 HP	25 HP
WEIGHT (approx.)	280#	310#	250#	285#	260#	260#	210#
CAPACITY	5 persons/1010#	5 persons/1010#	5 persons/885#	5 persons/1010#	5 persons/1010#	5 persons/885#	4 persons/775#
HULL TYPE-Riveted	MV-R	MV-R	MV-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R
HULL GAUGE/# RIBS	.070"/9 ribs	.070"/9 ribs	.070"/7 ribs	.070"/9 ribs	.070"/9 ribs	.070"/7 ribs	.063"/8 ribs
CONSOLE STEERING	Optional side steering	Optional side steering	Optional side steering	Optional side steering	Optional side steering	Optional side steering	Optional side steering
LIVEWELL	Optional seat livewell	—	Optional seat livewell	Optional seat livewell	—	Optional seat livewell	—
SEATS	Optional seats	Optional seats	Optional seats	Optional seats	Optional seats	Optional seats	Optional seats
SPECIAL FEATURE	Seat storage	No center seat	Seat storage	Seat storage	No center seat	Seat storage	—
COLOR	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green

OLIVE DRAB
GREEN PAINT




1442




1442 LW



1442 NCS




1436




1436 Lite



1236



1232



1032

LENGTH	14'0"	14'0"	14'0"	14'0"	14'0"	12'0"	12'0"	10'0"
BOTTOM WIDTH	42"	42"	42"	36"	36"	36"	32"	32"
BEAM/SIDE HEIGHT	62"/20"	62"/20"	62"/20"	55"/19"	55"/19"	55"/19"	48"/17"	48"/17"
TRANSOM HEIGHT	15" transom	15" transom	15" transom	15" transom	15" transom	15" transom	15" transom	15" transom
MAXIMUM HP	25 HP	25 HP	25 HP	15 HP	15 HP	15 HP	7 HP	3 HP
WEIGHT (approx.)	190#	210#	230#	160#	135#	125#	105#	95#
CAPACITY	4 persons/770#	4 persons/770#	4 persons/770#	3 persons/605#	3 persons/625#	3 persons/540#	2 persons/455	2 persons/365
HULL TYPE-Riveted	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R	Flatbottom-R
HULL GAUGE/# RIBS	.063"/7 ribs	.063"/7 ribs	.063"/7 ribs	.063"/7 ribs	.053"/6 ribs	.053"/5 ribs	.053"/4 ribs	.053"/2 ribs
CONSOLE STEERING	Optional side	Optional side	Optional side	—	—	—	—	—
LIVEWELL	—	Seat livewell	—	Opt. seat livewell	Opt. box livewell	—	Opt. box livewell	Opt. box livewell
SEATS	Optional seats	Optional seats	Optional seats	Optional seats	Optional seats	Optional seats	Optional seats	Optional seats
SPECIAL FEATURE	—	Seat livewell	No center seat	—	Light weight	—	—	—
COLOR	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green	Olive Drab Green

OPTIONS: • No-feedback side steering (all except 1436, 1232, 1032) • Camouflage upholstered seat and clamp • Light bracket • Trolling motor bracket • Locking swivel

Factory Installed with



YAMAHA



STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.

10 REASONS YOU SHOULD OWN AN ALUMACRAFT BOAT

1. ONE-PIECE HULL Our hull is made from a single piece of aluminum that is cut and shaped to form the hull. This one-piece design assures there are no seams on the boat's bottom, providing the greatest possible inherent strength and no heaving.




2. 2XB HULL Twin aluminum plates run the entire length of the boat bottom giving the hull exceptional strength and durability. The 2XB is standard on the Trophy Series, Tournament Pro Series, the new Dominator Series and select models of our Navigator Series.



3. CENTER KEEL One-piece extruded hardened keel adds strength and integrity from the top of the bow to stern. Preformed to match the profile curve of the bow assuring no stress on rivets. The one-piece keel, reinforced with 1/4" solid aluminum at wear points, runs nearly the length of the boat. This improves trolling control in wind and eliminates doglegging when drifting.



4. LARGER AIRCRAFT GRADE RIVETS Inherent strength is greater with larger rivets. Larger rivets mean stronger rivets. Stronger rivets mean fewer rivets needed. Fewer rivets mean fewer holes and significantly lower chance of ever popping rivets.




5. CONCAVE SPRAY RAIL Large Reverse Dispersal Wave Action Spray Rails make for drier rides. These concave spray rails are engineered to deflect the spray downward. In addition, they provide lift and stability. Spray rails create a noticeably drier ride in rough water.



6. HIGHEST QUALITY PAINT Our boats are painted in the same base coat/clear coat process and colors used by the big three auto makers. The beauty of this process is it allows for repairing small scratches and areas of dock rash without repainting your entire boat. Matching touch up paint can be found at more than 4000 outlets.



7. THICKER HATCH DOORS means bigger hatch doors. By using .125 thick aluminum rather than .090 like our competitors, we can put bigger doors on our floor and deck hatches. That makes it a whole lot easier to get tackle bags, lifejackets and clothing in and out of all those storage areas.




8. HIGH QUALITY HARDWARE PULLS

Alumacraft uses the highest quality hardware on the market. Chromed metal hardware is strong, durable and easy to grab and open; even with gloves on. Compare some of the hardware on other boats and you'll be surprised.



9. MARINE PLYWOOD

It costs more to use marine-grade plywood in the construction of floors and decks. It's not something you would notice unless you looked or asked. But with the affects of time, water and sun; anything but marine grade plywood will not hold up.



10. THE ALUMACRAFT RIDE

Our pros call it the Alumacraft ride. These guys have driven or ridden in virtually every boat on the market. They tell us the Alumacraft ride is drier, quieter, smoother and more responsive. The exceptional ride of an Alumacraft paired with the outstanding performance of a new Suzuki outboard — it doesn't get any better.



SPECIAL THANKS to Jerry and Linda Miller of Best Point Resort and Campground for their help and hospitality at our photo shoot of the new models. Call them at 507-362-8526 to make plans for a relaxing week, or weekend, on beautiful Lake Tetonka in Waterville, MN.

SEE THE 2006 MODELS AT YOUR LOCAL ALUMACRAFT DEALER:

ALUMACRAFT LIMITED WARRANTY

We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information.

Photos, illustrations and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All ratings comply with the Federal Boat Safety act of 1971.



Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.



All Alumacraft boats are both NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical and safety. National Marine Manufacturers Association certification is the most stringent in the industry. Look for it, not all boat manufacturers meet NMMA's higher standards.

ALUMACRAFT®

AN INDEPENDENTLY OWNED AND OPERATED BOAT COMPANY

315 West St. Julien Street, St. Peter, MN 56082
507-931-1050 Fax: 507-931-9056

Highway 67 North, Box 189, Arkadelphia, AR 71923
870-246-5555 Fax: 870-246-4507

www.alumacraft.com

COPYRIGHT © 2005 ALUMACRAFT BOAT CO. PRINTED IN THE USA.