

2008 MODELS

ALUMACRAFT[®]

Building great aluminum boats since 1946



THE INSIDE INFO



Abundant Storage

Lockable storage compartments abound. Our top-loading gunnel storage is the best rod storage system in the industry.



Passenger Handholds

Passengers can reach a handhold from every seat location. Everyone appreciates the added security and comfort of this feature.




Aerated livewells

Keeps your catch lively. Many are recirculating, insulated, with timer, lights, remote drain and equipped with integrated bait containers.



Long-life Decks

Floor and decks utilize only marine-grade plywood and high quality Olefin carpet. Some well-known manufacturers use cheaper plywood.




No-feedback Steering

Consoles are equipped with no-feedback steering technology so you won't feel the motor tug on the wheel. Hydraulic or dual cables on select models.



Balanced Gas Tanks

Built-in fuel tanks are positioned for optimum balance and boat performance regardless of fuel level. Reserve pick-up on select models.



Poured Foam Flotation

By filling every void below the deck with gas-resistant flotation foam we increase hull strength, quiet the ride and add stability.



Carpeted Decks

Carpeted deck rails do not get slippery when wet, they don't get hot to the touch and they don't scuff or scratch like painted metal can.



Accurate Instrumentation

High quality instruments display accurate information. Built to withstand the elements and pounding of rough water.



THE 2XB HULL IS A BETTER HULL DESIGN

Stronger Construction

Full-length double plating means twice the strength and protection all the way back to the transom.

Quieter Ride

The extra plate and resulting solid bottom construction dramatically reduces sound and vibration from below.

Less Weight

Alumacraft twin-plated 2XB Hull models actually weigh less than many manufacturers' competing boats with twin-plating in the bow only.

Better Handling

Not only is 2XB a stronger design, it's a truer design. Even under brutal conditions, the integrity of the hull will not compromise. There's minimal flexing or subtle changes in shape that can adversely affect handling.

The 2XB Hull (Two X Bottom) is engineered with two aluminum plates riveted together on the hull's bottom. A 2XB Bow is built with twin plates in the bow area.



THE 'ALUMACRAFT RIDE' IS A SMOOTHER, DRIER RIDE

Sleeker Rake

Alumacraft's sleeker bow rake cuts through big waves to eliminate their pounding affect. This reduces boat bounce and assures a smoother ride even in rough water.



Deeper Keel

A deeper keel adds strength, helps maintain hull integrity, and increases water contact, thus improving boat handling, tracking and control in all conditions.




Longer Keel

Heat-treated, extra strong, one-piece keel runs nearly the entire length of the boat to improve handling, control and eliminate doglegging when drift fishing.



Larger Spray Rail

Directs spray downward. Larger spray rails have two affects, they keep water spray out of the boat, and they create a downward hydro force that softens the impact of rough water.




The exclusive Alumacraft Profile

Our hull's deep-V shape extends all the way to the transom. This creates natural lift that softens the ride. The concave bottom traps a cushion of air in flat to light chop. This softens bumps, creates lift to increase top end performance and enhances tracking. It also allows for a lower floor and higher gunnels inside.



Yamaha Double overhead cam design features fewer moving parts than conventional single overhead design, for greater reliability on F75 and above.



ALUMACRAFT THE BOTTOM LINE

TROPHY 205/195



EVINRUDE



A great investment for your family or business.

The Trophy is comfortable, secure and roomy. Perfect for creating lifelong memories. It's the choice of fun-loving families and dead serious fishing guides alike. Fish, cruise, play, relax, and do it all again tomorrow. Reward yourself. Trophy's deep sidewalls provide added security, and there's plenty of room for battling big fish. Built on the industry-leading 2XB Hull. Large walk-thru windshield and canvas top keep water and weather at bay. Trophy owners love the confidence and comfort this boat provides. Add a dependable Evinrude motor and you'll experience years of great returns.





Trophy 195



NEW
FOR
2008!

TOPSET STORAGE



8" ROD LOCKER



AFT LIVEWELL

Trophies are the SUVs of the lake—versatile, rugged, and equipped for everything from serious fishing to family cruising. DUAL CONSOLES, walk-thru windshield and a canvas TOPSET keep you comfortable in any weather. JUMP SEATS provide instant extra seating and fold out of the way for fishing. For 2008 a new quick-folding BOW PLATFORM makes converting from a fishing deck to passenger seating a snap. A lighted ROD LOCKER secures your gear. Professional LIVEWELLS fore and aft protect your catch. And underneath all of this is the renowned twin-plated 2XB HULL.

TROPHY 185/175



Trophy 175


ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B. three-star rating.





Perfect for entertaining family or friends

The Trophy's open floor plan and deep sidewalls provide security, peace of mind, and a favorite place for everyone to get into the action. It thrives in just about any water, and excels in challenging situations. The 2XB Hull and dry, smooth Alumacraft ride tame even rough waters. Topset and optional side curtains protect passengers from the elements. Large front deck, and abundant seating positions ensure priceless memories and fun for every person on board. When powered by a quiet Yamaha four stroke, the great conversations never need to stop.



TROPHY	205	195	185	175
DIMENSIONS				
LENGTH	20'8" 6.2m	19'8" 5.9m	18'8" 5.6m	17'8" 5.3m
WIDTH—Maximum beam	98" 2.4m	98" 2.4m	98" 2.4m	94" 2.3m
DEPTH—Maximum/to floor	47"/27" 1.2m/.67m	47"/27" 1.2m/.67m	47"/27" 1.2m/.67m	43"/25" 1.1m/.65m
TRANSOM—Width/height	96"/25" 2.42m/.64m	96"/25" 2.42m/.64m	96"/25" 2.42m/.64m	94"/25" 2.4m/.64m

CAPACITIES				
HORSEPOWER—Maximum	225 HP 167kw	200 HP 148kw	175 HP 130kw	150 HP 111kw
CAPACITY—Persons/lbs.	9/2350# 9/1066kg	8/2000# 8/907kg	8/1760# 8/798kg	7/1600# 7/725kg
WEIGHT—Lbs.	1915# 884kg	1805# 818kg	1780# 807kg	1550# 703kg
FUEL TANK—Gallons	60 gal 227L	38 gal 144L	38 gal 144L	38 gal 144L

2XB HULL				
THICKNESS bottom/sides	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm	.080"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"	.100"	.080"
2XB Bottom—2nd plate	.100"	.100"	.100"	.080"

SEATING				
Driver's is stationary w/slider, height adjust (power height in 205, 195, 185)				
• SEATS	4+2 jump	4+2 jump	3+2 jump	3+2 jump
• PEDESTALS/SOCKETS	2 pwr (2fxd)/6	2 pwr (2fxd)/6	2 pwr (1fxd)/6	1 adj, 2fxd/6


STEERING & CONSOLE				
• STEERING—Hydraulic (205, 195, 185)				
• CONSOLE—With tilt wheel, walk-thru tempered windshield, passenger console				
• SPEEDOMETER, Tachometer, voltmeter, fuel gauge, horn, blank				
• STEREO—AM/FM/CD with 2 speakers, Sirius ready				

LIVEWELLS	
Bow Livewell—Gallons—w/h/l	22 gal. (205, 195: 20"x11.5"x31"; 185, 175: 20"x15"x31.5") 83L (205, 195: 50cm/38cm/86cm; 185, 175: 30cm/38cm/86cm)
Aft Livewell—Gallons—w/h/l	17 gal.—13"x9"x31" 64L (33cm/23cm/79cm)
Aerated, bow insulated, bait systems, timers, light, remote drain (front)	

STORAGE, ELECTRICAL, ETC.				
• TOP SET—Convertible high-rise w/boot, quick-disconnect hardware				
• STORAGE—Lockable, lighted 8" rod compartment; lockable glove box; top storage				
• DRY STORAGE/ICE CHEST—Lockable (205, 195, 185)				
• BATTERY STORAGE—Forward (2 batteries), aft (1 starting battery)				
• ELECTRICAL—Master electrical switch, 3 power points, circuit breakers				
• TROLLING SYSTEM—12/24V bow outlet				
• LIGHTS—Stowable running lights, 2 interior courtesy lights, livewell lights				
• BILGE PUMP(s)—Dual, 1 auto (205, 195); 1 auto (185); 1 manual (175)				
• EXTRAS—Fire extinguisher, grab handles, cup holders, flush mount cleats (205, 195, 185)				

OPTIONAL EQUIPMENT				
• TROLLING MOTOR, GRAPH—Minn Kota, Lowrance liquid crystal graph				
• VINYL FLOOR—Replaces carpeting				
• HYDRAULIC STEERING (175)				
• SEATS—Extra seat and pedestal, bow cushions				
• COVERS—Bow, mooring, snap covers; side, aft and windshield curtains				

PAINT & CARPET				
• Mica Black w/Silver metallic paint, Midnight Star Gray carpet				
• Olympic White w/Silver metallic paint, Midnight Star Gray carpet				
• Pacific Blue metallic w/Silver met. paint, Midnight Star Gray carpet				
• Victory Red w/Silver metallic paint, Midnight Star Gray carpet				



TOURNAMENT SPORT 195/185




DRIVER'S CONSOLE



WIDE-OPEN BOW AREA



BOW/GOOD LOCKER



GUNNEL ROD LOCKER





Tournament Sport 195

Whether you live to fish, or fish to live.

Fishing enthusiasts and true professional anglers alike rave about the Tournament Sport's ability to perform in difficult conditions. Whether it's holding edges, tracking a line in blowing wind, or handling rough water, the Sport is a pleasure to operate. It's loaded with all the fishing amenities hardcore fisherman demand, including premium-grade seats for long days on the water, large bow deck, dual livewells, top loading gunnel rod lockers, plus an oversized bow rod locker. Lock on a high-performance Yamaha outboard and start fishing like a real pro.



BOW LIVEWELL



YAMAHA'S THREE
YEAR LIMITED
WARRANTY protects
every Four Stroke



HIGH FREEBOARD

Tournament Sports are professional fishing boats with the comfort of dual consoles protected by a walk-thru windshield. DRIVER CONSOLES have room for electronics and a sliding Air Ride seat. WIDE-OPEN BOW offers fighting room with storage and livewell at arm's length. ROD STORAGE compartments in bow and starboard gunnel keeps 14 rods secure and ready. Full-featured LIVEWELLS are in the bow and beside the transom. A HIGH FREEBOARD makes the interior deeper and adds an element of security, especially when little ones are onboard.


TOURNAMENT SPORT	195	185
DIMENSIONS		
LENGTH	19'3" 5.86m	18'3" 5.8m
WIDTH—Maximum beam	97" 2.46m	97" 2.46m
DEPTH—Maximum/to floor	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m
TRANSOM—Width/height	96"/25" 2.4m/.63m	96"/25" 2.4m/.63m
CAPACITIES		
HORSEPOWER—Maximum	200 HP 148kw	175HP 130kw
CAPACITY—Persons/lbs.	6/1850# 6/839kg	6/1600# 6/726kg
WEIGHT—Lbs.	1735# 787kg	1680# 762kg
FUEL TANK w/reserve	38 gal. 144L	38 gal. 144L
2XB HULL		
THICKNESS bottom/sides	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"
2XB Bottom—2nd plate	.100"	.100"
SEATING		
Driver's is stationary w/slider, power height adjustment		
• SEATS	4	4
• PEDESTALS/SOCKETS	4 power/4	4 power/4

STEERING & CONSOLE		
• STEERING—Tilt wheel w/hydraulic steering		
• DUAL CONSOLES walk-thru, tempered glass windshield.		
• SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank		
• STEREO—AM/FM/CD with 2 speakers, Sirius ready		
LIVEWELLS		
BOW LIVEWELL gal.—w/h/l	30 gal.—27"x12"x38"	114L—69cm/30cm/97cm
AFT LIVEWELL gal.—w/h/l	21 gal.—13"x11"x36"	79L—33cm/28cm/91cm
Aerated, bait systems, timers, lights, remote drains, rear recirculator		

STORAGE, ELECTRICAL, ETC.		
• IN-FLOOR STORAGE—cockpit (195)		
• ROD STORAGE—lighted, lockable port side, top-load compartment, five 8' rods; lighted center compartment, nine rods up to 7-1/2'		
• STORAGE—lockable glove box		
• DRY STORAGE/ICE CHEST—lockable		
• BATTERY STORAGE—forward (2 batteries), Aft (1 starting battery)		
• ELECTRICAL—master switch, circuit breakers, 3 power point outlets		
• TROLLING SYSTEMS—12/24V bow outlet and aft outlet		
• LIGHTS—stowable running lights, 3 interior courtesy lights, livewell lights		
• BILGE PUMP—dual: 1 auto, 1 manual		
• EXTRAS—fire extinguisher, grab handles, cup holders, flush mount cleats		

OPTIONAL EQUIPMENT		
• TROLLING MOTOR, GRAPH—Minn Kota, Lowrance liquid crystal graph		
• DUAL BUBBLE WINDSHIELDS		
• VINYL FLOOR—Replaces carpeting		
• PRO SEATS—Extra seat and pedestal		
• TOP SET—convertible high-rise w/boot, quick-disconnect hardware		
• COVERS—Bow, mooring, snap covers; side, aft and windshield curtain		

PAINT & CARPET		
• Mica Black w/Silver metallic paint, Midnight Star Gray carpet		
• Olympic White w/Silver metallic paint, Midnight Star Gray carpet		
• Pacific Blue met. w/Silver metallic paint, Midnight Star Gray carpet		
• Victory Red w/Silver metallic paint, Midnight Star Gray carpet		



TOURNAMENT PRO 195/185



Tournament Pro 195 CS

Pure fishing predator

You know who you are. You'll fish in snow, rain, sleet, wind and intense sun. This boat was built for you — top to bottom, bow to stern. Top loading rod lockers in sidewalls, plus a huge bow locker protect those valuable rods, large dual livewells for keeping large fish alive, extra wide bottom, all the little extras that make every moment on the water count. Tournament Pros feature the 2XB


Hull — twin plates covering the entire bottom — yet still weigh less than some competitors with twin plating in the bow only. Add a powerful Suzuki outboard, and there's no question who's at the top of the food chain.



SUZUKI
MARINE
THE POWER BEHIND THE BEST BOATS™



Tournament Pro




NEW
FOR
2008!

TS-6000SOLE

BOW ROD LOCKER

TOP-LOAD ROD LOCKER

STERN-ROD CASE



NEW
FOR
2008!

IN-FLOOR STORAGE

Tournament Pros are fully equipped for competition-level fishing. CONSOLES feature full instrumentation, room for electronics, plus two power points. A large BOW ROD LOCKER keeps nine set-ups handy. Our TOP-LOAD ROD LOCKER provides easy access to five 8' rods. Our Sto-N-Go PORTABLE ROD CASE makes transport easy. Extra large, aerated, LIVEWELLS with timer, light and remote drain are located forward and aft. FLOOR COMPARTMENT is perfect for anchor and rope storage.

TOURNAMENT PRO 195 CS 185 CS 185 Tiller

DIMENSIONS

LENGTH	19'3" 5.86m	18'3" 5.56m	18'3" 5.56m
WIDTH—Maximum beam	97" 2.46m	97" 2.46m	97" 2.46m
DEPTH—Maximum/to floor	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m
TRANSOM—Width/height	96"/25" 2.43m/.64m	96"/25" 2.43m/.51m	96"/25" 2.43m/.51m

CAPACITIES

HORSEPOWER—Maximum	200 HP 148kw	175 HP 130kw	90 HP 67kw
CAPACITY—Persons/lbs.	6/1850# 6/839kg	6/1600# 6/726kg	5/1550# 5/703kg
WEIGHT—Lbs.	1695# 769kg	1640# 744kg	1385# 628kg
FUEL TANK w/reserve	38 gal. 144L	38 gal. 144L	38 gal. 144L

2XB HULL

THICKNESS bottom/sides	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate	.100"	.100"	.100"
2XB Bottom—2nd plate	.100"	.100"	.100"

SEATING

Driver's is stationary w/slider, power height adjust

• SEATS	3	3	3
• PEDESTALS/SOCKETS	3 power/5	3 power/5	3 power/3

STEERING & CONSOLE

- CS: Hydraulic steering, tilt wheel, removable windshield
- TILLER: Electronics compartment, foot trim
- SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank
- STEREO—AM/FM/CD with 2 speakers, Sirius ready

LIVEWELLS

BOW LIVEWELL gal.—w/h/130 gal.—27"x12"x38" 114L—69cm/30cm/97cm

AFT LIVEWELL gal.—w/h/1 21 gal.—13"x11"x36" 79L—33cm/28cm/91cm

Aerated, rear recirculator, bait systems, timers, lights, remote drains

STORAGE, ELECTRICAL, ETC.

- IN-FLOOR STORAGE—cockpit (195)
- ROD STORAGE—lighted, lockable port top-load compartment, five 8' rods; lighted center compartment, nine rods up to 7-1/2'
- STORAGE—bow, gunnel and transom area compartments
- DRY STORAGE/ICE CHEST—lockable
- BATTERY STORAGE—forward (2 batteries), Aft (1 starting battery)
- ELECTRICAL—master switch, circuit breakers, 2 power point outlets
- TROLLING SYSTEMS—12/24V bow outlet and aft outlet
- LIGHTS—stowable running lights, 3 interior courtesy lights, livewell lights
- BILGE PUMP—dual: 1 auto, 1 manual
- EXTRAS—fire extinguisher, grab handles, cup holders, flush mount cleats




OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- VINYL FLOOR—Replaces carpet
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover or snap cover

STORAGE
ROD STORAGE
DRY STORAGE
LIVEWELL
BAIT SYSTEM
BATTERY STORAGE
12/24v OUTLET

PAINT & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet



DOMINATOR 175



Dominator 175 Sport




Dominator 175 CS



You're not a pro, but you put a lot of fish in the boat.

The Dominator more than holds its own against the top pro boats. On any given day, any water, it can compete head to head with boats costing twice as much. For 2008, we've given the Dominator the same gunnel rod storage as our Trophies. There's ample room for two serious fishermen and all their favorite rods. Dominator gives you dual livewells, dry storage and our unbeatable 2XB Hull—that means smoother ride, quick, responsive handling, and you stay dry. The lower weight, horsepower and price ratio, coupled with a high performance Suzuki is something even a pro can appreciate.



BOW STORAGE

DOMINATOR	175 Sport	175 CS	165 Sport	165 CS
DIMENSIONS				
LENGTH	17'9" 5.38m	17'9" 5.38m	16'8" 5.0m	16'8" 5.0m
WIDTH—Maximum beam	94" 2.38m	94" 2.38m	91" 2.30m	91" 2.30m
DEPTH—Maximum/to floor	43"/23" 1.09m/57m	43"/23" 1.09m/57m	42"/22" 1.06m/55m	42"/22" 1.06m/55m
TRANSOM—Width/height	94"/25" 2.38m/63m	94"/25" 2.38m/63m	91"/20" 2.28m/63m	91"/20" 2.28m/63m
CAPACITIES				
HORSEPOWER—Maximum	150 HP 111kw	150 HP 111kw	90 HP 67kw	90 HP 67kw
CAPACITY—Persons/lbs.	5/1245# 5/564kg	5/1245# 5/564kg	5/1100# 5/499kg	5/1100# 5/499kg
WEIGHT—Lbs.	1482# 672kg	1390# 630kg	1250# 567kg	1175# 533kg
FUEL TANK—Gallons	38 gal. 144L	38 gal. 144L	20 gal. 76L	20 gal. 76L
2XB HULL				
THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.5mm/2.0mm	.080"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate	.080"	.080"	.080"	.080"
2XB Bottom—2nd plate	.080"	.080"	—	—

SEATING

Driver's is stationary w/slider, height adjust

	175 Sport	175 CS	165 Sport	165 CS
• SEATS	2+2 jump	2+2 jump	2+2 jump	2+2 jump
• PEDESTALS/SOCKETS	2/5	2/5	2/5	2/5

STEERING & CONSOLE

- CS: No-feedback, single cable steering, removable windshield
- SPORT: No-feedback, single cable steering, walk-thru windshield, port console glovebox, cup holder
- GAUGES: speedometer, tachometer, voltmeter, fuel gauge, horn, blank

LIVEWELLS

	175 Sport	175 CS	165 Sport	165 CS
BOW LIVEWELL gal.—w/h/l	22 gal.—20"x15"x31.5" 83L—30cm/38cm/86cm	22 gal.—20"x15"x31.5" 83L—30cm/38cm/86cm	22 gal.—20"x15"x31.5" 83L—30cm/38cm/86cm	22 gal.—20"x15"x31.5" 83L—30cm/38cm/86cm
AFT LIVEWELL gal.—w/h/l	13 gal.—12"x9"x30" 49L—30cm/23cm/76cm	13 gal.—12"x9"x30" 49L—30cm/23cm/76cm	5 gal.—12"x11"x12" 19L—30cm/27cm/30cm	5 gal.—12"x11"x12" 19L—30cm/27cm/30cm

Aerated, bait systems, timers, lights, bow remote drain

STORAGE, ELECTRICAL, ETC.

- STORAGE—Center rod locker: four 7', four 6'; lockable glove box (Sport)
- DRY STORAGE/ICE CHEST—Lockable 22 gal. (175)

DOMINATOR 165



Dominator 165 CS



Dominator 165 Sport



CONSOLE

NEW FOR 2008!



NEW FOR 2008!

JUMP SEAT

LIVEWELL

Dominators' wide-open floor plan is equipped for serious fishing. An easy-access BOW ROD LOCKER keeps your eight favorite set-ups handy, another locker inside the port gunnel stores more rods. The large STORAGE compartment in the bow keeps your gear handy. CONSOLES are equipped with full instrumentation plus extra room to mount GPS and sonar. And the two aerated LIVEWELLS protect your hard-earned catch. They feature a bait system, timer and light. The bow livewell also has a remote drain. There's a lot more—see the full specifications below.

- BATTERY STORAGE—Forward storage for 2 batteries, 1 aft
- ELECTRICAL—Circuit breakers
- TROLLING SYSTEMS—12/24V outlets, bow and aft
- LIGHTS—Stowable running lights, 2 interior courtesy lights, livewell lights
- BILGE PUMP—Manual
- EXTRAS—Fire extinguisher, grab handles

OPTIONAL EQUIPMENT


- TROLLING MOTOR, GRAPH—Minn Kota, Lowrance liquid crystal graph
- HYDRAULIC STEERING (175)
- DUAL BUBBLE WINDSHIELDS—Sport model
- VINYL FLOOR—Replaces carpeting
- SEAT—Extra seat and pedestal
- COVERS—Mooring or snap cover
- CONVERTIBLE HIGH RISE TOP SET—Aft, side, bow cover, walkway curtain (Sport)

PAINT & CARPET


- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet




STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.




DOMINATOR 175 Sport



DOMINATOR 175 CS





DOMINATOR 165 Sport



DOMINATOR 165 CS

NAVIGATOR 175






Navigator Sport 175

Big boat performance, small boat price

The Navigator is a leaner version of our pro fishing models. Navigator owners love the wide-open layout, multiple seating options and raised platforms. Navigators' big boat features include two large rod lockers, an oversized livewell in the bow and another aft, extra large gas tank and plenty of storage to stash gear. The twin-plated 2XB Hull is extra durable, smooth running, and provides responsive handling. Choose a fuel-efficient Evinrude motor and you've got the perfect family boat for roominess, excellent performance and a lower price.


EVINRUDE



Navigators' weight and price fit almost any fisherman's budget without sacrificing an ounce of quality. These wide open boats boast a huge BOW DECK with lots of storage and a 12/24V outlet. The good looking molded CONSOLE features full instrumentation, room for mounting electronics, no-feedback steering and a removable windscreen. There's a convenient ROD STORAGE locker alongside the port gunnel with rod tubes to protect your sensitive tips, another compartment is starboard. We've put a large 34 gallon LIVEWELL in the bow and another in the transom area. Both are aerated and lighted. Even the SEATS are first-class.

NAVIGATOR 165





Navigator Sport 165

A lean, mean, fishing machine

You're looking at 16'8" of pure performance and fun. Effortless to trailer, a dream to launch and stingy with fuel, the Navigator 165 is a great family boat with its wide-open interior and five person capacity. It features a huge bow livewell, loads of storage for rods and gear, and the 2XB Bow for two layers of protection in the bow. Sport model: twin consoles and walk-thru windshield. CS model: driver's side console. Tiller: gauge console. When powered by a dependable Honda outboard, you'll own one of the greatest values on the water.

HONDA
MARINE

NAVIGATOR	175 Sport	175 CS	175 Tiller	165 Sport	165 CS	165 Tiller
DIMENSIONS						
LENGTH	17'8" 5.38m	17'8" 5.38m	17'8" 5.38m	16'8" 5.0m	16'8" 5.0m	16'8" 5.0m
WIDTH—Maximum beam	95" 2.41m	95" 2.41m	95" 2.41m	91" 2.30m	91" 2.30m	91" 2.30m
DEPTH—Maximum/to floor	43"/23" 1.09m/.57m	43"/23" 1.09m/.57m	43"/23" 1.09m/.57m	42"/23" 1.07m/.57m	42"/23" 1.07m/.57m	42"/23" 1.07m/.57m
TRANSOM—Width/height	93"/25" 2.36m/.63m	93"/25" 2.36m/.63m	93"/20" 2.36m/.63m	90"/20" 2.29m/.51m	90"/20" 2.29m/.51m	90"/20" 2.29m/.51m
CAPACITIES						
HORSEPOWER—Maximum	150 HP 111kw	150 HP 111kw	75 HP 56kw	90 HP 67kw	90 HP 67kw	75 HP 56kw
CAPACITY—Persons/lbs.	5/1245# 5/564kg	5/1245# 5/564kg	5/1145# 5/519kg	5/1340# 5/607kg	5/1340# 5/607kg	5/1245# 5/564kg
WEIGHT—Lbs.	1357# 615kg	1270# 576kg	1145# 519kg	1050# 476kg	965# 438kg	925# 420kg
FUEL TANK	38 gal. 144L	38 gal. 144L	38 gal. 144L	20 gal. 76L	20 gal. 76L	20 gal. 76L
2XB HULL						
THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm
2XB BOW— 2nd plate	.080"	.080"	.080"	.080"	.080"	.080"
2XB BOTTOM—2nd plate	.080"	.080"	.080"	—	—	—
SEATING						
Driver seat is stationary w/slider, manual height adjustment						
SEATS	2	2	2	2	2	2
PEDESTALS/SOCKETS	2/5	2/5	2/3	2/5	2/5	2/3
STEERING & CONSOLE						
• CS: Single cable, no-feedback steering, removable windshield						
• SPORT: Dual consoles, single cable, no-feedback steering, walk-thru windshield						
• TILLER: Aft electronics panel						
• GAUGES: Speedometer, tachometer, voltmeter, fuel gauge, horn, blank gauge						
LIVEWELLS						
BOW LIVEWELL	34 gallons—12"x14"x54" 128L—30cm/36cm/137cm					
AFT LIVEWELL (175 only)	13 gallons—12"x9"x30" 49L—30cm/23cm/76cm					
Aerated, bait systems, lights, remote drain on bow livewell						
STORAGE, ELECTRICAL, ETC.						
• ROD STORAGE—Port rod locker w/tubes, five 7-1/2'; starboard rod locker, 7-1/2'						
• STORAGE—2 forward compartments, 1 aft compartment (165), lockable glove box (Sport)						
• BATTERY STORAGE—Forward storage for 2 batteries, 1 aft starting						
• ELECTRICAL—Circuit breakers						
• TROLLING SYSTEM—12/24V bow outlet						
• LIGHTS—Stowable running lights, 2 interior courtesy lights, livewell lights						
• BILGE PUMP—Manual						
• EXTRAS—Fire extinguisher, grab handles						

STORAGE

ROD STORAGE

DRY STORAGE

LIVEWELL

BAIT SYSTEM

BATTERY STORAGE

12/24V OUTLET



STORAGE
ROD STORAGE
DRY STORAGE
LIVEWELL
BAIT SYSTEM
BATTERY STORAGE
12/24v OUTLET

OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- HYDRAULIC STEERING—(175)
- DUAL BUBBLE WINDSHIELDS (Sport only)
- VINYL FLOOR—Replaces carpeting
- SEAT—Extra seat and pedestal
- COVERS—Mooring

PAINT COLORS & CARPET

- Mica Black w/Silver metallic, Midnight Star Gray carpet
- Olympic White w/Silver metallic, Midnight Star Gray carpet
- Pacific Blue met. w/Silver metallic, Midnight Star Gray carpet
- Victory Red w/Silver metallic, Midnight Star Gray carpet



CLASSIC 165



**ALUMACRAFT
CLASSIC 165 CS
with a
50HP YAMAHA**

Plus:

- Minn Kota 55PD trolling motor
- Lowrance X50 graph
- 3 deluxe seats
- Custom trailer

**SPECIAL
PRICING!**

See your dealer

The classic blend of function and technology

Alumacraft's Classic boat design combines with today's state-of-the-art electronics and fishing technology to give you unmatched value and function. The Classic Package features full instrumentation and electronics, trolling motor, 34-gallon livewell, and lots of storage. It's available with driver's side console or in the traditional tiller style preferred by many avid fishermen. The Classic is a great pick for first time boat owners and seasoned veteran fishermen alike. Responsive, quick to plane, the twin-plated 2XB Bow offers years of extra protection. Ask your dealer about our great Classic/Yamaha Package with special pricing.

Look closely at the Classic. You'll find three storage compartments and an extra large livewell in the roomy BOW AREA. Your trophies will stay fresh in the wide 54" LIVEWELL. Driver's will like the CONSOLE— full instrumentation and room for electronics. A port side ROD LOCKER keeps your valuable rods safe and ready.



TWO-YEAR LIMITED WARRANTY
protects every Yamaha Two Stroke.




BOW STORAGE



CONSOLE

NEW
FOR
2008!



LIVEWELL



ROD STORAGE



Classic 165



Classic 165 CS



CLASSIC 165	CS	Tiller
DIMENSIONS		
LENGTH	16'5" 5.0m	16'5" 5.0m
WIDTH—Maximum beam	82" 2.1m	82" 2.1m
DEPTH—Maximum/to floor	35"/21" .89m/.53m	35"/21" .89m/.53m
TRANSOM—Width/height	82"/20" 2.1m/.51m	82"/20" 2.1m/.51m

CAPACITIES		
HORSEPOWER—Maximum	75 HP 56kw	50 HP 37kw
CAPACITY—Persons/lbs.	5/1285# 5/583kg	5/1295# 5/587kg
WEIGHT—Lbs.	912# 414kg	820# 372kg
FUEL TANK—	20 gallons 76L	20 gallons 76L

2XB BOW HULL		
THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
2XB BOW—2nd plate	.065"	.065"

SEATS		
Driver seat is stationary w/height adjuster, slider		
SEATS	2	2
PEDESTALS/SOCKETS	2/5	2/4



STEERING & CONSOLE		
• CS: Console w/no-feedback steering, removable windshield		
• TILLER: Aft electronics panel		
• GAUGES: Speedometer, tach, voltmeter (CS), fuel gauge, horn, blank		

LIVEWELL		
LIVEWELL—Gallons—w/h/l	34 gal.—12"x14"x54	
Aerated, light, timer, bait system	83L—30cm/35cm/137cm	


STORAGE, ELECTRICAL, ETC.		
• ROD STORAGE—Dual 7' locking compartments		
• BATTERY STORAGE—Forward storage for 1 battery, 1 aft		
• POWER—Automotive style fuse panel		
• TROLLING—12V bow outlet		
• LIGHTS—Stowable running lights, 2 interior courtesy lights, livewell light		
• BILGE PUMP—Manual		
• EXTRAS—Fire extinguisher, grab handles		

OPTIONAL EQUIPMENT		
• TROLLING MOTOR—Minn Kota		
• GRAPH—Lowrance liquid crystal		
• VINYL FLOOR—Replaces carpeting		
• SEAT—Extra seat and pedestal		
• COVERS—Mooring cover		

PAINT & CARPET		
• Mica Black w/Silver metallic paint		
• Olympic White w/Silver metallic paint		
• Pacific Blue metallic w/Silver metallic paint		
• Victory Red w/Silver metallic paint		
• Midnight Star Gray carpet		



CLASSIC 165 CS



CLASSIC 165 tiller

FISHERMAN 160/145

NEW FOR 2008!



**ALUMACRAFT
FISHERMAN 160 CS
with a
25HP YAMAHA**

Plus:

- Lowrance X50 graph
- 2 deluxe seats
- Custom trailer



**SPECIAL
PRICING!**
See your dealer

Fisherman 160 CS

A great place to start.

The new Fisherman 160 is a terrific starter boat. It's so easy to operate, trailer and launch, you may never want to part with it. It's big enough for a young family, and you and your buddies, yet it maneuvers like a dream, and pops up on plane with even a modest outboard. Perfect for a young couple or for teaching young fisherman boating and fishing skills. The Fisherman comes equipped with livewell, plenty of storage compartments and good-sized casting deck. Take advantage of our Fisherman 160/Yamaha Package promotion and get an unbeatable deal. Start making some great new memories on the water.

Slide in behind the sleek-looking CONSOLE (CS models) and enjoy the Fisherman 160's smooth, responsive handling. Steering is no-feedback and the seats are all-day comfortable. A big, aerated LIVEWELL sits alongside the port side of the cockpit. There's room for your extra vests and other gear in the two STORAGE COMPARTMENTS. Your valuable rods are secure and out of the way, but easy to access, in the ROD STORAGE COMPARTMENT located in the cockpit floor.





FISHERMAN 160 CS 160 Tiller 145 CS 145 Tiller

DIMENSIONS

LENGTH	16'3" 4.95m	16'3" 4.95m	14'6" 4.42m	14'6" 4.42m
WIDTH—Maximum beam	73" 1.85m	73" 1.85m	71" 1.79m	71" 1.79m
DEPTH—Maximum/to floor	32"/20" 82m/51m	32"/20" 82m/51m	33"/22" 84m/55m	33"/22" 84m/55m
TRANSOM—Width/height	67"/20" 1.70m/51m	67"/20" 1.70m/51m	63"/20" 1.60m/51m	63"/20" 1.60m/51m

CAPACITIES

HORSEPOWER—Maximum	40 HP 30kw	25 HP 18kw	35 HP 26kw	25 HP 18kw
CAPACITY—Persons/lbs.	5/700# 4/318kg	5/700# 4/318kg	4/865# 4/392kg	4/865# 4/392kg
WEIGHT—Lbs.	622# 282kg	600# 272kg	500# 227kg	460# 209kg

HULL FULL VEE

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm	.065"/.065" 1.7mm/1.7mm	.065"/.065" 1.7mm/1.7mm
------------------------	----------------------------	----------------------------	----------------------------	----------------------------

SEATING

Driver seat is stationary w/slider, height adjust

SEATS	2	2	2	2
PEDESTALS/SOCKETS	2/3	2/3	2/2	2/2

STEERING & CONSOLE

- CS CONSOLE— w/single cable no-feedback steering
- FLOOR—Vinyl flooring

LIVEWELL

LIVEWELL—Gallons—w/h/l	13g—9"x13"x32" 49L—23cm/33cm/81cm
------------------------	--------------------------------------

Aerated, bait system

STORAGE, ELECTRICAL, ETC.

- STORAGE—Center locker up to 7' (160); starboard rod locker up to 6' (145)
- BATTERY STORAGE—1 aft starting battery
- TROLLING—12V bow outlet (160)
- ELECTRICAL—Circuit breakers
- BILGE PUMP—Manual
- GRAB HANDLES

OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- WINDSHIELD
- VINYL FLOOR (160)
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover


PAINT & CARPET

- 160: Oxford White, Dove Gray interior, w/Midnight Star Gray carpet
- 145: Oxford White, Dove Gray interior, w/Midnight Star Gray carpet on decks and lids, vinyl floor in cockpit
- Option: Khaki Dead Grass, Tan vinyl floor, camo seats



THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.

STORAGE
ROD STORAGE
LIVEWELL
BAIT SYSTEM
BATTERY STORAGE
12v OUTLET



LUNKER 165 YUKON 165



ALUMACRAFT LUNKER 165 CS with a 50HP YAMAHA

Plus:

- Lowrance X50 graph
- Custom trailer

**SPECIAL
PRICING!**
See your dealer



COPY CORRECTION!
Lunker/Yukon models
do not have built-in
fuel tanks

Lunker 165 CS

Dependable, durable, downright practical.

You're looking at a timeless boat design. They are two of the hardest working boats we make. Want a great value with lots of storage, large livewell, bow and aft casting platforms, full electrical system, built-in gas tank and battery storage. These 16-footers are easy to trailer, easy to launch and did we mention, easy to own. Both feature a twin-plated 2XB Bow, can handle a 50HP outboard and have 5-person capacity. Add a dependable Yamaha outboard and put one of these beauties to work for you.



TWO-YEAR LIMITED
WARRANTY protects
every Yamaha Two Stroke.

LUNKER 165 YUKON 165

CS

Tiller

DIMENSIONS

LENGTH	16'6" 5.0m	16'6" 5.0m
WIDTH—Maximum beam	76" 1.92m	76" 1.92m
DEPTH—Maximum/to floor	35"/22" 88mm/54mm	35"/22" 88mm/54mm
TRANSOM—Width/height	73"/20" 1.85m/51cm	73"/20" 1.85m/51cm

CAPACITIES

HORSEPOWER—Maximum	50 HP 37kw	40 HP 30kw
CAPACITY—Persons/lbs.	5/1235# 5/560kg	5/1235# 5/560kg
WEIGHT—Lbs.	700# 317kg	660# 299kg

2XB BOW HULL

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
2XB BOW—2nd plate	.060"	.060"

SEATS

Driver seat is stationary w/height adjust; slider (CS)

SEATS	2	2
PEDESTALS/sockets	2/4	2/3

STEERING & CONSOLE

- CS: Console w/single cable no-feedback steering; removable windshield (Lunker)
- TILLER: Tiller steering

LIVEWELL

SIDE LIVEWELL—gallons—w/h/l 13 gal—9"x13"x32"
Aerated 49L—23cm/33cm/81cm

STORAGE, ELECTRICAL, ETC.

- STORAGE—Lockable, starboard rod storage up to 8'
- BATTERY STORAGE—1 forward, 1 aft starting
- ELECTRICAL—Circuit breakers
- TROLLING SYSTEMS—12V bow outlet
- LIGHTS—Stowable running lights
- BILGE PUMP—Manual
- GRAB HANDLES

OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance liquid crystal
- VINYL FLOOR (Lunker)
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover
- WINDSHIELD (Yukon 165 CS)



PAINT & FLOOR

LUNKER MODELS:

- Oxford White or Aztec Gray
- Midnight Star Gray carpet

YUKON MODELS:

- Oxford White w/Dove Gray interior, Gray vinyl floor
- Khaki Dead Grass, Tan vinyl floor, camo seats



LUNKER 165, YUKON

LUNKER 165 CS, YUKON 165 CS

V&T SERIES

Family heirlooms.

You've seen our Vs and Ts on lakes everywhere. Some are decades old, passed from father to son and then sometimes on to his son too. They're simple, fun, nearly indestructible and guaranteed to put a smile on every fisherman's face. Available in 12', 14', and 16' lengths and 60" to 70" widths. Power one up with a reliable, quiet Honda outboard and start your own family tradition.

HONDA
MARINE



V/T SERIES V16 V14 T14V T12V

DIMENSIONS

	V16	V14	T14V	T12V
LENGTH	16'9" 5.1m	14'5" 4.4m	14'2" 4.3m	12'2" 3.7m
MAX. BEAM	70" 1.78m	68" 1.73m	61" 1.54m	60" 1.52m
BOW HEIGHT	30" .76m	30" .76m	26" .66m	25" .64m
TRANSOM-Width	62" 1.58m	62" 1.58m	60" 1.52m	60" 1.52m
TRANSOM-Height	20" .51m	20", 15" .51m, .38m	15" .38m	15" .38m

FULL VEE HULL

	V16	V14	T14V	T12V
THICKNESS bottom	.065" 1.65mm	.065" 1.65mm	.060" 1.52mm	.060" 1.52mm
THICKNESS sides	.065" 1.65mm	.065" 1.65mm	.050" 1.27mm	.050" 1.27mm

CAPACITIES


HORSEPOWER-max	25 HP 18kw	20 HP 15kw	15 HP 11kw	10 HP 7kw
PERSONS-20"tran:	5/1380# 5/626kg	5/1015# 5/542kg	4/825# 4/374kg	3/655# 3/297kg
WEIGHT- 20"tran:	310# 140kg	269# 122kg	209# 94kg	189# 86kg

SEATING

- BENCH/bow 3/1 3/1 3/0 3/0
- OPTIONAL SEATS-clamp-on seats w/swivel

PAINT COLOR

- Oxford White paint w/Dove Gray interior



CLASSIC CAMP 165

NEW FOR 2008!

Takes a beating and keeps on smiling.

Resort owners up north love these boats. No frills. Nothing fancy, just tough, hard-working boats that even novices can handle. The durable, easy-to-clean vinyl floors and unpainted aluminum are virtually maintenance free. Even with day after day of tough rental use, our Camp boats keep on performing and keep looking good. You don't have to be a resort owner to own a Camp boat, you just have to think like one. Add a fuel efficient Yamaha outboard and you'll be smiling too. SEE PHOTOS ON PAGE 24.

CLASSIC CAMP 165 CS 165 Tiller

DIMENSIONS

	165 CS	165 Tiller
LENGTH	16'5" 5.0m	16'5" 5.0m
WIDTH-Maximum beam	82" 2.0m	82" 2.0m
DEPTH-Maximum/to floor	35"/21" .89m/.53m	35"/21" .89m/.53m
TRANSOM-Width/height	82"/20" 2.1m/.51m	82"/20" 2.1m/.51m

CAPACITIES

HORSEPOWER-Maximum	75 HP 56kw	50 HP 37kw
CAPACITY-Persons/lbs.	5/1285# 5/583kg	5/1285# 5/587kg

WEIGHT-Lbs.	840# 381kg	800# 363kg
FUEL TANK-	20 gallons 75L	20 gallons 75L

2XB BOW HULL

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
2XB BOW-2nd plate	.065" 1.7mm	.065" 1.7mm

SEATS

Driver seat is stationary w/height adjuster, slider

SEATS	2	2
PEDESTALS/SOCKETS	2/4	2/3

STEERING & CONSOLE

- CS: Console w/no-feedback steering, removable windshield
- GAUGES: fuel gauge, horn, blank

LIVEWELL

LIVEWELL-Gallons-w/h/l 34 gal.-12"x14"x54"
Aerated, bait system 129L-30cm/35cm/137cm

STORAGE, ELECTRICAL, ETC.


- BATTERY STORAGE-1 aft
- LIGHTS-Stowable running lights
- BILGE PUMP/AERATOR PUMP
- EXTRAS-Fire extinguisher, grab handles

OPTIONAL EQUIPMENT

- COVERS-Mooring cover

PAINT & CARPET

- Dove Gray interior paint w/Capri Silver Gray vinyl floor
- Olympic White paint w/Capri Silver Gray vinyl floor (optional)





MV 1860 AW Special




MV 1860 AW SC

Demanding fishermen insist on Alumacraft jons

Our 1860 Jon boats are the most popular jons we make. Coming from America's largest independently-owned jon boat manufacturer, they may be the most popular jons in the world. That adds up to a lot of 1860's working hard, playing hard and just plain gettin' it done. Tunnel hull models allow you to run in skinny water with prop-drives. Walk-around center console models also make great bay boats. Rig an 1860 with a hard-working Yamaha outboard, you've got yourself an unbeatable team of workhorses.



CENTER CONSOLE




SIDE CONSOLE



CENTER CONSOLE LIVEWELL



SC BOW LIVEWELL



PRO 175

ALUMACRAFT PRO 175 with a 50HP YAMAHA

Plus:


- Minn Kota Edge 40 trolling motor
- Lowrance X50 graph
- 5 deluxe seats
- Custom trailer

SPECIAL PRICING!
See your dealer

Pro 175

It's got a little bit of stealth bomber in it.

The Pro 175 is pure unadulterated bass boat. Sleek, strong, lightweight, and fast. It'll go into places heavy glass boats wouldn't even consider. Front and rear aerated livewells, large decks, loads of underdeck storage. The Pro 175's all-welded extra-strong hull is thick .102" aluminum. The wide 88" beam assures solid, stable running, minimal water draw and a steady deck for horsing out those big bass. Bolt on 90 horses of Yamaha power and you'll be truly surprised by the performance. Sneak into your nearest dealer and ask about our unbeatable Pro 175/Yamaha Package promotion. It's blowing other deals right out of the water.



This tough bass boat has it all. The AFT AREA sports a roomy casting deck, livewell, tackle storage, and a huge dry storage area below the fold-down driver and passenger seats. A streamlined CONSOLE features full instrumentation and no-feedback steering.



TWO-YEAR LIMITED WARRANTY protects every Yamaha Two Stroke.



PRO 175

DIMENSIONS

LENGTH	17'5" 5.31m
WIDTH-beam/bottom	88"/56" 2.23m/1.42m
SIDE HEIGHT	23" .58m
TRANSOM-width/height	88"/22" 2.2m/.6m

CAPACITIES

HORSEPOWER-maximum	90 HP 67kw
CAPACITY-persons/lbs.	4/1200# 4/544kg
WEIGHT-lbs.	1200# 544kg
FUEL TANK	16 gal. 68L

ALL-WELDED HULL

THICKNESS bottom/sides	.102" 2.5mm
------------------------	----------------

- All-welded, modified-vee hull
- FLOOR-Welded-in aluminum floor and decks
 - TRANSOM-All aluminum

SEATING

- SEATS-3 deluxe bucket seats, 2 pedestal seats
- SOCKETS-2 pin sockets

STEERING & CONSOLE

- CONSOLE-Fiberglass w/ windscreen; no-feedback steering
- SPEEDOMETER, tachometer, voltmeter, fuel gauge

LIVEWELLS

2 LIVEWELLS gallons	23 gal. ea. 170L
---------------------	---------------------

- Aerated, remote drain (aft livewell)

STORAGE, ELECTRICAL, ETC.


- RODS-7' locking compartment
- STORAGE-5 compartments (1 dry)
- POWER-Saltwater resistant system, nav and trim switch on bow, 12V power point
- TROLLING-12 volt harness
- LIGHTS-Stowable running lights, interior courtesy lights
- BILGE PUMP-500 gph

OPTIONAL EQUIPMENT

- TROLLING MOTOR-Minn Kota
- GRAPH-Lowrance liquid crystal

PAINT & CARPET

- Olympic White paint
- Pacific Blue metallic paint
- Victory Red paint
- Gunmetal Gray metallic
- Midnight Star Gray carpet



PRO 175

VS 170 / PF 170



The VS 170 features a sleek CONSOLE with full instrumentation, four comfortable seats, big decks, ample storage, a large 23 gallon, aerated LIVEWELL with remote drain and a locking rod storage compartment. What more do you need?

Everything you need, nothing you don't.

We took our time-tested, all-welded 17' aluminum hull and finished it up just for bass fishermen—then we did the same for panfishermen. Neither boat has any unnecessary bells and whistles. They are simply honest, hard working boats, easy to maneuver, haul and launch, and can sneak in and out of the tightest timber, feeder creeks and honey holes. There's plenty of room, and both give you excellent maneuverability and top end performance. Power one up with a quiet, Yamaha four-stroke and you've got just what you ordered.



THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.



	VS 170	PF 170
DIMENSIONS		
LENGTH	17'0" 5.18m	17'0" 5.18m
WIDTH-Beam/bottom	74"/52" 1.88m/1.32m	74"/52" 1.88m/1.32m
SIDE HEIGHT	22" 56m	22" 56m
TRANSOM-Width/height	74"/22" 1.88m/.60m	74"/22" 1.88m/.60m
CAPACITIES		
HORSEPOWER-Maximum	70 HP 51kw	60 HP 44kw
CAPACITY-Persons/lbs.	4/1100# 4/499kg	4/900# 4/406kg
WEIGHT-Lbs.	852# 387kg	800# 363kg
FUEL TANK	16 gal. 60L	—

ALL-WELDED HULL

All-welded, stepped pad-V hull w/reversed chines
THICKNESS bottom/sides .102" 2.5mm
• FLOOR-Welded-in aluminum floor and decks
• TRANSOM-All aluminum

SEATING

- SEATS-4 fold-down
- SOCKETS-2 pin sockets

STEERING & CONSOLE

- CONSOLE-Fiberglass construction with windscreen; no-feedback steering
- GAUGES-Speedometer, tach, voltmeter, fuel (VS)

LIVEWELL

- LIVEWELL-One 23 gal., aerated w/remote drain (VS); Two 17 gal., aerated (PF)

STORAGE, ELECTRICAL, ETC.


- RODS-7" locking compartment (VS)
- STORAGE-5 compartments (VS); 2 compartments (PF)
- POWER-Saltwater resistant system (VS), nav and trim switch on bow (VS), 12V power point
- TROLLING-12 volt harness
- LIGHTS-Stowable running lights; interior courtesy (VS)
- BILGE PUMP-500 gph

OPTIONAL EQUIPMENT

- TROLLING MOTOR-Minn Kota
- GRAPH-Lowrance liquid crystal

PAINT & CARPET

- Olympic White paint
- Pacific Blue paint
- Victory Red paint
- Gunmetal Gray metallic
- Midnight Star Gray carpet



MV TEX SPECIAL




MV Tex Special

A 16' bass boat that competes well with its big brothers.

This tough all-welded 16-foot bass boat is just as much at home on rivers, woody backwaters, and lakes as remote farm ponds. It's a durable, practical, easy to maneuver modified-V boat with ample deck space, comfortable seats, aerated livewell, a big dry storage area and sleek aerodynamic console. An outstanding value for the money, and when you add a reliable fuel-efficient Yamaha outboard, it becomes an even greater investment of your hard-earned dollars.



STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.



The good-looking CONSOLE makes driving the nimble Tex as much fun as the fishing. A big, aerated LIVEWELL and two large storage compartments make hauling your hawks and a ton of gear easy.

MV TEX SPECIAL

DIMENSIONS

LENGTH	16'0"	4.88m
WIDTH-Beam/bottom	74"/50"	1.88m/1.27m
SIDE HEIGHT	21"	.53m
TRANSOM-Width/height	69"/20"	1.75m/.50m

CAPACITIES

HORSEPOWER-Maximum	60 HP	45kw
CAPACITY-Persons/lbs.	5/1010#	4/458kg
WEIGHT-Lbs.	675#	307kg

HULL

- THICKNESS bottom/sides .102" 2.5mm
- ALL-WELDED MODIFIED-VEE with 11 extruded ribs
- FLOOR-Welded-in aluminum floor and decks
- TRANSOM-All-Aluminum

SEATING

- SEATS-4 fold-down seats

CONSOLE

- CONSOLE-Fiberglass w/windscreen, no-feedback steering
- GAUGES-Speedometer, tachometer and voltmeter

LIVEWELLS

- 23 gallon, aerated

STORAGE, ELECTRICAL, ETC.


- STORAGE-2 compartments (1 is dry)
- TROLLING-12 volt harness
- LIGHTS-Stowable running lights, interior courtesy
- BILGE PUMP-500 gph

OPTIONS

- TROLLING MOTOR-Minn Kota
- GRAPH-Lowrance liquid crystal
- SPRAY-IN LINER

PAINT & CARPET

- Olympic White paint
- Pacific Blue metallic paint
- Victory Red paint
- Gunmetal Gray metallic
- Midnight Star Gray carpet



ANGLER

NEW FOR 2008!



**ALUMACRAFT
ANGLER
with a
25HP YAMAHA**

Plus:

- Lowrance X50 graph
- 2 deluxe seats
- Custom trailer

**SPECIAL
PRICING!**
See your dealer

Angler SC

**Start making great memories in this
terrific all-around boat.**

Our new Angler was designed for any sort of fishing you want to do: bass, crappie, bluegill, catfish, you name it. The Angler's modified-V hull provides a smooth, stable ride and lots of room on the front deck. Anglers feature two fishing decks with seats, a large storage compartment and a 23-gallon aerated livewell. Anglers are prewired with a 12-volt electrical system, ready for your electronics and trolling motor needs. Available in tiller handle model and aluminum side console model. Add a high performance Yamaha outboard and start having the time of your life. See your dealer for special pricing on our Angler/Yamaha Package promotion.



The cockpit floor, both forward and aft decks and interior sides are all constructed from aluminum for years of trouble-free use. Under the large, carpeted (spray-on liner is optional) bow deck is a handy storage area and an aerated LIVEWELL that's just inches away from the action. Angler SC models feature a compact SIDE CONSOLE with no-feedback steering and fuel gauge. A Lowrance graph is optional.






ANGLER	SC	Tiller
DIMENSIONS		
LENGTH	16'0" 4.88m	16'0" 4.88m
WIDTH—Beam/bottom	65"/48" 1.65m/1.22m	65"/48" 1.65m/1.22m
SIDE HEIGHT	21" 53m	21" 53m
TRANSOM—Width/height	71"/20" 1.80m/51m	71"/20" 1.80m/51m
CAPACITIES		
HORSEPOWER—Maximum	25 HP 18kw	25 HP 18kw
CAPACITY—Persons/lbs.	3/625# 3/283kg	3/625# 3/283kg
WEIGHT—Lbs.	465# 211kg	465# 211kg
HULL/CONSTRUCTION		
THICKNESS bottom/sides	102" 2.5mm	102" 2.5mm
All-welded modified-V with 11 ribs		
FLOOR		
Aluminum floor, decks and sides		
SEATS		
• 2 fishing seats, 2 pedestals, spiders		
CONSOLE		
• CONSOLE—No-feedback steering		
• GAUGES—Speedometer		
LIVWELL		
• 23-gallon, aerated		
STORAGE, ELECTRICAL, ETC.		
• STORAGE—Compartment		
• TROLLING—Bow bracket, 12v plug		
• LIGHTS—Stowable running lights		
• EXTRAS—Power point, bilge pump		
OPTIONAL EQUIPMENT		
• TROLLING MOTOR—Minn Kota		
• GRAPH—X-50 Lowrance		
• WINDSHIELD (SC model)		
• SPRAY IN FLOOR		
PAINT COLORS & CARPET		
• Gunmetal Gray w/Gray carpet		




STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.



1860 ALL-WELDED JONS



ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B. three-star rating.




A new CENTER CONSOLE keeps loads centered and gives you walk-around fighting room. Equipped with no-feedback steering, windshield, grab rail, seat with livewell below, and holders for six rods. A fiberglass SIDE CONSOLE offers bass-boat-style steering. An aerated LIVEWELL is located in the bow on SC models. A storage compartment is in the bow of all 1860s. A ROD COMPARTMENT is on the port side. TUNNEL HULL models raise your prop for running in shallow water.

CRAPPIE SERIES



Crappie Deluxe



Crappie Jon



We understand your panfishing passion.

Alumacraft crappie boats make it easy to fish for crappie, bluegill, perch, you name it. Our 16' Crappie Deluxe and 14' Crappie Jon are stable on the water with room to fish both sides and feature comfortable seats and easily accessible livewells. The modified-V hull rides smooth, handles precisely, and makes it easy to control boat position. Add a fuel-efficient Yamaha outboard and let's go catch a little dinner.

ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B. three-star rating.



CRAPPIE SERIES Deluxe Crappie Jon

DIMENSIONS		
LENGTH	16'0" 4.87m	14'0" 4.27m
WIDTH-Beam/bottom	70"/48" 1.77m/1.22m	64"/42" 1.62m/1.07m
SIDE HEIGHT	21" .53m	20" .51m
TRANSOM-Width/height	68"/20" 1.72m/.50m	62"/15" 1.57m/.38m

CAPACITIES		
HORSEPOWER-Maximum	30 HP 22kw	15 HP 11kw
CAPACITY-Persons/lbs.	2/745# 2/338kg	2#620 2/281kg
WEIGHT-Lbs.	520# 236kg	330# 150kg

HULL/CONSTRUCTION

THICKNESS bottom/sides	.072" 1.8mm	.063" 1.6mm
------------------------	----------------	----------------

DELUXE, JON-Riveted modified-V

FLOOR

Aluminum floor & decks

SEATS

- 2 upholstered seats with arm rests

LIVEWELL

- DELUXE: Aerated w/seat cushion
- JON: Livewell box

STORAGE, ELECTRICAL, ETC.




- STORAGE-1 compartment (Jon)
- TROLLING-bow bracket
- LIGHTS-Stowable running lights (Deluxe)

OPTIONAL EQUIPMENT

- TROLLING MOTOR/GRAPH-Minn Kota, Lowrance graph


PAINT COLORS & CARPET

- Gunmetal Gray metallic paint, Gray carpet



DELUXE LIVEWELL

ALL-WELDED JONS



MV 1650 AW SC

Decisions, decisions, decisions

Jon boat customers use their jons for everything from fishing to hunting to working. Whether it's in lakes, rivers, backwaters or bays there's an AlumaCraft that fits your needs. We make 4 different lengths, 4 different widths, and 23 different configurations of all-welded jon boats. We're confident there's one that's perfect for your needs, and once you find it, your AlumaCraft dealer can help you set it up with the ideal motor and horsepower for your needs. Rig a quiet, dependable Yamaha outboard on an AlumaCraft AW Jon and you can't go wrong.



Waterfowler 16



MV 2072 AW




MV 1756 AW SC



TWO-YEAR LIMITED WARRANTY protects every Yamaha Two Stroke.




ALL-WELDED JONS



	LENGTH	BOTTOM WIDTH	BEAM/SIDE HEIGHT	TRANSOM HEIGHT All-aluminum	HORSEPOWER-maximum	HORSEPOWER-opt. console	FUEL TANK	WEIGHT-approximate	CAPACITY-persons/lbs.	HULL GAUGE	HULL TYPE-All-Welded	NUMBER OF RIBS	SIDE CONSOLE No-feedback steering	CENTER CONSOLE no-feedback steering seat grab rail RH=+6 rod holders	WINDSHIELD
MV 2072 AW FF	20'0"	72"	96"/30"	21"	130 HP	—	16 gal.	1200#	8/1550#	.102"	Modified-V	15	—	✓+6RH	✓
MV 2072 AW Tunnel FF	20'0"	72"	96"/30"	21"	130 HP	—	16 gal.	1200#	8/1550#	.102"	MV tunnel	15	—	✓+6RH	✓
MV 2072 AW Tunnel CC	20'0"	72"	96"/30"	21"	130 HP	—	16 gal.	1200#	8/1550#	.102"	MV tunnel	15	—	✓+6RH	✓
MV 2072 AW SC	20'0"	72"	96"/30"	21"	115 HP	—	16 gal.	1100#	8/1550#	.102"	Modified-V	15	✓	—	✓
MV 2072 AW	20'0"	72"	96"/30"	21"	60 HP	90 HP ¹	—	850#	8/1550#	.102"	Modified-V	15	Opt.	—	Opt.
MV 2072 AW Tunnel	20'0"	72"	96"/30"	21"	60 HP	90 HP ¹	—	850#	8/1550#	.102"	MV tunnel	15	Opt.	—	Opt.
MV 1860 AW Special	18'0"	60"	86"/25"	21"	115 HP	—	16 gal.	1050#	6/1200#	.102"	Modified-V	13	—	✓+6RH	✓
VB 1860 AW Special Tunnel	18'0"	60"	86"/25"	21"	115 HP	—	16 gal.	1050#	6/1200#	.102"	Flat-V tunnel	13	—	✓+6RH	✓
MV 1860 AW CC	18'0"	60"	86"/25"	21"	115 HP	—	16 gal.	905#	6/1200#	.102"	Modified-V	13	—	✓+6RH	✓
VB 1860 AW Tunnel CC	18'0"	60"	86"/25"	21"	115 HP	—	16 gal.	905#	6/1200#	.102"	Flat-V tunnel	13	—	✓+6RH	✓
MV 1860 AW SC	18'0"	60"	86"/25"	21"	90 HP	—	16 gal.	875#	6/1265#	.102"	Modified-V	13	✓	—	✓
VB 1860 AW Tunnel SC	18'0"	60"	86"/25"	21"	90 HP	—	16 gal.	875#	6/1265#	.102"	Flat-V tunnel	13	✓	—	✓
MV 1860 AW	18'0"	60"	86"/25"	21"	50 HP	75 HP ¹	—	680#	6/1100#	.102"	Modified-V	13	Opt.	—	Opt.
VB 1860 AW Tunnel	18'0"	60"	86"/25"	21"	50 HP	75 HP ¹	—	680#	6/1100#	.102"	Flat-V tunnel	13	Opt.	—	Opt.
MV 1756 AW SC	17'0"	56"	83"/24"	21"	75 HP	—	16 gal.	830#	5/825#	.102"	Modified-V	13	✓	—	✓
VB 1756 AW Tunnel SC	17'0"	56"	83"/24"	21"	75 HP	—	16 gal.	830#	5/825#	.102"	Flat-V tunnel	13	✓	—	✓
MV 1756 AW	17'0"	56"	83"/24"	21"	50 HP	75 HP ¹	—	600#	5/825#	.102"	Modified-V	13	Opt.	—	Opt.
VB 1756 AW Tunnel	17'0"	56"	83"/24"	21"	50 HP	75 HP ¹	—	600#	5/825#	.102"	Flat-V tunnel	13	Opt.	—	Opt.
MV 1650 AW SC	16'0"	50"	74"/22"	21"	60 HP	—	—	680#	5/855#	.102"	Modified-V	11	✓	—	✓
VB 1650 AW Tunnel SC	16'0"	50"	74"/22"	21"	60 HP	—	—	680#	5/855#	.102"	Flat-V tunnel	11	✓	—	✓
MV 1650 AW	16'0"	50"	74"/22"	21"	40 HP	60 HP ¹	—	485#	5/770#	.102"	Modified-V	11	Opt.	—	Opt.
VB 1650 AW Tunnel	16'0"	50"	74"/22"	21"	40 HP	60 HP ¹	—	485#	5/770#	.102"	Flat-V tunnel	11	Opt.	—	Opt.
Waterfowler 16	16'0"	50"	74"/22"	21"	40 HP	—	—	525#	5/855#	.102"	Modified-V	11	—	—	—

¹ With optional floor package installed at factory only




ALL YAMAHA
FOUR STROKES
EXCEED FEDERAL
EPA 2006 EMISSION
REQUIREMENTS. The new F60,
F75 and F90 horse models have
earned a California C.A.R.B.,
three-star rating.




INSTRUMENTATION Speedometer, tachometer, voltage, fuel gauge	LIFEWELL—aerated	STORAGE COMPARTMENTS	DRY STORAGE COMPARTMENTS	GUN BOX—w/cushion seat	SEATS—Driver & Passenger or Flip-Flop seat, Console	FISHING SEATS	SEAT PEDESTAL BASES	COOLER—below flip-flop seat	FLOOR, Aluminum w/sides	DROP DECK	TROLLING MOTOR/GRAPH Minnikota/Lowrance	TROLLING MOTOR HARNESS 12/24V receptacle (TT=tilt-trim)	LIGHTS—navigation, courtesy	POWER POINTS	BILGE PUMP	SPRAY-IN FLOOR LINER	SPONGONS	PAINT COLOR	CAMO PAINT
✓ S,T,V,F	✓	2	—	—	FF, Cons.	2	2 pin	✓	✓	—	Opt.	✓w/TT	✓	2	✓	Opt.	—	Khaki	—
✓ S,T,V,F	✓	2	—	—	FF, Cons.	2	2 pin	✓	✓	—	Opt.	✓w/TT	✓	2	✓	Opt.	Opt.	Khaki	—
✓ S,T,V,F	✓	2	—	—	Cons.	2	2 pin	—	✓	—	Opt.	✓w/TT	✓	2	✓	Opt.	Opt.	Khaki	—
✓ S,T,V,F	✓	3+rod	1	—	2	2	2 pin	—	✓	—	Opt.	✓	✓	2	✓	Opt.	—	Khaki	—
—	—	—	—	Opt.	—	Opt.	Opt.	—	Opt.	—	Opt.	—	Opt. ¹	—	—	—	—	Khaki	—
—	—	—	—	Opt.	—	Opt.	Opt.	—	Opt.	—	Opt.	—	Opt. ¹	—	—	—	Opt.	Khaki	—
✓ S,T,V,F	✓	2	—	—	Cons.	2	2 pin	—	✓	—	Opt.	✓w/TT	✓	2	✓	✓	—	White	—
✓ S,T,V,F	✓	2	—	—	Cons.	2	2 pin	—	✓	—	Opt.	✓w/TT	✓	2	✓	✓	Opt.	White	—
✓ S,T,V,F	✓	2	—	—	Cons.	2	2 pin	—	✓	—	Opt.	✓w/TT	✓	2	✓	Opt.	—	Khaki	Opt.
✓ S,T,V,F	✓	2	—	—	Cons.	2	2 pin	—	✓	—	Opt.	✓w/TT	✓	2	✓	Opt.	Opt.	Khaki	Opt.
✓ S,T,V,F	✓	3+rod	1	—	2	2	2 pin	—	✓	—	Opt.	✓w/TT	✓	2	✓	Opt.	—	Khaki	Opt.
✓ S,T,V,F	✓	3+rod	1	—	2	2	2 pin	—	✓	—	Opt.	✓w/TT	✓	2	✓	Opt.	—	Khaki	Opt.
—	—	—	—	Opt.	—	Opt.	Opt.	—	Opt.	—	Opt.	—	Opt. ¹	—	—	—	—	Khaki	Opt.
—	—	—	—	Opt.	—	Opt.	Opt.	—	Opt.	—	Opt.	—	Opt. ¹	—	—	—	Opt.	Khaki	Opt.
✓ S,T,V,F	✓	3+rod	1	—	2	2	2 pin	—	✓	—	Opt.	✓	✓	2	✓	Opt.	—	Khaki	Opt.
✓ S,T,V,F	✓	3+rod	1	—	2	2	2 pin	—	✓	—	Opt.	✓	✓	2	✓	Opt.	—	Khaki	Opt.
—	—	2	—	Opt.	—	Opt.	Opt.	—	Opt.	—	Opt.	—	Opt. ¹	—	—	—	—	Khaki	Opt.
—	—	2	—	Opt.	—	Opt.	Opt.	—	Opt.	—	Opt.	—	Opt. ¹	—	—	—	Opt.	Khaki	Opt.
✓ S,T,V	✓	3	1	—	2	2	2 pin	—	✓	—	Opt.	✓12V	✓	2	✓	Opt.	—	Khaki	Opt.
✓ S,T,V	✓	3	1	—	2	2	2 pin	—	✓	—	Opt.	✓12V	✓	2	✓	Opt.	—	Khaki	Opt.
—	—	2	—	Opt.	—	Opt.	Opt.	—	Opt.	—	Opt.	—	Opt.	—	—	—	—	Khaki	Opt.
—	—	2	—	Opt.	—	Opt.	Opt.	—	Opt.	—	Opt.	—	Opt.	—	—	—	Opt.	Khaki	Opt.
—	—	1	—	1	—	Opt.	1 pin	—	✓	✓	Opt.	✓12V	✓	2	✓	—	—	Khaki	Opt.


RIVETED JONS




1648 NCS



MV 1448



1442



1436 LT



TWO-YEAR LIMITED
WARRANTY protects every
Yamaha Two Stroke.



RIVETED JONS






Strong, lean and dependable.

Our strong riveted aluminum jons are the choice when you need a lighter weight boat that's tough enough to run in any water. Pick from smooth-handling modified-V hull (MV) models or traditional flat bottom versions. They're all effortless to load, haul and launch and available in a variety of lengths and widths.




STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.




MV 1648

MV 1648 NCS


MV 1448




1648



1648 NCS




1448




1542




1442



1442 LW



1442 NCS




1436



1436 Lite



1236



1232



1032

	LENGTH	BOTTOM WIDTH	BEAM/SIDE HEIGHT	TRANSOM HEIGHT	HORSEPOWER-max	WEIGHT-approx	CAPACITY-persons/lbs	HULL GAUGE	HULL TYPE-riveted	NUMBER OF RIBS	SIDE-STEERING	LIVEWELL-center seat	CENTER BENCH SEAT	CAMO SEAT-clamp	LIGHT & TROLLING MOTOR BRACKET	COLOR
MV 1648	16'0"	48"	70"/21"	15" or 20"	40 HP	280#	5/1010#	.070"	Modified-V	9	Opt.	Opt.	✓ w/storage	Opt.	Opt.	Olive Drab Green
MV 1648 NCS	16'0"	48"	70"/21"	15" or 20"	40 HP	310#	5/1010#	.070"	Modified-V	9	Opt.	—	—	Opt.	Opt.	Olive Drab Green
MV 1448	14'0"	48"	70"/21"	15" or 20"	25 HP	250#	5/885#	.070"	Modified-V	7	Opt.	Opt.	✓ w/storage	Opt.	Opt.	Olive Drab Green
1648	16'0"	48"	70"/21"	15" or 20"	35 HP	285#	5/1010#	.070"	Flatbottom	9	Opt.	Opt.	✓ w/storage	Opt.	Opt.	Olive Drab Green
1648 NCS	16'0"	48"	70"/21"	15" or 20"	35 HP	260#	5/1010#	.070"	Flatbottom	9	Opt.	—	—	Opt.	Opt.	Olive Drab Green
1448	14'0"	48"	70"/21"	15" or 20"	25 HP	260#	5/885#	.070"	Flatbottom	7	Opt.	Opt.	✓ w/storage	Opt.	Opt.	Olive Drab Green
1542	15'0"	42"	62"/20"	15"	25 HP	210#	4/775#	.063"	Flatbottom	8	Opt.	—	✓	Opt.	Opt.	Olive Drab Green
1442	14'0"	42"	62"/20"	15"	25 HP	190#	4/770#	.063"	Flatbottom	7	Opt.	—	✓	Opt.	Opt.	Olive Drab Green
1442 LW	14'0"	42"	62"/20"	15"	25 HP	210#	4/770#	.063"	Flatbottom	7	Opt.	✓	✓	Opt.	Opt.	Olive Drab Green
1442 NCS	14'0"	42"	62"/20"	15"	25 HP	230#	4/770#	.063"	Flatbottom	7	Opt.	—	—	Opt.	Opt.	Olive Drab Green
1436	14'0"	36"	55"/19"	15"	15 HP	180#	3/605#	.063"	Flatbottom	7	—	Opt.	✓	Opt.	Opt.	Olive Drab Green
1436 Lite	14'0"	36"	55"/19"	15"	15 HP	135#	3/625#	.053"	Flatbottom	6	—	Opt.box	✓	Opt.	Opt.	Olive Drab Green
1236	12'0"	36"	55"/19"	15"	15 HP	125#	3/540#	.053"	Flatbottom	5	—	—	✓	Opt.	Opt.	Olive Drab Green
1232	12'0"	32"	48"/17"	15"	7 HP	105#	2/455#	.053"	Flatbottom	4	—	Opt.box	✓	Opt.	Opt.	Olive Drab Green
1032	10'0"	32"	48"/17"	15"	3 HP	95#	2/365#	.053"	Flatbottom	2	—	Opt.box	✓	Opt.	Opt.	Olive Drab Green

OPTIONS

AVAILABLE THROUGH YOUR ALUMACRAFT DEALER

ALUMACRAFT®



Trolling Motors

Your dealer can help you select the ideal Minn Kota trolling motor for your boat.



Lowrance Electronics

The top name in precision fish-locating sonar and GPS navigation.



Hydraulic Steering

Smooth, effortless hydraulic steering available for Dominator and Navigator models.




Dual Consoles

Two streamlined bubble windshield consoles provide room, protection, and style on Sport models.



Seats and Seat Pedestals

Comfortable and durable folding seats, bike style pro seats, and clamp-on seats for Vs & Ts are available. Choose from fixed height pedestals, adjustable, shock absorbing adjustable, and sliding seat post systems.




Bow Cushions

Thick cushions turn the bow fishing platform into a comfortable lounge. Trophy models.



Top Set

Our high-rise top set provides lots of headroom, shade and protection from rain. Aft and side curtains add full protection. Sport models.




Vinyl Floor

Makes clean up easy with just soap and water. Select models.



Spray-in Liner

Protect the interior of your jon boat with a durable, easy-to-clean lining. Select models.



Locking Gun Box

This 60" long lockable gun box can be added to many jon boats.




Jon Boat Livewell Box

Optional livewell can be added to '32 series and 1436 Lite models of jon boats.



Sponsons

Sponsons increase aft buoyancy on tunnel hull models for running in skinny water.



Side Console

Steering wheel control available for many AW and riveted jons. Gauges optional.



Covers

Choose from tie down mooring covers, tie down travel and snap travel covers.



Alumacraft Clothing

Visit alumacraft.com for AlumaCraft caps, shirts and jackets.

10 REASONS

YOU SHOULD OWN AN ALUMACRAFT BOAT

ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B. three-star rating.



1 Independently-owned Manufacturer

That means you get your boat rigged the way you want it. Alumacraft offers all major outboard motor lines for your boat. You get the outboard, the features, the options, and the service you want from America's biggest, independently owned boat manufacturer.



2 Greater Selection of Boat Sizes

Choose from 20'8" long, high-performance, deep-V boats to simple 10' flatbottom jon boats. Alumacraft boats come in a huge variety of sizes, shapes and styles for an endless variety of uses and budgets. You name it, we've got it.



3 The Alumacraft Ride

Our pros call it the *Alumacraft Ride*. These guys have driven virtually every boat on the market. They tell us the *Alumacraft Ride* is drier, quieter, smoother and more responsive. The exceptional ride of an Alumacraft with the performance of a new Yamaha outboard — it doesn't get any better.



4 High Quality Hardware

Alumacraft uses the highest quality hardware on the market. Chromed metal hardware is strong, durable and easy to grab and open, even with gloves on. Compare some of the hardware on other boats and you'll be surprised.




5 Heavier Gauge Aluminum

All Alumacraft boats, whether it's our all-welded jons or one of our riveted tournament models, are made with heavy gauge, top quality, 5052 marine grade aluminum. That's why you see Alumacraft boats that have been on the water for years and years. They last longer.




6 See the Difference

Look real close. You'll see a tighter fit; smooth, even welds; larger rivets; and precision construction throughout. These are boats you'll be proud to call your own.



7 More and Bigger Ribs

Our all-welded ribs can take a pounding. They're heavier, wider and stronger, making the entire boat tougher and more rigid. Ribs are positioned on narrow 12" centers. This results in more ribs making the hull stronger the entire length of the boat.




8 Larger Aircraft Grade Rivets

Inherent strength is greater with larger rivets. Larger rivets mean stronger rivets. Stronger rivets mean fewer rivets are needed. Fewer rivets mean fewer holes need to be drilled significantly reducing the chance of ever popping a rivet.



9 Highest Quality Paint

Our boats are painted in the same base-coat/clear-coat process and colors used by major auto makers. This process allows the repair of small scratches and areas of dock rash without repainting your entire boat. Matching touch-up paint can be found at more than 4000 auto repair outlets.



10 One-Piece Hull

We make our hull from a single piece of aluminum that is cut and shaped to form the hull. Other manufacturers rivet, or weld, two separate pieces together. Our one-piece design assures there are no seams on the boat's bottom, providing the greatest possible inherent strength and no heaving.

ALUMACRAFT LIMITED WARRANTY—We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information. Photos, illustrations and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All ratings comply with the Federal Boat Safety Act of 1971. Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.



All Alumacraft boats are both NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical and safety. National Marine Manufacturers Association certification is the most stringent in the industry. Look for it, not all boat manufacturers meet NMMA's higher standards.

Special thanks to PLANO and DAIWA for the use of their great tackle storage systems, rods and reels.

SEE THE NEW 2008 MODELS AT YOUR LOCAL ALUMACRAFT DEALER:

ALUMACRAFT®

AN INDEPENDENTLY OWNED AND OPERATED BOAT COMPANY



315 West St. Julien Street, St. Peter, MN 56082
507-931-1050 Fax: 507-931-9056
1329 N. 10th St., Box 189, Arkadelphia, AR 71923
870-246-5555 Fax: 870-246-4507

www.alumacraft.com

COPYRIGHT © 2007 ALUMACRAFT BOAT CO. PRINTED IN THE U.S.A.



Classic Camp 165 CS



Classic Camp 165



Tournament Sport 195

UNSURPASSED PERFORMANCE

TIME AFTER TIME

No other company understands the needs of a fisherman like Alumacraft and Yamaha. From the professional angler to the weekend warrior, Alumacraft's boats and Yamaha's line of engines are sure to please. Yamaha prides itself on offering top-of-the-line outboard engines that give Alumacraft owners the best of all options. When power, reliability and unsurpassed performance time after time is what you desire, then nothing will satisfy you like an Alumacraft with a Yamaha outboard.

