

2009

Debi

# ALUMACRAFT®


BUILDING GREAT ALUMINUM BOATS SINCE 1946

*Gunnels/Castings painted*





# TROPHY 205/195



Cupholder  
2-22-002-0011

Cupholder  
2-22-002-0011

Cupholder has a  
drain hole that  
could drain into  
glove box — need  
to plug.

Can use  
passenger  
power ped in  
front — will be  
very short


Standard 2-22-002-0011  
2-22-002-0011

NEW! DRIVER'S CONSOLE


TWO JUMP SEATS

QUICK-FOUR BOW PLATFORM

OPTIONAL BOW CUSHIONS








# WHAT'S IT GOING TO BE TODAY?

The Trophy lets you and your friends, family or clients go anywhere on the lake and pursue anything you like. Fishing, tubing, skiing, guiding, name your game, there's storage 360° so bring whatever you need for a full day of fun. The Trophy's deep sidewalls provide extra security and there's ample space for battling fish and entertaining friends. Large walk-thru windshield, high rise top, and 2XB Hull keep you dry, comfortable and happy. Add a high performance Honda motor and let the adventures begin.

See Trophy specifications on next page. For Honda performance numbers go to [alumacraft.com](http://alumacraft.com)

Trophy 195  
 Cupholder 2-22-002-0023  
 TOPSET STORAGE NEW! GUNNEL ROD LOCKER NEW! LARGER AFT LIVEWELL



Trophies -  
 have rubber seal around rod locker door - trim has metal inside + is crimped to be held in place.  
 2-33-070-0015



# TROPHY 185/175

## FAMILY PRIDE AND JOY.

You've worked hard and you deserve the best for your family. The Trophy's open floor plan, deep sidewalls, and solid construction provide great times on the water without worry. Comfort, peace of mind, extended range, and a time-tested 2XB Hull make the Trophy something you will be proud to own and proud to share with family and friends. The standard convertible top will keep the elements at bay. When powered by a quiet Suzuki four stroke this is one impressive machine.

For Suzuki performance numbers go to [alumacraft.com](http://alumacraft.com)



2 separate  
remote


Trophy 185

Die Cut  
2-16-002-5570  
2-16-002-5539 Port  
7  
2-16-002-5570  
is end of Silver  
Stripe





Trophy 175



TROPHY	205	195	185	175
<b>DIMENSIONS</b>				
LENGTH	20'8" 6.3m	19'8" 6.0m	18'8" 5.7m	17'8" 5.4m
WIDTH-Maximum beam	98" 2.5m	98" 2.5m	98" 2.5m	94" 2.4m
DEPTH-Maximum/to floor	47"/27" 1.2m/.69m	47"/27" 1.2m/.69m	47"/27" 1.2m/.69m	43"/25" 1.1m/.64m
TRANSOM-Width/height	96"/25" 2.45m/.64m	96"/25" 2.45m/.64m	96"/25" 2.45m/.64m	94"/25" 2.39m/.64m
<b>CAPACITIES</b>				
HORSEPOWER-Maximum	225 HP 167kw	200 HP 149kw	175 HP 130kw	150 HP 112kw
CAPACITY-Max. Persons	9	8	8	7
CAPACITY-Max. Load-lbs.	2350# 1066kg	2000# 907kg	1760# 798kg	1600# 725kg
WEIGHT-Lbs.	1915# 868kg	1805# 818kg	1780# 807kg	1550# 703kg
FUEL TANK-Gallons	60 gal 227L	38 gal 144L	38 gal 144L	38 gal 144L
<b>2XB HULL</b>				
THICKNESS bottom/sides	.100"/.080" 2.5mm/2mm	.100"/.080" 2.5mm/2mm	.100"/.080" 2.5mm/2mm	.080"/.080" 2.5mm/2mm
2XB Bow-2nd plate	.100"	.100"	.100"	.080"
2XB Bottom-2nd plate	.100"	.100"	.100"	.080"
<b>SEATING</b>				
Driver's is stationary w/slider, height adjust (power height in 205, 195, 185)				
• SEATS (New high back)	4+2 jump	4+2 jump	3+2 jump	3+2 jump
• PEDESTALS	2 pwr, 2fxd	2 pwr, 2fxd	2 pwr, 1fxd	1 adj, 2fxd

<b>STEERING &amp; CONSOLE</b>				
• STEERING-Hydraulic (205, 195, 185)				
• CONSOLE-With tilt wheel, walk-thru tempered windshield, passenger console				
• TACKER-READY SIDE PANEL				
• SPEEDOMETER, Tachometer, voltmeter, fuel gauge, horn, blank				
• STEREO-AM/FM/CD with 2 speakers, Sirius ready				


<b>LIVEWELLS</b>				
Bow Livewell-Gallons-w/h/l	22 gal.- 83L	205/195: 20"x11.5"x31"; 205/195: 50cm/29cm/79cm;	185/175: 20"x15"x31.5"; 185/175: 50cm/38cm/80cm)	
Aft Livewell-Gallons-w/h/l	21 gal.- 79L	13"x11"x36" (33cm/28cm/91cm)		
Aerated, bow insulated, bait systems, timers, light, remote drain (front)				

<b>STORAGE, ELECTRICAL, ETC.</b>				
• TOP SET-Convertible high-rise w/boot, quick-disconnect hardware, storage hider				
• STORAGE-Lockable, lighted 8' top load rod compartment; lockable glove box				
• DRY STORAGE/ICE CHEST-Lockable (205, 195, 185)				
• BATTERY STORAGE-Forward (2 batteries), aft (1 starting battery)				
• ELECTRICAL-Master electrical switch, power point outlet, circuit breakers				
• TROLLING SYSTEM-12/24V bow outlet				
• LIGHTS-Stowable running lights, 2 interior courtesy lights, livewell lights				
• DUAL FUEL OUTLET (185, 195, 205)				
• BILGE PUMP(s)-Dual, 1 auto (205, 195, 185); 1 manual (175)				
• EXTRAS-Fire extinguisher, grab handles, cup holders, flush mount cleats (205, 195, 185)				

<b>OPTIONAL EQUIPMENT</b>				
• TROLLING MOTOR, GRAPH-Minn Kota, Lowrance or Humminbird graph				
• VINYL FLOOR-Replaces carpeting on all horizontal surfaces				
• HYDRAULIC STEERING (175)				
• SEATS-Extra seat and pedestal, bow cushions				
• COVERS-Bow, mooring, snap covers; side, aft and windshield curtains				

<b>PAINT &amp; CARPET</b>				
• Mica Black w/Silver metallic paint, Midnight Star Gray carpet				
• Olympic White w/Silver metallic paint, Midnight Star Gray carpet				
• Pacific Blue metallic w/Silver met. paint, Midnight Star Gray carpet				
• Victory Red w/Silver metallic paint, Midnight Star Gray carpet				

STORAGE
ROD STORAGE
DRY STORAGE
LIVEWELL
BAIT SYSTEM
BATTERY STORAGE
12/24v OUTLET



TROPHY 205

TROPHY 195

TROPHY 185

TROPHY 175

Photos may show optional equipment. See your dealer.





# TOURNAMENT SPORT 195/185



*Tournament Sport 195*

## SERIOUS ABOUT FISHING IN COMFORT.

These guys know  
day on the water  
water as well. It's  
a fantastic family  
and plenty of life  
outboard, sit ba

For Evinrude perfor

*Rod Holders*  
4-3" on top row 2-22-999-0039  
5-2" on bottom row 2-22-999-0004  
scalloped board - 2-22-013-0175  
↓

after a full  
portable on the  
can also be  
nomic seats  
nruide



*Hatch  
pull  
2-20-005-0026*

DRIVER'S CONSOLE - NEW!

BOW IN-FLOOR ROD LOCKER

GUNNEL ROD LOCKER


BOW LIVEWELL







Tournament Sport 185



Clips for battery door  
5-60-004-0011



KICKER MOTOR PRE-RIG CONTROL



Professional fishing boats with the comfort of dual consoles protected by a walk-thru windshield. CONSOLE has room for electronics and sliding Air Ride seat. WIDE-OPEN BOW offers fighting room with storage and livewell. ROD STORAGE in bow floor and top-load gunnel keeps 14 rods secure and ready. Full-featured LIVEWELLS in the bow and beside the transom. Our KICKER PRE-RIG setup puts the second outboard control at your fingertips.

## TOURNAMENT SPORT

195

185

### DIMENSIONS

LENGTH	19'3" 5.86m	18'3" 5.5m
WIDTH-Maximum beam	97" 2.46m	97" 2.46m
DEPTH-Maximum/to floor	43"/22" 1.1m/56m	43"/22" 1.1m/56m
TRANSOM-Width/height	96"/25" 2.4m/63m	96"/25" 2.4m/63m

### CAPACITIES

HORSEPOWER-Maximum	200 HP 149kw	175HP 130kw
CAPACITY-Max. Persons	6	6
CAPACITY-Max. Load	1850# 839kg	1600# 726kg
WEIGHT-Lbs.	1735# 787kg	1680# 762kg
FUEL TANK w/reserve	38 gal. 144L	38 gal. 144L

### 2XB HULL

THICKNESS bottom/sides	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm
2XB Bow-2nd plate	.100"	.100"
2XB Bottom-2nd plate	.100"	.100"

### SEATING

Driver's is stationary w/slider, power height adjustment

• SEATS (New high back)	4	4
• PEDESTALS	4 power	4 power

### STEERING & CONSOLE

- STEERING-Tilt wheel w/hydraulic steering
- DUAL CONSOLES walk-thru, tempered glass windshield.
- KICKER-READY SIDE PANEL
- SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank
- STEREO-AM/FM/CD with 2 speakers, Sirius ready

### LIVEWELLS

BOW LIVEWELL gal.-w/h/l	30 gal.-27"x12"x38"	114L-69cm/30cm/97cm
AFT LIVEWELL gal.-w/h/l	21 gal.-13"x11"x36"	79L-33cm/28cm/91cm

Aerated, bait systems, timers, lights, remote drains, rear recirculator

### STORAGE, ELECTRICAL, ETC.


- IN-FLOOR STORAGE-cockpit (195)
- ROD STORAGE-lighted, lockable port side, top-load compartment, five 8' rods; lighted center compartment, nine rods up to 7-1/2'
- STORAGE-lockable glove box
- DRY STORAGE/ICE CHEST-lockable
- BATTERY STORAGE-forward (2 batteries), Aft (1 starting battery)
- ELECTRICAL-master switch, circuit breakers, power point outlet
- TROLLING SYSTEMS-12/24V bow outlet and aft outlet
- LIGHTS-stowable running lights, 3 interior courtesy lights, livewell lights
- DUAL FUEL OUTLET
- BILGE PUMP-dual: 1 auto, 1 manual
- EXTRAS-fire extinguisher, grab handles, cup holders, flush mount cleats

### OPTIONAL EQUIPMENT

- TROLLING MOTOR, GRAPH-Minn Kota, Lowrance or Humminbird graph
- DUAL BUBBLE WINDSHIELDS
- VINYL FLOOR-Replaces carpeting on all horizontal surfaces
- PRO SEATS-Extra seat and pedestal
- TOP SET-convertible high-rise w/boot, quick-disconnect hardware
- COVERS-Bow, mooring, snap covers; side, aft and windshield curtain

### PAINT & CARPET

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue met. w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet



Photos may show optional equipment. See your dealer.



# DOMINATOR 175

Installing radio - wiring harness has connection  
just need to plug wires into harness

Will have to  
run speaker wires

Battery Lid  
Asby

2-98-266-0111

Dominator Sport 175  
rod  
openings 9" x 26"

Port side  
7" x 30"

**SUZUKI**  
MARINE  
THE POWER BEHIND THE BEST BOATS™



## THEY LOVE RUNNING AND GUNNING.

The Dominators cover water in a hurry—quickly and efficiently taking you to your favorite spots in search of active fish. Fast, agile, they handle rough water and provide a dry, comfortable ride. Run hard, fish hard, and play hard. You get our unbeatable 2XB Hull, dual livewells, lockable rod locker and all the high performance equipment of our Tournament boats and family comfort of our Trophies in a lower weight, horsepower and price ratio. Add a powerful Suzuki outboard and hit it.

### DOMINATOR 175 Sport 175 CS 165 Sport 165 CS

#### DIMENSIONS

LENGTH	17'9" 5.41m	17'9" 5.41m	16'8" 5.1m	16'8" 5.1m
WIDTH—Maximum beam	94" 2.39m	94" 2.39m	91" 2.31m	91" 2.31m
DEPTH—Maximum/to floor	43"/23" 1.09m/58cm	43"/23" 1.09m/58cm	42"/22" 1.06m/56cm	42"/22" 1.06m/56cm
TRANSOM—Width/height	94"/25" 2.38m/63cm	94"/25" 2.38m/63cm	91"/20" 2.31m/51cm	91"/20" 2.31m/51cm

#### CAPACITIES

HORSEPOWER—Maximum	150 HP 112kw	150 HP 112kw	90 HP 67kw	90 HP 67kw
CAPACITY—Max. Persons	5	5	5	5
CAPACITY—Max. Load	1245# 564kg	1245# 564kg	1100# 499kg	1100# 499kg
WEIGHT—Lbs.	1482# 672kg	1390# 630kg	1250# 567kg	1175# 533kg
FUEL TANK—Gallons	38 gal. 144L	38 gal. 144L	20 gal. 76L	20 gal. 76L

#### 2XB HULL

THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.5mm/2.0mm	.080"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate	.080"	.080"	.080"	.080"
2XB Bottom—2nd plate	.080"	.080"	—	—

### 175 Sport 175 CS 165 Sport 165 CS

#### SEATING

Driver's is stationary w/slider, height adjust

• SEATS	2+2 jump	2+2 jump	2+2 jump	2+2 jump
• PEDESTALS	2	2	2	2

#### STEERING & CONSOLE

- CS: No-feedback, single cable steering, removable windshield
- SPORT: No-feedback, single cable steering, walk-thru windshield, port console glovebox, cup holder
- KICKER-READY SIDE PANEL
- GAUGES: speedometer, tachometer, voltmeter, fuel gauge, horn, blank

#### LIVEWELLS

BOW LIVEWELL gallons—w/h/l	22 gal.—20"x15"x31.5" 83L—51cm/38cm/80cm	22 gal.—20"x15"x31.5" 83L—51cm/38cm/80cm
AFT LIVEWELL gallons—w/h/l	13 gal.—12"x9"x30" 49L—30cm/23cm/76cm	5 gal.—12"x11"x12" 19L—30cm/27cm/30cm

Aerated, bait systems, timers, lights, bow remote drain

#### STORAGE, ELECTRICAL, ETC.

- STORAGE—Center rod locker: four 7', four 6'; lockable glove box (Sport)
- STORAGE—Side port and starboard



# DOMINATOR 165



*Dominator 165 CS*


*Cradle for  
rods: 013-  
2-22-0172*



Shown with optional dealer installed radio



Shown with optional dealer installed radio



**BOW ROD STORAGE** *Ba Hry Clips 5-60-004-0011*

**DRIVER'S CONSOLE-NEW!**

**LARGE BOW LIVEWELL**

**JUMP SEATS**



- DRY STORAGE/ICE CHEST—Lockable 22 gal. (175)
- BATTERY STORAGE—Forward storage for 2 batteries, 1 aft
- ELECTRICAL—Circuit breakers
- TROLLING SYSTEMS—12/24V outlets, bow and aft
- RADIO READY—See your dealer for details
- LIGHTS—Stowable running lights, 2 interior courtesy lights, livewell lights
- BILGE PUMP—Manual
- EXTRAS—Fire extinguisher, grab handles

## OPTIONAL EQUIPMENT


- TROLLING MOTOR, GRAPH—Minn Kota, Lowrance or Humminbird graph
- HYDRAULIC STEERING (175)
- DUAL BUBBLE WINDSHIELDS—Sport model
- VINYL FLOOR—Replaces carpeting on all horizontal surfaces
- SEAT—Extra seats and pedestals
- COVERS—Mooring or snap cover
- CONVERTIBLE HIGH RISE TOP SET—Aft, side, bow cover, walkway curtain (Sport)

## PAINT & CARPET


- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet




DOMINATOR 175 CS



DOMINATOR 175 Sport



DOMINATOR 165 Sport



DOMINATOR 165 CS

Dominators' wide-open floor plan is equipped for serious fishing. An easy-access BOW ROD LOCKER keeps your eight favorite set-ups handy with additional rod storage in the cockpit. The large STORAGE compartment in the bow keeps your gear handy. CONSOLES are equipped with full instrumentation plus extra room to mount GPS and sonar. The two aerated LIVEWELLS protect your hard-earned catch. They feature a bait system, timer and light. JUMP SEATS fold up for passengers, down for fishing. There's a lot more—see the full specifications.

For Mercury performance numbers go to [alumacraft.com](http://alumacraft.com)

**MERCURY**  
"1 On The Water"

Photos may show optional equipment. See your dealer.



# NAVIGATOR 175

*Navigator Sport 175*





BOW STORAGE


SPORT PASSENGER CONSOLE-NEW!

DRIVER CONSOLE-NEW!

SEATS








## WIDE OPEN PERFORMANCE.

Navigator owners love the wide-open layout, multiple seating options and raised platforms. They talk about the two large rod lockers, oversized livewell in the bow and another aft, extra large fuel tank and plenty of storage for stashing gear. But they rave about the performance. Quick, responsive and fast, the Navigator's lighter overall weight takes less horsepower to get up and run. That means you save fuel both on the water and on the trailer. Drop on a high performance Evinrude outboard and hold on.

For Evinrude performance numbers go to [alumacraft.com](http://alumacraft.com)  
Photos may show optional equipment. See your dealer.



Navigators boast a huge BOW DECK with lots of storage and a 12/24V outlet. The good looking CONSOLES feature full instrumentation, no-feedback steering, removable windscreen, room for mounting electronics and glovebox in the PASSENGER CONSOLE (Sport model). SEATS are first-class. There's a convenient ROD STORAGE locker alongside the port gunnel with tubes to protect your sensitive rod tips, another compartment is starboard. We've put a large 34 gallon LIVEWELL in the bow and another in the transom area. Both are aerated and feature timers and lights.



# NAVIGATOR 165



*Navigator Sport 165*



*Navigator 165 CS*





## BOTH YOUNG AND OLD LOVE THIS BOAT.

A blast to ride in, fish out of, or entertain friends, the Navigator 165 is pure performance and fun. Effortless to trailer, easy to launch and stingy with fuel, it's a great family boat with a wide-open interior and five person capacity. Navigators feature an oversized bow livewell, loads of storage for rods and gear, and the 2XB Bow for two layers of bow protection. Power it up with a dependable Suzuki outboard and let the fun begin.

For Suzuki performance numbers go to [alumacraft.com](http://alumacraft.com)



NAVIGATOR	175 Sport	175 CS	175 Tiller	165 Sport	165 CS	165 Tiller
<b>DIMENSIONS</b>						
LENGTH	17'8" 5.38m	17'8" 5.38m	17'8" 5.38m	16'8" 5.1m	16'8" 5.1m	16'8" 5.1m
WIDTH—Maximum beam	95" 2.41m	95" 2.41m	95" 2.41m	91" 2.31m	91" 2.31m	91" 2.31m
DEPTH—Maximum/to floor	43"/23" 1.09m/58m	43"/23" 1.09m/58m	43"/23" 1.09m/58m	42"/23" 1.07m/58m	42"/23" 1.07m/58m	42"/23" 1.07m/58m
TRANSOM—Width/height	93"/25" 2.36m/63m	93"/25" 2.36m/63m	93"/20" 2.36m/63m	90"/20" 2.29m/51m	90"/20" 2.29m/51m	90"/20" 2.29m/51m
<b>CAPACITIES</b>						
HORSEPOWER—Maximum	150 HP 112kw	150 HP 112kw	75 HP 56kw	90 HP 67kw	90 HP 67kw	75 HP 56kw
CAPACITY—Max. Persons	5	5	5	5	5	5
CAPACITY—Max. Load	1245# 565kg	1245# 565kg	1145# 519kg	1340# 608kg	1340# 608kg	1245# 565kg
WEIGHT—Lbs.	1357# 616kg	1270# 576kg	1145# 519kg	1050# 476kg	965# 438kg	925# 420kg
FUEL TANK	38 gal. 144L	38 gal. 144L	38 gal. 144L	20 gal. 76L	20 gal. 76L	20 gal. 76L


<b>2XB HULL</b>						
THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm
2XB BOW—2nd plate	.080"	.080"	.080"	.080"	.080"	.080"
2XB BOTTOM—2nd plate	.080"	.080"	.080"	—	—	—

<b>SEATING</b>						
Driver seat is stationary w/slider, manual height adjustment						
SEATS	2	2	2	2	2	2
PEDESTALS	2	2	2	2	2	2


<b>STEERING &amp; CONSOLE</b>						
• CS: Single cable, no-feedback steering, removable windshield						
• SPORT: Dual consoles, single cable, no-feedback steering, walk-thru windshield						
• TILLER: Aft electronics panel						
• GAUGES: Speedometer, tachometer, voltmeter, fuel gauge, horn, blank gauge						

<b>LIVEWELLS</b>						
BOW LIVEWELL	34 gallons—12"x14"x54"	129L—30cm/36cm/137cm				
AFT LIVEWELL (175 only)	13 gallons—12"x9"x30"	49L—30cm/23cm/76cm				
Aerated, bait systems, lights. Timer and remote drain on bow livewell						

<b>STORAGE, ELECTRICAL, ETC.</b>						
• ROD STORAGE—Port rod locker w/tubes, five 7-1/2'; starboard rod locker, 7-1/2'						
• STORAGE—2 forward compartments, 1 aft compartment (165), lockable glove box (Sport)						
• BATTERY STORAGE—Forward storage for 2 batteries, 1 aft starting						
• ELECTRICAL—Circuit breakers						
• TROLLING SYSTEM—12/24V bow outlet						
• LIGHTS—Stowable running lights, 2 interior courtesy lights, livewell lights						
• RADIO READY—see your dealer for details						
• BILGE PUMP—Manual						
• EXTRAS—Fire extinguisher, grab handles						



<b>OPTIONAL EQUIPMENT</b>						
• TROLLING MOTOR—Minn Kota						
• GRAPH—Lowrance or Humminbird						
• HYDRAULIC STEERING—(175)						
• DUAL BUBBLE WINDSHIELDS (Sport only)						
• TOP SET—convertible high-rise w/boot, quick-disconnect hardware (Sport)						
• VINYL FLOOR—Replaces carpeting on all horizontal surfaces						
• SEAT—Extra seat and pedestal						
• COVERS—Mooring						
<b>PAINT COLORS &amp; CARPET</b>						
• Mica Black w/Silver metallic, Midnight Star Gray carpet						
• Olympic White w/Silver metallic, Midnight Star Gray carpet						
• Pacific Blue met. w/Silver metallic, Midnight Star Gray carpet						
• Victory Red w/Silver metallic, Midnight Star Gray carpet						



Photos may show optional equipment. See your dealer.







ANGLER	SC	Tiller
<b>DIMENSIONS</b>		
LENGTH	16'0" 4.88m	16'0" 4.88m
WIDTH-Beam/bottom	65"/48" 1.65m/1.22m	65"/48" 1.65m/1.22m
SIDE HEIGHT	21" 53m	21" 53m
TRANSOM-Width/height	71"/20" 1.80m/51m	71"/20" 1.80m/51m
<b>CAPACITIES</b>		
HORSEPOWER-Maximum	35 HP 26kw	25 HP 19kw
CAPACITY-Max. persons	3	3
CAPACITY-Max. load	800# 363kg	825# 374kg
WEIGHT-Lbs.	465# 211kg	465# 211kg
<b>HULL/CONSTRUCTION</b>		
THICKNESS bottom/sides	102" 2.6mm	102" 2.6mm
All-welded modified-V with 11 ribs		
<b>FLOOR</b>		
Aluminum floor, decks and sides		
<b>SEATS</b>		
• 2 fishing seats, 2 pedestals, spiders		
<b>CONSOLE</b>		
• CONSOLE-No-feedback steering		
• GAUGES-Speedometer		
<b>LIVEWELL</b>		
• 23-gallon, aerated 87L		
<b>STORAGE, ELECTRICAL, ETC.</b>		
• STORAGE-Compartment		
• TROLLING-Bow bracket, 12v plug		
• LIGHTS-Stowable running lights		
• EXTRAS-Power point, bilge pump		
<b>OPTIONAL EQUIPMENT</b>		
• TROLLING MOTOR-Minn Kota		
• GRAPH-Lowrance or Humminbird		
• WINDSHIELD (SC model)		
• SPRAY IN FLOOR		
<b>PAINT COLORS &amp; CARPET</b>		
• Gunmetal Gray w/Gray carpet		



**STRONG, FORGED PISTONS** add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.



STORAGE  
LIVEWELL  
12V OUTLET  
BATTERY STORAGE

Photos may show optional equipment. See your dealer.

The cockpit floor, both forward and aft decks and interior sides are all constructed from aluminum for years of trouble-free use. Under the large, carpeted (spray-in liner is optional) bow deck is a handy storage area and an aerated LIVEWELL that's just inches away from the action. Angler SC models feature a compact SIDE CONSOLE with no-feedback steering and fuel gauge. A graph is optional.

LIVEWELL

SC CONSOLE





# ANGLER

YOU NAME IT,  
WE'VE CAUGHT IT.

The Angler excels at just about all kinds of fishing. Perfect pulling in cats, catching panfish, chasing bass, and netting walleyes. Anglers feature two large fishing decks with seats, an oversize storage compartment and a 23-gallon aerated livewell. Pre-wired 12-volt electrical system for electronics and trolling motor. Available in tiller model and side console model. The modified-V hull provides a smooth, stable ride. Add a high performance Yamaha outboard and just catch fish! Ask your dealer about our special Angler/Yamaha package.

*Angler SC*

**ALUMACRAFT  
ANGLER  
with a  
25HP YAMAHA**

Plus:

- Humminbird graph
- 2 deluxe seats
- Trailer

**SPECIAL  
PACKAGE  
PRICING!**  
See your dealer



*Angler tiller*



# ALL-WELDED JONS

## TILLERS

*Waterfowler 16*

*MV1546AW*

*MV1546AW  
DD Tunnel*

*MV1650AW*

*MV1756AW*

*MV1860AW*



**GUN BOX**

A 60" locking GUN BOX is standard on the Waterfowler 16 and can be added to many other jon boats. See your dealer for these jon boat options and others.

## LEGENDARY PERFORMANCE.

Alumacraft all-welded tiller jons are the standard for durability, workmanship and performance. These hard working no-nonsense boats are built on Alumacraft's legendary all-welded hull; reinforced with heavier, wider and stronger ribs. That makes the entire boat stronger, more rigid, and extremely durable. You'll find outstanding workmanship and heavy gauge construction the entire length of the boat. Back it up with a reliable new Mercury outboard and put that boat to work.

**MERCURY**  
"1 On The Water"




# ALL-WELDED JONS

## SIDE CONSOLE


### PRACTICALLY BULLETPROOF.

These low, sleek, side console jons are perfect for fishing, hunting and working. The side console and low seating position allow you to comfortably navigate tight waters with overhanging limbs, thick reeds, grass, flooded timber, just about anything. The hulls are reinforced with heavier, wider and stronger ribs which make the entire boat stronger and more rigid. You'll find rock-solid, heavy gauge construction the entire length of the boat. Combine that with a dependable Mercury outboard and you've got one tough machine.

*MV 1860 AW SC*



*New for 2009!*  
*MV 2072 AW SC*



OPTIONAL SPONSONS





**MERCURY**  
"1 On The Water"





MV 1650  
ALL WELDED

*MV 1650 AW SC*






*MV 1756 AW SC*

Get exactly the jon boat you need. For added stability you can add optional SPONSONS to a tunnel hull model. The sleek, fiberglass SIDE CONSOLE on SC models is good-looking and comfortable. Side console models all have a large, aerated LIVEWELL in the bow. 2072 SC and 1860 SC models feature a ROD LOCKER. If you run in shallow water a TUNNEL HULL running a raised prop is the ticket. A SPRAY-IN LINER is optional for all side console and center console jons.

Photos may show optional equipment. See your dealer.

**SIDE CONSOLE      LIVEWELL      ROD STORAGE      TUNNEL HULL      SPRAY-IN LINER**






# ALL-WELDED JONS

## CENTER CONSOLE



*MV 1650 AW CC  
Comes standard with 2 seats*



*MV 1756 AW CC*

*New for 2009!  
MV 2072 AW FF*



## FLAT IMPRESSIVE.

Alumacraft center console All-Welded jons are balanced to displace minimal water in multiple running conditions. So whether running wide open in rivers, cruising coastal flats or sneaking around backwater bays these jons excel at maintaining a flat plane, lateral stability, and minimal draw. And when the water loses its flatness, the modified-V proves why it's the standard for AW jon designs. Back one up with dependable Yamaha outboard and you will be impressed.

WALK-AROUND CONSOLE

LIVEWELL

FLIP FLOP SEAT & ICE CHEST




The CENTER CONSOLE keeps loads centered and gives you walk-around fighting room. It's equipped with no-feedback steering, wind-shield, grab rail, seat, livewell, and holders for six rods. An aerated LIVEWELL is conveniently located below the passenger seat in the front of the center console. FF models are equipped with a FLIP-FLOP SEAT for sitting or leaning. A convenient ICE CHEST is located below.

Photos may show optional equipment. See your dealer.

ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B. three-star rating.





**YAMAHA**



# CLASSIC 165

## VALUE, STYLE, EFFICIENCY.

The Classic 165—the boat you've read rave reviews about and the talk of the industry—is the boat your family is going to enjoy for many years. The Classic features everything you want in a boat—full instrumentation, huge livewell, loads of storage, an open floor plan, sleek styling and the famous "Alumacraft Ride". All this in a fuel friendly, easy towing package for smaller vehicles. Ask your dealer about our great package promotion for the Classic.



TWO-YEAR LIMITED WARRANTY  
protects every Yamaha Two Stroke.

**ALUMACRAFT  
CLASSIC 165 CS  
with a  
50HP YAMAHA**

Plus:

- Minn Kota 55PD  
trolling motor
- Humminbird graph
- 3 deluxe seats
- Trailer

**SPECIAL  
PACKAGE  
PRICING!**

See your dealer

BOW STORAGE




DRIVER'S CONSOLE




LARGE BOW LIVEWELL




ROD STORAGE







Classic 165 CS



Classic 165 tiller

Look closely at the Classic. You'll find three storage compartments and an extra large livewell in the roomy BOW AREA. Your trophies will stay fresh in the huge 54" LIVEWELL. Driver's will love the CONSOLE—full instrumentation and room for electronics. A port side ROD LOCKER keeps your valuable rods safe and ready.

## CLASSIC 165 CS TILLER

DIMENSIONS	CS	TILLER
LENGTH	16'5" 5.0m	16'5" 5.0m
WIDTH—Maximum beam	82" 2.1m	82" 2.1m
DEPTH—Maximum/to floor	35"/21" 89m/53m	35"/21" 89m/53m
TRANSOM—Width/height	82"/20" 2.1m/51m	82"/20" 2.1m/51m

## CAPACITIES

HORSEPOWER—Maximum	75 HP 56kw	50 HP 37kw
CAPACITY—Max. Persons	5	5
CAPACITY—Max. Load	1285# 583kg	1295# 587kg
WEIGHT—Lbs.	895# 406kg	805# 365kg
FUEL TANK—	20 gallons 76L	20 gallons 76L

## 2XB BOW HULL

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
2XB BOW—2nd plate	.065"	.065"

## SEATS

Driver seat is stationary w/height adjuster, slider

SEATS	2	2
PEDESTALS	2	2

## STEERING & CONSOLE

- CS: Console w/no-feedback steering, removable windshield
- TILLER: Aft electronics panel
- GAUGES: Speedometer, tach, voltmeter (CS), fuel gauge, horn, blank

## LIVEWELL

LIVEWELL—Gallons—w/h/l	34 gal.—12"x14"x54
Aerated, light, timer, bait system	128L—30cm/35cm/137cm

## STORAGE, ELECTRICAL, ETC.


- ROD STORAGE—7' locking compartment, port side
- STORAGE—7' starboard side
- BATTERY STORAGE—Forward storage for 1 battery, 1 aft
- CONTROL PANEL—New! With circuit breakers
- TROLLING—12V bow outlet
- LIGHTS—Stowable running lights, 2 interior courtesy lights, livewell light
- BILGE PUMP—Manual
- EXTRAS—Fire extinguisher, grab handles

## OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance or Humminbird
- VINYL FLOOR—Replaces carpeting on all horizontal surfaces
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover

## PAINT & CARPET

- Mica Black w/Silver metallic paint
- Olympic White w/Silver metallic paint
- Pacific Blue metallic w/Silver metallic paint
- Victory Red w/Silver metallic paint
- Midnight Star Gray carpet



CLASSIC 165 CS

CLASSIC 165 tiller

Photos may show optional equipment. See your dealer.



# CLASSIC CAMP 165

*Classic Camp 165  
Shown with optional Black paint*

## AS RUGGED AND DURABLE AS IT GETS.

Resort owners love these boats. No frills. Nothing fancy, just tough, hard-working boats that even novices can operate. The easy-to-clean vinyl floors and tough aluminum are virtually maintenance free. Hose them out and they're ready to go. Like a great pair of jeans, they're rugged, comfortable, and amazingly durable. You don't have to be a resort owner to own a Classic Camp boat, you just have to think a little like one. Add a reliable Yamaha outboard, fuel and go.

### CLASSIC CAMP 165 CS 165 Tiller

#### DIMENSIONS

LENGTH	16'5" 5.0m	16'5" 5.0m
WIDTH—Maximum beam	82" 2.0m	82" 2.0m
DEPTH—Maximum/to floor	35"/21" .89m/.53m	35"/21" .89m/.53m
TRANSOM—Width/height	82"/20" 2.1m/.51m	82"/20" 2.1m/.51m

#### CAPACITIES

HORSEPOWER—Maximum	75 HP 58kw	50 HP 37kw
CAPACITY—Persons/load	5/1285# 5/583kg	5/1285# 5/587kg
WEIGHT—Lbs.	865# 392kg	805# 365kg
FUEL TANK—	20 gallons 75L	20 gallons 75L

#### 2XB BOW HULL

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
2XB BOW—2nd plate	.065" 1.7mm	.065" 1.7mm

#### SEATS

Driver seat is stationary w/height adjuster, slider		
SEATS	2	2
PEDESTALS	2	2

#### STEERING & CONSOLE

- CS: Console w/no-feedback steering
- GAUGES: fuel gauge, horn, blank

#### LIVEWELL

LIVEWELL—Gallons—w/h/l	34 gal.—12"x14"x54"
Aerated, bait system	129L—30cm/35cm/137cm

#### STORAGE, ELECTRICAL, ETC.

- BATTERY STORAGE—1 aft
- LIGHTS—Stowable running lights
- BILGE PUMP/AERATOR PUMP
- EXTRAS—Fire extinguisher, grab handles

#### OPTIONAL EQUIPMENT

- COVERS—Mooring cover
- REMOVABLE WINDSHIELD

#### PAIN & FLOOR



- Bare aluminum exterior/Dove Gray interior paint w/Capri Silver Gray vinyl floor



#### OPTIONAL PAINT/VINYL:

- Mica Black w/Silver metallic and Capri Silver Gray vinyl floor
- Olympic White w/Silver metallic and Capri Silver Gray vinyl floor

Photos may show optional equipment. See your dealer.



STORAGE
ROD STORAGE
LIVEWELL
BAIT SYSTEM
BATTERY STORAGE

## UNSURPASSED PERFORMANCE TIME AFTER TIME

No other company understands the needs of a fisherman like Alumacraft and Yamaha. From the professional angler to the weekend warrior, Alumacraft's boats and Yamaha's line of engines are sure to please. Yamaha prides itself on offering top-of-the-line outboard engines that give Alumacraft owners the best of all options. When power, reliability and unsurpassed performance time after time is what you desire, then nothing will satisfy you like an Alumacraft with a Yamaha outboard.



# YAMAHA





# FISHERMAN 160/145

**ALUMACRAFT  
FISHERMAN 160 CS  
with a  
25HP YAMAHA**

Plus:

- Humminbird graph
- 2 deluxe seats
- Trailer

**SPECIAL  
PACKAGE  
PRICING!**

See your dealer

## THE START OF A VERY LONG RELATIONSHIP.

It's so easy to operate, trailer and launch, you will never want to part with it. The Fisherman series is big enough for families to enjoy, yet small enough to launch in that little secret lake you won't tell your friends about. The 160 and 145 Fisherman are tailor made for a smaller tow vehicle. Equip one of these with a 25 HP Yamaha and you have one of the most economical fishing packages available. These boats come equipped with a perfectly sized livewell, tons of storage, clever in-floor rod storage—many of the same features their bigger brothers have, but for a fraction of the cost.

*Fisherman 160 CS*

Slide in behind the sleek-looking CONSOLE (CS models) and enjoy the Fisherman 160's smooth, responsive handling. Steering is no-feedback and the seats are all-day comfortable. A big, aerated LIVEWELL sits alongside the port side of the cockpit. There's room for your extra vests and other gear in the two STORAGE COMPARTMENTS. Your valuable rods are secure and out of the way, but easy to access, in the ROD STORAGE COMPARTMENT located in the cockpit floor.

CS CONSOLE

LIVEWELL

BOW STORAGE

ROD STORAGE







New!  
Fisherman 145 CS



Fisherman 160

FISHERMAN	160 CS	160 Tiller	145 CS	145 Tiller
<b>DIMENSIONS</b>				
LENGTH	16'3" 4.95m	16'3" 4.95m	14'10" 4.52m	14'10" 4.52m
WIDTH—Maximum beam	73" 1.85m	73" 1.85m	73" 1.85m	73" 1.85m
DEPTH—Maximum/to floor	32"/20" 82m/51m	32"/20" 82m/51m	32"/20" 82m/51m	32"/20" 82m/51m
TRANSOM—Width/height	67"/20" 1.70m/51m	67"/20" 1.70m/51m	67"/20" 1.70m/51m	67"/20" 1.70m/51m
<b>CAPACITIES</b>				
HORSEPOWER—Maximum	40 HP 30kw	25 HP 19kw	35 HP 26kw	25 HP 19kw
CAPACITY—Max. Persons	5	5	4	4
CAPACITY—Max. Load	1118# 507kg	1118# 507kg	925# 420kg	925# 420kg
WEIGHT—Lbs.	622# 282kg	600# 272kg	602# 273kg	580# 263kg
<b>HULL FULL VEE</b>				
THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm	.070"/.065" 1.8mm/1.7mm	.070"/.065" 1.8mm/1.7mm
<b>SEATING</b>				
Driver seat is stationary w/slider, height adjust				
SEATS	2	2	2	2
PEDESTALS	2	2	2	2

### STEERING & CONSOLE

- CS CONSOLE— w/single cable no-feedback steering

### LIVEWELL

LIVEWELL—Gallons—w/h/l  
13g—9"x13"x32"  
49L—23cm/33cm/81cm

Aerated, bait system

### STORAGE, ELECTRICAL, ETC.

- STORAGE—Center locker up to 7' (160); starboard rod locker up to 6' (145)
- BATTERY STORAGE—1 aft starting battery
- TROLLING—12V bow outlet
- ELECTRICAL—Circuit breakers
- BILGE PUMP—Manual
- GRAB HANDLES

### OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance or Humminbird
- WINDSHIELD
- VINYL FLOOR—Replaces carpeting
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover


### PAINT & CARPET

- 160: Oxford White, Dove Gray interior, w/Midnight Star Gray carpet
- 145: Oxford White, Dove Gray interior, w/Midnight Star Gray carpet
- Option: Khaki Dead Grass, Tan vinyl floor, camo seats



THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.

STORAGE
ROD STORAGE
LIVEWELL
BAIT SYSTEM
BATTERY STORAGE
12v OUTLET



Photos may show optional equipment. See your dealer.



# LUNKER 165

## MEMORIES OF LUNKERS LAST FOREVER.

Many great family stories are built around experiences in one of these boats. Lunkers are easy to trailer, easy to launch and easy to own. They feature generous storage space and rod lockers for everyone's gear. Large livewell, bow and aft casting platforms, full electrical system and battery storage, Twin-plated 2XB Bow and 5-person capacity makes this boat families can enjoy for generations. Add a fuel efficient Mercury outboard, your favorite camera and you're set.



### ALUMACRAFT LUNKER 165 CS with a 50HP MERCURY

- Plus:  
• Humminbird graph  
• Trailer

**SPECIAL  
PACKAGE  
PRICING!**  
See your dealer



Lunker 165 CS

Grammet Covers  
2-22-005-0021

**MERCURY**  
1 On The Water

#### LUNKER 165

##### DIMENSIONS

LENGTH	16'6" 5.0m
WIDTH—Maximum beam	76" 1.93m
DEPTH—Maximum/to floor	35"/22" 89mm/56m
TRANSOM—Width/height	73"/20" 1.85m/51m

##### CAPACITIES

HORSEPOWER—Maximum	50 HP 37kw
CAPACITY—Max. Persons	5
CAPACITY—Max. Load	1235# 560kg
WEIGHT—Lbs.	700# 317kg

##### 2XB BOW HULL

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm
2XB BOW—2nd plate	.060" 1.5mm

#### CS

LENGTH	16'6" 5.0m
WIDTH—Maximum beam	76" 1.93m
DEPTH—Maximum/to floor	35"/22" 89mm/56m
TRANSOM—Width/height	73"/20" 1.85m/51m

HORSEPOWER—Maximum	40 HP 30kw
CAPACITY—Max. Persons	5
CAPACITY—Max. Load	1235# 560kg
WEIGHT—Lbs.	660# 299kg

#### Tiller

#### SEATS

Driver seat is stationary w/height adjust; slider (CS)

SEATS	2	2
PEDESTALS	2	2

#### STEERING & CONSOLE

- CS: Console w/single cable no-feedback steering; removable windshield
- TILLER: Tiller steering

#### LIVEWELL

SIDE LIVEWELL—gallons—w/h/l	13 gal—9"x13"x 32"
Aerated	49L—23cm/33cm/81cm

#### STORAGE, ELECTRICAL, ETC.

- STORAGE—Lockable, starboard rod storage up to 8'
- BATTERY STORAGE—1 forward, 1 aft starting
- ELECTRICAL—Circuit breakers
- TROLLING SYSTEMS—12V bow outlet
- LIGHTS—Stowable running lights
- BILGE PUMP—Manual
- GRAB HANDLES


#### OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance or Humminbird
- VINYL FLOOR—Replaces carpeting on all horizontal surfaces
- SEAT—Extra seat and pedestal
- COVERS—Mooring cover
- PAINT—Khaki Dead Grass, Camo seats, Tan vinyl flooring,

#### PAINT & FLOOR

- Oxford White or Aztec Gray
- Midnight Star Gray carpet

STORAGE
ROD STORAGE
LIVEWELL
BATT SYSTEM
BATTERY STORAGE
12v OUTLET



Photos may show optional equipment. See your dealer.



# Vs & T's

## PURE, UNVARNISHED BEAUTY.

You've seen them on lakes everywhere. At lake cabins, at resorts, behind cars on the way to the lake. They're simple, fun, nearly indestructible and guaranteed to quietly take you to some of the most beautiful places on earth. Available in 12', 14', and 16' lengths and 60" to 70" widths. Fire up that quiet Yamaha outboard and let's go explore.

V/T SERIES	V16	V14	T14V	T12V
<b>DIMENSIONS</b>				
LENGTH	16'9" 5.1m	14'5" 4.4m	14'2" 4.3m	12'2" 3.7m
MAX. BEAM	70" 1.78m	68" 1.73m	61" 1.55m	60" 1.52m
BOW HEIGHT	30" .76m	30" .76m	26" .66m	25" .64m
TRANSOM-Width	62" 1.57m	62" 1.57m	60" 1.52m	60" 1.52m
TRANSOM-Height	20" 51m	20", 15" 51m, 38m	15" 38m	15" 38m

<b>FULL VEE HULL</b>				
THICKNESS bottom	.065" 1.65mm	.065" 1.65mm	.060" 1.52mm	.060" 1.52mm
THICKNESS sides	.065" 1.65mm	.065" 1.65mm	.050" 1.27mm	.050" 1.27mm

<b>CAPACITIES</b>				
HORSEPOWER-max	25 HP 19kw	20 HP 15kw	15 HP 11kw	10 HP 7kw
MAX. PERSONS-20"tran:	5	5	4	3
MAX. LOAD-20"tran:	1380# 626kg	1015# 460kg	825# 374kg	655# 297kg
WEIGHT-20"trans.,Vs	280# 127kg	230# 104kg	180# 82kg	160# 73kg

### SEATING

- BENCH/bow 3/1 3/1 3/0 3/0
- OPTIONAL SEATS-clamp-on seats w/swivel


### PAINT COLOR

- Oxford White paint w/Dove Gray interior
- Optional Khaki paint

STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.



# YAMAHA




Photos may show optional equipment. See your dealer.

# CANOEES

## OUT, BEYOND AND BACK.


Alumacraft canoes are built to provide years of maintenance-free daily use in hard to get places where holes or cracks in a hull are simply not an option. Outfitters, resorts and adventurous souls swear by Alumacraft aluminum canoes.



CANOEES	MODEL	TYPE	LENGTH	WIDTH	WEIGHT	AMIDSHIP DEPTH	PEOPLE/# CAPACITY	HULL THICKNESS	KEEL TYPE	BOTTOM	STEM GAUGE	NUMBER OF RIBS	CURVED THWART	MAXIMUM HP
QT-185CL QUETTICO	18'5"	Cruising light	5.61m	37" 94m	67# 30.4kg	13" 33cm	4/795# 4/361kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	6	Optional	—
CO-17 CAMPER	17'0"	Square stern	5.18m	37" 94m	83# 37.6kg	13" 33cm	4/810# 4/367kg	.045" 1.14mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	5	Optional	4 HP 3kw
QT-17CL QUETTICO	17'0"	Cruising light	5.18m	36" 91m	61# 27.6kg	13" 33cm	4/710# 4/322kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—
QT-17C QUETTICO	17'0"	Cruising	5.18m	36" 91m	69# 31.3kg	13" 33cm	4/730# 4/331kg	.045" 1.14mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—
QT-15CL QUETTICO	15'0"	Cruising light	4.57m	36" 91m	53# 24.0kg	12" 30cm	3/650# 3/295kg	.035" 89mm	5/8" Cruising 16mm	Flat	.090" 2.3mm	3	Standard	—



# PRO 175



## SOUTHERN HOSPITALITY AND COOKIN'.

Comfortable, lots of room, easy to fish out of, the moment you step into it, you feel at home. And when it's time to go, throttle her up and hold on. The Pro 175 will go into and out of places those heavy glass boats won't even consider. The lighter weight means it burns less fuel—on the water and on the road. The large casting decks, front and rear aerated livewells and tons of underdeck storage make this southern belle something to be proud of. Take advantage of our Pro 175/Yamaha package promotion and start cookin'.

Pro 175

### ALUMACRAFT PRO 175 with a 50HP YAMAHA

Plus:

- Minn Kota Edge 40 trolling motor
- Humminbird graph
- 5 deluxe seats
- Trailer

**SPECIAL PACKAGE PRICING!**  
See your dealer

This tough bass boat has it all. The AFT AREA sports a roomy casting deck, livewell, tackle storage, and a huge dry storage area below the fold-down driver and passenger seats. A streamlined CONSOLE features full instrumentation and no-feedback steering.

AFT AREA STORAGE



CONSOLE



TWO-YEAR LIMITED WARRANTY protects every Yamaha Two Stroke.



#### PRO 175

##### DIMENSIONS

LENGTH	17'5" 5.31m
WIDTH—beam/bottom	88"/56" 2.23m/1.42m
SIDE HEIGHT	23" 58cm
TRANSOM—width/height	88"/22" 2.2m/.6m

##### CAPACITIES

HORSEPOWER—maximum	90 HP 67kw
CAPACITY—Max. persons	4
CAPACITY—Max. load	1200# 544kg
WEIGHT—lbs.	1200# 544kg
FUEL TANK	16 gal. 61L

##### ALL-WELDED HULL

THICKNESS bottom/sides .102"  
2.6mm

- All-welded, modified-V hull
- FLOOR—Welded-in aluminum floor and decks
  - TRANSOM—All aluminum

##### SEATING

- SEATS—3 deluxe bucket seats, 2 pedestal seats
- SOCKETS—2 pin sockets

##### STEERING & CONSOLE

- CONSOLE—Fiberglass w/ windscreen; no-feedback steering
- SPEEDOMETER, tachometer, voltmeter, fuel gauge

##### LIVEWELLS

2 LIVEWELLS gallons 23 gal. ea.  
87L

- Aerated, remote drain (aft livewell)

##### STORAGE, ELECTRICAL, ETC.

- RODS—7' locking compartment
- STORAGE—5 compartments (1 dry)
- POWER—Saltwater resistant system, nav and trim switch on bow, 12V power point
- TROLLING—12 volt harness
- LIGHTS—Stowable running lights, interior courtesy lights
- BILGE PUMP—500 gph



##### OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance or Humminbird

##### PAINT & CARPET

- Olympic White paint
- Pacific Blue metallic paint
- Victory Red paint
- Gunmetal Gray metallic
- Midnight Star Gray carpet

Photos may show optional equipment. See your dealer.






# MV TEX SPECIAL

## IF YOU'RE WILLING TO TRY IT, WE ARE.

The MV TEX Special is perfect for getting you in and out of some of the tightest, knarliest little spots on the water. It's just as much at home on rivers, woody backwaters, and rocky lakes as it is on remote farm ponds. The durable, all-welded modified-V design features ample deck space, comfortable seats, aerated livewell, a big dry storage area and sleek aerodynamic console. Add a reliable fuel-efficient Honda outboard, and there is no limit to where you can go.



*MV Tex Special*

FIBERGLASS CONSOLE

23-GALLON LIVEWELL

**HONDA**  
**MARINE**

The good-looking CONSOLE makes driving the nimble Tex as much fun as the fishing. A big, aerated LIVEWELL and two large storage compartments make hauling your hawks and a ton of gear easy.



### MV TEX SPECIAL

#### DIMENSIONS

LENGTH	16'0"	4.88m
WIDTH-Beam/bottom	74"/50"	1.88m/1.27m
SIDE HEIGHT	21"	.53m
TRANSOM-Width/height	69"/20"	1.75m/.50m

#### CAPACITIES

HORSEPOWER-Maximum	60 HP	45kw
CAPACITY-Max. persons	5	
CAPACITY-Max. load	1010#	458kg
WEIGHT-Lbs.	675#	307kg

#### HULL

- THICKNESS bottom/sides .102" 2.6mm
- ALL-WELDED MODIFIED-VEE HULL
- FLOOR-Welded-in aluminum floor and decks
- TRANSOM-All-Aluminum

#### SEATING

- SEATS-4 fold-down seats

#### CONSOLE

- CONSOLE-Fiberglass w/windscreen, no-feedback steering
- GAUGES-Speedometer

#### LIVEWELLS

- 23 gallon, aerated 87L

#### STORAGE, ELECTRICAL, ETC.



- STORAGE-2 compartments (1 is dry)
- TROLLING-12 volt harness
- LIGHTS-Stowable running lights, interior courtesy
- BILGE PUMP-500 gph

#### OPTIONS

- TROLLING MOTOR-Minn Kota
- GRAPH-Lowrance or Humminbird
- TACHOMETER, VOLTMETER
- SPRAY-IN LINER

#### PAINT & CARPET

- Olympic White paint
- Pacific Blue metallic paint
- Victory Red paint
- Gunmetal Gray metallic
- Midnight Star Gray carpet



Photos may show optional equipment. See your dealer.



# CRAPPIE SERIES



## PANFISH PERFECTIONISTS.

Everything's gotta be just right: bait size, bobber size, jig size, line diameter. We understand. Whether you fish for crappie, bluegill, perch, or whatever's biting—our 16' Crappie Deluxe and 14' Crappie Jon are panfishing beauties. Stable on the water with room to fish both sides, comfortable seats and easily accessible livewells. The modified-V hull rides smooth, handles precisely, and makes it easy to control boat position. Add a quiet Honda outboard and you're in panfish heaven.

### DELUXE LIVEWELL



**HONDA**  
**MARINE**

### CRAPPIE SERIES Deluxe Crappie Jon

#### DIMENSIONS

LENGTH	16'0" 4.88m	14'0" 4.27m
WIDTH—Beam/bottom	70"/48" 1.78m/1.22m	64"/42" 1.62m/1.07m
SIDE HEIGHT	21" 53cm	20" 51cm
TRANSOM—Width/height	68"/20" 1.72m/.51m	62"/15" 1.57m/.38m

#### CAPACITIES

HORSEPOWER—Maximum	30 HP 22kw	15 HP 11kw
CAPACITY—Max. persons	2	2
CAPACITY—Max. load	745# 338kg	550# 249kg
WEIGHT—Lbs.	520# 236kg	330# 150kg

#### HULL/CONSTRUCTION

THICKNESS bottom/sides	.072" 1.8mm	.063" 1.6mm
------------------------	----------------	----------------

DELUXE, JON—Riveted modified-V

#### FLOOR

Aluminum floor & decks

#### SEATS

- 2 upholstered seats with arm rests

#### LIVEWELL

- DELUXE: Aerated w/seat cushion
- JON: Livewell box

#### STORAGE, ELECTRICAL, ETC.

- STORAGE—1 compartment (Jon)
- TROLLING—bow bracket
- LIGHTS—Stowable running lights (Deluxe)

#### OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- GRAPH—Lowrance or Humminbird


#### PAINT COLORS & CARPET

- Gunmetal Gray metallic paint, Gray carpet

Photos may show optional equipment. See your dealer.



CRAPPIE JON



CRAPPIE DELUXE



# RIVETED JONS

*mv1448*

*mv1648 ncs*

*mv1648*

*1448*


*1542*

*1442 ncs*

**MERCURY**  
"1 On The Water"

Optional LIVEWELL BOX and optional SIDE CONSOLE can be added to many jons. See your dealer.






*Transom - is  
-102 gauge alum  
with 2" x 4" tubing  
welded to inside  
per Pewee*

## A BIT OF A REBEL.

If you need a lighter weight jon that's tougher than most other jons out there, look no further. Alumacraft riveted jons are the choice when you want a boat that's easier to load by hand yet will hold up to years of hard use. You get the proven hull design reinforced with wider and stronger ribs crafted with more than 60 years of riveted boat building experience. Choose from smooth handling modified-V hull models or traditional flat bottom versions. Add a fast new Mercury outboard and let her rip.




1436 LT



1036  
New for 2009!







	LENGTH	BOTTOM WIDTH	BEAM/SIDE HEIGHT	TRANSOM HEIGHT All-aluminum	HORSEPOWER Maximum	HORSEPOWER— Optional side console	FUEL TANK	WEIGHT— Approximate	CAPACITY— Persons/motor, gear	HULL GAUGE	HULL TYPE— All-Welded	NUMBER OF RIBS L=Longitudinal ribs	SIDE CONSOLE No-feedback steering	CENTER CONSOLE Gear rail, RH=6 not holders	WINDSHIELD
MV 2072 AW FF	20'0"	72"	94"/27"	21"	130 HP	—	16 gal.	1200#	8/2100#	.102"	Modified-V	15	—	✓+6RH	✓
MV 2072 AW Tunnel FF	20'0"	72"	94"/27"	21"	130 HP	—	16 gal.	1200#	8/2100#	.102"	MV tunnel	L	—	✓+6RH	✓
MV 2072 AW Tunnel CC	20'0"	72"	94"/27"	21"	130 HP	—	16 gal.	1100#	8/2100#	.102"	Modified-V	L	✓	—	✓
MV 2072 AW SC	20'0"	72"	94"/27"	21"	60 HP	90 HP <sup>1</sup>	—	850#	8/2100#	.102"	Modified-V	15	Opt.	—	Opt.
MV 2072 AW	20'0"	72"	94"/27"	21"	60 HP	90 HP <sup>1</sup>	—	850#	8/2100#	.102"	MV tunnel	15	Opt.	—	Opt.
MV 2072 AW Tunnel	20'0"	72"	94"/27"	21"	60 HP	90 HP <sup>1</sup>	—	850#	8/2100#	.102"	Modified-V	L	—	✓+6RH	✓
MV 1860 AW Special	18'0"	60"	86"/25"	21"	115 HP	—	16 gal.	1050#	6/1600#	.102"	Flat-V tunnel	L	—	✓+6RH	✓
VB 1860 AW Special Tunnel	18'0"	60"	86"/25"	21"	115 HP	—	16 gal.	1050#	6/1600#	.102"	Modified-V	L	—	✓+6RH	✓
MV 1860 AW CC	18'0"	60"	86"/25"	21"	115 HP	—	16 gal.	905#	6/1600#	.102"	Flat-V tunnel	L	—	✓+6RH	✓
VB 1860 AW Tunnel CC	18'0"	60"	86"/25"	21"	115 HP	—	16 gal.	905#	6/1600#	.102"	Modified-V	L	✓	—	✓
MV 1860 AW SC	18'0"	60"	86"/25"	21"	90 HP	—	16 gal.	875#	6/1600#	.102"	Flat-V tunnel	L	✓	—	✓
VB 1860 AW Tunnel SC	18'0"	60"	86"/25"	21"	90 HP	—	16 gal.	875#	6/1600#	.102"	Modified-V	13	Opt.	—	Opt.
MV 1860 AW	18'0"	60"	86"/25"	21"	50 HP	75 HP <sup>1</sup>	—	680#	6/1600#	.102"	Flat-V tunnel	13	Opt.	—	Opt.
VB 1860 AW Tunnel	18'0"	60"	86"/25"	21"	50 HP	75 HP <sup>1</sup>	—	680#	6/1600#	.102"	Modified-V	L	—	✓	✓
MV 1756 AW CC	17'0"	56"	83"/24"	21"	75 HP	—	16 gal.	860#	5/1300#	.102"	Flat-V tunnel	L	—	✓	✓
MV 1756 AW Tunnel CC	17'0"	56"	83"/24"	21"	75 HP	—	16 gal.	860#	5/1300#	.102"	Modified-V	L	✓	—	✓
MV 1756 AW SC	17'0"	56"	83"/24"	21"	75 HP	—	16 gal.	830#	5/1300#	.102"	Flat-V tunnel	L	✓	—	✓
VB 1756 AW Tunnel SC	17'0"	56"	83"/24"	21"	75 HP	—	16 gal.	830#	5/1300#	.102"	Modified-V	13	Opt.	—	Opt.
MV 1756 AW	17'0"	56"	83"/24"	21"	50 HP	75 HP <sup>1</sup>	—	600#	5/1300#	.102"	Flat-V tunnel	13	Opt.	—	Opt.
VB 1756 AW Tunnel	17'0"	56"	83"/24"	21"	50 HP	75 HP <sup>1</sup>	—	600#	5/1300#	.102"	Modified-V	L	✓	✓	✓
MV 1650 AW CC	16'0"	50"	74"/22"	21"	60 HP	—	—	690#	5/1100#	.102"	Flat-V tunnel	L	—	✓	✓
VB 1650 AW Tunnel CC	16'0"	50"	74"/22"	21"	60 HP	—	—	690#	5/1100#	.102"	Modified-V	11	✓	—	✓
MV 1650 AW SC	16'0"	50"	74"/22"	21"	60 HP	—	—	680#	5/1100#	.102"	Flat-V tunnel	11	✓	—	✓
VB 1650 AW Tunnel SC	16'0"	50"	74"/22"	21"	60 HP	—	—	680#	5/1100#	.102"	Modified-V	11	Opt.	—	Opt.
MV 1650 AW	16'0"	50"	74"/22"	21"	40 HP	60 HP <sup>1</sup>	—	485#	5/1100#	.102"	Flat-V tunnel	11	Opt.	—	Opt.
VB 1650 AW Tunnel	16'0"	50"	74"/22"	21"	40 HP	60 HP <sup>1</sup>	—	485#	5/1100#	.102"	Modified-V	11	—	—	—
Waterfowler 16	16'0"	50"	74"/22"	21"	40 HP	—	—	525#	5/1100#	.102"	Modified-V	11	Opt.	—	—
MV 1546 AW DD	15'0"	46"	65"/20"	15"	25 HP	25 HP	—	340#	4/825#	.080"	Modified-V	11	Opt.	—	—
MV 1546 AW DD Tunnel	15'0"	46"	65"/20"	15"	25 HP	25 HP	—	340#	4/825#	.080"	Modified-V tunnel	11	Opt.	—	—
MV 1546 AW	15'0"	46"	65"/20"	15"	25 HP	25 HP	—	340#	4/825#	.080"	Modified-V	11	Opt.	—	—

	LENGTH	BOTTOM WIDTH	BEAM/SIDE HEIGHT	TRANSOM HEIGHT	HORSEPOWER— Maximum	WEIGHT—approx.	CAPACITY— Persons/motor, gear	HULL GAUGE	HULL TYPE—riveted	NUMBER OF RIBS	SIDE STEERING	LIVEWELL— Center seat	CENTER BENCH SEAT	CAMD SEAT—clamp	LIGHT & TROLLING MOTOR BRACKET	COLOR
MV 1648	16'0"	48"	70"/21"	15" or 20"	35 HP	280#	5/1010#	.070"	Modified-V	9	Opt.	Opt.	✓w/storage	Opt.	Opt.	Olive Drab Green
MV 1648 NCS	16'0"	48"	70"/21"	15" or 20"	35 HP	310#	5/1010#	.070"	Modified-V	9	Opt.	—	—	Opt.	Opt.	Olive Drab Green
MV 1448	14'0"	48"	70"/21"	15" or 20"	25 HP	250#	5/885#	.070"	Modified-V	7	Opt.	Opt.	✓w/storage	Opt.	Opt.	Olive Drab Green
1648	16'0"	48"	70"/21"	15" or 20"	35 HP	285#	5/1010#	.070"	Flatbottom	9	Opt.	Opt.	—	Opt.	Opt.	Olive Drab Green
1648 NCS	16'0"	48"	70"/21"	15" or 20"	35 HP	260#	5/1010#	.070"	Flatbottom	9	Opt.	Opt.	—	Opt.	Opt.	Olive Drab Green
1448	14'0"	48"	70"/21"	15" or 20"	25 HP	260#	5/885#	.070"	Flatbottom	7	Opt.	Opt.	✓w/storage	Opt.	Opt.	Olive Drab Green
1542	15'0"	42"	62"/20"	15"	25 HP	210#	4/775#	.063"	Flatbottom	8	Opt.	—	✓	Opt.	Opt.	Olive Drab Green
1442	14'0"	42"	62"/20"	15"	25 HP	190#	4/770#	.063"	Flatbottom	7	Opt.	—	✓	Opt.	Opt.	Olive Drab Green
1442 LW	14'0"	42"	62"/20"	15"	25 HP	210#	4/770#	.063"	Flatbottom	7	Opt.	✓	—	Opt.	Opt.	Olive Drab Green
1442 NCS	14'0"	42"	62"/20"	15"	25 HP	230#	4/770#	.063"	Flatbottom	7	Opt.	—	—	Opt.	Opt.	Olive Drab Green
1436	14'0"	36"	55"/19"	15"	15 HP	180#	3/605#	.058"	Flatbottom	7	—	Opt.	✓	Opt.	Opt.	Olive Drab Green
1436 Lite	14'0"	36"	55"/19"	15"	15 HP	135#	3/625#	.053"	Flatbottom	6	—	Opt. box	✓	Opt.	Opt.	Olive Drab Green
1236	12'0"	36"	55"/19"	15"	15 HP	125#	3/540#	.053"	Flatbottom	5	—	—	✓	Opt.	Opt.	Olive Drab Green
1036	10'0"	36"	55"/19"	15"	3 HP	105#	2/365#	.053"	Flatbottom	2	—	—	✓	Opt.	Opt.	Olive Drab Green



ALL YAMAHA FOUR STROKES EXCEED FEDERAL EPA 2006 EMISSION REQUIREMENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B., three-star rating.

Photos may show optional equipment.  
Information is subject to change.  
See your dealer for current specifications and information.



# TOURNAMENT PRO

## 195/185



*Tournament Pro 195 CS*

## EVERY DAY IS A TOURNAMENT DAY.

Competitive fishermen don't let anything come between them and their fishing. Whether it's for bragging rights or a paycheck, this is the boat tournament pros prefer. Wide open floorplan for working fish, locking rod storage that holds all your favorite setups. Dry storage, 2XB Hull, large dual livewells, full blown console, and comfortable seating all around. Lock on a dependable Yamaha four stroke and start the clock.

For Yamaha performance numbers go to [alumacraft.com](http://alumacraft.com)



YAMAHA'S THREE YEAR  
LIMITED WARRANTY  
protects every Four Stroke



**YAMAHA**

DRIVER'S CONSOLE - NEW!

BOW ROD LOCKER

TOP LOAD ROD LOCKER

NEW SEATS!

