# ALL-WELDED JONS CENTER CONSOLE



VALK-AROUND CONSOLE

LIVEWELL

**FLIP FLOP SEAT & ICE CHEST** 





draw. And when the water loses its flatness, the modified V proves why it's the standard for AW jon designs. Back one up with dependable Yamaha outboard and you will be impressed.




The CENTER CONSOLE keeps loads centered and gives you walk-around fighting room. It's equipped with no-feedback steering, windshield, grab rail, seat, livewell, and holders for six rods. An aerated LIVEWELL is conveniently located below the passenger seat in the front of the center console. FF models are equipped with a FLIP-FLOP SEAT for sitting or leaning. A convenient ICE CHEST is located below.

EMISSION REQUIRE-MENTS. The new F60, F75 and F90 horse models have earned a California C.A.R.B, three-star rating.

ALL YAMAHA FOUR

STROKES EXCEED FEDERAL EPA 2006

Photos may show optional equipment. See your dealer.





## ALL-WELDED JONS SIDE CONSOLE

#### PRACTICALLY BULLETPROOF.

These low, sleek, side console jons are perfect for fishing, hunting and working. The side console and low seating position allow you to comfortably navigate tight waters with overhanging limbs, thick reeds, grass, flooded timber, just about anything. The hulls are reinforced with heavier, wider and stronger ribs which make the entire boat stronger and more rigid. You'll find rock-solid, heavy gauge construction the entire length of the boat. Combine that with a dependable Mercury outboard and you've got one tough machine.

MV 1860 AWSC




**OPTIONAL SPONSONS** 

ALUMACAAFI



WERCUR





SC **ANGLER** Tiller **DIMENSIONS** 16'0" 4.88m LENGTH 16'0" 4.88m 65"/48" 1.65m/1.22m 65"/48" 1.65m/1.22m WIDTH-Beam/bottom 21" .53m SIDE HEIGHT 21" .53m 71"/20" 1.80m/.51m TRANSOM-Width/height 71"/20" 1.80m/.51m CAPACITIES HORSEPOWER-Maximum 35 HP 25 HP 19kw CAPACITY-Max. persons 3 3 CAPACITY-Max. load 465# 211kg WEIGHT-Lbs. 465#

#### **HULL/CONSTRUCTION**

THICKNESS bottom/sides

All-welded modified-V with 11 ribs

#### **FLOOR**

Aluminum floor, decks and sides

• 2 fishing seats, 2 pedstals, spiders

#### CONSOLE

- . CONSOLE-No-feedback steering
- GAUGES—Speedometer

#### LIVEWELL

· 23-gallon, aerated 87L

#### STORAGE, ELECTRICAL, ETC.

- STORAGE—Compartment
- . TROLLING-Bow bracket, 12v plug
- · LIGHTS-Stowable running lights
- · EXTRAS-Power point, bilge pump

#### OPTIONAL EQUIPMENT

- TROLLING MOTOR—Minn Kota
- · GRAPH-Lowrance or Humminbird
- · WINDSHIELD (SC model)
- SPRAY IN FLOOR


#### **PAINT COLORS & CARPET**

· Gunmetal Gray w/Gray carpet

STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston

























Driver's will love the CONSOLE—full instrumentation and room for electronics. A port

side ROD LOCKER keeps your valuable rods safe and ready.

CLASSIC 165	cs	TILLER
DIMENSIONS		
LENGTH	16'5" 5.0m	16'5" 5.0m
WIDTH-Maximum beam	82" 2.1m	82" 2.1m
DEPTH-Maximum/to floor	35"/21" .89m/.53m	35"/21" .89m/.53m
TRANSOM-Width/height	82"/20" 2.1m/.51m	82"/20" 2.1m/.51m
CAPACITIES		
HORSEPOWER-Maximum	75 HP 56kw	50 HP 37kw
CAPACITY-Max. Persons	5	5
CAPACITY-Max. Load	1285# 583kg	1295# 587kg
WEIGHT-Lbs.	895# 406kg	805# 365kg
FUEL TANK-	20 gallons	20 gallons
2XB BOW HULL		
THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	. 080"/.065" 2.0mm/1.7mm

#### THICKNESS bottom/sides

2XB BOW-2nd plate	.065"	.065"
SEATS		

Driver seat is stationary	w/height adjuster, slider		
SEATS	2	2	
PEDESTALS	2	2	

#### STEERING & CONSOLE

- . CS: Console w/no-feedback steering, removable windshield
- · TILLER: Aft electronics panel
- · GAUGES: Speedometer, tach, voltmeter (CS), fuel gauge, horn, blank

#### LIVEWELL

LIVEWELL-Gallons-w/h/l Aerated, light, timer, bait system 34 gal.-12"x14"x54 128L-30cm/35cm/137cm

#### STORAGE, ELECTRICAL, ETC.

- ROD STORAGE-7' locking compartment, port side
- STORAGE-7' starboard side
- . BATTERY STORAGE-Forward storage for 1 battery, 1 aft
- CONTROL PANEL—New! With circuit breakers
- TROLLING-12V bow outlet
- · LIGHTS-Stowable running lights, 2 interior courtesy lights, livewell light
- BILGE PUMP-Manual
- · EXTRAS-Fire extinguisher, grab handles

#### OPTIONAL EQUIPMENT

- TROLLING MOTOR-Minn Kota
- GRAPH-Lowrance or Humminbird
- · VINYL FLOOR-Replaces carpeting on all horizontal surfaces
- · SEAT-Extra seat and pedestal
- · COVERS-Mooring cover


#### **PAINT & CARPET**

- · Mica Black w/Silver metallic paint
- . Olympic White w/Silver metallic paint
- · Pacific Blue metallic w/Silver metallic paint
- · Victory Red w/Silver metallic paint
- · Midnight Star Gray carpet

ROD STORAGE

BAIT SYSTEM

12v OUTLET







## CLASSIC CAMP 165



AS RUGGED AND DURABLE AS IT GETS. H

Resort owners love these boats. No frills. Nothing fancy, just tough, hard-working boats that even novices can operate. The easy-to-clean vinyl floors and tough aluminum are virtually maintenance free. Hose them out and they're ready to go. Like a great pair of jeans, they're rugged, comfortable, and amazingly durable. You don't have to be a resort owner to own a Classic Camp boat, you just have to think a little like one. Add a reliable Yamaha outboard, fuel and go.

CLASSIC CAMP	165 CS	165 Tiller
DIMENSIONS		
LENGTH	16'5" 5.0m	16'5" 5.0m
WIDTH-Maximum beam	82" 2.0m	82" 2.0m
DEPTH-Maximum/to floor	35"/21" .89m/.53m	35"/21" .89m/.53m
TRANSOM-Width/height	82"/20" 2.1m/.51m	82"/20" 2.1m/.51
CAPACITIES	***************************************	,
HORSEPOWER-Maximum	75 HP 56kw	50 HP 37kw
CAPACITY-Persons/load	5/1285# 5/583kg	5/1285# 5/587kg
WEIGHT-Lbs.	865#	805#
FUEL TANK-	20 gallons	20 gallons
2XB BOW HULL		
THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm

.065

2XB BOW-2nd plate

#### **SEATS**

Driver seat is stationary	w/height adjuster, slider	
SEATS	2	1
PEDESTALS	2	-

#### STEERING & CONSOLE

- . CS: Console w/no-feedback steering
- · GAUGES: fuel gauge, horn, blank

#### LIVEWELL

LIVEWELL—Gallons—w/h/I 34 gal.—12"x14"x54 Aerated, bait system 129L-30cm/35cm/137cm

#### STORAGE, ELECTRICAL, ETC.

- · BATTERY STORAGE-1 aft
- LIGHTS—Stowable running lights
- BILGE PUMP/AERATOR PUMP
- EXTRAS—Fire extinguisher, grab handles

#### OPTIONAL EQUIPMENT

- COVERS—Mooring cover
- REMOVABLE WINDSHIELD

#### PAINT & FLOOR

 Bare aluminum exterior/Dove Gray interior paint w/Capri Silver Gray vinyl floor

#### OPTIONAL PAINT/VINYL:

Classic Camp 165

Mica Black w/Silver metallic and Capri Silver Gray vinyl floor

Classic Camp 165 Shown with optional Black paint

Olympic White w/Silver metallic and Capri Silver Gray vinyl floor

Photos may show optional equipment. See your dealer.







#### UNSURPASSED PERFORMANCE TIME AFTER TIME

No other company understands the needs of a fisherman like Alumacraft and Yamaha. From the professional angler to the weekend warrior, Alumacraft's boats and Yamaha's line of engines are sure to please. Yamaha prides itself on offering top-of-the-line outboard engines that give Alumacraft owners the best of all options. When power, reliability and unsurpassed performance time after time

is what you desire, then nothing will satisfy you like an Alumacraft with a Yamaha outboard.





.065"



Deluxe	Crappie Jon
16'0"	14'0"
4.88m	4.27m
70"/48"	64"/42"
1.78m/1.22m	1.62m/1.07m
21"	20"
.53m	.51m
68"/20"	62"/15"
1.72m/.51m	1.57m/.38m
	***************************************
30 HP	15 HP
22kw	11kw
2	2
745#	550#
338kg	249kg
520#	330#
236kg	150kg
	16'0" 4.88m 70"/48" 1.78m/1.22m 21" 55m 68"/20" 1.72m/.51m  30 HP 22kw 2 745# 339kg 520#

#### HULL/CONSTRUCTION

#### FLOOR

Aluminum floor & decks

#### SEATS

· 2 upholstered seats with arm rests

#### • Z upnoistere

- LIVEWELL

   DELUXE: Aerated w/seat cushion
- · JON: Livewell box

#### STORAGE, ELECTRICAL, ETC.

- STORAGE-1 compartment (Jon)
- TROLLING—bow bracket
- . LIGHTS-Stowable running lights (Deluxe)


#### **OPTIONAL EQUIPMENT**


- TROLLING MOTOR-Minn Kota
- · GRAPH-Lowrance or Humminbird

#### **PAINT COLORS & CARPET**

 Gunmetal Gray metallic paint, Gray carpet

Photos may show optional equipment. See your dealer.





STORAGE LIVEWELL BATTERY STORA

## DOMINATIOR 175



DOMINATOR	175 Sport	175 CS	165 Sport	165 CS
DIMENSIONS				
LENGTH	17'9" 5.41m	17'9" 5.41m	16'8" 5.1m	16'8" 5.1m
WIDTH-Maximum beam	94" 2.39m	94" 2.39m	91" 2.31m	91" 2.31m
DEPTH-Maximum/to floor	43"/23" 1.09m/.58m	43"/23" 1.09m/.58m	42"/22" 1.06m/.56m	42"/22" 1.06m/.56m
TRANSOM-Width/height	94"/25" 2.38m/.63m	94"/25" 2.38m/.63m	91"/20" 2.31m/.51m	91"/20" 2.31m/.51m
CAPACITIES				
HORSEPOWER-Maximum	150 HP	150 HP	90 HP 67kw	90 HP 67kw
CAPACITY-Max. Persons	5	5	5	5
CAPACITY-Max. Load	1245# 564kg	1245# 564kg	1100# 499kg	1100# 499kg
WEIGHT-Lbs.	1482# 672kg	1390# 630kg	1250# 567kg	1175# 533kg
FUEL TANK-Gallons	38 gal.	38 gal.	20 gal.	20 gal.
2XB HULL				
THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.5mm/2.0mm	.080"/.080" 2.5mm/2.0mm
2XB Bow-2nd plate 2XB Bottom-2nd plate	.080" .080"	.080"	.080"	.080"

	175 Sport	175 CS	165 Sport	165 CS	
SEATING					
Driver's is stationary v	w/slider, height adjust				
SEATS	2+2 jump	2+2 jump	2+2 jump	2+2 jump	
<ul> <li>PEDESTALS</li> </ul>	2	2	2	2	

the high performance equipment of our Tournament boats and family comfort of our Trophies in a lower weight, horsepower and price ratio. Add a

#### STEERING & CONSOLE

· CS: No-feedback, single cable steering, removable windshield

powerful Suzuki outboard and hit it.

- SPORT: No-feedback, single cable steering, walk-thru windshield, port console glovebox, cup holder
- KICKER-READY SIDE PANEL
- · GAUGES: speedometer, tachometer, voltmeter, fuel gauge, horn, blank

#### LIVEWELLS

BOW LIVEWELL gallons-w/h/l 22

22 gal.-20"x15"x31.5"

22 gal.-20"x15"x31.5"

AFT LIVEWELL gallons-w/h/l

13 gal.-12"x9"x30"

5 gal.—12"x11"x12"

Aerated, bait systems, timers, lights, bow remote drain

#### STORAGE, ELECTRICAL, ETC.

- STORAGE—Center rod locker: four 7', four 6'; lockable glove box (Sport)
- · STORAGE-Side port and starboard

# DOMINATOR 165



#### **BOW ROD STORAGE**

- DRIVER'S CONSOLE-NEW!
- LARGE BOW LIVEWELL

Dominators' wide-open floor plan is equipped for serious fishing. An easy-access BOW ROD LOCKER

keeps your eight favorite set-ups handy with additional rod storage in the cockpit. The large STORAGE

compartment in the bow keeps your gear handy. CONSOLES are equipped with full instrumentation plus

extra room to mount GPS and sonar. The two aerated LIVEWELLS protect your hard-earned catch. They

feature a bait system, timer and light. JUMP SEATS fold up for passengers, down for fishing. There's a lot

JUMP SEATS

• DRY STORAGE/ICE CHEST -Lockable 22 gal. (175)


- . BATTERY STORAGE-Forward storage for 2 batteries, 1 aft
- ELECTRICAL-Circuit breakers
- TROLLING SYSTEMS-12/24V outlets, bow and aft
- . RADIO READY-See your dealer for details
- · LIGHTS-Stowable running lights, 2 interior courtesy lights, livewell lights
- BILGE PUMP–Manual
- · EXTRAS-Fire extinguisher, grab handles

#### **OPTIONAL EQUIPMENT**

- TROLLING MOTOR, GRAPH-Minn Kota, Lowrance or Humminbird graph
- . HYDRAULIC STEERING (175)
- DUAL BUBBLE WINDSHIELDS-Sport model
- VINYL FLOOR-Replaces carpeting on all horizontal surfaces
- SEAT-Extra seats and pedestals
- · COVERS-Mooring or snap cover
- . CONVERTIBLE HIGH RISE TOP SET-Aft, side, bow cover, walkway curtain (Sport)

#### **PAINT & CARPET**

- Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet



more—see the full specifications.

For Mercury performance numbers go to alumacraft.com







1 On The Water

Photos may show optional equipment. See your dealer.

## FISFER 160/145 **ALUMACRAFT** FISHERMAN 160 CS with a 25HP YAMAHA Plus: Humminbird graph 2 deluxe seats Trailer SPECIAL PACKAGE PRICING! See your dealer THE START OF A fisherman 160 CS VERY LONG RELATIONSHIP It's so easy to operate, trailer and launch, you will never want to part with it. The Fisherman series is big enough for families to enjoy, yet small enough to launch in that little secret lake you won't tell your friends about. The 160 and 145 Fisherman are tailor Slide in behind the sleek-looking CONSOLE (CS models) and enjoy the Fisherman made for a smaller tow vehicle. Equip one of these with a 25 HP Yamaha and you have 160's smooth, responsive handling. Steering is no-feedback and the seats are allone of the most economical fishing packages available. These boats come equipped day comfortable. A big, aerated LIVEWELL sits alongside the port side of the with a perfectly sized livewell, tons of storage, clever in-floor rod storage-many of the cockpit. There's room for your extra vests and other gear in the two STORAGE COMPARTMENTS. Your valuable rods are secure and out of the way, but easy to same features their bigger brothers have, but for a fraction of the cost. access, in the ROD STORAGE COMPARTMENT located in the cockpit floor. CS CONSOLE LIVEWELL **BOW STORAGE ROD STORAGE**



FISHERMAN	160 CS	160 Tiller	145 CS	145 Tiller
DIMENSIONS				
LENGTH	16'3"	16'3"	14'10"	14'10"
	4.95m	4.95m	4.52m	4.52m
WIDTH-Maximum beam	73"	73"	73"	73"
	1.85m	1.85m	1.85m	1.85m
DEPTH-Maximum/to floor	32"/20"	32"/20"	32"/20"	32"/20"
	.82m/.51m	.82m/.51m	.82m/.51m	.82m/.51m
TRANSOM-Width/height	67"/20"	67"/20"	67"/20"	67"/20"
	1.70m/.51m	1.70m/.51m	1.70m/.51m	1.70m/.51m
CAPACITIES				
HORSEPOWER-Maximum	40 HP	25 HP	35 HP	25 HP
	30kw	19kw	26kw	19kw
CAPACITY-Max. Persons	5	5	4	4
CAPACITY-Max. Load	1118#	1118#	925#	925#
	507kg	507kg	420kg	420kg
WEIGHT-Lbs.	622#	600#	602#	580#
	282kg	272kg	273kg	263kg
HULL FULL VEE				
THICKNESS bottom/sides	.080"/.065"	.080"/.065"	.070"/.065"	.070"/.065"
	2.0mm/1.7mm	2.0mm/1.7mm	1.8mm/1.7mm	1.8mm/1.7mm
SEATING				
Driver seat is stationary w/	slider, heigh	t adjust		

#### STEERING & CONSOLE

• CS CONSOLE- w/single cable no-feedback steering

#### LIVEWELL

**SEATS** 

LIVEWELL-Gallons-w/h/l

13g-9"x13"x32"

Aerated, bait system

#### STORAGE, ELECTRICAL, ETC.

- STORAGE-Center locker up to 7' (160); starboard rod locker up to 6' (145)
- BATTERY STORAGE-1 aft starting battery
- TROLLING-12V bow outlet
- · ELECTRICAL-Circuit breakers
- BILGE PUMP-Manual
- GRAB HANDLES

#### OPTIONAL EQUIPMENT

- TROLLING MOTOR-Minn Kota
- · GRAPH-Lowrance or Humminbird
- WINDSHIELD
- VINYL FLOOR-Replaces carpeting
- . SEAT-Extra seat and pedestal
- COVERS-Mooring cover


#### **PAINT & CARPET**

- 160: Oxford White, Dove Gray interior, w/Midnight Star Gray carpet
- 145: Oxford White, Dove Gray interior, w/Midnight Star Gray carpet
- . Option: Khaki Dead Grass, Tan vinyl floor, camo seats



THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.











# LUNER 165

## MEMORIES OF LUNKERS LAST FOREVER.

Many great family stories are built around experiences in one of these boats. Lunkers are easy to trailer, easy to launch and easy to own. They feature generous storage space and rod lockers for everyone's gear. Large livewell, bow and aft casting platforms, full electrical system and battery storage, Twin-plated 2XB Bow and 5-person capacity makes this boat families can enjoy for generations. Add a fuel efficient Mercury outboard, your favorite camera and you're set.

#### ALUMACRAFT LUNKER 165 CS with a **50HP MERCURY**

Plus: Humminbird graph Trailer

SPECIAL See your dealer





Lunker 165 CS

LUNKER 165	CS	Tiller
DIMENSIONS	•••••	
LENGTH	16'6" 5.0m	16'6" 5.0m
WIDTH-Maximum beam	76" 1.93m	76" 1.93m
DEPTH-Maximum/to floor	35"/22" .89m/.56m	35"/22" .89m/.56m
TRANSOM-Width/height	73"/20" 1.85m/.51m	73"/20" 1.85m/.51
CAPACITIES		
HORSEPOWER-Maximum	50 HP 37kw	40 HP 30kw
CAPACITY-Max. Persons	5	5
CAPACITY-Max. Load	1235# 560kg	1235# 560kg
WEIGHT-Lbs.	700# 317kg	660# 299kg
2XB BOW HULL		

THICKNESS bottom/sides	.080"/.065" 2.0mm/1.7mm	.080"/.065" 2.0mm/1.7mm
2XB BOW-2nd plate	.060" 1.5mm	.060" 1.5mm

#### SEATS

Driver seat is stationary w/height adjust; slider (CS) SEATS 2 PEDESTALS

#### STEERING & CONSOLE

- CS: Console w/single cable no-feedback steering; removable windshield
- · TILLER: Tiller steering

#### LIVEWELL

SIDE LIVEWELL-gallons-w/h/I 13 gal-9"x13"x 32"

#### STORAGE, ELECTRICAL, ETC.

- . STORAGE-Lockable, starboard rod storage up to 8'
- · BATTERY STORAGE-1 forward, 1 aft starting
- · ELECTRICAL-Circuit breakers
- TROLLING SYSTEMS—12V bow outlet
- · LIGHTS-Stowable running lights
- BILGE PUMP—Manual
- GRAB HANDLES

#### **OPTIONAL EQUIPMENT**

- TROLLING MOTOR—Minn Kota
- · GRAPH-Lowrance or Humminbird
- · VINYL FLOOR- Replaces carpeting on all horizontal surfaces
- · SEAT-Extra seat and pedestal
- · COVERS-Mooring cover
- · PAINT-Khaki Dead Grass, Camo seats. Tan vinyl flooring,

#### PAINT & FLOOR

- · Oxford White or Aztec Gray
- Midnight Star Gray carpet



UNKER 165 Tille



ROD STORAGE

Photos may show optional equipment. See your dealer.





The good-looking CONSOLE makes driving the nimble Tex as much fun as the fishing. A big, aerated LIVEWELL and two large storage compartments make hauling your hawgs and a ton of gear easy.





#### MV TEX SPECIAL

DIMENSIONS		
LENGTH	16'0"	4.88m
WIDTH-Beam/bottom	74"/50"	1.88m/1.27m
SIDE HEIGHT	21"	.53m
TRANSOM-Width/height	69"/20"	1.75m/.50m

60 HP	45kw
5	
1010#	458kg
675#	307kg
	5 1010#

#### HULL

THICKNESS bottom/sides

**FIBERGLASS CONSOLE** 

- ALL-WELDED MODIFIED-VEE HULL
- . FLOOR-Welded-in aluminum floor and decks
- TRANSOM-All-Aluminum

#### **SEATING**

SEATS-4 fold-down seats

#### CONSOLE

- · CONSOLE-Fiberglass w/windscreen, no-feedback steering
- · GAUGES-Speedometer

#### **LIVEWELLS**

23 gallon, aerated 87L

#### STORAGE, ELECTRICAL, ETC.

- STORAGE—2 compartments (1 is dry)
- TROLLING-12 volt harness
- · LIGHTS-Stowable running lights, interior courtesy
- · BILGE PUMP-500 gph

#### **OPTIONS**

- . TROLLING MOTOR-Minn Kota
- . GRAPH-Lowrance or Humminbird
- TACHOMETER, VOLTMETER
- . SPRAY-IN LINER

#### **PAINT & CARPET**

- · Olympic White paint
- · Pacific Blue metallic paint

· Midnight Star Gray carpet


- · Victory Red paint
- · Gunmetal Gray metallic



Introducing the all new for 2010

## **CENTER CONSOLE FISHING BOAT**

by Alumacraft



## 175 NAVIGATOR CENTER CONSOLE

#### SPECIFICATIONS

Center line length: 17'8" Persons capacity: Maximum width: 95" NMMA rated capacity: 1245 lbs. Maximum depth: 43" Floor depth: 23" Maximum outboard power: 140 HP Transom width: 93" Transom Height: 20" Hull gauge (bottom & sides): .080" Approximate weight: 1196 lbs. 2XB hull 2nd plate gauge: .080" Fuel tank: 38 gal. Hull style: 2XB deep-V Livewell capacity: 15 gal.

Alumacraft's 175 Navigator Center Console is a fishing boat with all-new features including a fiberglass driver console and a 17-foot, 8-inch 2XB twin-plated, deep-V hull. It also comes standard with a 95-inch beam, giving drivers the stability to tackle larger, windswept inland lakes and coastal waters.


More great features include a maintenance-free, vinyl-lined interior, open floor plan, rod holders on each side of the console, stainless steel grab bar, wind screen, binnacle controls, optional pedestal seating (with two pedestal sockets), forward aerated livewell, 94-quart insulated cooler in the rear flip-flop seat, 12/24 volt bow trolling motor outlet, no-feedback steering, speedometer, tachometer, voltmeter, fuel gauge, horn, circuit breakers, stowable running lights, two interior courtesy lights, bilge pump, grab handles, fire extinguisher, room to mount a GPS and other electronics, 38-gallon fuel tank, and the choice of a Yamaha, Mercury, Honda, Bombardier, or Suzuki outboard motor.

#### OPTIONS

MinnKota trolling motor Lowrance and Humminbird LCD graph Extra seat, pedestal/spider Mooring cover (order through Dowco)



Alumacraft Boat Co. 315 West St. Julien Street, St. Peter, MN 56082 507-931-1050 Fax: 507-931-9056 www.alumacraft.com







#### **BOTH YOUNG AND OLD** LOVE THIS BOAT.

A blast to ride in, fish out of, or entertain friends, the Navigator 165 is pure performance and fun. Effortless to trailer, easy to launch and stingy with fuel, it's a great family boat with a wideopen interior and five person capacity. Navigators feature an oversized bow livewell, loads of storage for rods and gear, and the 2XB Bow for two layers of bow protection. Power it up with a dependable Suzuki outboard and let the fun begin.

For Suzuki performance numbers go to alumacraft.com



NAVIGATOR	175 Sport	175 CS	175 Tiller	165 Sport	165 CS	165 Tiller
<b>DIMENSIONS</b> LENGTH	17'8"	17'8" 5.38m	17'8" 5.38m	16'8" 5.1m	16'8" 5.1m	16'8" 5.1m
WIDTH-Maximum beam	95" 2.41m	95" 2.41m	95" 2.41m	91" 2.31m	91" 2.31m	91" 2.31m
DEPTH-Maximum/to floor	43"/23" 1.09m/.58m	43"/23" 1.09m/.58m	43"/23" 1.09m/.58m	42"/23" 1.07m/.58m	42"/23" 1.07m/.58m	42"/23" 1.07m/.58m
TRANSOM-Width/height	93"/25" 2.36m/.63m	93"/25" 2.36m/.63m	93"/20" 2.36m/.63m	90"/20" 2.29m/.51m	90"/20" 2.29m/.51m	90"/20" 2.29m/.51m
CAPACITIES						
HORSEPOWER-Maximum	150 HP	150 HP	75 HP 56kw	90 HP	90 HP 67kw	75 HP
CAPACITY-Max. Persons CAPACITY-Max. Load	5 1245#	5 1245# 565kg	5 1145# 519kg	5 1340# 608kg	5 1340#	5 1245# 565kg
WEIGHT-Lbs.	1357# 616kg	1270# 576kg	1145# 519kg	1050# 476kg	965# 438kg	925# 420kg
FUEL TANK	38 gal.	38 gal.	38 gal.	20 gal.	20 gal.	20 gal.
2XB HULL						
THICKNESS bottom/sides	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm	.080"/.080" 2.0mm/2.0mm
2XB BOW– 2nd plate 2XB BOTTOM–2nd plate	.080" .080"	.080" .080"	.080" "080.	.080"	.080"	.080"
SEATING						
Driver seat is stationary w	/slider, manua	,				
SEATS PEDESTALS	2 2	2 2	2 2	2 2	2 2	2 2

#### STEERING & CONSOLE

- . CS: Single cable, no-feedback steering, removable windshield
- . SPORT: Dual consoles, single cable, no-feedback steering, walk-thru windshield
- . TILLER: Aft electronics panel
- . GAUGES: Speedometer, tachometer, voltmeter, fuel gauge, horn, blank gauge

#### LIVEWELLS

BOW LIVEWELL 34 gallons-12"x14"x54" 129L-30cm/36cm/137cm AFT LIVEWELL (175 only) 13 gallons-12"x9"x30" 49L-30cm/23cm/76cm Aerated, bait systems, lights. Timer and remote drain on bow livewell

#### STORAGE, ELECTRICAL, ETC.


- ROD STORAGE-Port rod locker w/tubes, five 7-1/2'; starboard rod locker, 7-1/2'
- STORAGE-2 forward compartments, 1 aft compartment (165), lockable glove box (Sport)
- . BATTERY STORAGE-Forward storage for 2 batteries, 1 aft starting
- . ELECTRICAL-Circuit breakers
- TROLLING SYSTEM-12/24V bow outlet
- · LIGHTS-Stowable running lights, 2 interior courtesy lights, livewell lights
- RADIO READY-see your dealer for details
- BILGE PUMP-Manual
- · EXTRAS-Fire extinguisher, grab handles

#### **OPTIONAL EQUIPMENT**


- . TROLLING MOTOR-Minn Kota
- · GRAPH-Lowrance or Humminbird
- HYDRAULIC STEERING—(175)
- DUAL BUBBLE WINDSHIELDS (Sport only)
- · TOP SET-convertible high-rise w/boot, quick-disconnect hardware (Sport)
- · VINYL FLOOR-Replaces carpeting on all horizontal surfaces
- · SEAT-Extra seat and pedestal
- · COVERS-Mooring

#### PAINT COLORS & CARPET

- · Mica Black w/Silver metallic, Midnight Star Gray carpet
- . Olympic White w/Silver metallic, Midnight Star Gray carpet
- · Pacific Blue met. w/Silver metallic, Midnight Star Gray carpet
- · Victory Red w/Silver metallic, Midnight Star Gray carpet















 Minn Kota Edge 40 trolling motor

Humminbird graph

• 5 deluxe seats Trailer

SPECIAL

**PRO 175** 

SIDE HEIGHT

LENGTH

DIMENSIONS

WIDTH-beam/bottom

TRANSOM-width/height

HORSEPOWER-maximum

CAPACITY-Max. persons

CAPACITY-Max. load

WEIGHT-lbs

FUEL TANK

CAPACITIES

tackle storage, and a huge dry storage area below the fold-down driver and passenger seats. A streamlined CONSOLE features full instrumentation and no-feedback steering.



TWO-YEAR LIMITED WARRANTY protects every Yamaha Two Stroke.



#### ALL-WELDED HULL

THICKNESS bottom/sides

.102

All-welded, modified-V hull

- . FLOOR-Welded-in aluminum floor and decks
- TRANSOM-All aluminum

#### **SEATING**

17'5'

88"/56"

23"

88"/22

90 HP

4

1200#

1200#

16 gal

- . SEATS-3 deluxe bucket seats, 2 pedestal seats
- · SOCKETS-2 pin sockets

#### STEERING & CONSOLE

- · CONSOLE-Fiberglass w/ windscreen; no-feedback steering
- · SPEEDOMETER, tachometer, voltmeter, fuel gauge

#### LIVEWELLS

2 LIVEWELLS gallons

23 gal. ea.

· Aerated, remote drain (aft livewell)

#### STORAGE, ELECTRICAL, ETC.

- . RODS-7' locking compartment
- STORAGE-5 compartments (1 dry)
- · POWER-Saltwater resistant system, nav and trim switch on bow, 12V power point
- · TROLLING-12 volt harness
- · LIGHTS-Stowable running lights, interior courtesy lights
- · BILGE PUMP-500 gph

#### OPTIONAL EQUIPMENT

- . TROLLING MOTOR-Minn Kota
- · GRAPH-Lowrance or Humminbird

#### **PAINT & CARPET**

- · Olympic White paint
- · Pacific Blue metallic paint
- · Victory Red paint
- · Gunmetal Gray metallic
- · Midnight Star Gray carpet

Photos may show optional equipment See your dealer.














TOURNAMENT PRO	195 CS	185 CS	185 Tiller				
DIMENSIONS							
LENGTH	19'3" 5.86m	18'3" 5.56m	18'3" 5.56m				
WIDTH-Maximum beam	97" 2.46m	97" 2.46m	97" 2.46m				
DEPTH-Maximum/to floor	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m				
TRANSOM-Width/height	96"/25" 2.43m/.64m	96"/25" 2.43m/.51m	96"/25" 2.43m/.51m				
CAPACITIES							
HORSEPOWER-Maximum	200 HP	175 HP 130kw	90 HP 67kw				
CAPACITY-Max. Persons	6	6	5				
CAPACITY-Max. Load	1850# 839kg	1600# 726kg	1750# 794kg				
WEIGHT-Lbs.	1695# 769kg	1640# 744kg	1385# 628kg				
FUEL TANK w/reserve	38 gal.	38 gal.	38 gal.				
2XB HULL							
THICKNESS bottom/sides	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm	.100"/.080" 2.5mm/2.0mm				
2XB Bow-2nd plate	.100"	.100"	.100"				
2XB Bottom-2nd plate	.100"	.100"	.100"				
SEATING							
Driver's is stationary w/slider, po			0				
<ul><li>SEATS (New high back)</li><li>PEDESTALS</li></ul>	3 3 power	3 3 power	3 3 power				

#### STEERING & CONSOLE

- . CS: Hydraulic steering, tilt wheel, removable windshield
- . TILLER: Electronics compartment, foot trim
- . KICKER-READY SIDE PANEL (CS)
- · SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank
- · STEREO-AM/FM/CD with 2 speakers, Sirus ready

#### LIVEWELLS

BOW LIVEWELL gal.-w/h/l 30 gal.-27"x12"x38" 114L-69cm/30cm/97cm 21 gal.-13"x11"x36" 79L-33cm/28cm/91cm AFT LIVEWELL gal.-w/h/l Aerated, rear recirculator, bait systems, timers, lights, remote drains

#### STORAGE, ELECTRICAL, ETC.

- IN-FLOOR STORAGE-cockpit (195)
- · ROD STORAGE-lighted, lockable port top-load compartment, five 8' rods; lighted center compartment, nine rods up to 7-1/2'
- · STORAGE-bow, gunnel and transom area compartments
- . DRY STORAGE/ICE CHEST-lockable
- BATTERY STORAGE-forward (2 batteries), Aft (1 starting battery)
- · ELECTRICAL-master switch, circuit breakers, power point outlet
- TROLLING SYSTEMS—12/24V bow outlet and aft outlet
- LIGHTS-stowable running lights, 3 interior courtesy lights, livewell lights
- DUAL FUEL OUTLET
- BILGE PUMP-dual: 1 auto, 1 manual
- EXTRAS—fire extinguisher, grab handles, cup holders, flush mount cleats

#### OPTIONAL EQUIPMENT

- . TROLLING MOTOR-Minn Kota
- · GRAPH-Lowrance or Humminbird
- · VINYL FLOOR-Replaces carpet on all horizontal surfaces
- · SEAT-Extra seat and pedestal
- . COVERS-Mooring cover or snap cover

#### **PAINT & CARPET**

- · Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- · Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- · Pacific Blue metallic w/Silver metallic paint, Midnight Star Gray carpet
- · Victory Red w/Silver metallic paint, Midnight Star Gray carpet



Tournament Pros are equipped for competition-level fishing. CONSOLES feature full





instrumentation and room for electronics.

A BOW ROD LOCKER keeps nine set-ups handy and a TOP-LOAD ROD LOCKER provides easy access to five more. Supportive SEATS makes a day a the water a some SEATS makes a day on the water a comfortable one. Extra large LIVEWELLS with timer, light and remote drain are located forward and aft. FLOOR COMPARTMENT is perfect for anchor and rope storage.

3

# TOURNAMENT SPORT 195/185



## SERIOUS ABOUT FISHING IN COMFORT.

These guys know they land more fish when they're alert and comfortable even after a full day on the water. They know their kids, spouses and friends enjoy being comfortable on the water as well. The Tournament Sport is testament that a great tournament boat can also be a fantastic family boat. Large walk-thru windshield, hand holds, 2XB Hull, ergonomic seats and plenty of lockable storage for everyone's gear. Add a high performance Evinrude outboard, sit back, and enjoy the ride.

For Evinrude performance numbers go to alumacraft.com

DRIVER'S CONSOLE-NEW!

**BOW IN-FLOOR ROD LOCKER** 

**GUNNEL ROD LOCKER** 

**BOW LIVEWEL** 











of dual consoles protected by a walk-thru windshield. CONSOLE has room for electronics and sliding Air Ride seat. WIDE-OPEN BOW offers fighting room with storage and livewell. ROD STORAGE in bow floor and top-load gunnel keeps 14 rods secure and ready. Full-featured LIVEWELLS in the bow and beside the transom. Our KICKER PRE-RIG setup puts the second outboard control at your fingertips.

TOURNAMENT SPORT	195	185
DIMENSIONS		
LENGTH	19'3" 5.86m	18'3" 5.5m
WIDTH-Maximum beam	97" 2.46m	97" 2.46m
DEPTH–Maximum/to floor	43"/22" 1.1m/.56m	43"/22" 1.1m/.56m
TRANSOM-Width/height	96"/25" 2.4m/.63m	96"/25" 2.4m/.63m
CAPACITIES		
HORSEPOWER-Maximum	200 HP	175HP
CAPACITY—Max. Persons CAPACITY—Max. Load	6 1850# 839kg	6 1600# 726kg
WEIGHT-Lbs.	1735# 787kg	1680# 762kg
FUEL TANK w/reserve	38 gal.	38 gal.
2XB HULL		
THICKNESS bottom/sides	.100"/.080"	.100"/.080" 2.5mm/2.0mm
2XB Bow—2nd plate 2XB Bottom—2nd plate	2.5mm/2.0mm .100" .100"	.100" .100"
SEATING		
Driver's is stationary w/slider, power h • SEATS (New high back)	neight adjustment 4	4
- DEDECTAL C	1	A

- PEDESTALS 4 power 4 power
- STEERING & CONSOLE
- · STEERING-Tilt wheel w/hydraulic steering
- . DUAL CONSOLES walk-thru, tempered glass windshield.
- KICKER-READY SIDE PANEL
- · SPEEDOMETER, tachometer, voltmeter, fuel gauge, horn, blank
- . STEREO-AM/FM/CD with 2 speakers, Sirus ready

#### LIVEWELLS

BOW LIVEWELL gal.-w/h/l 30 gal.-27"x12"x38" 114L-69cm/30cm/97cm AFT LIVEWELL gal.-w/h/l 21 gal.-13"x11"x36" 79L-33cm/28cm/91cm Aerated, bait systems, timers, lights, remote drains, rear recirculator

#### STORAGE, ELECTRICAL, ETC.

- IN-FLOOR STORAGE-cockpit (195)
- ROD STORAGE-lighted, lockable port side, top-load compartment, five 8' rods; lighted center compartment, nine rods up to 7-1/2'
- · STORAGE-lockable glove box
- DRY STORAGE/ICE CHEST-lockable
- BATTERY STORAGE-forward (2 batteries), Aft (1 starting battery)
- ELECTRICAL—master switch, circuit breakers, power point outlet
- TROLLING SYSTEMS-12/24V bow outlet and aft outlet
- · LIGHTS-stowable running lights, 3 interior courtesy lights, livewell lights
- DUAL FUEL OUTLET
- BILGE PUMP-dual: 1 auto, 1 manual
- · EXTRAS-fire extinguisher, grab handles, cup holders, flush mount cleats

#### OPTIONAL EQUIPMENT

- TROLLING MOTOR, GRAPH-Minn Kota, Lowrance or Humminbird graph
- . DUAL BUBBLE WINDSHIELDS
- VINYL FLOOR—Replaces carpeting on all horizontal surfaces
- · PRO SEATS-Extra seat and pedestal
- TOP SET-convertible high-rise w/boot, quick-disconnect hardware
- COVERS-Bow, mooring, snap covers; side, aft and windshield curtain

#### **PAINT & CARPET**


- . Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue met. w/Silver metallic paint, Midnight Star Gray carpet
   Victory Red w/Silver metallic paint, Midnight Star Gray carpet







family or clients go anywhere on the lake and pursue anything you like. Fishing, tubing, skiing, guiding, name your game, there's storage 360° so bring whatever you need for a full day of fun. The Trophy's deep sidewalls provide extra security and there's ample space for battling fish and entertaining friends. Large walk-thru windshield, high rise top, and 2XB Hull keep you dry, comfortable and happy. Add a high performance Honda motor



At home on any water, the rugged Trophy is equipped for everything from serious fishing to family cruising. DUAL CONSOLES, walk-thru windshield and a topset keeps everyone comfortable in any weather. JUMP SEATS provide instant extra seating and fold out of the way for fishing. A quick-folding BOW PLATFORM converts from a fishing deck to CUSHIONED passenger seating effortless. A new gunnel ROD LOCKER has easy access and secures valuable gear. Professional LIVEWELLS fore and aft protect your valuable catch.





TROPHY	205	195	185	175
DIMENSIONS				
LENGTH	20'8"	19'8"	18'8"	17'8"
	6.3m	6.0m	5.7m	5.4m
WIDTH-Maximum beam	98"	98"	98"	94"
	2.5m	2.5m	2.5m	2.4m
DEPTH-Maximum/to floor	47"/27"	47"/27"	47"/27"	43"/25"
	1.2m/.69m	1.2m/.69m	1.2m/.69m	1.1m/.64m
TRANSOM-Width/height	96"/25"	96"/25"	96"/25"	94"/25"
	2.45m/.64m	2.45m/.64m	2.45m/.64m	2.39m/.64m
CAPACITIES				
HORSEPOWER-Maximum	225 HP 167kw	200 HP	175 HP 130kw	150 HP
CAPACITY—Max. Persons CAPACITY—Max. Load-lbs.	9	8	8	7
	2350#	2000#	1760#	1600#
	1066kg	907kg	<sup>798kg</sup>	725kg
WEIGHT-Lbs.	1915#	1805#	1780#	1550#
	869kg	818kg	807kg	703kg
FUEL TANK-Gallons	60 gal	38 gal	38 gal	38 gal
2XB HULL				
	.100"/.080"	.100"/.080"	.100"/.080"	.080"/.080"
	2.5mm/2.mm	2.5mm/2.mm	2.5mm/2.mm	2.5mm/2,mm
2XB Bow-2nd plate	.100"	.100"	.100"	.080"
2XB Bottom-2nd plate	.100"	.100"	.100"	.080"

#### **SEATING**

Driver's is stationary w/slider, height adjust (power height in 205, 195, 185)

3+2 jump • SEATS (New high back) 4+2 jump 4+2 jump 3+2 jump PEDESTALS 2 pwr,2fxd 2 pwr, 2 fxd 2 pwr,1fxd 1 adj, 2fxd

#### STEERING & CONSOLE

- STEERING—Hydraulic (205, 195, 185)
- CONSOLE—With tilt wheel, walk-thru tempered windshield, passenger console
- . KICKER-READY SIDE PANEL
- · SPEEDOMETER, Tachometer, voltmeter, fuel gauge, horn, blank
- · STEREO-AM/FM/CD with 2 speakers, Sirus ready

#### LIVEWELLS

Bow Livewell–Gallons–w/h/I 22 gal. - 205/195: 20"x11.5"x31"; 185/175: 20"x15"x31.5" x31.5" x3

Aft Livewell–Gallons–w/h/l 21 gal.–13"x11"x36" 79L (33cm/28cm/91cm) Aerated, bow insulated, bait systems, timers, light, remote drain (front)

#### STORAGE, ELECTRICAL, ETC.

- TOP SET-Convertible high-rise w/boot, quick-disconnect hardware, storage hider
- STORAGE—Lockable, lighted 8' top load rod compartment; lockable glove box
- DRY STORAGE/ICE CHEST-Lockable (205, 195, 185)
- · BATTERY STORAGE-Forward (2 batteries), aft (1 starting battery)
- ELECTRICAL—Master electrical switch, power point outlet, circuit breakers
- TROLLING SYSTEM-12/24V bow outlet
- LIGHTS—Stowable running lights, 2 interior courtesy lights, livewell lights
- DUAL FUEL OUTLET (185, 195, 205)
- BILGE PUMP(s)-Dual, 1 auto (205, 195, 185); 1 manual (175)
- EXTRAS—Fire extinguisher, grab handles, cup holders, flush mount cleats (205, 195, 185)


ROD STORAGE

#### **OPTIONAL EQUIPMENT**

- TROLLING MOTOR, GRAPH—Minn Kota, Lowrance or Humminbird graph
- VINYL FLOOR—Replaces carpeting on all horizontal surfaces
- HYDRAULIC STEERING (175)
- SEATS—Extra seat and pedestal, bow cushions
- COVERS—Bow, mooring, snap covers; side, aft and windshield curtains

#### **PAINT & CARPET**

- · Mica Black w/Silver metallic paint, Midnight Star Gray carpet
- · Olympic White w/Silver metallic paint, Midnight Star Gray carpet
- Pacific Blue metallic w/Silver met. paint, Midnight Star Gray carpet
- Victory Red w/Silver metallic paint, Midnight Star Gray carpet



Photos may show optional equipment. See your dealer.

TROPHY 195 TROPHY 205

# Vs & I's

#### PURE, Unvarnished Beauty.

You've seen them on lakes everywhere. At lake cabins, at resorts, behind cars on the way to the lake. They're simple, fun, nearly indestructible and guaranteed to quietly take you to some of the most beautiful places on earth. Available in 12', 14', and 16' lengths and 60" to 70" widths. Fire up that quiet Yamaha outboard and let's go explore.

T12V

V/T SERIES	V16	V14	T14V	T12V
DIMENSIONS				
LENGTH	16'9" 5.1m	14'5" 4.4m	14'2" 4.3m	12'2" 3.7m
MAX. BEAM	70" 1,78m	68" 1,73m	61" 1.55m	60" 1.52m
BOW HEIGHT	30" .76M	30"	26" .66M	25" .64m
TRANSOM-Width	62" 1.57m	62" 1.57m	60" 1.52m	60" 1.52m
TRANSOM-Height	20" .51m	20",15" .51m, .38m	15" .38m	15" .38m
FULL VEE HUL	L			
THICKNESS bottom	.065"	.065"	.060"	.060" 1.52mm
THICKNESS sides	.065"	.065"	.050" 1.27mm	.050" 1.27mm
CAPACITIES				
HORSEPOWER-max	25 HP 19kw	20 HP 15kw	15 HP	10 HP
MAX. PERSONS-20"tra	an: 5	5	4	3
MAX. LOAD-20"tran:	1380# 626kg	1015# 460kg	825# 374kg	655# 297kg
WEIGHT-20"trans.,Vs	280# 127kg	230# 104kg	180# 82kg	160# 73kg



#### SEATING


• BENCH/bow 3/1 3/1 3/0 3/0 • OPTIONAL SEATS—clamp-on seats w/swivel

#### PAINT COLOR

- . Oxford White paint w/Dove Gray interior
- · Optional Khaki paint

STRONG, FORGED PISTONS add durability. Aluminum alloys are compressed in molds under extreme pressure, resulting in a much stronger piston.





# CANOES indestinated to the Control of the Control o

OUT, BEYOND AND BACK.

Alumacraft canoes are built to provide years of maintenance-free daily use in hard to get places


where holes or cracks in a hull are simply not an option. Outfitters, resorts and adventurous souls swear by Alumacraft aluminum canoes.



QT-17C Quetico

QT-15CL Quetico

#### Optional motor bracket



QT-185CL Quetico



haul and launch, and can sneak in and out of the tightest timber, feeder creeks and honey holes. You get plenty of under-deck storage, and excellent fuel economy and top end performance. Power one up with a quiet, Yamaha and you've got just what you ordered.

The VS 170 features a sleek CONSOLE with full instrumentation, four comfortable seats, big decks, ample storage, a large 23 gallon, aerated LIVEWELL with remote drain and a locking rod storage compartment. What more do you need?

CONSOLE









THE MICROCOMPUTER IGNITION adjusts timing to maintain optimum engine performance, economy and durability under all conditions.

#### VS 170 PF 170

DIMENSIONS		
LENGTH	17'0" 5.18m	17'0" 5.18m
WIDTH-Beam/bottom	74"/52" 1.88m/1.32m	74"/52" 1.88m/1.32
SIDE HEIGHT	22" .56m	22" .56m
TRANSOM-Width/height	74"/22" 1.88m/.56m	74"/22" 1.88m/.56r
CAPACITIES	•••••	
HORSEPOWER-Maximum	70 HP 52kw	60 HP 45kw
CAPACITY-Max. persons	4	4
CAPACITY-Max. load	1100# 499kg	1100# 499kg
WEIGHT-Lbs.	852# 386kg	800# 363kg

FLIFI TANK

#### ALL-WELDED HULL

All-welded, stepped pad-V hull w/reversed chines THICKNESS bottom/sides .102" 2.6mm

- · FLOOR-Welded-in aluminum floor and decks
- TRANSOM—All aluminum

#### SEATING

- · SEATS-4 fold-down
- · SOCKETS-2 pin sockets

#### STEERING & CONSOLE

- CONSOLE—Fiberglass construction with windscreen; no-feedback steering
- · GAUGES-Speedometer, tach, voltmeter, fuel (VS)

#### LIVEWELL

· LIVEWELL-One 23 gal., aerated w/remote drain (VS); Two 17 gal., aerated (PF)

#### STORAGE, ELECTRICAL, ETC.

- RODS—7' locking compartment (VS)
- STORAGE—5 compartments (VS); 2 compartments (PF)
- POWER-Saltwater resistant system (VS), nav and trim switch on bow (VS), 12V power point
- TROLLING-12 volt harness
- LIGHTS-Stowable running lights; interior courtesy (VS)
- BILGE PUMP-500 gph

#### **OPTIONAL EQUIPMENT**

- TROLLING MOTOR—Minn Kota
- · GRAPH-Lowrance or Humminbird


#### PAINT & CARPET

- Olympic White paint
- · Pacific Blue paint
- Victory Red paint · Gunmetal Gray metallic
- · Midnight Star Gray carpet
























	/		4	7. 7		7	/ /						,	
	Mo. B	SEAN SE	TRINSON	HORSEOW	100 SEP.	90800 90800 1HD	100 July 100	24. A.	AUL,	1 CAUG. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	drin	\$40,000 SON		WNOSHED
MV 2072 AW FF 20'0"	72"	94"/27"	21"	130 HP	_	16 gal.	1200#	8/2100#	.102"	Modified-V	15		1.CDII	
MV 2072 AW Tunnel FF 20'0"	72"	94"/27"	21"	130 HP	_	16 gal.	1200#	8/2100#	.102"	MV tunnel	13		✓+6RH	V
MV 2072 AW Tunnel CC 20'0"	72"	94"/27"	21"	130 HP	_	16 gal.	1200#	8/2100#	.102"	MV tunnel			V+6RH	~
MV 2072 AW SC 20'0"	72"	94"/27"	21"	115 HP	_	16 gal.	1100#	8/2100#	.102"	Modified-V			<b>✓</b> +6RH	~
MV 2072 AW 20'0"	72"	94"/27"	21"	60 HP	90 HP1	_	850#	8/2100#	.102"	Modified-V	15	~		V
MV 2072 AW Tunnel 20'0"	72"	94"/27"	21"	60 HP	90 HP1	_	850#	8/2100#	.102"	MV tunnel	-	Opt.	_	Opt.
MV 1860 AW Special 18'0"	60"	86"/25"	21"	115 HP	_	16 gal.	1050#	6/1600#	.102	Modified-V	15	Opt.		Opt.
VB 1860 AW Special Tunnel 18'0"	60"	86"/25"	21"	115 HP	_	16 gal.	1050#	6/1600#	.102"	Flat-V tunnel	L		V+6RH	~
MV 1860 AW CC 18'0"	60"	86"/25"	21"	115 HP		16 gal.	905#	6/1600#	.102"	Modified-V	L	_	✓+6RH	V
VB 1860 AW Tunnel CC 18'0"	60"	86"/25"	21"	115 HP	_	16 gal.	905#	6/1600#	.102"	Flat-V tunnel	L		<b>✓</b> +6RH	V
MV 1860 AW SC 18'0"	60"	86"/25"	21"	90 HP	_	16 gal.	875#	6/1600#	.102"	Modified-V	L	_	<b>✓</b> +6RH	V
VB 1860 AW Tunnel SC 18'0"	60"	86"/25"	21"	90 HP		16 gal.	875#	6/1600#	.102	Flat-V tunnel	L	V		V
MV 1860 AW 18'0"	60"	86"/25"	21"	50 HP	75 HP1		680#	6/1600#	.102"	Modified-V	L	~		V
VB 1860 AW Tunnel 18'0"	60"	86"/25"	21"	50 HP	75 HP1		680#	6/1600#	.102		13	Opt.		Opt.
MV 1756 AW CC 17'0"	56"	83"/24"	21"	75 HP		16 gal.	860#	5/1300#	.102	Flat-V tunnel	13	Opt.	_	Opt.
MV 1756 AW Tunnel CC 17'0"	56"	83"/24"	21"	75 HP		16 gal.	860#	5/1300#	.102	Modified-V	L	_	~	~
MV 1756 AW SC 17'0"	56"	83"/24"	21"	75 HP		16 gal.	830#	5/1300#	.102	Flat-V tunnel	L		V	~
VB 1756 AW Tunnel SC 17'0"	56"	83"/24"	21"	75 HP		16 gal.	830#	5/1300#	.102	Modified-V	L	V	_	~
MV 1756 AW 17'0"	56"	83"/24"	21"	50 HP	75 HP1	gui.	600#	5/1300#	.102	Flat-V tunnel	L	~		~
VB 1756 AW Tunnel 17'0"	56"	83"/24"	21"	50 HP	75 HP1		600#	5/1300#	.102	Modified-V Flat-V tunnel	13	Opt.	_	Opt.
MV 1650 AW CC 16'0"	50"	74"/22"	21"	60 HP	_	_	690#	5/1100#	.102	Modified-V	13	Opt.		Opt.
VB 1650 AW Tunnel CC 16'0"	50"	74"/22"	21"	60 HP	_		690#	5/1100#	.102"		L	~	~	~
MV 1650 AW SC 16'0"	50"	74"/22"	21"	60 HP			680#	5/1100#	.102	Flat-V tunnel	L	_	~	~
VB 1650 AW Tunnel SC 16'0"	50"	74"/22"	21"	60 HP			680#	5/1100#	.102	Modified-V	11	~	_	~
MV 1650 AW 16'0"	50"	74"/22"	21"	40 HP	60 HP1		485#	5/1100#		Flat-V tunnel	11	~	_	~
VB 1650 AW Tunnel 16'0"	50"	74"/22"	21"	40 HP	60 HP1		485#	5/1100#	.102"	Modified-V	11	Opt.		Opt.
Waterfowler 16 16'0"	50"	74"/22"	21"	40 HP		1_	525#	5/1100#	.102	Flat-V tunnel	11	Opt.		Opt.
MV 1546 AW DD 15'0"	46"	65"/20"	15"	25 HP	25 HP		340#	4/825#	.080"	Modified-V	11	_	′	-
MV 1546 AW DD Tunnel 15'0"	46"	65"/20"	15"	25 HP	25 HP		340#	4/ 025#	.080"	Modified-V	11	Opt.	_	_
MV 1546 AW 15'0"	46"	65"/20"	15"	25 HP	25 HP		340#	4/825#	.080	Modified-V tunnel Modified-V	11	Opt.	_	_

MV4040	HOM27		HOWN WOLLD	, January , Lander ,	H08800W	MEGHT.		HW. C.		W.n.	Sipt.	STEPHING LIVENELL Comments	CANTA RACH	Cally	1647 8 75 Comp	
MV 1648	16'0"	48"	70"/21"	15" or 20"	35 HP	280#	5/1010#	.070"	Modified-V	9	Opt.	Opt.	✓ w/storage	Opt.	Opt.	Olive Drab Green
MV 1648 NCS	16'0"	48"	70"/21"	15" or 20"	35 HP	310#	5/1010#	.070"	Modified-V	9	Opt.		- Wyotorage	Opt.	Opt.	
MV 1448	14'0"	48"	70"/21"	15" or 20"	25 HP	250#	5/885#	.070"	Modified-V	7	Opt.	Opt.				Olive Drab Green
1648	16'0"	48"	70"/21"	15" or 20"	35 HP	285#	5/1010#	.070"	Flatbottom	9	Opt.		✓ w/storage	Opt.	Opt.	Olive Drab Green
1648 NCS	16'0"	48"	70"/21"	15" or 20"	35 HP	260#	5/1010#	.070"	Flatbottom	-	-	Opt.	✓ w/storage	Opt.	Opt.	Olive Drab Green
1448	14'0"	48"	70"/21"	15" or 20"	25 HP	260#	5/885#	.070"		9	Opt.			Opt.	Opt.	Olive Drab Green
1542	15'0"	42"	62"/20"	15"	25 HP	210#			Flatbottom	7	Opt.	Opt.	✓ w/storage	Opt.	Opt.	Olive Drab Green
1442	14'0"	42"	62"/20"	15"	25 HP	190#	4/775#	.063"	Flatbottom	8	Opt.	_	~	Opt.	Opt.	Olive Drab Green
442 LW	14'0"	42"	62"/20"	15"			4/770#	.063"	Flatbottom	7	Opt.	_	~	Opt.	Opt.	Olive Drab Green
442 NCS	14'0"	42"	, ,		25 HP	210#	4/770#	.063"	Flatbottom	7	Opt.	V	V	Opt.	Opt.	Olive Drab Green
436			62"/20"	15"	25 HP	230#	4/770#	.063"	Flatbottom	7	Opt.	_	_	Opt.	Opt.	Olive Drab Green
436 Lite	14'0"	36"	55"/19"	15"	15 HP	180#	3/605#	.058"	Flatbottom	7		Opt.	V	Opt.	Opt.	Olive Drab Green
	14'0"	36"	55"/19"	15"	15 HP	135#	3/625#	.053"	Flatbottom	6	_	Opt.box	V	Opt.	Opt.	
236	12'0"	36"	55"/19"	15"	15 HP	125#	3/540#	.053"	Flatbottom	5		- Opt.00%	~		,	Olive Drab Green
036	10'0"	36"	55"/19"	15"	3 HP	105#	2/365#	.053"	Flatbottom	2			-	Opt.	Opt.	Olive Drab Green
			TELLOR	D.			2,00011	.000	HatbUttolli	4			~	Opt.	Opt.	Olive Drab Green






JON BOAT SPECIFICATIONS



WV 1756 AW
VB 1756 AW Tunnel
MV 1650 AW CC
VB 1650 AW Tunnel CC









																	2 > 🗀		21	
	NSTRUMENTATION	THEWE!	STORAGE COVAGE	ORYSTORIAS	SUN 804	56475. Sieng	Posito Les doj.	SEAT POLST.	COULT COULT	1009 Along Ser	DROP DE	THOUT WE WE	Th. MOTOR HAD.	LIGHTS THE STATE OF THE STATE O	POWED COURSY	HIGE PH.	SPAN-IN	SPONSS	PAINT CO.	CAMOPANY
	✓ S,T,V,F	V	2	_	_	FF, Cons.	2	2 pin	~	V	-	Opt.	<b>∨</b> w/TT	~	2	V	Opt.	_	Khaki	_
	✓ S,T,V,F	~	2	_	_	FF, Cons.	2	2 pin	~	~	_	Opt.	<b>∨</b> w/TT	~	2	~	Opt.	Opt.	Khaki	_
	✓ S,T,V,F	~	2	_	-	Cons.	2	1 pin, 1L	_	~	_	Opt.	<b>∨</b> w/TT	~	2	~	Opt.	Opt.	Khaki	
	✓ S,T,V,F	~	3+rod	1	_	2	2	2 pin	_	V	_	Opt.	<b>∨</b> w/TT	~	2	~	Opt.	_	Khaki	- 9
_	-	_	_	_	Opt.	_	Opt.	Opt.	_	Opt.	_	Opt.	_	Opt.1	_	_	_	-	Khaki	_
	_	+	-	_	Opt.	_	Opt.	Opt.	_	Opt.	_	Opt.	_	Opt.1	_	_	_	Opt.	Khaki	_
	✓ S,T,V,F	~	2	_	_	Cons.	2	1 pin, 1L	_	~	_	Opt.	<b>✓</b> W/TT	~	2	~	~	_	White	_
	✓ S,T,V,F	~	2	_	_	Cons.	2	1 pin, 1L	_	V	_	Opt.	<b>∨</b> W/TT	~	2	~	~	Opt.	White	_
	✓ S,T,V,F	~	2	-	-	Cons.	2	1 pin, 1L	-	V	_	Opt.	<b>∨</b> W/TT	~	2	~	Opt.	_	Khaki	Opt.
	✓ S,T,V,F	~	2	-	_	Cons.	2	1 pin, 1L	_	~	-	Opt.	<b>∨</b> W/TT	~	2	~	Opt.	Opt.	Khaki	Opt.
	✓ S,T,V,F	~	3+rod	1	_	2	2	2 pin	_	~	_	Opt.	<b>∨</b> w/TT	~	2	~	Opt.	_	Khaki	Opt.
	✓ S,T,V,F	V	3+rod	1	_	2	2	2 pin	_	~	_	Opt.	<b>∨</b> w/TT	V	2	~	Opt.	-	Khaki	Opt.
	-	_	_	_	Opt.	_	Opt.	Opt.	_	Opt.	_	Opt.	_	Opt.1	-	-	-	-	Khaki	Opt.
	_	_	_	_	Opt.	_	Opt.	Opt.	_	Opt.	_	Opt.	-	Opt.1	-	_	_	Opt.	Khaki	Opt.
	✓ S,T,V,F	~	2	_	_	_	2	1 pin, 1L	_	~	_	Opt.	~	~	2	~	Opt.	-	Khaki	Opt.
	✓ S,T,V,F	~	2	_	_		2	1 pin, 1L	-	V		Opt.	~	~	2	~	Opt.	Opt.	Khaki	Opt.
	✓ S,T,V,F	~	3+rod	1	-	2	2	2 pin	-	V	_	Opt.	~	V	2	~	Opt.	_	Khaki	Opt.
	✓ S,T,V,F	~	3+rod	1		2	2	2 pin		~	_	Opt.	~	~	2	~	Opt.		Khaki	Opt.
	-	_	2	_	Opt.	_	Opt.	Opt.	_	Opt.	_	Opt.	_	Opt.1	_	_	_	-	Khaki	Opt.
	_	-	2		Opt.	_	Opt.	Opt.	_	Opt.	_	Opt.	_	Opt.1	_	_	_	Opt.	Khaki	Opt.
	✓ S,T,V	~	2	_	_	_	2	1 pin, 1L	-	V	-	Opt.	<b>✓</b> 12V	~	2	~	Opt.	_	Khaki	Opt.
	✓ S,T,V	V	2	_	_	_	2	1 pin, 1L	_	~	-	Opt.	<b>✓</b> 12V	~	2	V	Opt.	Opt.	Khaki	Opt.
	✓ S,T,V	V	3	1	_	2	2	2 pin	_	V	_	Opt.	<b>✓</b> 12V	~	2	~	Opt.	-	Khaki	Opt.
	✓ S,T,V	V	3	1	_	2	2	2 pin	_	~	-	Opt.	<b>✓</b> 12V	~	2	~	Opt.	_	Khaki	Opt.
-	_	_	2	_	Opt.	_	Opt.	Opt.	_	Opt.	_	Opt.	_	Opt.	_	_	_	_	Khaki	Opt.
	_	_	2	_	Opt.	_	Opt.	Opt.	-	Opt.	_	Opt.	_	Opt.	_	_	_	Opt.	Khaki	Opt.
	-	-	1	_	1	_	Opt.	1 pin	-	V	~	Opt.	<b>✓</b> 12V	~	2	V	_	_	Khaki	Opt.
	_	-	-	_	Opt.	_	Opt.	1 pin	-	Opt.	~	Opt.	_	-	_	_	_	-	Khaki	Opt.
	-		-	_	Opt.	-	Opt.	1 pin	-	Opt.	~	Opt.	_	-	-	-	_	_	Khaki	Opt.
	_	_	-	-	Opt.		Opt.	Opt.	-	Opt.	-	Opt.	-	-	-	_	-	-	Khaki	Opt.
																1 W	Vith optional	floor packaç	ge installed a	t factory only

























