

Chey's

Doesn't get any better than this.

ALUMACRAFT® 2013

BOAT SPECIFICATIONS

	LENGTH	BEAM	DEPTH: MAXIMUM/TO FLOOR	TRANSOM: WIDTH/HEIGHT	MAX. HORSEPOWER	PERSON CAPACITY	WEIGHT	FUEL CAPACITY	HULL THICKNESS: BOTTOM/SIDE	2XB BOW	2 XB HULL	SEATS	JUMP SEATS	PEDESTALS/ SOCKETS	LIVEWELL BOW	LIVEWELL AFT	STEERING	INSTRUMENTATION	STEREO
TROPHY 205	20'8" (6.2 m)	98" (2.49 m)	47/27" (1.2 m/69 m)	96/25" (2.44 m/64 m)	250 (186 kw)	9/2350 lbs. (9/1066 kg)	1915 lbs. (868 kg)	45 gal. (170 L)	.100"/.080" (2.5 mm/2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)	4	2	5/6	13 gal. (49 L)	21 gal. (79 L)	hydraulic	speedometer, tachometer, voltmeter, fuel gauge, horn	AM/FM/MP3 with 2 speakers Sirius ready
TROPHY 195	19'8" (5.9 m)	98" (2.49 m)	47/27" (1.2 m/69 m)	96/25" (2.44 m/64 m)	200 (149 kw)	8/2000 lbs. (8/907 kg)	1805 lbs. (818 kg)	34 gal. (128 L)	.100"/.080" (2.5 mm/2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)	4	2	5/6	13 gal. (49 L)	21 gal. (79 L)	hydraulic		
TROPHY 185	17'8" (5.6 m)	98" (2.49 m)	47/27" (1.2 m/69 m)	96/25" (2.44 m/64 m)	175 (130 kw)	8/1760 lbs. (8/798 kg)	1780 lbs. (807 kg)	34 gal. (128 L)	.100"/.080" (2.5 mm/2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)	3	2	4/5	13 gal. (49 L)	21 gal. (79 L)	no feedback		
TROPHY 175	17'8" (5.3 m)	94" (2.39 m)	43/25" (1.1 m/64 m)	94/25" (2.39 m/64 m)	150 (111 kw)	7/1600 lbs. (7/725 kg)	1550 lbs. (703 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	2	4/5	13 gal. (49 L)	21 gal. (79 L)	no feedback		
DOMINATOR 185 SPORT	18'9" (5.7 m)	94" (2.39 m)	43/23" (1.09 m/58 m)	94/25" (2.39 m/63 m)	150 (111 kw)	6/1600 lbs. (6/726 kg)	1530 lbs. (694 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	2	3/6	13 gal. (49 L)	13 gal. (49 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
DOMINATOR 185 CS	18'9" (5.7 m)	94" (2.39 m)	43/23" (1.09 m/58 m)	94/25" (2.39 m/63 m)	150 (111 kw)	6/1600 lbs. (6/726 kg)	1438 lbs. (652 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	2	3/6	13 gal. (49 L)	13 gal. (49 L)	no feedback		optional
DOMINATOR 175 SPORT	17'9" (5.4 m)	94" (2.39 m)	43/23" (1.09 m/58 m)	94/25" (2.39 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1482 lbs. (672 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	2	2/6	13 gal. (49 L)	13 gal. (49 L)	no feedback		optional
DOMINATOR 175 CS	17'9" (5.4 m)	94" (2.39 m)	43/23" (1.09 m/58 m)	94/25" (2.39 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1390 lbs. (630 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	2	2/6	13 gal. (49 L)	13 gal. (49 L)	no feedback		optional
DOMINATOR 165 SPORT	16'8" (5.0 m)	91" (2.31 m)	42/22" (1.06 m/56 m)	91/20" (2.31 m/51 m)	90 (67 kw)	6/1100 lbs. (5/499 kg)	1250 lbs. (567 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	2	2/6	13 gal. (49 L)	13 gal. (49 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
DOMINATOR 165 CS	16'8" (5.0 m)	91" (2.31 m)	42/22" (1.06 m/56 m)	91/20" (2.31 m/51 m)	90 (67 kw)	6/1100 lbs. (5/499 kg)	1175 lbs. (533 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	2	2/6	13 gal. (49 L)	13 gal. (49 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
COMPETITOR 185 SPORT	18'8" (5.6 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1600 lbs. (6/726 kg)	1500 lbs. (680 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	—	3/6	13 gal. (49 L)	21 gal. (79 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
COMPETITOR 185 CS	18'8" (5.6 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1600 lbs. (6/726 kg)	1410 lbs. (639 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	—	3/6	13 gal. (49 L)	21 gal. (79 L)	no feedback		optional
COMPETITOR 185 TILLER	18'8" (5.6 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	90 (67 kw)	6/1600 lbs. (6/726 kg)	1300 lbs. (589 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	—	3/5	13 gal. (49 L)	21 gal. (79 L)	—		optional
COMPETITOR 175 SPORT	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1375 lbs. (624 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/6	13 gal. (49 L)	21 gal. (79 L)	no feedback		optional
COMPETITOR 175 CS	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1285 lbs. (583 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/6	13 gal. (49 L)	21 gal. (79 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
COMPETITOR 175 TILLER	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/20" (2.36 m/51 m)	75 (56 kw)	6/1300 lbs. (6/589 kg)	1160 lbs. (526 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/5	13 gal. (49 L)	21 gal. (79 L)	—	—	optional
COMPETITOR 165 SPORT	16'7" (5 m)	87" (2.2 m)	35/23" (.89 m/58 m)	87/20" (2.2 m/51 m)	90 (67 kw)	6/1325 lbs. (6/601 kg)	1040 lbs. (471 kg)	17 gal. (64 L)	.080"/.065" (2.0 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/6	—	19 gal. (72 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
COMPETITOR 165 CS	16'7" (5 m)	87" (2.2 m)	35/23" (.89 m/58 m)	87/20" (2.2 m/51 m)	90 (67 kw)	6/1325 lbs. (6/601 kg)	960 lbs. (435 kg)	17 gal. (64 L)	.080"/.065" (2.0 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/6	—	19 gal. (72 L)	no feedback		optional
COMPETITOR 165 TILLER	16'7" (5 m)	87" (2.2 m)	35/23" (.89 m/58 m)	87/20" (2.2 m/51 m)	70 (52 kw)	6/1325 lbs. (6/601 kg)	920 lbs. (417 kg)	17 gal. (64 L)	.080"/.065" (2.0 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/6	—	19 gal. (72 L)	—		optional
NAVIGATOR 175 SPORT	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1357 lbs. (616 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/6	34 gal. (128.7 L)	21 gal. (79 L)	no feedback	speedometer, tachometer, tachometer, fuel gauge, horn	optional
NAVIGATOR 175 CS	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1270 lbs. (576 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/6	34 gal. (128.7 L)	21 gal. (79 L)	no feedback	speedometer, tachometer, tachometer, fuel gauge, horn	optional
NAVIGATOR 165 SPORT	16'8" (5.08 m)	91" (2.31 m)	42/23" (1.06 m/58 m)	90/20" (2.29 m/51 m)	90 (67 kw)	6/1340 lbs. (6/608 kg)	1050 lbs. (476 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	—	2/5	34 gal. (128.7 L)	—	no feedback	speedometer, tachometer, tachometer, fuel gauge, horn	optional
NAVIGATOR 165 CS	16'8" (5.08 m)	91" (2.31 m)	42/23" (1.06 m/58 m)	90/20" (2.29 m/51 m)	90 (67 kw)	6/1340 lbs. (6/608 kg)	965 lbs. (438 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	—	2/5	34 gal. (128.7 L)	—	no feedback		optional
NAVIGATOR 165 TILLER	16'8" (5.08 m)	91" (2.31 m)	42/23" (1.06 m/58 m)	90/20" (2.29 m/51 m)	75 (56 kw)	6/1245 lbs. (6/565 kg)	925 lbs. (420 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	—	—	34 gal. (128.7 L)	—	—		optional
CLASSIC 165 CS	16'4" (5.0 m)	82" (2.1 m)	35/21" (.89 m/53 m)	82/20" (2.1 m/51 m)	75 (56 kw)	5/1280 lbs. (5/580 kg)	895 lbs. (406 kg)	17 gal. (64 L)	.080"/.065" (2 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/6	34 gal. (128.7 L)	—	no feedback	speedometer, tachometer, tachometer, fuel gauge, horn	—
CLASSIC 165	16'4" (5.0 m)	82" (2.1 m)	35/21" (.89 m/53 m)	82/20" (2.1 m/51 m)	60 (44 kw)	5/1295 lbs. (5/587 kg)	805 lbs. (365 kg)	17 gal. (64 L)	.080"/.065" (2 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/5	34 gal. (128.7 L)	—	—	—	—
LUNKER II CS	16'6" (5.0 m)	76" (1.93 m)	35/22" (.89 m/56 m)	73/20" (1.85 m/508 m)	50 (37 kw)	5/1235 lbs. (5/560 kg)	740 lbs. (336 kg)	portable	.080"/.065" (2 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	no feedback	—	—
LUNKER II	16'6" (5.0 m)	76" (1.93 m)	35/22" (.89 m/56 m)	73/20" (1.85 m/508 m)	50 (37 kw)	5/1235 lbs. (5/560 kg)	705 lbs. (320 kg)	portable	.080"/.065" (2 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	—	—	—
FISHERMAN 160 CS	16'3" (4.9 m)	73" (1.85 m)	32/20" (.81 m/508 m)	67/20" (1.7 m/508 m)	40 (30 kw)	5/1118 lbs. (5/507 kg)	622 lbs. (282 kg)	portable	.070"/.065" (1.78 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	single cable SAFE-T	—	—
FISHERMAN 160	16'3" (4.9 m)	73" (1.85 m)	32/20" (.81 m/508 m)	67/20" (1.7 m/508 m)	25 (19 kw)	5/1118 lbs. (5/507 kg)	600 lbs. (272 kg)	portable	.070"/.065" (1.78 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	—	—	—
FISHERMAN 145 CS	14'10" (4.5 m)	73" (1.85 m)	32/20" (.81 m/508 m)	67/20" (1.7 m/508 m)	30 (22 kw)	4/925 lbs. (4/422 kg)	602 lbs. (280 kg)	portable	.070"/.065" (1.78 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	single cable SAFE-T	—	—
FISHERMAN 145	14'10" (4.5 m)	73" (1.85 m)	32/20" (.81 m/508 m)	67/20" (1.7 m/508 m)	25 (19 kw)	4/925 lbs. (4/422 kg)	580 lbs. (260 kg)	portable	.070"/.065" (1.78 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	na	—	—

The **ALUMACRAFT** Advantage

Better Built

Can a boat be tough but agile? Strong but light on its feet? It can if it's an Alumacraft.

Full-length double plating means twice the strength and protection all the way to the transom — without compromising agility. Compare our twin-plated 2XB hull models against competing boats that have, at best, only twin-plating in the bow.

Better Ride

Smooth, quiet, responsive.

That's what you want in a boat, and that's exactly what Alumacraft delivers.

Alumacraft's exclusive hull design gives you a superior ride with our double-plating and solid-bottom construction that dramatically reduces sound and vibration from below.


Plus, our 2XB hull models produce minimal flexing that can adversely affect handling.

Better Value

What do you get when you combine a better build with a better ride?

Better value.

Compare standard features, hull thickness and construction and you'll find that Alumacraft gives you a better value. And we're the only major fishing boat manufacturer that offers all five major motor brands.



BOAT SPECIFICATIONS

All Welds	LENGTH	BOTTOM WIDTH	BEAM SIDE HEIGHT	TRANSOM HEIGHT (ALL-ALUMINUM)	MAXIMUM HORSEPOWER (HP)	HORSEPOWER (OPTIONAL SIDE CONSOLE) (HP)	FUEL TANK (gal.)	APPROXIMATE WEIGHT	CAPACITY	HULL GAUGE	HULL TYPE	NUMBER OF RIBS	SIDE CONSOLE	CENTER CONSOLE	WINDSHIELD	INSTRUMENTATION	LIVELINE	STORAGE COMPARTMENTS	DRY STORAGE COMPARTMENTS	GUN BOX	SEATS	FISHING SEATS	SEAT PEDESTAL BASES	COOLER	FLOOR	DROP DECK	TROLLING MOTOR, GRAPH	TROLLING-MOTOR HARNESS	LIGHTS	POWER POINTS	BILGE PUMP	SPRAY-IN FLOOR LINER	SPONSORS	PAINT COLOR	CAMO PAINT	
MV 2072 AW FF	20'0"	72"	94'/27"	21"	130	—	20	1175 lbs.	6/2100 lbs.	.102"	Mod-V	L	—	+6RH	Std	S,T,F	Std	2	—	—	Ft, Cons.	2	2 Pin	Std	Std	—	Opt	w/TT	Std	1	Std	Opt	—	Khaki	Opt	
MV 2072 AW Tunnel FF	20'0"	72"	94'/27"	21"	130	—	20	1185 lbs.	6/2100 lbs.	.102"	MV Tunnel	L	—	+6RH	Std	S,T,F	Std	2	—	—	Ft, Cons.	2	2 Pin	Std	Std	—	Opt	w/TT	Std	1	Std	Opt	Opt	Khaki	Opt	
MV 2072 AW Tunnel CC	20'0"	72"	94'/27"	21"	130	—	20	1135 lbs.	6/2100 lbs.	.102"	MV Tunnel	L	—	+6RH	Std	S,T,F	Std	2	—	—	Cons.	2	1 Pin, 1L	—	Std	—	Opt	w/TT	Std	1	Std	Opt	Opt	Khaki	Opt	
MV 2072 AW SC	20'0"	72"	94'/27"	21"	115	—	20	1145 lbs.	5/2100 lbs.	.102"	Mod-V	L	Std	—	Std	S,T,F	Std	3+Rod	1	—	2	2	2 Pin	—	Std	—	Opt	w/TT	Std	1	Std	Opt	—	Khaki	Opt	
MV 2072 AW	20'0"	72"	94'/27"	21"	90	90	—	730 lbs.	4/2100 lbs.	.102"	Mod-V	L	Opt	—	Opt	—	—	2	—	Opt	—	Opt	1 Pin	—	Std	—	Opt	—	Opt*	—	—	—	—	Khaki	Opt	
MV 2072 AW Tunnel	20'0"	72"	94'/27"	21"	90	90	—	740 lbs.	4/2100 lbs.	.102"	MV Tunnel	L	Opt	—	Opt	—	—	2	—	Opt	—	Opt	1 Pin	—	Std	—	Opt	—	Opt*	—	—	—	Opt	Khaki	Opt	
MV 1860 W Special	18'0"	60"	86'/25"	21"	115	—	20	865 lbs.	5/1600 lbs.	.102"	Mod-V	L	—	+6RH	Std	S,T,F	Std	2	—	—	Cons.	2	1 Pin, 1L	—	Std	—	Opt	w/TT	Std	1	Std	Std	—	White	—	
VB 1860 W Special Tunnel	18'0"	60"	86'/25"	21"	115	—	20	875 lbs.	5/1600 lbs.	.102"	Flat-V Tunnel	L	—	+6RH	Std	S,T,F	Std	2	—	—	Cons.	2	1 Pin, 1L	—	Std	—	Opt	w/TT	Std	1	Std	Std	Opt	White	—	
MV 1860 AW CC	18'0"	60"	86'/25"	21"	115	—	20	865 lbs.	5/1600 lbs.	.102"	Mod-V	L	—	+6RH	Std	S,T,F	Std	2	—	—	Cons.	2	1 Pin, 1L	—	Std	—	Opt	w/TT	Std	1	Std	Opt	—	Khaki	Opt	
VB 1860 AW TUNNEL CC	18'0"	60"	86'/25"	21"	115	—	20	875 lbs.	5/1600 lbs.	.102"	Flat-V Tunnel	L	—	+6RH	Std	S,T,F	Std	2	—	—	Cons.	2	1 pin, 1L	—	Std	—	Opt	w/TT	Std	1	Std	Opt	Opt	Khaki	Opt	
MV 1860 AW SC	18'0"	60"	86'/25"	21"	90	—	20	910 lbs.	5/1600 lbs.	.102"	Mod-V	L	Std	—	Std	S,T,F	Std	3+Rod	1	—	2	2	2 pin	—	Std	—	Opt	w/TT	Std	1	Std	Opt	—	Khaki	Opt	
VB 1860 AW TUNNEL SC	18'0"	60"	86'/25"	21"	90	—	20	920 lbs.	5/1600 lbs.	.102"	Flat-V Tunnel	L	Std	—	Std	S,T,F	Std	3+Rod	1	—	2	2	2 pin	—	Std	—	Opt	w/TT	Std	1	Std	Opt	—	Khaki	Opt	
MV 1860 AW	18'0"	60"	86'/25"	21"	50	90	—	625 lbs.	4/1600 lbs.	.102"	Mod-V	L	Opt	—	Opt	—	—	2	—	Opt	—	Opt	1 pin	—	Std	—	Opt	—	Opt	—	—	—	—	Khaki	Opt	
VB 1860 AW TUNNEL	18'0"	60"	86'/25"	21"	50	90	—	635 lbs.	4/1600 lbs.	.102"	Mod-V	L	Opt	—	Opt	—	—	2	—	Opt	—	Opt	1 pin	—	Std	—	Opt	—	Opt	—	—	—	Opt	Khaki	Opt	
MV 1756 AW CC	17'0"	56"	83'/24"	21"	75	—	20	805 lbs..	4/1300 lbs.	.102"	Mod-V	L	—	Std	Std	S,T,F	Std	2	—	—	—	2	1 pin, 1L	—	Std	—	Opt	Std	Std	1	Std	Opt	—	Khaki	Opt	
VB 1756 AW TUNNEL CC	17'0"	56"	83'/24"	21"	75	—	20	815 lbs..	4/1300 lbs.	.102"	Flat-V Tunnel	L	—	Std	Std	S,T,F	Std	2	—	—	—	2	1 pin, 1L	—	Std	—	Opt	Std	Std	1	Std	Opt	Opt	Khaki	Opt	
MV 1756 AW SC	17'0"	56"	83'/24"	21"	75	—	20	895 lbs.	4/1300 lbs.	.102"	Mod-V	L	Std	—	Std	S,T,F	Std	3+Rod	1	—	2	2	2 pin	—	Std	—	Opt	Std	Std	1	Std	Opt	—	Khaki	Opt	
VB 1756 AW TUNNEL SC	17'0"	56"	83'/24"	21"	75	—	20	905 lbs.	4/1300 lbs.	.102"	Flat-V Tunnel	L	Std	—	Std	S,T,F	Std	3+Rod	1	—	2	2	2 pin	—	Std	—	Opt	Std	Std	1	Std	Opt	—	Khaki	Opt	
MV 1756 AW	17'0"	56"	83'/24"	21"	50	75	—	575 lbs.	4/1300 lbs.	.102"	Mod-V	L	Opt	—	Opt	—	—	2	—	Opt	—	Opt	1 pin	—	Std	—	Opt	—	Opt	Opt	—	—	—	—	Khaki	Opt
VB 1756 AW TUNNEL	17'0"	56"	83'/24"	21"	50	75	—	585 lbs.	4/1300 lbs.	.102"	Mod-V	L	Opt	—	Opt	—	—	2	—	Opt	—	Opt	1 pin	—	Std	—	Opt	—	Opt	Opt	—	—	Opt	Khaki	Opt	
MV 1650 AW CC	16'0"	50"	74'/22"	21"	60	—	—	720 lbs.	4/1010 lbs.	.102"	Mod-V	L	—	Std	Std	S,T,V	Std	2	—	—	—	2	1 pin, 1L	—	Std	—	Opt	12V	Std	1	Std	Opt	—	Khaki	Opt	
VB 1650 AW TUNNEL CC	16'0"	50"	74'/22"	21"	60	—	—	730 lbs.	4/1010 lbs.	.102"	Flat-V Tunnel	L	—	Std	Std	S,T,V	Std	2	—	—	—	2	1 pin, 1L	—	Std	—	Opt	12V	Std	1	Std	Opt	Opt	Khaki	Opt	
MV 1650 AW SC	16'0"	50"	74'/22"	21"	60	—	—	720 lbs.	4/1010 lbs.	.102"	Mod-V	L	Std	—	Std	S,T,V	Std	3	1	—	2	2	2 pin	—	Std	—	Opt	12V	Std	1	Std	Opt	—	Khaki	Opt	
VB 1650 AW TUNNEL SC	16'0"	50"	74'/22"	21"	60	—	—	730 lbs..	4/1010 lbs.	.102"	Flat-V Tunnel	L	Std	—	Std	S,T,V	Std	3	1	—	2	2	2 pin	—	Std	—	Opt	12V	Std	1	Std	Opt	—	Khaki	Opt	
MV 1650 AW	16'0"	50"	74'/22"	21"	40	60	—	470 lbs.	4/1010 lbs.	.102"	Mod-V	L	Opt	—	Opt	—	—	2	—	Opt	—	Opt	1 pin	—	Std	—	Opt	—	Opt	—	—	—	—	—	Khaki	Opt
WATER FOWLER 16	16'0"	50"	65'/20"	21"	40	—	—	555 lbs.	4/1010 lbs.	.102"	Mod-V	L	—	—	—	—	—	1	—	1	—	Opt	1 pin	—	Std	Std	Opt	12V	Std	1	Std	—	—	Khaki	Opt	
MV 1546 AW DD	15'0"	46"	65'/20"	15"	25	25	—	320 lbs.	3/719 lbs.	.080"	Mod-V	L	Opt	—	Opt	—	—	1	—	Opt	—	Opt	1 pin	—	Std	Std	Opt	—	—	—	—	—	—	—	Khaki	Opt
MV 1546 AW DD TUNNEL	15'0"	46"	65'/20"	15"	25	25	—	325 lbs.	3/719 lbs.	.080"	Mod-V Tunnel	L	Opt	—	Opt	—	—	1	—	Opt	—	Opt	1 pin	—	Std	Std	Opt	—	—	—	—	—	—	—	Khaki	Opt
MV 1546 AW	15'0"	46"	65'/20"	15"	25	25	—	320 lbs.	3/719 lbs.	.080"	Mod-V	L	Opt	—	Opt	—	—	1	—	Opt	—	Opt	1 pin	—	Std	—	Opt	—	—	—	—	—	—	—	Khaki	Opt

PF & PRO's	LENGTH	WIDTH: Maximum Beam	SIDE HEIGHT	TRANSOM: Width/Height	HORSEPOWER: Maximum	CAPACITY: Max. Persons	WEIGHT	FUEL TANK	HULL THICKNESS	SEATS*	PEDESTALS/SOCKETS	LIVELINE: Bow**	LIVELINE: Aft**	STEERING	CONSOLE: Fiberglass with Windscreen	INSTRUMENTS
PF 175	17'5"	84'/56"	23"	84'/21"	90 HP	4/1180 lbs.	1085 lbs.	20 gal.	0.102"	4	2/3	20 gal.	20 gal.	no feedback	Std	S,T,F
PRO 165	16'0"	74'/50"	21"	69'/21"	60 HP	4/965 lbs.	830 lbs.	—	0.102"	4	2/2	—	20 gal.	no feedback	Std	S,T,V
PRO 175	17'5"	84'/56"	23"	84'/21"	90 HP	5/1200 lbs.	1075 lbs.	20 gal.	0.102"	5	2/2	20 gal.	20 gal.	no feedback	Std	S,T,F
PRO 185	18'5"	86'/60"	24"	86'/21"	115 HP	5/1200 lbs.	1100 lbs.	20 gal.	0.102"	5	2/2	20 gal.	20 gal.	no feedback	Std	S,T,F

ALUMACRAFT

AN INDEPENDENTLY OWNED AND OPERATED BOAT COMPANY

315 W. St. Julien St. | St. Peter, MN 56082 | 507-931-1050 | Fax: 507-931-9056

1329 N. 10th St. | Arkadelphia, AR 71923 | 870-246-5555 | Fax: 870-246-4507

www.alumacraft.com


COPYRIGHT © 2012-2013 ALUMACRAFT BOAT CO. PRINTED IN THE U.S.A.



All Alumacraft boats are both NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical, and safety. National Marine Manufacturers Association certification is the most stringent in the industry. Look for it; not all boat manufacturers meet NMMA's higher standards.



ALUMACRAFT LIMITED WARRANTY — We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information. Photos, illustrations and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features, and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All ratings comply with the Federal Boat Safety act of 1971. Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.



 **SUZUKI**
MARINE
THE POWER BEHIND THE BEST BOATS

CLASSIC SERIES

165 Tiller ♦ 165 CS

"Classic: Belonging to the highest rank or class."
Yeah, the name sounds right. Easy to tow, fantastic
ride and performance, standard with all the right
features, and loads of storage; you can see why
it's a classic. It's a standard by which
others are measured.

EVINRUDE
E-TEC



Watch the
Classic video:
Scan the tag code with
your smartphone.



165 Tiller




Helm & Console



AlumaTrac™ System



Livewell




Aft Fishing Seat

STANDARD FEATURES


- ♦ Rod Storage – Dual 7" Locking Compartments
- ♦ New Integrated AlumaTrac™ System
- ♦ Gauges
- ♦ Bow Aerated Livewell with Timer (34 Gallon)
- ♦ Trolling – 12V Bow Outlet
- ♦ Stowable Running Lights
- ♦ 2 Interior Courtesy Lights
- ♦ Livewell Light
- ♦ Wind Screen (CS)
- ♦ Bilge Pump
- ♦ Driver's Seat Slider
- ♦ Fire Extinguisher
- ♦ Grab Handles

OPTIONAL EQUIPMENT

- ♦ MinnKota Trolling Motor
- ♦ Graph (Humminbird/Lowrance)
- ♦ Vinyl Floor – Replaces Carpeting
- ♦ Snap-in Carpet
- ♦ Rear Casting Deck Extension (CS)
- ♦ Mooring/Travel Covers
- ♦ AlumaTrac™ Accessories
- ♦ ShoreLand'r/Eagle/EZ Loader Trailer
- ♦ Rear Bench Conversion



Side Rod Storage



Rear Casting Deck Extension (optional)



165 CS

Boats may be shown with optional equipment.

ALUMACRAFT

Specially Priced
Package!

See your local
dealer for details.


CLASSIC
165^{CS}



EVINRUDE
E-TEC



COMPETITOR 175 Sport



TROPHY SERIES

175 ♦ 185 ♦ 195 ♦ 205

Either a tournament-style, big-water boat or a perfect family fish and ski, you can get the Trophy series just the way you want it. Features include an open bow with cushions or 8 ft. bow rod storage. Compare a hull that is twice as thick as most, an exclusive soft 2XB ride, and all the amenities you expect, and you'll catch the trophy of a lifetime.



Watch the
Trophy video:
Scan the tag code with
your smartphone.

STANDARD FEATURES

- ♦ Hydraulic Steering (205/195)
- ♦ New Integrated AlumaTrac™ System
- ♦ Tilt Helm
- ♦ AM/FM/MP3 Stereo
- ♦ Lockable 8' Rod Compartment
- ♦ Lockable Glove Box
- ♦ Dual Aerated Livewells with Timers
- ♦ Multifunctional Gauges
- ♦ Lockable Storage
- ♦ Bow Rod Storage (8') or Open Bow
- ♦ Master Electrical Switch
- ♦ Dual Power Points
- ♦ Circuit Breakers
- ♦ Trolling Systems - 12/24V
- ♦ Stowable Running Lights
- ♦ Interior Courtesy Lights
- ♦ Livewell Lights
- ♦ Bilge Pumps - 1 Auto & 1 Manual (205, 195, 185), 1 Manual (175)
- ♦ Fire Extinguisher
- ♦ Grab Handles
- ♦ Driver's Seat Slider
- ♦ Cup Holders (Chrome)
- ♦ Folding Cleats

OPTIONAL EQUIPMENT

- ♦ Limited Package
- ♦ AlumaTrac™ Accessories
- ♦ MinnKota Trolling Motor
- ♦ Graph (Lowrance/Humminbird)
- ♦ Vinyl Floor - Replaces Carpeting
- ♦ Snap-in Carpet
- ♦ Convertible High-Rise Top with Boot
- ♦ Side, Aft & Walkway Curtain
- ♦ Bow Cushions
- ♦ Mooring/Travel Covers
- ♦ Bow Cover
- ♦ Captain's Chair
- ♦ Top Set Hider
- ♦ Hydraulic SeaStar Steering (Mandatory 150+ HP) (Standard on Trophy 205 & 195)
- ♦ Sport Steering Wheel
- ♦ ShoreLand'r/Eagle/EZ Loader Trailer


*Features available on LE only




205




Aft Jump Seats




Livewell



Passenger Lower Storage*




Dash & Console*



Bow Rod Storage



AlumaTrac™ System



Bow Storage



175

Boats may be shown with optional equipment.

TROPHY
185
Limited



DOMINATOR SERIES

165 CS ♦ 175 Sport ♦ 185 Sport LE

Sized right and built for maximum fishability, the Dominator lives up to its name. Available in a sport package or side console, it's a serious fishing boat for sportsmen who are serious about fishing.



Watch the
Dominator video:
Scan the tag code with
your smartphone.

STANDARD FEATURES

- ♦ Lockable Bow Rod Storage (up to 8')
- ♦ New Integrated AlumaTrac™ System
- ♦ No Feedback Steering
- ♦ Wind Screen (CS)
- ♦ Driver's Seat Slider
- ♦ Multifunctional Gauges
- ♦ Lockable Glove Box (Sport)
- ♦ Dual Aerated Livewells with Timers
- ♦ Lockable Gunwale Storage
- ♦ Rear Jump Seats
- ♦ Trolling Systems 12/24V
- ♦ Stowable Running Lights
- ♦ Interior Courtesy Lights
- ♦ Livewell Lights
- ♦ Bilge Pump
- ♦ Fire Extinguisher
- ♦ Grab Handles
- ♦ Folding Cleats (175/185)

OPTIONAL EQUIPMENT

- ♦ Limited Package
- ♦ AlumaTrac™ Accessories
- ♦ MinnKota Trolling Motor
- ♦ Hydraulic Steering (185/175)
- ♦ Graph (Lowrance/Humminbird)
- ♦ Dual Bubble Windshield
- ♦ Vinyl Floor – Replaces Carpeting
- ♦ Snap-in Carpet
- ♦ Bow Cargo Nets
- ♦ AM/FM/MP3 Stereo
- ♦ Convertible High-Rise Top with Boot (Sport)
- ♦ Side, Aft & Walkway Curtain (Sport)
- ♦ Mooring/Travel Covers
- ♦ Captain's Chair
- ♦ Hydraulic SeaStar Steering (Mandatory 150 HP)
- ♦ Tilt Helm
- ♦ Sport Steering Wheel
- ♦ ShoreLand'r/Eagle/EZ Loader Trailer


*Features available on LE only



175 Sport



Forward Storage



AlumaTrac™ System




Livewell



Custom Side Pads*



Bow Rod Storage



Aft Jump Seats



Helm & Console*



165 CS

Boats may be shown with optional equipment.

DOMINATOR
185 Sport
Limited



EVINRUDE
E-TEC



COMPETITOR SERIES

165 CS ♦ 165 Sport ♦ 165 LC

Tough and nimble, sleek and stylish, the 165 series can do it all. With a beamy open cockpit and large bow casting platform, it's been mistaken at many boat landings for a 17-1/2 ft. boat. Order this in the limited package and you'll be sure to reel in the best catch of the day.

EVINRUDE
E-TEC



Watch the
Competitor video:
Scan the tag code with
your smartphone.


STANDARD FEATURES

- ♦ Lockable Rod Storage (up to 7')
- ♦ New Integrated AlumaTrac™ System
- ♦ 8' Side Rod Storage
- ♦ Multifunctional Gauges
- ♦ Lockable Glove Box (Sport)
- ♦ Aerated Livewell with Timer
- ♦ Multi-Function Gauges
- ♦ Wind Screen (CS)
- ♦ Trolling Systems - 12/24V
- ♦ Stowable Running Lights
- ♦ Interior Courtesy Lights
- ♦ Livewell Lights
- ♦ 12V Power Point
- ♦ Bilge Pump
- ♦ Fire Extinguisher
- ♦ Grab Handles
- ♦ Driver's Seat Slider


OPTIONAL EQUIPMENT

- ♦ Limited Package
- ♦ AlumaTrac™ Accessories
- ♦ MinnKota Trolling Motor
- ♦ Rear Casting Deck Extension (CS/Sport)
- ♦ Graph (Lowrance/Humminbird)
- ♦ Dual Bubble Windshield
- ♦ Vinyl Floor - Replaces Carpeting
- ♦ Snap-in Carpet
- ♦ AM/FM/MP3 Stereo
- ♦ Mooring/Travel Cover
- ♦ Convertible High-Rise Top with Boot (Sport)
- ♦ Side, Aft & Walkway Curtain (Sport)
- ♦ Captain's Chair
- ♦ Sport Steering Wheel
- ♦ ShoreLand'r/Eagle/EZ Loader Trailer
- ♦ Rear Bench Conversion


*Features available on LE only



165 CS




Helm & Console*



Livewell




Side Rod Storage



Passenger Under-Console Storage*



AlumaTrac™ System



Forward Floor Storage



Rear Casting Deck Extension (optional)



165 Sport Limited

Boats may be shown with optional equipment.

ALUMACRAFT

**Specially Priced
Package!**

See your local
dealer for details.

COMPETITOR
165 Sport
Limited



EVINRUDE
E-TEC



COMPETITOR SERIES

165 Tiller ♦ 175 Tiller ♦ 185 Tiller LE

For those who know that precision boat control catches more fish, you should also know our true V-hull double-plated Competitor tillers perform better than a jumbo leech on a 12 ft. snell. With a tournament-sized livewell, best rod storage in class, and a fishing layout the competition wishes they thought of, the fish don't stand a chance.



Watch the
Competitor video:
Scan the tag code with
your smartphone.




175 Tiller

STANDARD FEATURES


- ♦ Lockable Bow Rod Storage (up to 8' - 175/185, up to 7' - 165)
- ♦ Starboard Rod Storage (up to 8' - 175/185)
- ♦ Port Rod Storage (up to 8' - 165)
- ♦ New Integrated AlumaTrac™ System
- ♦ Dual Aerated Livewells with Timers (175/185)
- ♦ Aerated Livewell with Timer (165)
- ♦ Trolling Systems - 12/24V
- ♦ Stowable Running Lights
- ♦ Multifunctional Gauges
- ♦ Interior Courtesy Lights
- ♦ Livewell Lights
- ♦ Insulated Cooler (185/175)
- ♦ Bilge Pump
- ♦ Fire Extinguisher
- ♦ Grab Handles
- ♦ Driver's Seat Slider
- ♦ Folding Cleats (175/185)

OPTIONAL EQUIPMENT

- ♦ Limited Package
- ♦ AlumaTrac™ Accessories
- ♦ MinnKota Trolling Motor
- ♦ Graph (Lowrance/Humminbird)
- ♦ Vinyl Floor - Replaces Carpeting
- ♦ Snap-In Carpet
- ♦ AM/FM/MP3 Stereo
- ♦ Mooring/Travel Cover
- ♦ Captain's Chair
- ♦ ShoreLand'r/Eagle/EZ Loader Trailer
- ♦ Rear Bench Extension



Command Center




AlumaTrac™ System




Bow Rod Box



Cooler



Forward Floor Storage



MinnKota Trolling Motor



165 Tiller

Boats may be shown with optional equipment

ALUMACRAFT

Specially Priced
Package!

For 165 only. See your
local dealer for details.

COMPETITOR
185 Tiller
Limited



COMPETITOR SERIES

175 CS ♦ 175 Sport ♦ 185 Sport

Heading out to your favorite fishing grounds, you can't help but smile when you're behind the wheel of a new Competitor. It sure makes the lakes look smaller this year, doesn't it? When you get to that spot, you'll have all the right stuff to bring back the bounty for a traditional fish fry.



Watch the
Competitor video:
Scan the tag code with
your smartphone.

STANDARD FEATURES


- ♦ Lockable Bow Rod Storage (up to 8')
- ♦ Starboard Rod Storage (up to 8')
- ♦ Lockable Glove Box (Sport)
- ♦ Multifunctional Gauges
- ♦ New Integrated AlumaTrac™ System
- ♦ Dual Aerated Livewells with Timers
- ♦ Trolling Systems - 12/24V
- ♦ Stowable Running Lights
- ♦ Interior Courtesy Lights
- ♦ Livewell Lights
- ♦ Wind Screen (CS)
- ♦ 13 Gallon Insulated Cooler
- ♦ Bilge Pump
- ♦ Driver's Seat Slider
- ♦ Fire Extinguisher
- ♦ Grab Handles
- ♦ Folding Cleats

OPTIONAL EQUIPMENT

- ♦ Limited Package
- ♦ AlumaTrac™ Accessories
- ♦ MinnKota Trolling Motor
- ♦ Graph (Lowrance/Humminbird)
- ♦ Rear Casting Deck Extension (CS/Sport)
- ♦ Hydraulic SeaStar Steering (Mandatory 160+ HP)
- ♦ Tilt Helm
- ♦ Dual Bubble Windshield
- ♦ Vinyl Floor - Replaces Carpeting
- ♦ Snap-In Carpet
- ♦ AM/FM/MP3 Stereo
- ♦ Mooring/Travel Cover
- ♦ Captain's Chair
- ♦ Sport Steering Wheel
- ♦ ShoreLand'r/Eagle/EZ Loader Trailer




175 CS



Helm & Console




Cooler



Lockable Glove Box




Bow Rod Storage



Forward Floor Livewell



AlumaTrac™ System



185 Sport

Boats may be shown with optional equipment.

NAVIGATOR SERIES

165 CS ♦ 165 Tiller

175 CS ♦ 175 Sport

Two big rod lockers, an open floor plan and ample storage make the Navigator a great-performing, easy-to-handle fishing boat. It's the perfect choice for the multi-purpose boater and muskie fisherman.

HONDA



Watch the Navigator video: Scan the tag code with your smartphone.



165 CS

STANDARD FEATURES

- ♦ Lockable Rod Storage (up to 7^{1/2})
- ♦ New Integrated AlumaTrac™ System
- ♦ Dual Aerated Livewells with Timers (175)
- ♦ Bow Livewell (165 Sport)
- ♦ Lockable Glove Box (Sport)
- ♦ Multifunctional Gauges
- ♦ Stowable Running Lights
- ♦ Interior Courtesy Lights
- ♦ Livewell Lights
- ♦ Wind Screen (CS)
- ♦ Bilge Pump
- ♦ Driver's Seat Slider
- ♦ Fire Extinguisher
- ♦ Grab Handles

OPTIONAL EQUIPMENT

- ♦ MinnKota Trolling Motor
- ♦ Graph (Lowrance/Humminbird)
- ♦ Rear Casting Deck Extension (CS/Sport)
- ♦ Hydraulic SeaStar Steering (Mandatory 150+ HP)
- ♦ Tilt Helm
- ♦ Dual Bubble Windshield
- ♦ Vinyl Floor – Replaces Carpeting
- ♦ Snap-In Carpet
- ♦ AM/FM/MP3 Stereo
- ♦ Mooring/Travel Cover
- ♦ Captain's Chair
- ♦ AlumaTrac™ Accessories
- ♦ Sport Steering Wheel
- ♦ ShoreLand'r/Eagle/EZ Loader Trailer
- ♦ Rear Bench Conversion

175 Folding Cleats



Large Front Livewell



Port Rod Storage




Bow Storage



AlumaTrac™ System



Casting Deck Extension (optional)



Rear Livewell (175)



165 Tiller

Boats may be shown with optional equipment.

LUNKER SERIES

165 CS ♦ 165 Tiller

Climb on board and see for yourself the extra room for you and your fishing buddies. The most leg room in its class, bow rod storage, AlumaTrac™ gunnel system for your rod holders and cover, and a livewell right where you want it, this easy-to-tow, 16 ft. package will go where others can't and do what other's only dream of.

MERCURY
Outboards

ALUMACRAFT

Specially Priced Package!


See your local
dealer for details.




Watch the Lunker
video: Scan the tag code
with your smartphone.




165 Tiller



Helm & Console




Lowrance Graph (optional)




Forward Storage



AlumaTrac™ System



Livewell



Rod Storage

STANDARD FEATURES

- ♦ Rod Storage – Bow (up to 7')
- ♦ Aerated Livewell
- ♦ New Integrated AlumaTrac™ System
- ♦ 12V Trolling Motor System
- ♦ Stowable Running Lights
- ♦ Wind Screen (CS)
- ♦ Bilge Pump
- ♦ Driver's Seat Slider
- ♦ Grab Handles

OPTIONAL EQUIPMENT

- ♦ MinnKota Trolling Motor
- ♦ Graph (Humminbird/Lowrance)
- ♦ Vinyl Floor – Replaces Carpeting
- ♦ Snap-in Carpet
- ♦ Mooring/Travel Covers
- ♦ AlumaTrac™ Accessories
- ♦ ShoreLand'r/Eagle/EZ Loader Trailer



165 CS



V16



Watch the V's & T's
video: Scan the tag code
with your smartphone.

UTILITIES AND CANOES

V16 ♦ V14 ♦ T12V ♦ T14V
QT 15 ♦ QT 17 ♦ QT 18 ♦ CO 17

EVINRUDE
E-TEC




Quentico 18



V14



T12V/T14V



V14 & V16 Floor

Boats may be shown with optional equipment.

FISHERMAN SERIES


160 CS ♦ 145 CS ♦ 145 Tiller

Exceptional value with all the features of the big boys in a package you can tow behind your small vehicle — that's the Fisherman. With standard features like spacious livewell, bilge pump and in-floor rod storage, there are no compromises with this series.

EVINRUDE
E-TEC



Watch the
Fisherman video:
Scan the tag code with
your smartphone.




160 CS



Fisherman 145 CS




145 Tiller



Bow Storage



Livewell



Seating



Floor Storage



Console



Switches

STANDARD FEATURES

- ♦ Rod Storage — Floor (up to 7')
- ♦ Aerated Livewell
- ♦ 12V Trolling Motor System
- ♦ Stowable Running Lights
- ♦ Bilge Pump
- ♦ Driver's Seat Slider
- ♦ Grab Handles

OPTIONAL EQUIPMENT

- ♦ MinnKota Trolling Motor
- ♦ Graph (Humminbird/Lowrance)
- ♦ Wind Screen (CS)
- ♦ Vinyl Floor — Replaces Carpeting
- ♦ Snap-in Carpet
- ♦ Mooring/Travel Covers
- ♦ ShoreLand'r/EZ Loader Trailer

For more information, visit www.alumacraft.com.

ALUMACRAFT

Specially Priced
Package!

See your local
dealer for details.

FISHERMAN
160 TILLER



Boats may be shown with optional equipment.

EVINRUDE
E-TEC




PRO SERIES

165 ♦ 175 ♦ 185

Tons of storage and a raised bow and aft fishing platform make the well-equipped tournament-style Pro perfect for a leisurely day of fishing or a serious day of competition.



Watch the Pro video:
Scan the tag code with
your smartphone.



Helm & Console*




Helm & Console (165 & 175)



Rod Storage



Bow Seat*



Seating (Pro 175 only)*



Dual Console*



Livewell

STANDARD FEATURES

- ♦ Dual Lockable Rod Storage (up to 7' - 175/185)
- ♦ Dual Aerated Livewells (175/185)
- ♦ Aerated Livewell (165)
- ♦ Saltwater Resistant System
- ♦ Trim Switch on Bow (175/185)
- ♦ 12/24V Bow Outlet (175/185)
- ♦ 12V Bow Outlet (165)
- ♦ Under Seat Storage
- ♦ Built-in Fuel Tank (175/185)
- ♦ Wind Screen
- ♦ Stowable Running Lights
- ♦ Interior Courtesy Light
- ♦ Bilge Pump

OPTIONAL EQUIPMENT

- ♦ Limited Package (175/185)
- ♦ MinnKota Trolling Motor
- ♦ Graph (Lowrance/Humminbird)
- ♦ Bear/Diamond City Trailers
- ♦ Mooring/Travel Cover

*Features available on LE only.



175



165

Boats may be shown with optional equipment.

ALUMACRAFT

Specially Priced
Package!

See your local
dealer for details.

PRO
185 Limited



 **YAMAHA**

PF & CRAPPIE SERIES

Crappie Jon ♦ Crappie Deluxe ♦ PF 175

The PF works hard so you can play hard. It's small enough to get into the tightest timber, but big enough to store all your gear.

The Crappies are boats that are ready when you are. Easy to haul, comfortable to ride, and completely hassle-free.




Watch the PF video:
Scan the tag code with
your smartphone.




Watch the
Crappie Jon video:
Scan the tag code with
your smartphone.




PF 175



Helm & Console (PF 175)



Storage Locker (PF 175)




Rod Storage (PF 175)



Aerated Livewell



Aerated Livewell
(Crappie Deluxe)



New Crappie Deluxe Layout (with two side rod storage compartments)

STANDARD FEATURES

- ♦ Welded-in Aluminum Floor & Decks
- ♦ Dual Rod Storage
(up to 8' - Crappie Deluxe)
- ♦ Rod Storage (up to 7' - PF 175)
- ♦ Dual Aerated Livewells (PF 175)
- ♦ Aerated Livewell (Crappie Deluxe)
- ♦ Non-Aerated Livewell (Crappie Jon)
- ♦ 12V Trolling Harness (Crappie Deluxe)
- ♦ 12/24V Trolling Harness (PF 175)
- ♦ Bow Bracket Trolling (Crappie Jon)
- ♦ Interior Courtesy Light (PF 175)
- ♦ Stowable Running Lights
(PF 175/Crappie Deluxe)
- ♦ Wind Screen (PF 175)
- ♦ Bilge Pump

OPTIONAL EQUIPMENT

- ♦ MinnKota Trolling Motor
- ♦ Graph (Lowrance/Humminbird)
- ♦ Spray-in Liner
- ♦ Bear/Diamond City Trailers
- ♦ Mooring/Travel Cover



Crappie Jon

Boats may be shown with optional equipment.

ALUMACRAFT

**Specially Priced
Package!**

For PF 175 only. See your
local dealer for details.

LODGE & MARINA

Crappie
Deluxe



 **YAMAHA**

MV SERIES

MV 2072 ♦ MV 2072 SC
MV 2072 AW ♦ MV 2072 CC

Work or play, Alumacraft's all-weld jons offer solid, no-nonsense comfort, performance and affordability.


MERCURY
Outboards




Watch the
MV Series video:
Scan the tag code with
your smart phone.




MV 2072 SC




Center Console
with Rod Holder
& Storage



All Weld Floor



Side Storage



Livewell



Bow Storage



Side Console (SC)



MV 2072 AW

Boats may be shown with optional equipment.

MV 2072 CC



MERCURY
Outboards

MV SERIES


MV1860 AW ♦ MV1860 SC ♦ MV1860 CC

Choose a center console, side console or tiller and take one of our all-weld jons to the back country to find your favorite fishing hole.

EVINRUDE
E-TEC




Watch the
MV Series video:
Scan the tag code with
your smartphone.



Gauges



Rod Holder




All Weld Floor



Rod Storage (SC)



Bow Storage



Side Console (SC)



MV 1860 SC



MV 1860 AW

Boats may be shown with optional equipment.

MV 1860 CC



EVINRUDE
E-TEC



MV SERIES

MV 1756 AW ♦ MV 1756 SC

♦ MV 1756 CC


Easy to trailer and splash, our classic all-weld joints are the perfect utility boat good for multiple uses.



Watch the
MV Series video:
Scan the tag code with
your smartphone.




MV 1756 SC




All Weld Floor




Helm & Console



Bow Storage



Livewell (CO)



Fishing Chair



Lockable Storage (SC only)



Camo Paint optional



MV 1756 AW

Boats may be shown with optional equipment.

MV 1756 CC






JONS
RIES

utility boats you
on. Just think
s.

YAMAHA



MV 1648 Split Seat Aft




MV1650_{AW}

EVINRUDE
E-TEC



SIERRA
MV 1648 NCS



MERCURY
Outboards

BOAT SPECIFICATIONS


	LENGTH	BEAM	DEPTH: MAXIMUM/TO FLOOR	TRANSOM: WIDTH/HEIGHT	MAX. HORSEPOWER	PERSON CAPACITY	WEIGHT	FUEL CAPACITY	HULL THICKNESS: BOTTOM/SIDE	2XB BOW	2 XB HULL	SEATS	JUMP SEATS	PEDESTALS/ SOCKETS	LIVEWELL BOW	LIVEWELL AFT	STEERING	INSTRUMENTATION	STEREO
TROPHY 205	20'8" (6.2 m)	98" (2.49 m)	47/27" (1.2 m/69 m)	96/25" (2.44 m/64 m)	250 (186 kw)	9/2350 lbs. (9/1066 kg)	1915 lbs. (868 kg)	45 gal. (170 L)	.100"/.080" (2.5 mm/2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)	4	2	5/6	13 gal. (49 L)	21 gal. (79 L)	hydraulic	speedometer, tachometer, voltmeter, fuel gauge, horn	AM/FM/MP3 with 2 speakers Sirius ready
TROPHY 195	19'8" (5.9 m)	98" (2.49 m)	47/27" (1.2 m/69 m)	96/25" (2.44 m/64 m)	200 (149 kw)	8/2000 lbs. (8/907 kg)	1805 lbs. (818 kg)	34 gal. (128 L)	.100"/.080" (2.5 mm/2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)	4	2	5/6	13 gal. (49 L)	21 gal. (79 L)	hydraulic		
TROPHY 185	17'8" (5.6 m)	98" (2.49 m)	47/27" (1.2 m/69 m)	96/25" (2.44 m/64 m)	175 (130 kw)	8/1760 lbs. (8/798 kg)	1780 lbs. (807 kg)	34 gal. (128 L)	.100"/.080" (2.5 mm/2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)	3	2	4/5	13 gal. (49 L)	21 gal. (79 L)	no feedback		
TROPHY 175	17'8" (5.3 m)	94" (2.39 m)	43/25" (1.1 m/64 m)	94/25" (2.39 m/64 m)	150 (111 kw)	7/1600 lbs. (7/725 kg)	1550 lbs. (703 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	2	4/5	13 gal. (49 L)	21 gal. (79 L)	no feedback		
DOMINATOR 185 SPORT	18'9" (5.7 m)	94" (2.39 m)	43/23" (1.09 m/58 m)	94/25" (2.39 m/63 m)	150 (111 kw)	6/1600 lbs. (6/726 kg)	1530 lbs. (694 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	2	3/6	13 gal. (49 L)	13 gal. (49 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
DOMINATOR 185 CS	18'9" (5.7 m)	94" (2.39 m)	43/23" (1.09 m/58 m)	94/25" (2.39 m/63 m)	150 (111 kw)	6/1600 lbs. (6/726 kg)	1438 lbs. (652 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	2	3/6	13 gal. (49 L)	13 gal. (49 L)	no feedback		optional
DOMINATOR 175 SPORT	17'9" (5.4 m)	94" (2.39 m)	43/23" (1.09 m/58 m)	94/25" (2.39 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1482 lbs. (672 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	2	2/6	13 gal. (49 L)	13 gal. (49 L)	no feedback		optional
DOMINATOR 175 CS	17'9" (5.4 m)	94" (2.39 m)	43/23" (1.09 m/58 m)	94/25" (2.39 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1390 lbs. (630 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	2	2/6	13 gal. (49 L)	13 gal. (49 L)	no feedback		optional
DOMINATOR 165 SPORT	16'8" (5.0 m)	91" (2.31 m)	42/22" (1.06 m/56 m)	91/20" (2.31 m/51 m)	90 (67 kw)	6/1100 lbs. (5/499 kg)	1250 lbs. (567 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	2	2/6	13 gal. (49 L)	13 gal. (49 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
DOMINATOR 165 CS	16'8" (5.0 m)	91" (2.31 m)	42/22" (1.06 m/56 m)	91/20" (2.31 m/51 m)	90 (67 kw)	6/1100 lbs. (5/499 kg)	1175 lbs. (533 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	2	2/6	13 gal. (49 L)	13 gal. (49 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
COMPETITOR 185 SPORT	18'8" (5.6 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1600 lbs. (6/726 kg)	1500 lbs. (680 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	—	3/6	13 gal. (49 L)	21 gal. (79 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
COMPETITOR 185 CS	18'8" (5.6 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1600 lbs. (6/726 kg)	1410 lbs. (639 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	—	3/6	13 gal. (49 L)	21 gal. (79 L)	no feedback		optional
COMPETITOR 185 TILLER	18'8" (5.6 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	90 (67 kw)	6/1600 lbs. (6/726 kg)	1300 lbs. (589 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	3	—	3/5	13 gal. (49 L)	21 gal. (79 L)	—		optional
COMPETITOR 175 SPORT	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1375 lbs. (624 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/6	13 gal. (49 L)	21 gal. (79 L)	no feedback		optional
COMPETITOR 175 CS	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1285 lbs. (583 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/6	13 gal. (49 L)	21 gal. (79 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
COMPETITOR 175 TILLER	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/20" (2.36 m/51 m)	75 (56 kw)	6/1300 lbs. (6/589 kg)	1160 lbs. (526 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/5	13 gal. (49 L)	21 gal. (79 L)	—	—	optional
COMPETITOR 165 SPORT	16'7" (5 m)	87" (2.2 m)	35/23" (.89 m/58 m)	87/20" (2.2 m/51 m)	90 (67 kw)	6/1325 lbs. (6/601 kg)	1040 lbs. (471 kg)	17 gal. (64 L)	.080"/.065" (2.0 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/6	—	19 gal. (72 L)	no feedback	speedometer, tachometer, voltmeter, fuel gauge, horn	optional
COMPETITOR 165 CS	16'7" (5 m)	87" (2.2 m)	35/23" (.89 m/58 m)	87/20" (2.2 m/51 m)	90 (67 kw)	6/1325 lbs. (6/601 kg)	960 lbs. (435 kg)	17 gal. (64 L)	.080"/.065" (2.0 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/6	—	19 gal. (72 L)	no feedback		optional
COMPETITOR 165 TILLER	16'7" (5 m)	87" (2.2 m)	35/23" (.89 m/58 m)	87/20" (2.2 m/51 m)	70 (52 kw)	6/1325 lbs. (6/601 kg)	920 lbs. (417 kg)	17 gal. (64 L)	.080"/.065" (2.0 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/6	—	19 gal. (72 L)	—		optional
NAVIGATOR 175 SPORT	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1357 lbs. (616 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/6	34 gal. (128.7 L)	21 gal. (79 L)	no feedback	speedometer, tachometer, tachometer, fuel gauge, horn	optional
NAVIGATOR 175 CS	17'8" (5.3 m)	95" (2.41 m)	43/23" (1.09 m/58 m)	93/25" (2.36 m/63 m)	150 (111 kw)	6/1370 lbs. (6/621 kg)	1270 lbs. (576 kg)	34 gal. (128 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	2	—	2/6	34 gal. (128.7 L)	21 gal. (79 L)	no feedback	speedometer, tachometer, tachometer, fuel gauge, horn	optional
NAVIGATOR 165 SPORT	16'8" (5.08 m)	91" (2.31 m)	42/23" (1.06 m/58 m)	90/20" (2.29 m/51 m)	90 (67 kw)	6/1340 lbs. (6/608 kg)	1050 lbs. (476 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	—	2/5	34 gal. (128.7 L)	—	no feedback	speedometer, tachometer, tachometer, fuel gauge, horn	optional
NAVIGATOR 165 CS	16'8" (5.08 m)	91" (2.31 m)	42/23" (1.06 m/58 m)	90/20" (2.29 m/51 m)	90 (67 kw)	6/1340 lbs. (6/608 kg)	965 lbs. (438 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	—	2/5	34 gal. (128.7 L)	—	no feedback		optional
NAVIGATOR 165 TILLER	16'8" (5.08 m)	91" (2.31 m)	42/23" (1.06 m/58 m)	90/20" (2.29 m/51 m)	75 (56 kw)	6/1245 lbs. (6/565 kg)	925 lbs. (420 kg)	17 gal. (64 L)	.080"/.080" (2.0 mm/2.0 mm)	.080" (2.0 mm)	—	2	—	—	34 gal. (128.7 L)	—	—		optional
CLASSIC 165 CS	16'4" (5.0 m)	82" (2.1 m)	35/21" (.89 m/53 m)	82/20" (2.1 m/51 m)	75 (56 kw)	5/1280 lbs. (5/580 kg)	895 lbs. (406 kg)	17 gal. (64 L)	.080"/.065" (2 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/6	34 gal. (128.7 L)	—	no feedback	speedometer, tachometer, tachometer, fuel gauge, horn	—
CLASSIC 165	16'4" (5.0 m)	82" (2.1 m)	35/21" (.89 m/53 m)	82/20" (2.1 m/51 m)	60 (44 kw)	5/1295 lbs. (5/587 kg)	805 lbs. (365 kg)	17 gal. (64 L)	.080"/.065" (2 mm/1.65 mm)	.065" (1.65 mm)	—	2	—	2/5	34 gal. (128.7 L)	—	—		—
LUNKER II CS	16'6" (5.0 m)	76" (1.93 m)	35/22" (.89 m/56 m)	73/20" (1.85 m/508 m)	50 (37 kw)	5/1235 lbs. (5/560 kg)	740 lbs. (336 kg)	portable	.080"/.065" (2 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	no feedback	—	—
LUNKER II	16'6" (5.0 m)	76" (1.93 m)	35/22" (.89 m/56 m)	73/20" (1.85 m/508 m)	50 (37 kw)	5/1235 lbs. (5/560 kg)	705 lbs. (320 kg)	portable	.080"/.065" (2 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	—	—	—
FISHERMAN 160 CS	16'3" (4.9 m)	73" (1.85 m)	32/20" (.81 m/508 m)	67/20" (1.7 m/508 m)	40 (30 kw)	5/1118 lbs. (5/507 kg)	622 lbs. (282 kg)	portable	.070"/.065" (1.78 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	single cable SAFE-T	—	—
FISHERMAN 160	16'3" (4.9 m)	73" (1.85 m)	32/20" (.81 m/508 m)	67/20" (1.7 m/508 m)	25 (19 kw)	5/1118 lbs. (5/507 kg)	600 lbs. (272 kg)	portable	.070"/.065" (1.78 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	—	—	—
FISHERMAN 145 CS	14'10" (4.5 m)	73" (1.85 m)	32/20" (.81 m/508 m)	67/20" (1.7 m/508 m)	30 (22 kw)	4/925 lbs. (4/422 kg)	602 lbs. (280 kg)	portable	.070"/.065" (1.78 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	single cable SAFE-T	—	—
FISHERMAN 145	14'10" (4.5 m)	73" (1.85 m)	32/20" (.81 m/508 m)	67/20" (1.7 m/508 m)	25 (19 kw)	4/925 lbs. (4/422 kg)	580 lbs. (260 kg)	portable	.070"/.065" (1.78 mm/1.65 mm)	—	—	2	—	2/4	13 gal. (49 L)	—	na	—	—

BOAT FLOOR PLANS


NEW LIMITED EDITION COLORS	
Olympic White/Ice Blue	
Olympic White/Mica Black	
Olympic White/Sonic Red	

Available only on Limited Edition Trophy, Dominator and Competitor Series.
All Limited Edition option colors come with our exclusive Alumacoat™ clear metallic.

TROPHYS




DOMINATORS




Color Key	
	Storage
	Rod Storage
	Gun Box
	Livewell
	Cooler
	Battery Stg.
	T/M Outlet

COMPETITORS




NAVIGATORS




STANDARD COLORS	
Olympic White	
Mica Black	
Ice Blue	
Canyon Red	

Lunker Series, Fisherman Series and Vs and Ts available in white and black only.


V'S & T'S



FISHERMAN/LUNKER




CLASSICS



SPECIFICATIONS: VS	LENGTH	BEAM	BOW HEIGHT	TRANSOM: WIDTH/HEIGHT	HORSEPOWER: MAX.	CAPACITY: MAX. PERSONS	WEIGHT	FUEL CAPACITY	HULL THICKNESS: BOTTOM/SIDE	SEATS	SEATS BENCH /BOW		
V-16 (20')	16'7" (5 m)	70" (1.78 m)	30" (.76 m)	62"/20" (1.58 m/.51 m)	25 (19 kw)	5/1380 lbs. (5/626 kg)	285 lbs. (129 kg)	—	.065"/.065" (1.65 mm/1.65 mm)	Split Aft	2/1		
V-14 (20')	14'3" (4.3 m)	68" (1.72 m)	30" (.76 m)	62"/20" (1.58 m/.51 m)	20 (14.9 kw)	5/1195 lbs. (5/542 kg)	235 lbs. (107 kg)	—	.065"/.065" (1.65 mm/1.65 mm)	Split Aft	2/1		
V-14 (15')	14'3" (4.3 m)	68" (1.72 m)	30" (.76 m)	62"/15" (1.58 m/.38 m)	20 (14.9 kw)	5/1015 lbs. (5/460 kg)	230 lbs. (104 kg)	—	.065"/.065" (1.65 mm/1.65 mm)	Split Aft	2/1		
T14V	14' (4.2 m)	61" (1.54 m)	26" (.66 m)	60"/15" (1.52 m/.38 m)	15 (11 kw)	4/825 lbs. (4/374 kg)	202 lbs. (92 kg)	—	.060"/.050" (1.52 mm/1.27 mm)	—	3/0		
T12V	12' (3.7 m)	60" (1.52 m)	25" (.64 m)	60"/15" (1.52 m/.38 m)	10 (7 kw)	3/650 lbs. (3/295 kg)	187 lbs. (85 kg)	—	.060"/.050" (1.52 mm/1.27 mm)	—	3/0		
SPECIFICATIONS: CANOES	LENGTH	BEAM	DEPTH: MIDSHIP	TRANSOM: WIDTH/HEIGHT	HORSEPOWER: MAX.	CAPACITY: MAX. PERSONS	WEIGHT	HULL THICKNESS: BOTTOM	KEEL TYPE: CRUISING	STEM GAUGE	NUMBER OF RIBS	CURVED THWARTS	SEATS BENCH TYPE-FOR- WARD/AFT
QT 185	18'5" (5.61 m)	37" (.94 m)	13" (.33 m)	—	—	4/800 lbs. (4/363 kg)	71 lbs. (32 kg)	.040" (1 mm)	.0625" (1.6 mm)	.090" (2.3 mm)	6	optional	1/1
CO 17	17' (5.18 m)	37" (.94 m)	13" (.33 m)	15" (.51 m)	4 (2.98 m)	4/805 lbs. (4/365 kg)	80 lbs. (36 kg)	.040" (1 mm)	.0625" (1.6 mm)	.090" (2.3 mm)	5	optional	1/1
QT 17	17' (5.18 m)	36" (.91 m)	13" (.33 m)	—	—	4/750 lbs. (4/340 kg)	64 lbs. (29 kg)	.040" (1 mm)	.0625" (1.6 mm)	.090" (2.3 mm)	5	standard	1/1
QT 15	15' (4.57 m)	36" (.91 m)	12" (.30 m)	—	—	3/652 lbs. (3/296 kg)	56 lbs. (25 kg)	.040" (1 mm)	.0625" (1.6 mm)	.090" (2.3 mm)	3	optional	1/1

CANOEES



EVINRUDE
E-TEC




Experience MORE at:
www.evinrude.com

BOAT FLOOR PLANS


Riveted	LENGTH	BOTTOM WIDTH	BEAM SIDE HEIGHT	TRANSOM HEIGHT (ALL-ALUMINUM)	MAXIMUM HORSEPOWER	APPROXIMATE WEIGHT	CAPACITY	HULL GAUGE	HULL TYPE	NUMBER OF RIBS	SIDE STEERING	LIVELWELL	CENTER BENCH- BENCH SEAT	CANOE SEAT	LIGHT & TROLLING MOTOR BRACKET	COLOR	FLOOR
MV 1648	16'0"	48"	70'/21"	15'/20"	35 HP	320 lbs.	4/1010 lbs.	.070"	Mod-V	9	Opt	Opt	w/Strg	Opt	Opt	Olive Drab Green	—
MV 1648 NCS	16'0"	48"	70'/21"	15'/20"	35 HP	310 lbs.	4/1010 lbs.	.070"	Mod-V	9	Opt	-	-	Opt	Opt	Olive Drab Green	Std
MV 1448	14'0"	48"	70'/21"	15'/20"	25 HP	285 lbs.	4/885 lbs.	.070"	Mod-V	7	Opt	Opt	w/Strg	Opt	Opt	Olive Drab Green	—
1648	16'0"	48"	70'/21"	15'/20"	35 HP	290 lbs.	4/1010 lbs.	.070"	FB	9	Opt	Opt	w/Strg	Opt	Opt	Olive Drab Green	—
1648 NCS	16'0"	48"	70'/21"	15'/20"	35 HP	310 lbs.	4/1010 lbs.	.070"	FB	9	Opt	-	-	Opt	Opt	Olive Drab Green	—
1448	14'0"	48"	70'/21"	15'/20"	25 HP	285 lbs.	5/885 lbs.	.070"	FB	7	Opt	Opt	w/Strg	Opt	Opt	Olive Drab Green	—
1542	15'0"	42"	62'/20"	15'	25 HP	240 lbs.	3/775 lbs.	.063"	FB	8	Opt	-	-	Opt	Opt	Olive Drab Green	—
1442	14'0"	42"	62'/20"	15'	25 HP	230 lbs.	3/755 lbs.	.063"	FB	7	Opt	-	-	Opt	Opt	Olive Drab Green	—
1442 LW	14'0"	42"	62'/20"	15'	25 HP	230 lbs.	3/755 lbs.	.063"	FB	7	Opt	Std	-	Opt	Opt	Olive Drab Green	—
1442 NCS	14'0"	42"	62'/20"	15'	25 HP	230 lbs.	3/755 lbs.	.063"	FB	7	Opt	-	-	Opt	Opt	Olive Drab Green	—
1436	14'0"	36"	55'/19"	15'	15 HP	180 lbs.	3/620 lbs.	.058"	FB	7	-	Opt	w/Strg	Opt	Opt	Olive Drab Green	—
1436 LITE	14'0"	36"	55'/19"	15'	15 HP	135 lbs.	3/600 lbs.	.053"	FB	6	-	Opt Box	-	Opt	Opt	Olive Drab Green	—
1236	12'0"	36"	55'/19"	15'	9.9 HP	125 lbs.	3/540 lbs.	.053"	FB	5	-	-	-	Opt	Opt	Olive Drab Green	—
1036	10'0"	36"	55'/19"	15'	3 HP	100 lbs.	2/365 lbs.	.053"	FB	2	-	-	-	Opt	Opt	Olive Drab Green	—

Legend	
6+RH	6 Rod Holders
w/TT	With Tilt & Trim
Std	Standard
L	Longitude Ribs
FF	Leaning Post Seat
S,T,F or S,T,V	Speedometer, Tach, Fuel Gauge, Volt Meter
Mod-V	Modified-V
FB	Flatbottom
w/Strg	With Storage

Color Key
Storage
Rod Storage
Dry Storage
Gun Box
Livewell
Cooler
Battery Stg.
Fuel Tank
T/M Outlet




PRO 185 LTD PRO 165 PRO 175 PRO 185




PF 175 Crappie Deluxe Crappie Jon MV 2072 AW MV 2072 AW SC


Crappies	LENGTH	WIDTH: Beam/ Bottom	SIDE HEIGHT	TRANSOM: Width/ Height	HORSEPOWER: maximum	CAPACITY: Max Persons	WEIGHT	THICKNESS	SEATS	LIVELWELL *	STORAGE COMPARTMENTS
CRAPPIE DELUXE	16'0"	70'/48"	21"	68'/20"	30 HP	3/745 lbs.	440 lbs.	0.080"	2	10 gal.	2
CRAPPIE JON	14'0"	64'/42"	20"	62'/15"	20 HP	2/550 lbs.	330 lbs.	0.063"	2	5 gal.	1 Battery



MV 2072 AW FF MV 2072 AW CC MV 2072 AW Tunnel FF MV 1860 AW MV 1860 AW SC MV 1860 AW CC



1648 NCS 1648 (15 & 20) 1448 (15 & 20) 1436 1236 1036 MV 1756 AW CC MV 1650 AW MV 1650 AW SC MV 1650 AW CC VB 1860 AW Tunnel SC VB 1860 AW Tunnel MV 1756 AW MV 1756 AW SC



Water Fowler 16 MV 1546 AW MV 1546 AW DD MV 1546 AW DD Tunnel MV 1648 NCS 1436 LT MV 1648 SS MV 1648 MV 1448 1648 1448 1542 1442 1442 NCS 1442 LW

Limited Edition. Luxury with an attitude.

All-new for 2013, Alumacraft is offering an LE package that includes the following limited-edition features on the Trophy, Dominator, Competitor and Pro 175 and 185 boats:

- ◇ Exclusive metallic finish with 3 color choices
- ◇ Bow cargo nets
- ◇ All air ride seats
- ◇ New limited seat pattern
- ◇ Extra seat and pedestal
- ◇ New custom-stitched side pads (Trophys and Dominators only)
- ◇ Remote livewell drain in rear
- ◇ 2 new under-console slide-out drawers
- ◇ New front-console storage
- ◇ New cargo netting under consoles
- ◇ 2 new AlumaTrac™ accessory mounts
- ◇ AM/FM/MP3 player stereo
- ◇ New cushioned interiors
- ◇ New limited color-matched console and gauge panel
- ◇ New custom steering wheel


Features may vary by model.
Please see your dealer for details.

All new AlumaTrac™ System


Custom Steering Wheel

Custom Seat Patterns


Exclusive Metallic Finish




Under-Console Slide-Out
Drawer Storage



New Custom
Steering Wheel




AlumaTrac™ System




Under-Console
Cargo Nets



Custom Stitched
Side Pads



New Limited Seat
Pattern with Air Ride
Pedestal



Bow Net Storage

EVINRUDE
E-TEC



S

1650 AW
1650 CC

g, our all-weld jons
to any location
et you out.




Watch the
MV Series video:
Scan the tag code with
your smartphone.



Watch the
Water Fowler video:
Scan the tag code with
your smartphone.


RUDE
E TEC



MV 1546 AW



MV 1650 CC



NAVIGATOR 175^{CS}

