

Cheryl's

**ALUMACRAFT®**



**PLOT YOUR COURSE® 2014**



# ALUMACRAFT®


## PLOT YOUR COURSE°

# Limited Package. It's luxury with an attitude.

Alumacraft is offering a Limited Package that includes the following exclusive features on the Trophy, Dominator, Competitor, Voyageur, and Pro 175 and 185 boats:

- » Exclusive metallic finish with 4 color choices
- » Bow cargo nets
- » All air ride seats
- » Limited seat pattern
- » Extra seat and air-ride pedestal
- » Custom-stitched side pads (Trophys and Dominators only)
- » Remote livewell drain
- » 2 under-console slide-out drawers with latches
- » Front-console storage
- » Cargo netting under consoles
- » 2 new AlumaTrac™ accessory mounts
- » New AM/FM/MP3 player stereo
- » Cushioned interiors
- » Limited color-matched console and gauge panel
- » Custom steering wheel
- » Chrome raised graphics
- » Chrome cup holders
- » Additional lockable storage

FEATURES MAY VARY BY MODEL. PLEASE SEE YOUR DEALER FOR DETAILS.



CUSTOM STEERING WHEEL




ALUMATRAC™ SYSTEM




BOW CARGO NETS



SLIDE-OUT DRAWERS



LIMITED SEAT PATTERN



CUSTOM SIDE PANELS




## Read what the pros are saying:

"Huge casting decks, oversized rod storage, a really wide beam and smooth ride make my Competitor 185 the ultimate musky boat, and honestly, the best all-around fishing boat available."

### Darcy Cox

Guide, Tank Industries  
Lake of the Woods  
Kenora, ON



"When filming my TV show, I fish a lot on big water, both in the Midwest and Canada. I can always depend on my Alumacraft with its strong 2XB hull to get me there and back!"

### Butch Furtman

TV host, "The Sportsman's Journal"

"All things considered—fishability, features, ride, quality of workmanship and attention to detail—there is not a finer aluminum boat in the market."

### Babe Winkleman

TV host, "Good Fishing"  
Outdoor celebrity



"Fishability, style, comfort, durability and performance—that's why I chose the Alumacraft Pro 185 Limited Edition."

### Ashlie Rae


Outdoor columnist  
sheliketofish.com  
Toronto, ON



"The interior design and layout of my Alumacraft meets the angler's needs. The exterior construction creates a dry, comfortable ride along with great durability."

### "Tackle" Terry Tuma

Columnist / Educator  
Freshwater Fishing Hall  
of Fame inductee



"When I'm on the water with my clients I expect my boat to perform in every weather condition, and my Competitor 185 always delivers!"

### Jason Boser

Guide, Deer River, MN



## Legend


AREAS OF INTEREST	PAGE
Construction	4
The Alumacraft Advantage	5
Trophy Series	6-9
Dominator Series	10-11
Competitor Series	12-17
<b>NEW</b> Voyageur Series	18-19
Classic Series	20-21
<b>NEW</b> Escape Series	22-23
V's, T's & Canoes	24-25
Pro Series	26-27
Crappie Jon & Crappie Deluxe	28-29
<b>NEW</b> 2072 Bay & 20' All Welds	30-31
<b>NEW</b> 1860 Bay & 18' All Welds	32-33
17' All Welds	34-35
16' All Welds	36-37
All Weld Tillers	38-39
Waterfowler & 15' All Welds	40-41
Sierra Series & Riveted Jons	42-43
Jon Boat Specifications	44-45
Reasons to Own an Alumacraft	46
Colors	46
Options & Accessories	47

"I'm currently rocking an Alumacraft Competitor 185 Tiller. The layout is incredibly fishable with its 'walk-all-the-way-around' design.

With tons of storage, including the ultra-sweet center rod locker that holds up to 8-foot rods, Alumacraft has earned its place as our boat of choice through every angling task imaginable."

### Aaron Weibe


TV host, "Uncut Angling"



"The Trophy 205 has been my boat of choice for several years. The customers at my guide service love the room and safety features of the boat. It allows me to provide them the most comfortable fishing experience possible."

### Terry McQuoid

Resort owner / Guide  
Mille Lacs Lake  
Isle, MN





# ALUMACRAFT® The Details

Alumacraft knows a thing or two about convenience, comfort and innovation. Just look at some of the details from the forming of our one-piece hull to the ultimate in fit and finish.



One-piece, single-sheet aluminum finely cut and shaped for the greatest possible inherent shape



Top-quality aluminum hulls with larger aircraft-grade rivets for longevity




Durable wood-free, heavy-gauge aluminum seating and stringers



Twin-plated 2XB hulls provide superior strength



A sustainable and larger, one-piece, hardened heavy-duty keel



Full-length, oversized spray rails for a drier ride in rough water



Water-tested hulls ensure rivet and weld integrity



Gas-resistant expansion foam increases buoyancy and quiets the ride



Convenient wood-free storage and livewell compartment hatches



The highest quality marine-grade plywood and carpeted decks




Automotive-grade base/clear coat paint with top-quality graphics



Quality fit and finish from bow to stern for practicality and appeal


## ALUMACRAFT®

PLOT YOUR COURSE°



**SUZUKI**  
MARINE



A man in a blue hoodie and jeans stands in the stern of a dark-colored Alumacraft boat, fishing. The boat is on a calm lake with a forested shoreline in the background. The boat has "TROPHY 180 LT" written on its side. A fishing line extends from the boat towards the right side of the frame.

Fishing, cruising or playing, Alumacraft has the perfect boat to make your days on the water the best they can be. Pick your destination, pack your gear and plot your course.

# THE *ALUMACRAFT* Advantage

## Better Built

Can a boat be tough but agile? Strong but light on its feet? It can if it's an Alumacraft.

Full-length double plating means twice the strength and protection all the way to the transom—without compromising on agility. Compare our twin-plated 2XB hull models against competing boats that have, at best, only twin-plating in the bow.

## Better Ride

Smooth, quiet, responsive. That's what you want in a boat, and that's exactly what Alumacraft delivers.

Alumacraft's exclusive hull design gives you a superior ride with our double-plating and solid-bottom construction that dramatically reduces sound and vibration from below.

Plus, our 2XB hull models produce minimal flexing that can adversely affect handling.

## Better Value


What do you get when you combine a better build with a better ride? Better value.

Compare standard features, hull thickness and construction and you'll find that Alumacraft gives you a better value. And we're the only major fishing boat manufacturer that offers all five major motor brands.



## Trophy Series 185 | 195 | 205

**Guide tested, family approved.** With a hull that's twice as thick as most, an exclusive soft 2XB ride, and all the amenities you'd expect, the big and beamy Trophy series boats are as tough as the waters they were designed for. They offer tons of storage, dual large aerated livewells, the best rod storage in its class, and the list goes on.



AREA OF SPECIFICATION	185	195	205
LENGTH	18' 8" (5.6 m)	19' 8" (5.9 m)	20' 8" (6.2 m)
BEAM	98" (2.4 m)	98" (2.4 m)	98" (2.4 m)
TRANSOM WIDTH/HEIGHT	96"/25" (2.45 m/.64 m)	96"/25" (2.45 m/.64 m)	96"/25" (2.45 m/.64 m)
MAX. HORSEPOWER	175 (130 kw)	200 (149 kw)	250 (186 kw)
MAX. DEPTH	47"/27" (1.2 m/.69 m)	47"/27" (1.2 m/.69 m)	47"/27" (1.2 m/.69 m)
MAX. HULL THICKNESS	.200" (5.0 mm)	.200" (5.0 mm)	.200" (5.0 mm)
FREEBOARD THICKNESS	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)
WEIGHT	1,780 lbs. (807 kg)	1,805 lbs. (818 kg)	1,915 lbs. (868 kg)
MAX. CAPACITY	8/1,760 lbs. (8/798 kg)	8/2,000 lbs. (8/907 kg)	9/2,350 lbs. (9/1,066 kg)
FUEL CAPACITY	34 gal. (128 L)	34 gal. (128 L)	45 gal. (170 L)
BOW ROD STORAGE	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)
PORT ROD STORAGE	7' 6" (5)	8' (5)	8' (5)
LIVWELL AFT	21 gal. (79 L)	21 gal. (79 L)	21 gal. (79 L)
LIVWELL BOW	13 gal. (49 L)	13 gal. (49 L)	13 gal. (49 L)
INSTRUMENTS	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn
SEATS	3 deluxe/2 jump	4 deluxe/2 jump	4 deluxe/2 jump

Boats may be shown with optional equipment.



185 LT



185 LT





205 LT



**ALUMACRAFT**

PLOT YOUR COURSE®




## STANDARD FEATURES

- » Hydraulic Steering (205/195)
- » Integrated AlumaTrac™ System
- » Tilt Helm
- » AM/FM/MP3 Stereo
- » Lockable 8' Rod Compartment
- » Lockable Glove Box
- » Dual Aerated Livewells with Timers
- » Lockable Storage
- » Bow Rod Storage (8') or Open Bow
- » Trolling Systems - 12/24 volt
- » 12 volt Power Point
- » Stowable Running Lights
- » Interior Courtesy Lights
- » Livewell Lights
- » Bilge Pumps - 1 Auto & 1 Manual (205, 195, 185)
- » Driver's Seat Slider
- » Cup Holders (Chrome)\*
- » Folding Cleats
- » Fire Extinguisher

## OPTIONAL EQUIPMENT

- » Limited Package
- » AlumaTrac™ Accessories
- » Minn Kota Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Vinyl Floor - Replaces Carpeting
- » Snap-in Carpet
- » Convertible High-Rise Top with Boot
- » Side, Aft & Walkway Curtain
- » Bow Cushions
- » Custom Travel Covers
- » Bow Cover
- » Captain's Chair
- » Top Set Hider
- » Hydraulic SeaStar Steering (Mandatory 150+ HP)
- » Sport Steering Wheel
- » ShoreLand'r/Eagle/EZ Loader Trailer

\* Features available on LT only



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



BOW ROD STORAGE



CONSOLE



LIVWELL



JUMP SEAT




BOW STORAGE




## Trophy Series NEW 165 | 175

**Designed to fish, engineered for fun and family.** Yes, you can have it both: the perfect fishing rig and the perfect family boat. A large bow casting platform that converts to a comfortable lounge area with optional bow cushions, repositionable chairs, rear jump seats, and a large cockpit make this boat as versatile as you need and as comfortable as you want.



AREA OF SPECIFICATION	165	175
LENGTH	16' 8" (5.0 m)	17' 8" (5.3 m)
BEAM	91" (2.4 m)	94" (2.4 m)
TRANSOM WIDTH/HEIGHT	91"/20" (2.31 m/.51 m)	94"/25" (2.39 m/.64 m)
MAX. HORSEPOWER	90 (67 kw)	150 (111 kw)
MAX. DEPTH	42"/22" (1.06 m/.56 m)	43"/25" (1.1 m/.64 m)
MAX. HULL THICKNESS	.160" (4.0 mm)	.160" (4.0 mm)
FREEBOARD THICKNESS	.080" (2.0 mm)	.080" (2.0 mm)
WEIGHT	1,280 lbs. (580 kg)	1,550 lbs. (703 kg)
MAX. CAPACITY	6/1,300 lbs. (6/590 kg)	7/1,600 lbs. (7/725 kg)
FUEL CAPACITY	17 gal. (64 L)	34 gal. (128 L)
BOW ROD STORAGE	8' (4), 7' 6" (4)	7' 6" (4), 7' (4)
PORT ROD STORAGE	up to 6' 6"	7' (5)
LIVWELL AFT	13 gal. (49 L)	21 gal. (79 L)
LIVWELL BOW	13 gal. (49 L)	13 gal. (49 L)
INSTRUMENTS	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn
SEATS	2 deluxe/2 jump	3 deluxe/2 jump

Boats may be shown with optional equipment.





**175 LT**



**ALUMACRAFT**

PLOT YOUR COURSE®

## STANDARD FEATURES

- » Integrated AlumaTrac™ System
- » Tilt Helm
- » AM/FM/MP3 Stereo
- » Lockable Glove Box
- » Dual Aerated Livewells with Timers
- » Multifunctional Gauges
- » Lockable Storage
- » Bow Rod Storage or Open Bow
- » Dual Power Points
- » Trolling Systems – 12/24 volt
- » 12 volt Power Point
- » Stowable Running Lights
- » Interior Courtesy Lights
- » Livewell Lights
- » Bilge Pumps – 1 Manual
- » Driver's Seat Slider
- » Cup Holders (Chrome)\*
- » Folding Cleats
- » Fire Extinguisher

## OPTIONAL EQUIPMENT

- » Limited Package
- » AlumaTrac™ Accessories
- » Minn Kota Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Vinyl Floor – Replaces Carpeting
- » Snap-in Carpet
- » Convertible High-Rise Top with Boot
- » Side, Aft & Walkway Curtain
- » Bow Cushions
- » Custom Travel Covers
- » Bow Cover
- » Captain's Chair
- » Top Set Hider
- » Hydraulic SeaStar Steering (Mandatory 150+ HP)
- » Sport Steering Whipl
- » ShoreLand'r/Eagle/EZ Loader Trailer

\* Features available on LT only



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



GUNWALE ROD STORAGE



CONSOLE



LIVWELL



CONVERTIBLE BOW (175)




BOW ROD STORAGE




## Dominator 175 Sport | 175 CS | 185 Sport | 185 CS

**The Dominator lives up to its bold name.** Available in a sport package or side console, our Dominator is a serious fishing boat for sportsmen who are serious about fishing. With so much storage, seating and deck space, and a new larger rear livewell, you won't find a boat more loaded and versatile for this great price.




	175 SPORT	175 CS	185 SPORT	185 CS
LENGTH	17' 9" (5.4 m)	17' 9" (5.4 m)	18' 9" (5.7 m)	18' 9" (5.7 m)
BEAM	94" (2.39 m)	94" (2.39 m)	94" (2.39 m)	94" (2.39 m)
TRANSOM WIDTH/HEIGHT	94"/25" (2.39 m/.63 m)	94"/25" (2.39 m/.63 m)	94"/25" (2.39 m/.63 m)	94"/25" (2.39 m/.63 m)
MAX. HORSEPOWER	150 (111 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)
MAX. DEPTH	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)
MAX. HULL THICKNESS	.160" (4.0 mm)	.160" (4.0 mm)	.160" (4.0 mm)	.160" (4.0 mm)
FREEBOARD THICKNESS	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)
WEIGHT	1,482 lbs. (672 kg)	1,390 lbs. (630 kg)	1,530 lbs. (694 kg)	1,438 lbs. (652 kg)
MAX. CAPACITY	6/1,370 lbs. (6/621 kg)	6/1,370 lbs. (6/621 kg)	6/1,600 lbs. (6/726 kg)	6/1,600 lbs. (6/726 kg)
FUEL CAPACITY	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)
BOW ROD STORAGE	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)
PORT ROD STORAGE	up to 7'	up to 7'	up to 8'	up to 8'
LIVEWELL AFT	21 gal. (79 L)	21 gal. (79 L)	21 gal. (79 L)	21 gal. (79 L)
LIVEWELL BOW	13 gal. (49 L)	13 gal. (49 L)	13 gal. (49 L)	13 gal. (49 L)
INSTRUMENTS	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn
SEATS	2 deluxe	2 deluxe	3 deluxe	3 deluxe

Boats may be shown with optional equipment.



175 SPORT LD



**YAMAHA**



## 185 SPORT LD



**ALUMACRAFT**

PLOT YOUR COURSE<sup>®</sup>

### STANDARD FEATURES

- » Lockable Bow Rod Storage (up to 8')
- » Integrated AlumaTrac™ System
- » No Feedback Steering
- » Wind Screen (CS)
- » Driver's Seat Slider
- » Multifunctional Gauges
- » Lockable Glove Box (Sport)
- » Dual Aerated Livewells with Timers
- » Lockable Gunwale Storage
- » Lockable Side Storage
- » Port Rod Storage (8' - 185, 7' - 175)
- » Trolling Systems 12/24 volt
- » 12 volt Power Point
- » Stowable Running Lights
- » Interior Courtesy Lights
- » Livewell Lights
- » Folding Cleats
- » Fire Extinguisher


### OPTIONAL EQUIPMENT

- » Limited Package
- » AlumaTrac™ Accessories
- » Minn Kota Trolling Motor
- » Hydraulic Steering (185/175)
- » Graph/GPS (Lowrance/Humminbird)
- » Dual Bubble Windshield
- » Vinyl Floor - Replaces Carpeting
- » Snap-in Carpet
- » Bow Cargo Nets
- » AM/FM/MP3 Stereo
- » Convertible High-Rise Top with Boot (Sport)
- » Side, Aft & Walkway Curtain (Sport)
- » Custom Travel Covers
- » Captain's Chair
- » Hydraulic SeaStar Steering (Mandatory 150 HP)
- » Tilt Helm
- » Sport Steering Wheel
- » ShoreLand'r/Eagle/EZ Loader Trailer
- » Rear Casting Deck with Jump Seats

**YAMAHA**



BOW ROD STORAGE




CONSOLE




LOCKABLE SIDE STORAGE



LIVWELL



BOW CASTING PLATFORM




For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



## Competitor 175 Sport | 175 CS | 185 Sport | 185 CS


**Yes, you CAN afford the world's best-designed fishing boat.** One look inside and you'll know—these boats were designed with you in mind. With dual livewells, a built-in cooler, over 8-foot bow rod storage, exclusive 2XB performance, and a spacious interior storage, all that's left is to choose a color.



	175 SPORT	175 CS	185 SPORT	185 CS
LENGTH	17' 8" (5.3 m)	17' 8" (5.3 m)	18' 8" (5.6 m)	18' 8" (5.6 m)
BEAM	95" (2.41 m)	95" (2.41 m)	95" (2.41 m)	95" (2.41 m)
TRANSOM WIDTH/HEIGHT	93"/25" (2.36 m/.63 m)	93"/25" (2.36 m/.63 m)	93"/25" (2.36 m/.63 m)	93"/25" (2.36 m/.63 m)
MAX HORSEPOWER	150 (111 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)
MAX DEPTH	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)
MAX HULL THICKNESS	.160" (4.0 mm)	.160" (4.0 mm)	.160" (4.0 mm)	.160" (4.0 mm)
FREEBOARD THICKNESS	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)
WEIGHT	1,375 lbs. (624 kg)	1,285 lbs. (583 kg)	1,500 lbs. (680 kg)	1,410 lbs. (639 kg)
MAX CAPACITY	6/1,370 lbs. (6/621 kg)	6/1,370 lbs. (6/621 kg)	6/1,600 lbs. (6/726 kg)	6/1,600 lbs. (6/726 kg)
FUEL CAPACITY	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)
BOW ROD STORAGE	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)
PORT ROD STORAGE	8' (5)	8' (5)	8' (5)	8' (5)
LIVEWELL AFT	21 gal. (79 L)	21 gal. (79 L)	21 gal. (79 L)	21 gal. (79 L)
LIVEWELL BOW	13 gal. (49 L)	13 gal. (49 L)	13 gal. (49 L)	13 gal. (49 L)
INSTRUMENTS	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn
SEATS	2 deluxe	2 deluxe	3 deluxe	3 deluxe

Boats may be shown with optional equipment.

### 175 CS



### 175 SPORT LC



**MERCURY**



## 185 SPORT LC



**ALUMACRAFT**

PLOT YOUR COURSE®

### STANDARD FEATURES

- » Lockable Bow Rod Storage (up to 8')
- » Starboard Rod Storage (up to 8')
- » Lockable Glove Box (Sport)
- » Multifunctional Gauges
- » Integrated AlumaTrac™ System
- » Dual Aerated Livewells with Timers
- » Trolling Systems – 12/24 volt
- » 12 volt Power Point
- » Stowable Running Lights
- » Interior Courtesy Lights
- » Livewell Lights
- » Wind Screen (CS)
- » 13 gal. Insulated Cooler
- » Bilge Pump
- » Driver's Seat Slider
- » Grab Handles
- » Folding Cleats
- » Fire Extinguisher

### OPTIONAL EQUIPMENT

- » Limited Package
- » AlumaTrac™ Accessories
- » Minn Kota Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Rear Casting Deck Extension with Jump Seats
- » Hydraulic SeaStar Steering (Mandatory 150+ HP)
- » Tilt Helm
- » Dual Bubble Windshield
- » Vinyl Floor – Replaces Carpeting
- » Snap-In Carpet
- » AM/FM/MP3 Stereo
- » Convertible High-Rise Top with Boot (Sport)
- » Side, Aft & Walkway Curtain (Sport)
- » Custom Travel Cover
- » Captain's Chair
- » Sport Steering Wheel
- » ShoreLand'r/Eagle/EZ Loader Trailer



COOLER



STARBOARD ROD STORAGE




REAR LIVEWELL



BOW FLOOR STORAGE



BOW ROD STORAGE



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)




## Competitor 165 Sport | 165 CS

**Big things come in small packages.** Big fishing with a smaller footprint, the Competitor 165 Sport and CS are built with the same features and amenities as their big brothers with the added benefit of being incredibly nimble and easy to maneuver. The well-designed and open floor plan paired with maximum performance, put these brawny 16-footers at the top of the list.

### **A** SPECIAL PACKAGE PRICE see dealer for details.

LEGEND
STORAGE
ROD STORAGE
LIVEWELL
BATTERY STORAGE
T/M OUTLET



AREA OF SPECIFICATION	165 SPORT	165 CS
LENGTH	16' 7" (5 m)	16' 7" (5 m)
BEAM	87" (2.2 m)	87" (2.2 m)
TRANSOM WIDTH/HEIGHT	87"/20" (2.2 m/.51 m)	87"/20" (2.2 m/.51 m)
MAX. HORSEPOWER	90hp (67 kw)	90 (67 kw)
MAX. DEPTH	35"/21" (.89 m/.53 m)	35"/23" (.89 m/.58 m)
MAX. HULL THICKNESS	.145" (3.7 mm)	.145" (3.7 mm)
FREEBOARD THICKNESS	.065" (1.65 mm)	.065" (1.65 mm)
WEIGHT	1,040 lbs. (471 kg)	<del>1,040 lbs. (471 kg)</del> 960
MAX. CAPACITY	6/1,325 lbs. (6/601 kg)	6/1,325 lbs. (6/601 kg)
FUEL CAPACITY	17 gal. (64 L)	17 gal. (64 L)
BOW ROD STORAGE	7' (4), 6' 6" (4)	7' (4), 6' 6" (4)
PORT ROD STORAGE	up to 8' (5)	up to 8' (5)
LIVEWELL AFT	19 gal. (72 L)	19 gal. (72 L)
LIVEWELL BOW	NA	NA
INSTRUMENTS	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn
SEATS	2 deluxe	2 deluxe

Boats may be shown with optional equipment.



**EVINRUDE**  
ETC.



Experience MORE at:  
[www.evinrude.com](http://www.evinrude.com)



## 165 SPORT LC



**ALUMACRAFT**

PLOT YOUR COURSE®

### STANDARD FEATURES

- » Lockable Rod Storage (up to 7')
- » Integrated AlumaTrac™ System
- » Side Rod Storage (8')
- » Multifunctional Gauges
- » Aerated Livewell with Timer
- » Multi-Function Gauges
- » Wind Screen (CS)
- » Trolling Systems - 12/24 volt
- » 12 volt Power Point
- » Stowable Running Lights
- » Interior Courtesy Lights
- » Livewell Lights
- » 12 volt Power Point
- » Bilge Pump
- » Grab Handles
- » Driver's Seat Slider
- » Fire Extinguisher

### OPTIONAL EQUIPMENT

- » Limited Package
- » AlumaTrac™ Accessories
- » Minn Kota Trolling Motor
- » Rear Casting Deck Extension with Jump Seats
- » Graph/GPS (Lowrance/Humminbird)
- » Dual Bubble Windshield
- » Vinyl Floor - Replaces Carpeting
- » Snap-in Carpet
- » AM/FM/MP3 Stereo
- » Convertible High-Rise Top with Boot (Sport)
- » Side, Aft & Walkway Curtain (Sport)
- » Custom Travel Cover
- » Captain's Chair
- » Sport Steering Wheel
- » ShoreLand'r/Eagle/EZ Loader Trailer



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)

**EVINRUDE**  
E-TEC



Experience MORE at:  
[www.evinrude.com](http://www.evinrude.com)



SPORT HELM



SIDE ROD STORAGE



LIVEWELL



BOW STORAGE



BOW ROD STORAGE



## Competitor Tiller 165 Tiller | 175 Tiller | 185 Tiller


**All about fishing. Period.** Big, beamy, open, adjustable, versatile, and fishable, our Competitor Tiller is designed for fisherman by fisherman. The 2XB hull gives you precise control and superior performance. And with multiple livewells and storage compartments, a built-in cooler, and lockable rod storage, you won't find a better layout in a tiller.

### **A** SPECIAL PACKAGE PRICE see dealer for details.

(Competitor 165 Tiller only)

*Rear Casting deck not an option on Tiller models*

LEGEND	
	STORAGE
	ROD STORAGE
	LIVWELL
	Cooler
	BATTERY STORAGE
	T/M OUTLET




AREA OF SPECIFICATION	165 TILLER	175 TILLER	185 TILLER
LENGTH	16' 7" (5 m)	17' 8" (5.3 m)	18' 8" (5.6 m)
BEAM	87" (2.2 m)	95" (2.41 m)	95" (2.41 m)
TRANSOM WIDTH/HEIGHT	87"/20" (2.2 m/.51 m)	87"/20" (2.2 m/.51 m)	87"/20" (2.2 m/.51 m)
MAX. HORSEPOWER	70 (52 kw)	75 (56 kw)	90 (67 kw)
MAX. DEPTH	35"/23" (.89 m/.58 m)	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)
MAX. HULL THICKNESS	.145" (3.7 mm)	.160" (4.0 mm)	.160" (4.0 mm)
FREEBOARD THICKNESS	.065" (1.65 mm)	.065" (1.65 mm)	.065" (1.65 mm)
WEIGHT	920 lbs. (417 kg)	1,160 lbs. (526 kg)	1,300 lbs. (589 kg)
MAX. CAPACITY	6/1,325 lbs. (6/601 kg)	6/1,300 lbs. (6/589 kg)	6/1,600 lbs. (6/726 kg)
FUEL CAPACITY	17 gal. (64 L)	34 gal. (128 L)	34 gal. (128 L)
BOW ROD STORAGE	7' (4), 6' 6" (4)	8' (4), 7' 6" (4)	8' (4), 7' 6" (4)
STARBOARD ROD STORAGE	NA	8' (5)	7' (5)
LIVWELL AFT	19 gal. (72 L)	21 gal. (79 L)	21 gal. (79 L)
LIVWELL BOW	NA	13 gal. (49 L)	13 gal. (49 L)
INSTRUMENTS	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn
SEATS	2 deluxe	2 deluxe	3 deluxe

Boats may be shown with optional equipment.

**165 TILLER LC**




**175 TILLER LC**



**YAMAHA**



## 185 TILLER LC



**ALUMACRAFT**


PLOT YOUR COURSE™

### STANDARD FEATURES

- » Lockable Bow Rod Storage (up to 8' - 175/185, up to 7' - 165)
- » Starboard Rod Storage (up to 8' - 175/185)
- » Port Rod Storage (up to 8' - 165)
- » Integrated AlumaTrac™ System
- » Dual Aerated Livewells with Timers (175/185)
- » Aerated Livewell with Timer (165)
- » Trolling Systems - 12/24 volt
- » 12 volt Powerpoint
- » Stowable Running Lights
- » Multifunctional Gauges
- » Interior Courtesy Lights
- » Livewell Lights
- » Insulated Cooler (185/175)
- » Driver's Seat Slider
- » Folding Cleats (175/185)
- » Fire Extinguisher

### OPTIONAL EQUIPMENT

- » Limited Package
- » AlumaTrac™ Accessories
- » Minn Kota Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Vinyl Floor - Replaces Carpeting
- » Snap-in Carpet
- » AM/FM/MP3 Stereo
- » Custom Travel Cover
- » Captain's Chair
- » ShoreLand'r/Eagle/EZ Loader Trailer



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)


**YAMAHA**



BOW ROD STORAGE



COMMAND CENTER



OPTIONAL CAPTAIN'S CHAIR



BOW CASTING PLATFORM




BOW STORAGE



## NEW Voyageur 175 Sport | 175 CS | 175 Tiller

**Introducing the ALL-NEW Voyageur.** This series features an oversized cockpit and tough 2XB hull to give you all fishability you'll ever want. With dual 8-foot rod storage, an AlumaTrac™ gunnel system to hold your rod holders and travel cover, a built-in cooler and large livewell, these easy-to-tow, 17-foot packages will go where others can't and do what other's only dream of.

### **A** SPECIAL PACKAGE PRICE see dealer for details.



AREA OF SPECIFICATION	175 SPORT	175 CS	175 TILLER
LENGTH	17' 10" (5.4 m)	17' 10" (5.4 m)	17' 10" (5.4 m)
BEAM	87" (2.2 m)	87" (2.2 m)	87" (2.2 m)
TRANSOM WIDTH/HEIGHT	86"/20" (2.2 m/.51 m)	86"/20" (2.2 m/.51 m)	86"/20" (2.2 m/.51 m)
MAX. HORSEPOWER	125 (93 kw)	125 (93 kw)	75 (56 kw)
MAX. DEPTH	35"/23" (.89 m/.58 m)	35"/23" (.89 m/.58 m)	35"/23" (.89 m/.58 m)
MAX. HULL THICKNESS	.145" (3.7 mm)	.145" (3.7 mm)	.145" (3.7 mm)
FREEBOARD THICKNESS	.065" (1.65 mm)	.065" (1.65 mm)	.065" (1.65 mm)
WEIGHT	1,070 lbs. (485 kg)	1,010 lbs. (458 kg)	945 lbs. (415 kg)
MAX. CAPACITY	6/1,400 lbs. (6/635 kg)	6/1,400 lbs. (6/635 kg)	6/1,400 lbs. (6/635 kg)
FUEL CAPACITY	17 gal. (64 L)	17 gal. (64 L)	17 gal. (64 L)
PORT ROD STORAGE	8' (6)	8' (6)	8' (6)
STARBOARD ROD STORAGE	8' (6)	8' (6)	8' (6)
LIVEWELL AFT	19 gal. (72 L)	19 gal. (72 L)	19 gal. (72 L)
LIVEWELL BOW	NA	NA	NA
INSTRUMENTS	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn
SEATS	2 deluxe	2 deluxe	2 deluxe

Boats may be shown with optional equipment.

### 175 SPORT LV




### 175 CS





## 175 TILLER



**ALUMACRAFT**

PLOT YOUR COURSE


### STANDARD FEATURES

- » Extra Large Bow Storage
- » Starboard Rod Storage (up to 8')
- » Port Rod Storage (8')
- » Insulated Cooler
- » Integrated Alumacraft™ System
- » Aerated 19 gal. Rear Livewell with Timer
- » Livewell Light
- » Interior Courtesy Lights
- » Driver's Seat Slider
- » 12 volt Powerpoint
- » Trolling System - 12/24 volt
- » No-Feedback Steering (CS & Sport)
- » Floor Storage
- » Bilge Pump
- » Stowable Running Lights
- » Fire Extinguisher
- » Gauge Package
- » 3rd Seat & Graph - Standard on "Special Package"

### OPTIONAL EQUIPMENT

- » Limited Package
- » Alumacraft™ Accessories
- » Air-Ride Pedestals
- » Minn Kota Trolling Motors
- » Graph/Gps (Lowrance / Humminbird)
- » Vinyl Flooring - Replaces Carpet
- » Snap-in Carpet
- » AM/FM MP3 Stereo
- » Convertible High-Rise Top with Boot (Sport)
- » Side, Aft, Bow & Walkway Curtain (Sport)
- » Custom Travel Cover
- » Sport Steering Wheel
- » Rear Casting Deck with Jump Seats (Sport & CS)
- » ShoreLand'r/Eagle/EZ Loader Trailer

**YAMAHA**



SPORT HELM



BOW STORAGE




LIVWELL



ROD STORAGE



BOW CASTING PLATFORM



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)




## Classic 165 Tiller | 165 CS

**Classic: Belonging to the highest rank or class.** Yeah, the name sounds right. Easy towing, fantastic ride and performance, equipped with all the right features, and loads of storage, you can see why it's a classic: The standard by which others are measured.

### **A** SPECIAL PACKAGE PRICE see dealer for details.

LEGEND
STORAGE
ROD STORAGE
LIVEWELL
BATTERY STORAGE
T/M OUTLET



AREA OF SPECIFICATION	165 TILLER	165 CS
LENGTH	16' 4" (5.0 m)	16' 4" (5.0 m)
BEAM	82" (2.1 m)	82" (2.1 m)
TRANSOM WIDTH/HEIGHT	82"/20" (2.1 m/.51 m)	82"/20" (2.1 m/.51 m)
MAX. HORSEPOWER	60 (44 kw)	75 (56 kw)
MAX. DEPTH	35"/21" (.89 m/.53 m)	35"/21" (.89 m/.53 m)
MAX. HULL THICKNESS	.145" (3.7 mm)	.145" (3.7 mm)
FREEBOARD THICKNESS	.065" (1.65 mm)	.065" (1.65 mm)
WEIGHT	778 lbs. (353 kg)	868 lbs. (394 kg)
MAX. CAPACITY	5/1,295 lbs. (5/587 kg)	5/1,280 lbs. (5/580 kg)
FUEL CAPACITY	17 gal. (64 L)	17 gal. (64 L)
PORT ROD STORAGE	up to 7'	up to 7'
STARBOARD ROD STORAGE	up to 7'	up to 7'
LIVEWELL AFT	NA	NA
LIVEWELL BOW	34 gal. (128.7 L)	34 gal. (128.7 L)
INSTRUMENTS	speed, tach, volt, fuel, horn	speed, tach, volt, fuel, horn
SEATS	2 deluxe	2 deluxe

Boats may be shown with optional equipment.

### 165 TILLER



### 165 TILLER



**YAMAHA**



165 CS



 YAMAHA

**ALUMACRAFT**


PLOT YOUR COURSE®

## STANDARD FEATURES


- » Rod Storage (Dual 7" Locking Compartments)
- » Integrated AlumaTrac™ System
- » Gauges
- » Bow Aerated Livewell with Timer (34 gal.)
- » Trolling System — 12 volt Bow Outlet
- » Stowable Running Lights
- » 2 Interior Courtesy Lights
- » Livewell Light
- » Wind Screen (CS)
- » Bilge Pump
- » Driver's Seat Slider
- » Fire Extinguisher
- » Grab Handles

## OPTIONAL EQUIPMENT

- » Minn Kota Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Vinyl Floor — Replaces Carpeting
- » Snap-in Carpet
- » Rear Casting Deck Extension (CS)
- » Custom Travel Covers
- » AlumaTrac™ Accessories
- » ShoreLand'r/Eagle/EZ Loader Trailer
- » Rear Casting Deck with Jump Seats (Sport & CS)



SIDE CONSOLE




SIDE ROD STORAGE



LIVEWELL



BOW FISH SEAT



BOW STORAGE



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



## NEW Escape 145 Tiller | 145 CS | 165 Tiller | 165 CS


**Exceptional value with all the features of the big boys.** Open and feature-rich, all in a package you can tow behind your small vehicle—that's the Escape. With standard features like a spacious livewell, the best storage in class, and extra-large rod holders, there are no compromises with this series.

### **A** SPECIAL PACKAGE PRICE

see dealer for details.

145  
Person's weight  
564 pounds


LEGEND
STORAGE
ROD STORAGE
LIVEWELL
BATTERY STORAGE
T/M OUTLET



	145 TILLER	145 CS	165 TILLER	165 CS
LENGTH	14' 6" (4.4 m)	14' 6" (4.4 m)	16' 6" (5.0 m)	16' 6" (5.0 m)
BEAM	76" (1.9 m)	76" (1.9 m)	76" (1.93 m)	76" (1.93 m)
TRANSOM WIDTH/HEIGHT	76"/20" (1.9 m/.508 m)	76"/20" (1.9 m/.508 m)	76"/20" (1.9 m/.508 m)	76"/20" (1.9 m/.508 m)
MAX. HORSEPOWER	40 (30 kw)	40 (30 kw)	50 (37 kw)	50 (37 kw)
MAX. DEPTH	32"/20" (.81 m/.508 m)	32"/20" (.81 m/.508 m)	36"/22" (.91 m/.56 m)	36"/22" (.91 m/.56 m)
MAX. HULL THICKNESS	<del>.160" (2.0 mm)</del>	<del>.160" (2.0 mm)</del>	<del>.160" (2.0 mm)</del>	<del>.160" (2.0 mm)</del>
FREEBOARD THICKNESS	.065" (1.65 mm)	.065" (1.65 mm)	.065" (1.65 mm)	.065" (1.65 mm)
WEIGHT	554 lbs. (251 kg)	604 lbs. (274 kg)	646 lbs. (293 kg)	696 lbs. (315 kg)
MAX. CAPACITY	4/1,010 lbs. (4/458 kg)	4/1,010 lbs. (4/458 kg)	5/1,235 lbs. (5/560 kg)	5/1,235 lbs. (5/560 kg)
FUEL CAPACITY	portable	portable	portable	portable
BOW ROD STORAGE	NA	NA	NA	NA
PORT ROD STORAGE	up to 7'	up to 7'	up to 8'	up to 8'
LIVEWELL AFT	NA	NA	NA	NA
LIVEWELL BOW	13 gal. (49 L)	13 gal. (49 L)	13 gal. (49 L)	13 gal. (49 L)
INSTRUMENTS	NA	NA	NA	NA
SEATS	2 deluxe	2 deluxe	2 deluxe	2 deluxe

Boats may be shown with optional equipment.


**145 TILLER**



**165 CS**



**165 TILLER**



**MERCURY**



145 CS



**ALUMACRAFT**

PLOT YOUR COURSE®



## STANDARD FEATURES

- » Large Bow Storage
- » Cockpit Floor Storage
- » Portside Rod Storage (8' - 165, 7' - 145)
- » Rear Starboard Storage
- » Stowable Running Lights
- » 12 volt Powerpoint
- » Trolling System - 12 volt
- » New Integrated AlumaTrac™ System
- » Aerated 13 gal. Bow Livewell with Timer
- » Driver's Seat Slider
- » EZ Access Rear Storage
- » Bilge Pump
- » Livewell Light
- » No Feedback Steering (CS) *error*
- » 3rd Seat ~~Standard~~ - Standard on "Special Package"

## OPTIONAL EQUIPMENT

- » Minn Kota Trolling Motor
- » Graphs/GPS (Lowrance/Humminbird)
- » Vinyl Floor
- » Custom Travel Cover
- » AlumaTrac™ Accessories
- » Air-Ride Pedestals



ROD STORAGE



SIDE CONSOLE




LIVEWELL



BOW STORAGE



FUEL & BATTERY STORAGE



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)




## Utilities & Canoes

	V-16 (20")	V-14 (20")	V-14 (15")
LENGTH	16' 7" (5.0 m)	14' 3" (4.3 m)	14' 3" (4.3 m)
BEAM	70" (1.78 m)	68" (1.72 m)	68" (1.72 m)
BOW HEIGHT	30" (.76 m)	30" (.76 m)	30" (.76 m)
TRANSOM	62"/20" (1.58 m/.51 m)	62"/20" (1.58 m/.51 m)	62"/15" (1.58 m/.38 m)
MAX. HORSEPOWER	25 (19 kw)	20 (14.9 kw)	20 (14.9 kw)
CAPACITY	5/1,380 lbs. (5/626 kg)	5/1,195 lbs. (5/542 kg)	5/1,015 lbs. (5/460 kg)
WEIGHT	285 lbs. (129 kg)	235 lbs. (107 kg)	230 lbs. (104 kg)
HULL THICKNESS	.065"/.065" (1.65 mm/1.65 mm)	.065"/.065" (1.65 mm/1.65 mm)	.065"/.065" (1.65 mm/1.65 mm)
SEATS	split aft	split aft	split aft
SEATS TYPES	2 bench/1 bow	2 bench/1 bow	2 bench/1 bow

*optimal floor Add 70 pounds for V-16 50 pounds for V-14*

	T12V
LENGTH	14' (4.2 m)
BEAM	61" (1.54 m)
BOW HEIGHT	26" (.66 m)
TRANSOM	60"/15" (1.52 m/.38 m)
MAX. HORSEPOWER	15 (11 kw)
CAPACITY	4/825 lbs. (4/374 kg)
WEIGHT	202 lbs. (92 kg)
HULL THICKNESS	.060"/.050" (1.52 mm/1.27 mm)
SEATS	NA
SEAT TYPES	3 bench/3 bow

	QT 185	CO 17	QT 17	QT 15
LENGTH	18' 5" (5.61 m)	17' (5.18 m)	17' (5.18 m)	15' (4.57 m)
BEAM	37" (.94 m)	37" (.94 m)	36" (.91 m)	36" (.91 m)
DEPTH	13" (.33 m)	13" (.33 m)	13" (.33 m)	12" (.30 m)
TRANSOM	NA	15" (.51 m)	NA	NA
MAX. HORSEPOWER	NA	4 (2.98 kw)	NA	NA
CAPACITY	4/800 lbs. (4/363 kg)	4/805 lbs. (4/365 kg)	4/750 lbs. (4/340 kg)	3/652 lbs. (3/296 kg)
WEIGHT	71 lbs. (32 kg)	80 lbs. (36 kg)	64 lbs. (29 kg)	56 lbs. (25 kg)
HULL THICKNESS	.040" (1 mm)	.040" (1 mm)	.040" (1 mm)	.040" (1 mm)
KEEL TYPE	.0625" (1.6 mm)	.0625" (1.6 mm)	.0625" (1.6 mm)	.0625" (1.6 mm)
STEM GAUGE	.090" (2.3 mm)	.090" (2.3 mm)	.090" (2.3 mm)	.090" (2.3 mm)
NUMBER OF RIBS	6	5	5	3
CURVED THwarts	optional	optional	standard	optional
BENCH TYPE SEATS	1 forward/1 aft	1 forward/1 aft	1 forward/1 aft	1 forward/1 aft



**EVINRUDE**  
E-TEC



Experience MORE at:  
[www.evinrude.com](http://www.evinrude.com)




## Pro Series 165 | 175 | 185

**Best-in-class fishing amenities.** The Pro Series is a tournament-style boat that's well equipped with everything you need to get out and get your fish on. With tons of in-floor storage, rod storage, and huge raised fishing platforms, the Pro is perfect for a leisurely day of fishing or a serious day of competition.

### **A** SPECIAL PACKAGE PRICE see dealer for details


LEGEND
STORAGE
ROD STORAGE
LIVEWELL
BATTERY STORAGE
FUEL TANK
TROLLING OUTLET



AREA OF SPECIFICATION	PRO 165	PRO 175	PRO 185
LENGTH	16' 0"	17' 5"	18' 5"
BEAM/WIDTH	74"/50"	84"/56"	86"/60"
SIDE HEIGHT	21"	23"	24"
TRANSOM HEIGHT	21"	21"	21"
MAX HORSEPOWER	60	90	115
HULL THICKNESS	.102"	.102"	.102"
WEIGHT	830 lbs.	1075 lbs.	1100 lbs.
MAX. CAPACITY	4/965 lbs.	4/1200 lbs.	5/1405 lbs.
FUEL TANK	NA	20 gal.	20 gal.
LIVEWELL/BOW	NA	20 gal.	20 gal.
LIVEWELL/AFT	20 gal.	20 gal.	20 gal.
INSTRUMENTS	speed, tach, volt	speed, tach, fuel	speed, tach, fuel
SEATS	4	5	5
PEDESTAL SOCKETS	2	2	2

Boats may be shown with optional equipment.

## PRO 165 & 175



SIDE CONSOLE (165)



ROD STORAGE



BOW (165)



## PRO 185 LP



### STANDARD FEATURES


- » Dual Lockable Rod Storage (up to 7' - 175/185)
- » Dual Aerated Livewells (175/185)
- » Aerated Livewell (165)
- » Trim Switch on Bow (175/185)
- » 12/24 volt Bow Outlet (175/185)
- » 12 volt Bow Outlet (165)
- » Under Seat Storage
- » Built-in Fuel Tank (175/185)
- » Wind Screen
- » Stowable Running Lights
- » Interior Courtesy Light
- » Bilge Pump

### OPTIONAL EQUIPMENT

- » Limited Package (175/185)
- » Minn Kota Trolling Motor
- » Pro 165 Rod Storage Box
- » Graph/GPS (Lowrance/Humminbird)
- » Bear/Diamond City Trailers



DUAL CONSOLE (185 LP)



AFT STORAGE AND LIVEWELL




ROD TIE DOWNS



UNDER SEAT STORAGE (175)



BOW STORAGE




For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



# Crappie Jon & Crappie Deluxe

**Simplicity is the ultimate sophistication.** Easy to haul, comfortable to ride and completely hassle-free, Crappies are designed for the ultimate in convenience. Whether you fish small lakes, creeks, rivers or streams, Crappies are always ready when you are.



AREA OF SPECIFICATION	CRAPPIE JON	CRAPPIE DELUXE
LENGTH	14' (4.26 m)	16' (4.88 m)
WIDTH (BEAM/BOTTOM)	64"/42" (1.6 m/1.07 m)	70"/48" (1.78 m/1.22 m)
SIDE HEIGHT	20" (.51 m)	21" (.53 m)
TRANSOM HEIGHT	15" (.28 m)	20" (.51 m)
MAX. HORSEPOWER	20 (15 kw)	30 (22 kw)
WEIGHT	330 lbs. (150 kg)	440 lbs. (198 kg)
MAX. CAPACITY	2/550 lbs. (8/249 kg)	3/745 lbs. (2/338 kg)
HULL THICKNESS	.063" (1.6 mm)	.080" (1.78 mm)
LIVEWELL	5 gal. (18.93 L)	10 gal. (37.85 L)
STORAGE COMPARTMENTS	1 battery	2
SEATS	2	2

Boats may be shown with optional equipment.

## CRAPPIE DELUXE



## CRAPPIE JON





## CRAPPIE DELUXE



**ALUMACRAFT**


PLOT YOUR COURSE®

### STANDARD FEATURES

- » Welded-in Aluminum Floor & Decks
- » Dual Rod Storage (up to 8' - Crappie Deluxe)
- » Rod Storage
- » Aerated Livewell (Crappie Deluxe)
- » Non-Aerated Livewell (Crappie Jon)
- » 12 volt Trolling Harness (Crappie Deluxe)
- » Bow Bracket Trolling (Crappie Jon)
- » Stowable Running Lights (Crappie Deluxe)
- » Bilge Pump

### OPTIONAL EQUIPMENT

- » Minn Kota Trolling Motor
- » Graph/GPS (Lowrance/ Humminbird)
- » Spray-in Liner
- » Bear/Diamond City Trailers
- » Custom Travel Cover



ROD STORAGE (DLX)



LIVEWELL (DLX)




FISH SEAT (JON)



FISH SEAT (DLX)



BOW PLATFORM



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



## 20' All Welds

**Our newest addition to our 20-foot All Welds, the 2072 Bay.** Whether you're tossing a bait net, drifting through the backwater, or fly fishing the flats, our new 20-foot Bay is designed for in and around intercoastal waters. A smooth, solid hull with multiple strokes for tracking and a shallow draft make the possibilities endless.




	MV 2072 BAY	MV 2072 SC	MV 2072 AW CC	MV 2072 TUNNEL CC
LENGTH	20' 0"	20' 0"	20' 0"	20' 0"
WIDTH (BEAM/BOTTOM)	94" / 72"	94" / 72"	94" / 72"	94" / 72"
HEIGHT (TRANSOM/SIDE)	21" / 27"	21" / 27"	21" / 27"	21" / 27"
MAX. HORSEPOWER	130	115	130	130
HULL GAUGE	.102"	.102"	.102"	.102"
HULL TYPE	Mod-V	Mod-V	Mod-V	MV Tunnel
WEIGHT	1175 lbs.	1145 lbs.	1175 lbs.	1135 lbs.
MAX. CAPACITY	6/2100 lbs.	5/2100 lbs.	6/2100 lbs.	6/2100 lbs.
FUEL TANK	20 gal.	20 gal.	20 gal.	20 gal.
STORAGE	2+2 Rod	3+Rod	2	2
LIVEWELL	Standard	Standard	Standard	Standard
INSTRUMENTATION	speed, tach, fuel	speed, tach, fuel	speed, tach, fuel	speed, tach, fuel
SEATS	LP, Cons.	2	Cons.	Cons.
FISHING SEATS	2	2	2	2

Boats may be shown with optional equipment.


A full list of specifications can be found on pages 44 & 45.



UNDER SEAT STORAGE




REAR SEATING



LIVEWELL



## MV 2072 CC BAY



**EVINRUDE**  
E-TEC



Experience MORE at:  
[www.evinrude.com](http://www.evinrude.com)

**ALUMACRAFT**

PLOT YOUR COURSE®

### STANDARD FEATURES

- » New 12° Mod-V Bow
- » New 8° Mod-V Hull
- » Dual Rod Storage Boxes (up to 7')
- » Console Mounted Rod Holders
- » 15 gal. Aerated Livewell
- » Saltwater Resistant System
- » Full Instrumentation
- » Stowable Navigation Lights
- » Bilge Pump
- » Stainless Steering Wheel
- » Grabrail/Windshield
- » Driver Leaning Post With Cushion
- » Bow & Aft Fishing Seats
- » Gulf Sand Paint with Spray In Liner
- » Custom Graphics

### OPTIONAL EQUIPMENT

- » Minn Kota Rip Tide Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Bear/Diamond City Trailers



CENTER CONSOLE



ROD HOLDERS




LIVWELL



REAR PLATFORM



SIDE ROD STORAGE



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



# 18' All Welds

**For the dyed-in-the-wool outdoorsman.** Versatile, tough, reliable and easy on the budget, our rugged All Weld jons are built to withstand the harshest punishment. Choose either a side or center console or our **ALL NEW Bay** to get you through a day of hunting, fishing or working.



	MV 1860 BAY	MV 1860 SC	MV 1860 CC	VB 1860 SC TUNNEL
LENGTH	18'0"	18'0"	18'0"	18'0"
WIDTH (BEAM/BOTTOM)	86"/60"	86"/60"	86"/60"	86"/60"
HEIGHT (TRANSOM/SIDE)	21"/25"	21"/25"	21"/25"	21"/25"
MAX. HORSEPOWER	115	90	115	90
HULL GAUGE	.102"	.102"	.102"	.102"
HULL TYPE	Mod-V	Mod-V	Mod-V	Flat-V Tunnel
WEIGHT	865 lbs.	910 lbs.	865 lbs.	920 lbs.
MAX. CAPACITY	5/1600 lbs.	5/1600 lbs.*	5/1600 lbs.	5/1600 lbs.
FUEL TANK	20 gal.	20 gal.	20 gal.	20 gal.
STORAGE	2	3+Rod	2	3+Rod
LIVEWELL	standard	standard	standard	standard
INSTRUMENTATION	speed, tach, fuel	speed, tach, fuel	speed, tach, fuel	speed, tach, fuel
SEATS	LP, Cons.	2	Cons.	2
FISHING SEATS	2	2	2	2

Boats may be shown with optional equipment.

A full list of specifications can be found on pages 44 & 45.



SIDE CONSOLE



BOW PLATFORM/STORAGE



REAR SEATING



## MV 1860 CC BAY



**ALUMACRAFT**

PLOT YOUR COURSE®

### STANDARD FEATURES

- » New 11° Mod-V Bow
- » 6° Mod-V Hull
- » Console Mounted Rod Holders
- » 15 gal. Aerated Live Well
- » Saltwater Resistant System
- » Full Instrumentation
- » Stowable Navigation Lights
- » Bilge Pump
- » Stainless Steering Wheel
- » Grabrail/Windshield
- » Driver Leaning Post with Cushion
- » Bow & Aft Fishing Seats
- » Gulf Sand Paint with Spray-in Liner
- » Custom Graphics

### OPTIONAL EQUIPMENT

- » Minn Kota Riptide Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Bear/Diamond City Trailers

**YAMAHA**



ROD HOLDERS



BOW STORAGE



CENTER CONSOLE



LIVEWELL



REAR CASTING PLATFORM



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



## 17' All Welds

**Tough as nails and smooth as silk.** Extra-rugged, all-welded construction provides added toughness with a smooth ride giving these jons a one-up on the competition.



	MV 1756 CC	MV 1756 SC
LENGTH	17' 0"	17' 0"
WIDTH (BEAM/BOTTOM)	83"/56"	83"/56"
HEIGHT (TRANSOM/SIDE)	21"/24"	21"/24"
MAX. HORSEPOWER	75	75
HULL GAUGE	.102"	.102"
HULL TYPE	Mod-V	Flat-V Tunnel
WEIGHT	895 lbs.	905 lbs.
MAX. CAPACITY	4/1300 lbs.	4/1300 lbs.
FUEL TANK	20 gal.	20 gal.
STORAGE	3+Rod	3+Rod
LIVEWELL	standard	standard
INSTRUMENTATION	speed, tach, fuel	speed, tach, fuel
SEATS	2	2
FISHING SEATS	NA	2

Boats may be shown with optional equipment.

A full list of specifications can be found on pages 44 & 45.

**MV 1756 SC**




**MV 1756 SC**



**YAMAHA**



**MV 1756 CC**



**ALUMACRAFT**

PLOT YOUR COURSE<sup>®</sup>




## STANDARD FEATURES

- » 11° Mod-V Bow
- » 6° Mod-V Hull
- » Bow Storage
- » Aft Storage
- » 15 gal. Aerated Livewell
- » Full Instrumentation
- » Stowable Navigation Lights
- » Bilge Pump
- » Grabrail/Windshield
- » Bow & Aft Fishing Seats

## OPTIONAL EQUIPMENT

- » Minn Kota Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Bear/Diamond City Trailers



CENTER CONSOLE



SIDE CONSOLE



SIDE ROD LOCKER



BOW STORAGE



REAR PLATFORM



For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



# 16' All Welds

**All work and no play is not their intended use.** Whether you choose our center console or side console, our 16-foot All Weld jons are ideal for any outdoor activity. From stringing trout lines to searching the bottom of the lake, these rugged jons let you have fun while getting the job done.



	MV 1650 CC	MV 1650 SC
LENGTH	16' 0"	16' 0"
WIDTH (BEAM/BOTTOM)	74"/50"	74"/50"
HEIGHT (TRANSOM/SIDE)	21"/22"	21"/22"
MAX. HORSEPOWER	60	60
HULL GAUGE	.102"	.102"
HULL TYPE	Mod-V	Mod-V
WEIGHT	720 lbs.	720 lbs.
MAX. CAPACITY	4/1010 lbs.	4/1010 lbs.
FUEL TANK	NA	NA
STORAGE	2	3
LIVWELL	standard	standard
INSTRUMENTATION	speed, tach, volt	speed, tach, volt
SEATS	NA	2
FISHING SEATS	2	2

Boats may be shown with optional equipment.

A full list of specifications can be found on pages 44 & 45.

**MV 1650 CC**



**MV 1650 CC**




**EVINRUDE**



Experience MORE at:  
[www.evinrude.com](http://www.evinrude.com)



## MV 1650 SC



**ALUMACRAFT**

PLOT YOUR COURSE®

### STANDARD FEATURES

- » 20 gal. Aerated Livewell
- » Bow & Aft Storage
- » Fiberglass Side Console with Gauges
- » Windshield
- » Bilge Pump
- » Driver/Passenger Seating
- » Bow & Aft Fishing Seats

### OPTIONAL EQUIPMENT

- » Minn Kota Trolling Motor
- » Graph/GPS (Lowrance/Humminbird)
- » Bear/Diamond City Trailers

**YAMAHA**



CENTER CONSOLE




SIDE CONSOLE




BOW PLATFORM



LIVEWELL



BOW STORAGE




For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



# MV Tillers

**Nothing can have value without being an object of utility.** That's what you get with our durable, all-weld jon Tillers. Exceptional value for an outstanding utility boat, our Tillers are available in multiple sizes and configurations and are the ideal no-nonsense boat.



LEGEND
STORAGE
ROD STORAGE
LIVEWELL
BATTERY STORAGE

	MV 2072	MV1860	MV 1756	MV 1650
LENGTH	20' 0"	18' 0"	17' 0"	16' 0"
WIDTH (BEAM/BOTTOM)	94"/72"	86"/60"	83"/56"	74"/50"
HEIGHT (TRANSOM/SIDE)	21"/27"	21"/25"	21"/24"	21"/22"
MAX. HORSEPOWER	90	50	50	40
HULL GAUGE	.102"	.102"	.102"	.102"
HULL TYPE	Mod-V	Mod-V	Mod-V	Mod-V
WEIGHT	730 lbs.	625 lbs.	575 lbs.	470 lbs.
MAX. CAPACITY	4/2100 lbs.	4/1600 lbs.	4/1300 lbs.	4/1010 lbs.
FUEL TANK	NA	NA	NA	NA
STORAGE	2	2	2	2
LIVEWELL	NA	NA	NA	NA
INSTRUMENTATION	NA	NA	NA	NA
SEATS	NA	NA	NA	NA
FISHING SEATS	optional	optional	optional	optional

Boats may be shown with optional equipment.

A full list of specifications can be found on pages 44 & 45.

**MV 1860**



**MV 1650**



**EVINRUDE**  
E-TEC




Experience MORE at  
[www.evinrude.com](http://www.evinrude.com)




**MV 2072**



**MV 1756**



**BOW STORAGE**



**ALL WELD FLOOR**


For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



## 15' All Welds & Waterfowler

**Compact and tough.** Whether you're fishing, trapping or just going from point A to point B, these 15-foot All Weld jons are nimble enough to get you to any location and rugged enough to get you out.

**Designed for the most serious duck hunters.** Our thoughtfully design Waterfowler provides ample room for gear, friends and your dog. A lockable gun case, split rear seats, and a large bow platform make this boat ideal to get back in your blind and ready for action.



	WATERFOWLER	MV 1546 DD	MV 1546 DD TUNNEL	MV 1546
LENGTH	16' 0"	15' 0"	15' 0"	15' 0"
WIDTH (BEAM/BOTTOM)	65"/50"	65"/46"	65"/46"	65"/46"
HEIGHT (TRANSOM/SIDE)	21"/20"	15"/20"	15"/20"	15"/20"
MAX. HORSEPOWER	40	25	25	25
HULL GAUGE	.102"	.080"	.080"	.080"
HULL TYPE	Mod-V	Mod-V	Mod-V Tunnel	Mod-V
WEIGHT	555 lbs.	320 lbs.	325 lbs.	320 lbs.
MAX. CAPACITY	4/1010 lbs.	3/719 lbs.	3/719 lbs.	3/719 lbs.
FUEL TANK	NA	NA	NA	NA
STORAGE	1	1	1	1
LIVEWELL	NA	NA	NA	NA
INSTRUMENTATION	NA	NA	NA	NA
SEATS	NA	NA	NA	NA
FISHING SEATS	optional	optional	optional	optional


Boats may be shown with optional equipment.

A full list of specifications can be found on pages 44 & 45.

**MV 1546 DD**



**MV 1546 DD TUNNEL**



**EVINRUDE**



Experience MORE at  
[www.evinrude.com](http://www.evinrude.com)



# WATERFOWLER



**ALUMACRAFT**

PLOT YOUR COURSE®



LOCKABLE SIDE STORAGE



AFT PODS



BOW STORAGE

For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



## Riveted Jons

**Not your ordinary Riveted Jon.** Our V-hull Riveted Jons are known for their toughness, simplicity, durability and performance. Only what you'd expect from a company that's been making high-quality riveted boats for over 60 years.

## Sierras

**Durably built, value priced.** Our Sierra Series is a perfect boat line for resort owners who need practical, value-priced boats. The durable design and clean, thoughtful interior make this an ideal boat for anyone looking to get out on the water without hassles.



MV 1648 NCS



1436 LT




1236

A full list of specifications can be found on pages 44 & 45.

1442



MV 1648 SS AFT





**SIERRAS**



**ALUMACRAFT**

PLOT YOUR COURSE®

**EVINRUDE**  
E-TEC




Experience MORE at:  
[www.evinrude.com](http://www.evinrude.com)



CENTER SEAT STORAGE



SPLIT SEAT



AFT STORAGE (MV & 1648 NCS)



SOLID FLOOR (MV1648 NCS)



BOW STORAGE (MV & 1648 NCS)

For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



# ALL WELDED JON BOAT SPECIFICATIONS

	LENGTH	BOTTOM WIDTH	BEAM /SIDE HEIGHT	TRANSOM HEIGHT	MAXIMUM HORSEPOWER (HP)	(OPTIONAL SIDE CONSOLE)	FUEL TANK (gal.)	APPROXIMATE WEIGHT	CAPACITY	HULL GAUGE	HULL TYPE	NUMBER OF RIBS	SIDE CONSOLE	CENTER CONSOLE	WINDSHIELD	INSTRUMENTATION	LIFEWELL	STORAGE COMPARTMENTS	DRY STORAGE COMPARTMENTS	GUN BOX	SEATS	FISHING SEATS	SEAT PEDESTAL BASES	FLOOR	DROP DECK	TROLLING MOTOR, GRAPH
MV 2072 AW BAY	20' 0"	72"	94"/27"	21"	130	-	20	1175 lbs.	6/2100 lbs.	.102"	Mod-V	L	-	+6RH	Std	S.T.F	Std	2+2 Rod	-	-	LP. Cons.	2	4 Pin	Std	-	Opt
MV 2072 AW CC	20' 0"	72"	94"/27"	21"	130	-	20	1175 lbs.	6/2100 lbs.	.102"	Mod-V	L	-	+6RH	Std	S.T.F	Std	2	-	-	Cons.	2	2 Pin	Std	-	Opt
MV 2072 AW TUNNEL BAY	20' 0"	72"	94"/27"	21"	130	-	20	1185 lbs.	6/2100 lbs.	.102"	MV Tunnel	L	-	+6RH	Std	S.T.F	Std	2+2 Rod	-	-	LP. Cons.	2	4 Pin	Std	-	Opt
MV 2072 AW TUNNEL CC	20' 0"	72"	94"/27"	21"	130	-	20	1135 lbs.	6/2100 lbs.	.102"	MV Tunnel	L	-	+6RH	Std	S.T.F	Std	2	-	-	Cons.	2	1 Pin, 1L	Std	-	Opt
MV 2072 AW SC	20' 0"	72"	94"/27"	21"	115	-	20	1145 lbs.	5/2100 lbs.	.102"	Mod-V	L	Std	-	Std	S.T.F	Std	3+Rod	1	-	2	2	2 Pin	Std	-	Opt
MV 2072 AW	20' 0"	72"	94"/27"	21"	90	90	-	730 lbs.	4/2100 lbs.	.102"	Mod-V	L	Opt	-	Opt	-	-	2	-	Opt	-	Opt	1 Pin	Std	-	Opt
MV 2072 AW TUNNEL	20' 0"	72"	94"/27"	21"	90	90	-	740 lbs.	4/2100 lbs.	.102"	MV Tunnel	L	Opt	-	Opt	-	-	2	-	Opt	-	Opt	1 Pin	Std	-	Opt
MV 1860 AW BAY	18' 0"	60"	86"/25"	21"	115	-	20	865 lbs.	5/1600 lbs.	.102"	Mod-V	L	-	+6RH	Std	S.T.F	Std	2	-	-	LP.Cons.	2	4 Pin	Std	-	Opt
VB 1860 AW TUNNEL BAY	18' 0"	60"	86"/25"	21"	115	-	20	875 lbs.	5/1600 lbs.	.102"	Flat-V Tunnel	L	-	+6RH	Std	S.T.F	Std	2	-	-	LP.Cons.	2	4 Pin	Std	-	Opt
MV 1860 AW CC	18' 0"	60"	86"/25"	21"	115	-	20	865 lbs.	5/1600 lbs.	.102"	Mod-V	L	-	+6RH	Std	S.T.F	Std	2	-	-	Cons.	2	1 Pin, 1L	Std	-	Opt
VB 1860 AW TUNNEL CC	18' 0"	60"	86"/25"	21"	115	-	20	875 lbs.	5/1600 lbs.	.102"	Flat-V Tunnel	L	-	+6RH	Std	S.T.F	Std	2	-	-	Cons.	2	1 pin, 1L	Std	-	Opt
MV 1860 AW SC	18' 0"	60"	86"/25"	21"	90	-	20	910 lbs.	5/1600 lbs.	.102"	Mod-V	L	Std	-	Std	S.T.F	Std	3+Rod	1	-	2	2	2 pin	Std	-	Opt
VB 1860 AW TUNNEL SC	18' 0"	60"	86"/25"	21"	90	-	20	920 lbs.	5/1600 lbs.	.102"	Flat-V Tunnel	L	Std	-	Std	S.T.F	Std	3+Rod	1	-	2	2	2 pin	Std	-	Opt
MV 1860 AW	18' 0"	60"	86"/25"	21"	50	90	-	625 lbs.	4/1600 lbs.	.102"	Mod-V	L	Opt	-	Opt	-	-	2	-	Opt	-	Opt	1 pin	Std	-	Opt
VB 1860 AW TUNNEL	18' 0"	60"	86"/25"	21"	50	90	-	635 lbs.	4/1600 lbs.	.102"	Mod-V	L	Opt	-	Opt	-	-	2	-	Opt	-	Opt	1 pin	Std	-	Opt
MV 1756 AW CC	17' 0"	56"	83"/24"	21"	75	-	20	805 lbs.	4/1300 lbs.	.102"	Mod-V	L	-	Std	Std	S.T.F	Std	2	-	-	-	2	1 pin, 1L	Std	-	Opt
VB 1756 AW TUNNEL CC	17' 0"	56"	83"/24"	21"	75	-	20	815 lbs.	4/1300 lbs.	.102"	Flat-V Tunnel	L	-	Std	Std	S.T.F	Std	+2	-	-	-	2	1 pin, 1L	Std	-	Opt
MV 1756 AW SC	17' 0"	56"	83"/24"	21"	75	-	20	895 lbs.	4/1300 lbs.	.102"	Mod-V	L	Std	-	Std	S.T.F	Std	3+Rod	1	-	2	2	2 pin	Std	-	Opt
VB 1756 AW TUNNEL SC	17' 0"	56"	83"/24"	21"	75	-	20	905 lbs.	4/1300 lbs.	.102"	Flat-V Tunnel	L	Std	-	Std	S.T.F	Std	3+Rod	1	-	2	2	2 pin	Std	-	Opt
MV 1756 AW	17' 0"	56"	83"/24"	21"	50	75	-	575 lbs.	4/1300 lbs.	.102"	Mod-V	L	Opt	-	Opt	-	-	2	-	Opt	-	Opt	1 pin	Std	-	Opt
VB 1756 AW TUNNEL	17' 0"	56"	83"/24"	21"	50	75	-	585 lbs.	4/1300 lbs.	.102"	Mod-V	L	Opt	-	Opt	-	-	2	-	Opt	-	Opt	1 pin	Std	-	Opt
MV 1650 AW CC	16' 0"	50"	74"/22"	21"	60	-	-	720 lbs.	4/1010 lbs.	.102"	Mod-V	L	-	Std	Std	S.T.V	Std	2	-	-	-	2	1 pin, 1L	Std	-	Opt
VB 1650 AW TUNNEL CC	16' 0"	50"	74"/22"	21"	60	-	-	730 lbs.	4/1010 lbs.	.102"	Flat-V Tunnel	L	-	Std	Std	S.T.V	Std	2	-	-	-	2	1 pin, 1L	Std	-	Opt
MV 1650 AW SC	16' 0"	50"	74"/22"	21"	60	-	-	720 lbs.	4/1010 lbs.	.102"	Mod-V	L	Std	-	Std	S.T.V	Std	3	1	-	2	2	2 pin	Std	-	Opt
VB 1650 AW TUNNEL SC	16' 0"	50"	74"/22"	21"	60	-	-	730 lbs.	4/1010 lbs.	.102"	Flat-V Tunnel	L	Std	-	Std	S.T.V	Std	3	1	-	2	2	2 pin	Std	-	Opt
MV 1650 AW	16' 0"	50"	74"/22"	21"	40	60	-	470 lbs.	4/1010 lbs.	.102"	Mod-V	L	Opt	-	Opt	-	-	2	-	Opt	-	Opt	1 pin	Std	-	Opt
VB 1650 AW TUNNEL	16' 0"	50"	74"/22"	21"	40	60	-	470 lbs.	4/1010 lbs.	.102"	Mod-V	L	Opt	-	Opt	-	-	2	-	Opt	-	Opt	1 pin	Std	-	Opt
WATER FOWLER 16	16' 0"	50"	65"/20"	21"	40	-	-	555 lbs.	4/1010 lbs.	.102"	Mod-V	L	-	-	-	-	-	1	-	1	-	Opt	1 pin	Std	Std	Opt
MV 1546 AW DD	15' 0"	46"	65"/20"	15"	25	25	-	320 lbs.	3/719 lbs.	.080"	Mod-V	L	Opt	-	Opt	-	-	1	-	Opt	-	Opt	1 pin	Std	Std	Opt
MV 1546 AW DD TUNNEL	15' 0"	46"	65"/20"	15"	25	25	-	325 lbs.	3/719 lbs.	.080"	Mod-V Tunnel	L	Opt	-	Opt	-	-	1	-	Opt	-	Opt	1 pin	Std	Std	Opt
MV 1546 AW	15' 0"	46"	65"/20"	15"	25	25	-	320 lbs.	3/719 lbs.	.080"	Mod-V	L	Opt	-	Opt	-	-	1	-	Opt	-	Opt	1 pin	Std	-	Opt



# RIVETED JON BOAT SPECIFICATIONS

TROLLING-MOTOR HARNESS	LIGHTS	POWER POINTS	BILGE PUMP	SPRAY-IN FLOOR LINER	SPONGEBOARDS	PAINT COLOR	CAMO PAINT
w/TT	Std	1	Std	Std	—	Gulf Sand	
w/TT	Std	1	Std	Opt	—	Khaki	Opt
w/TT	Std	1	Std	Std	Opt	Gulf Sand	
w/TT	Std	1	Std	Opt	Opt	Khaki	Opt
w/TT	Std	1	Std	Opt	—	Khaki	Opt
—	Opt*	—	—	—	—	Khaki	Opt
—	Opt*	—	—	—	Opt	Khaki	Opt
w/TT	Std	1	Std	Std	—	Gulf Sand	—
w/TT	Std	1	Std	Std	Opt	Gulf Sand	—
w/TT	Std	1	Std	Opt	—	Khaki	Opt
w/TT	Std	1	Std	Opt	Opt	Khaki	Opt
w/TT	Std	1	Std	Opt	—	Khaki	Opt
w/TT	Std	1	Std	Opt	—	Khaki	Opt
—	Opt	—	—	—	—	Khaki	Opt
—	Opt	—	—	—	Opt	Khaki	Opt
Std	Std	1	Std	Opt	—	Khaki	Opt
Std	Std	1	Std	Opt	Opt	Khaki	Opt
Std	Std	1	Std	Opt	—	Khaki	Opt
Std	Std	1	Std	Opt	—	Khaki	Opt
—	Opt	Opt	—	—	—	Khaki	Opt
—	Opt	Opt	—	—	Opt	Khaki	Opt
12V	Std	1	Std	Opt	—	Khaki	Opt
12V	Std	1	Std	Opt	Opt	Khaki	Opt
12V	Std	1	Std	Opt	—	Khaki	Opt
12V	Std	1	Std	Opt	—	Khaki	Opt
—	Opt	—	—	—	—	Khaki	Opt
—	Opt	—	—	—	—	Khaki	Opt
12V	Std	1	Std	—	—	Khaki	Opt
—	—	—	—	—	—	Khaki	Opt
—	—	—	—	—	—	Khaki	Opt
—	—	—	—	—	—	Khaki	Opt

	LENGTH	BOTTOM WIDTH	BEAM/SIDE HEIGHT	TRANSOM HEIGHT	MAX HORSEPOWER	APPROX WEIGHT	CAPACITY	HULL GAUGE	HULL TYPE	NUMBER OF RIBS	SIDE STEERING	GRAVITY FLOW L/W	LIGHT & TROLLING MOTOR BRACKET	COLOR	FLOOR	COLOR	FLOOR
MV 1648	16'0"	48"	70"/21"	15"/20"	35 HP	320 lbs.	4/1010 lbs.	.070"	Mod-V	9	Opt	Opt	Opt	Olive Drab	—	—	—
MV 1648 NCS	16'0"	48"	70"/21"	15"/20"	35 HP	310 lbs.	4/1010 lbs.	.070"	Mod-V	9	Opt	Opt Box	Opt	Olive Drab	Std	Std	Std
MV 1448	14'0"	48"	70"/21"	15"/20"	25 HP	285 lbs.	4/885 lbs.	.070"	Mod-V	7	Opt	Opt	Opt	Olive Drab	—	—	—
1648	16'0"	48"	70"/21"	15"/20"	35 HP	290 lbs.	4/1010 lbs.	.070"	FB	9	Opt	Opt	Opt	Olive Drab	—	—	—
1648 NCS	16'0"	48"	70"/21"	15"/20"	35 HP	310 lbs.	4/1010 lbs.	.070"	FB	9	Opt	Opt Box	Opt	Olive Drab	—	—	—
1448	14'0"	48"	70"/21"	15"/20"	25 HP	285 lbs.	5/885 lbs.	.070"	FB	7	Opt	Opt	Opt	Olive Drab	—	—	—
1542	15'0"	42"	62"/20"	15"	25 HP	240 lbs.	3/775 lbs.	.063"	FB	8	N/A	Opt Box	Opt	Olive Drab	—	—	—
1442	14'0"	42"	62"/20"	15"	25 HP	230 lbs.	3/755 lbs.	.063"	FB	7	N/A	Opt Box	Opt	Olive Drab	—	—	—
1442 LW	14'0"	42"	62"/20"	15"	25 HP	230 lbs.	3/755 lbs.	.063"	FB	7	N/A	Std	Opt	Olive Drab	—	—	—
1442 NCS	14'0"	42"	62"/20"	15"	25 HP	230 lbs.	3/755 lbs.	.063"	FB	7	N/A	Opt Box	Opt	Olive Drab	—	—	—
1436	14'0"	36"	55"/19"	15"	15 HP	180 lbs.	3/620 lbs.	.058"	FB	7	N/A	Opt	Opt	Olive Drab	—	—	—
1436 LITE	14'0"	36"	55"/19"	15"	15 HP	135 lbs.	3/600 lbs.	.053"	FB	6	N/A	Opt Box	Opt	Olive Drab	—	—	—
1236	12'0"	36"	55"/19"	15"	9.9 HP	125 lbs.	3/540 lbs.	.053"	FB	5	N/A	N/A	Opt	Olive Drab	—	—	—
1036	10'0"	36"	55"/19"	15"	3 HP	100 lbs.	2/365 lbs.	.053"	FB	2	N/A	N/A	Opt	Olive Drab	—	—	—



MV 2072 AW BAY



MV 2072 AW CC



MV 2072 AW SC



MV 2072 AW



MV 1860 AW BAY



MV 1860 AW CC



MV 1860 AW SC



VB 1860 AW Tunnel SC



MV 1860 AW



MV 1756 AW CC



MV 1756 AW SC



MV 1756 AW



MV 1650 AW CC



MV 1650 AW SC



MV 1650 AW




Water Fowler 16




MV 1648 NCS



MV 1546 AW



MV 1648



MV 1648 SS



1648



1648 NCS



1542



MV 1448



1448




1442



1442 LW



1442 NCS



1436 LT



1436



1236



1036

LEGEND
STORAGE
ROD STORAGE
DRY STORAGE
GUN BOX
LIVWELL
COOLER
BATTERY STORAGE
FUEL TANK
TROLLING OUTLET

For more information, visit [www.alumacraft.com](http://www.alumacraft.com)



# 10 Reasons to Own an Alumacraft

## 1. INDEPENDENTLY OWNED MANUFACTURER

Which means you get your boat rigged the way you want it. Alumacraft offers all major outboard motor lines for your boat. You get the outboard, the features, the options, and the service you want from an industry leading, independently owned boat manufacturer.

## 2. GREATER SELECTION OF BOAT SIZES

Choose from 20' 8" long, high-performance, deep V-boats to 10' flat-bottom jon boats. Alumacraft boats come in a huge variety of sizes, shapes and styles for an endless variety of uses and budgets. You name it, we've got it.

## 3. THE ALUMACRAFT RIDE

Our pros call it the Alumacraft Ride. These guys have driven virtually every boat on the market. They tell us the Alumacraft Ride is drier, quieter, smoother and more responsive. The exceptional ride of an Alumacraft with the performance of a new Yamaha outboard—it doesn't get any better.

## 4. HIGH-QUALITY HARDWARE

Alumacraft uses the highest quality hardware on the market. Chromed metal hardware is strong, durable and easy to grab and open, even with gloves on. Compare some of the hardware on other boats and you'll be surprised.

## 5. HEAVIER GAUGE ALUMINUM

All Alumacraft boats, whether it's our all-welded jons or one of our riveted tournament models, are made with heavy-gauge, top-quality, 5052 marine-grade aluminum. That's why you see Alumacraft boats that have been on the water for years and years. They last longer.

## 6. SEE THE DIFFERENCE

Look real close. You'll see a tighter fit, smooth, even welds, larger rivets, and precision construction throughout. These are boats you'll be proud to call your own.

## 7. MORE AND BIGGER RIBS

Our all-welded ribs can take a pounding. They're heavier, wider and stronger, making the entire boat tougher and more rigid. Ribs are positioned on narrow 12" centers. This results in more ribs making the hull stronger the entire length of the boat.

## 8. LARGER AIRCRAFT-GRADE RIVETS

Inherent strength is greater with larger rivets. Larger rivets mean stronger rivets. Stronger rivets mean fewer rivets are needed. Fewer rivets mean fewer holes need to be drilled, significantly reducing the chance of ever popping a rivet.

## 9. HIGHEST QUALITY PAINT


Our boats are painted in the same basecoat/clearcoat process and colors used by major auto makers. This process allows the repair of small scratches and areas of dock rash without repainting your entire boat. Matching touch-up paint can be found at more than 4,000 auto repair outlets.

## 10. ONE-PIECE HULL


We use a single piece of aluminum that is cut and shaped to form the hull. Other manufacturers rivet, or weld, two separate pieces together. Our one-piece design assures there are no seams on the boat's bottom, providing the greatest possible inherent strength and no heaving.

## Colors

### LIMITED PACKAGE HULL COLORS\*



### STANDARD HULL COLORS



### JON BOAT HULL COLORS



### VINYL COLOR OPTIONS



\* Limited package colors available only on Limited Edition Trophy, Dominator, Competitor, Voyageur, and Pro 175 & 185.


All Limited Edition color options come with our exclusive Alumacoat™ clear metallic.



## Popular Options




AM/FM RADIO (WITH MP3)



LOWRANCE / HUMMINBIRD  
TROLLING MOTORS



TROLLING MOTORS




ALUMATRAC™



CAPTAIN'S CHAIR



CUSTOM EAGLE TRAILERS



BOARDING LADDER




PRO SEAT



BOW CUSHIONS



FLIP DOWN CASTING PLATFORM  
WITH JUMP SEATS



TRAVEL COVER



BIMINI TOP



FULL ENCLOSURE



VINYL FLOOR



SNAP-IN CARPET

## Jon Boat Options




SIDE CONSOLE



LIVWELL



ACCESSORY GUN BOX



SPONSONS



TROLLING MOTOR BRACKET



# ALUMACRAFT®

AN INDEPENDENTLY OWNED AND OPERATED BOAT COMPANY

315 W. St. Julien St. | St. Peter, MN 56082

507-931-1050 | Fax: 507-931-9056

1329 N. 10th St. | Arkadelphia, AR 71923

870-246-5555 | Fax: 870-246-4507

[www.alumacraft.com](http://www.alumacraft.com)

COPYRIGHT © 2013-2014 ALUMACRAFT BOAT CO.

PRINTED IN THE U.S.A.

All Alumacraft boats are both NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical, and safety. National Marine Manufacturers Association certification is the most stringent in the industry. Look for it; not all boat manufacturers meet NMMA's higher standards.

#### SPECIAL THANKS TO THE FOLLOWING:

Pehrson Lodge Resort, Lake Vermilion, MN  
Muskego Point Resort, Lake Vermilion, MN  
Spring Bay Resort, Lake Vermilion, MN  
Iron Mountain Lodge and Marina, Arkadelphia, AR  
Flambeau  
Temple Fork Outfitters  
Absolute Outdoors  
Yeti Coolers

**ALUMACRAFT LIMITED WARRANTY** – We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information. Photos, illustrations and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features, and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All ratings comply with the Federal Boat Safety Act of 1971. Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.

