

ALUMA*Craft*

Chay's


2015



FAMILIES. FISHING. FOREVER.

ALUMA*Craft*

2015



 **SUZUKI**
MA

SPECIAL THANKS TO:

Spring Bay Resort, Lake Vermilion, MN
Oveson's Pelican Lake Resort
Pure Fishing
Flambeau
St. Croix Rods
Frabill
Absolute Outdoors
Plano

LOOK FOR ALUMACRAFT BOATS ON TV AND ONLINE:

Babe Winkelman - Good Fishing
Doug Stange - In-Fisherman
Jon Thelen - Fish Ed
Aaron Wiebe - www.uncutangling.com
Benny Spies - Gun-It with Benny Spies
Ashley Rae - www.shelovestofish.com
Butch Furtman - Sportsman's Journal
Eric Haataja - www.bigfish365.com

315 W. St. Julien St. | St. Peter, MN 56120
507-931-1050 | Fax: 507-931-9100


1329 N. 10th St. | Arkadelphia, AR 71923
870-246-5555 | Fax: 870-246-4000

www.alumacraft.com

2XB™ ADVANTAGE

THE WA

THE ALUMACRAFT ADVANTAGE



TWIN-PLATED 2XB™ HULLS PROVIDE SUPERIOR STRENGTH—UP TO TWICE AS THICK AS THE COMPETITION



SEAMLESS, ONE-PIECE BOTTOM HULL CONSTRUCTION VS. THREE-PIECE SPLICED HULLS



TOP-QUALITY, OVERSIZED, AIRCRAFT-GRADE RIVETS ENSURE SUPERIOR STRENGTH



DURABLE WOOD-FREE, HEAVY-GAUGE ALUMINUM BENCH SEATING AND STRINGER SYSTEM



A SUSTAINABLE AND LARGER ONE-PIECE, HARDENED, HEAVY-DUTY KEEL

2XB™ ADVANTAGE

THE WA

THE ALUMACRAFT ADVANTAGE



TWIN-PLATED 2XB™ HULLS PROVIDE SUPERIOR STRENGTH—UP TO TWICE AS THICK AS THE COMPETITION



SEAMLESS, ONE-PIECE BOTTOM HULL CONSTRUCTION VS. THREE-PIECE SPLICED HULLS



TOP-QUALITY, OVERSIZED, AIRCRAFT-GRADE RIVETS ENSURE SUPERIOR STRENGTH



DURABLE WOOD-FREE, HEAVY-GAUGE ALUMINUM BENCH SEATING AND STRINGER SYSTEM



A SUSTAINABLE AND LARGER ONE-PIECE, HARDENED, HEAVY-DUTY KEEL

ABOVE AND BELOW WATER LINE


Below the water line is where the ride begins. Our exclusive 2XB™ full-length, twin-plated hull offers twice the strength and protection from the bow to the transom. A superior hull design dramatically reduces sound and vibration without compromising agility, and our oversized, full-length spray rails ensure a clean, dry ride.

Above the water line is where comfort adds value. Loads of wood-free storage options, multiple rod lockers that hold up to 8-foot rods, air-ride pedestal seats, large front and back casting platforms, variable seat layouts, aerated livewells, and so much more. All the amenities you expect—and deserve—from a top-of-the-line fishing boat.

Families. Fishing. Forever.

Top to bottom, Alumacraft has the perfect boat to make your days on the water the best they can be.

THE ALUMACRAFT ADVANTAGE



FULL-LENGTH, OVERSIZED, REVERSE-DISPERSAL SPRAY RAILS FOR A DRIER RIDE IN ROUGH WATER




FLOTATION FOAM MEETS OR EXCEEDS COAST GUARD, NMMA AND ABYC'S STRINGENT REQUIREMENTS



WATER-TESTED HULLS ENSURE RIVET AND WELD INTEGRITY



DURABLE, WOOD-FREE STORAGE, LIVEWELL COMPARTMENTS AND HATCHES



SUPERIOR FIT AND FINISH FROM BOW TO STERN

LIMITED PACKAGES

TAKE IT TO THE

With Alumacraft's exclusive **Limited Package**, you can pack your boat with practical upgrades including all air-ride seats, remote livewell drain, two under-console slide-out drawers with latches, front-console storage, cargo netting, two AlumaTrac™ accessory mounts, AM/FM/MP3 player stereo with Bluetooth, custom steering wheel, chrome cup holders, and much more. Add a little more luxury, convenience and style with the **Limited Package**, available on all Trophy, Competitor, Voyageur, and Pro 175 and 185 models.



LIMITED PACKAGE EXTRAS



WOODGRAIN INLAY




UPGRADED STEREO




LIMITED GRAPHICS PACKAGE



PADDED INTERIOR SIDE PANELS




HELM AND PASSENGER-SIDE
SLIDE-OUT DRAWER




	PAGE
TROPHY SERIES	6-7
TOURNAMENT PRO SERIES	8-9
DOMINATOR SERIES	10-11
COMPETITOR SERIES	12-17
VOYAGEUR SERIES	18-19
CLASSIC SERIES	20-21
ESCAPE SERIES	22-33
V'S & T'S	24
CANOE	25
BAY BOATS	28-29
PRO SERIES	30-31
CRAPPIES	32-33
17'-20' ALL WELDS	34-35
15'-16' ALL WELDS	36-37
SIERRAS/RIVETED JONS	38-39
V-HULL SPECIFICATIONS	40-43
JON BOAT SPECIFICATIONS	44-45
COLORS	46
REASONS TO OWN	46
OPTIONS	47
ENGINE CHOICES	47

EVINRUDE
E-TEC
50HP

Features may vary by model. Please see your dealer for details.



AIRRIDE PEDESTAL SEATS



ADDITIONAL LOCKABLE STORAGE



BOW CARGO NETS



REMOTE LIVEWELL DRAIN SWITCH



FRONT CONSOLE STORAGE

TROPHY SERIES

165, 175, 185, 195, 205

2XB



TROPHY 205

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 40-41.

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL C
TROPHY 205	20' 8" (6.2 m)	98" (2.5 m)	47" / 27" (1.2 m / .69 m)	96" / 25" (2.5 m / .64 m)	250 (186 kw)	1,915 lbs. (868 kg)	9/2,350 lbs. (9/1,066 kg)	45 gal.
TROPHY 195	19' 8" (5.9 m)	98" (2.5 m)	47" / 27" (1.2 m / .69 m)	96" / 25" (2.5 m / .64 m)	200 (149 kw)	1,805 lbs. (818 kg)	8/2,000 lbs. (8/907 kg)	34 gal.
TROPHY 185	18' 8" (5.6 m)	98" (2.5 m)	47" / 27" (1.2 m / .69 m)	96" / 25" (2.5 m / .64 m)	175 (130 kw)	1,780 lbs. (807 kg)	8/1,760 lbs. (8/798 kg)	34 gal.
TROPHY 175	17' 8" (5.3 m)	94" (2.4 m)	43" / 25" (1.1 m / .64 m)	94" / 25" (2.4 m / .64 m)	150 (111 kw)	1,550 lbs. (703 kg)	7/1,600 lbs. (7/725 kg)	34 gal.
TROPHY 165	16' 8" (5.0 m)	91" (2.3 m)	42" / 22" (1.1 m / .56 m)	91" / 20" (2.3 m / .51 m)	90 (67 kw)	1,280 lbs. (580 kg)	6/1,300 lbs. (6/590 kg)	17 gal.

LIVEWELLS Bow - 18 gal. (68 L)

Aft - 18 gal. (79 L) / 13 gal. (49 L) - 165


ROD STORAGE

Bow - up to 8' (4 rods), up to 7' 6" (4 rods)

Port - up to 8' (5 rods)

LIMITED COLORS Silver/Black/Silver, Silver/Blue/Silver, Black/Red/Black, Black/Blue/Black, Black/White/Black, Silver/W

STANDARD COLORS Sonic Red/Silver, Black/Silver, Galaxy Blue/Silver, Olympic White/Silver



HELM & DASH



LIVEWELL



REAR JUMP SEATS




LOCKABLE BOW ROD LOCKER



LOCKABLE GUNNEL STORA

GUIDE TESTED FAMILY APPROVED

Want to please everyone? Introduce your family to the big, beamy, classy-yet-tough-as-nails Trophy series. Repositionable seating, oversized-rod lockers, and dual aerated livewells with lights and timers for you. Standard seating for five plus two rear jump seats, a convertible bow lounge, loads of storage, and optional ski tow bar for your family.



 **YAMAHA**

TROPHY 175

TROPHY 185 LE



S MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

[TROPHY 165 & 195 NOT SHOWN]

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

T-PRO SERIES

185 SPORT, 185 CS, 195 SPORT, 195 CS

2XB

T-PRO 195

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 40-41.

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL CAP.
TOURNAMENT PRO 195	19' 3" (5.9 m)	97" (2.5 m)	43" / 22" (1.1 m / .56 m)	96" / 25" (2.5 m / .64 m)	200 (149 kw)	1,735 lbs. (787 kg)	6/1,900 lbs. (6/862 kg)	34 gal. (128 L)
TOURNAMENT PRO 185	18' 3" (5.5 m)	97" (2.5 m)	43" / 22" (1.1 m / .56 m)	96" / 25" (2.5 m / .64 m)	175 (130 kw)	1,680 lbs. (807 kg)	6/1,600 lbs. (6/726 kg)	34 gal. (128 L)

LIVEWELLS	Bow - 18 gal. (68 L)	ROD STORAGE	Bow - up to 8' (4 rods), up to 7' 6" (4 rods)	COLORS	Black/Copper/Black, Black/Blue/Black, Silver/Black/Silver, Silver/White/Silver, Black/White/Black, Black/Red/Black
	Aft - 18 gal. (68 L)		Port - up to 8' (5 rods) - 185, up to 9' (5 rods) - 195		



HELM & DASH



LOCKABLE ROD LOCKER



UNDER-CONSOLE STORAGE




BOW STORAGE



LIVEWELL

REEL 'EM IN LIKE A PRO

Packed with more standard features than any boat in its class, the T-PRO is perfectly designed with full tournament features including true-dry storage, air-ride seats, hydraulic tilt steering, cargo netting, extra-long rod storage, dual livewells, and a recirculating aft livewell. All with the soft and dry Alumacraft ride you depend on to get you where you need to be in comfort.



T-PRO 185

T-PRO 195



S MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

[T-PRO 185 CS & 195 CS NOT SHOWN]

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

DOMINATOR SERIES

175 SPORT, 175 CS, 185 SPORT, 185 CS

2XB™


THE LAKE IS ALL YOURS

No question what you're there to do: dominate. Take control of the water with the Dominator series, available in a feature-packed Sport Package or a well-designed side-console model. Large deck space, a driver's seat slider, huge bow rod locker, side rod storage, and loads of lockable compartments make this series the ideal fishing companion.


DOMINATOR 185 LE

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 40-41.


MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL
DOMINATOR 185 SPORT	18' 9" (5.7 m)	94" (2.4 m)	43"/23" (1.1 m/58 m)	94"/25" (2.4 m/63 m)	150 (111 kw)	1,530 lbs. (694 kg)	6/1,600 lbs. (6/726 kg)	34 g
DOMINATOR 185 CS	18' 9" (5.7 m)	94" (2.4 m)	43"/23" (1.1 m/58 m)	94"/25" (2.4 m/63 m)	150 (111 kw)	1,438 lbs. (652 kg)	6/1,600 lbs. (6/726 kg)	34 g
DOMINATOR 175 SPORT	17' 9" (5.4 m)	94" (2.4 m)	43"/23" (1.1 m/58 m)	94"/25" (2.4 m/63 m)	150 (111 kw)	1,482 lbs. (672 kg)	6/1,370 lbs. (6/621 kg)	34 g
DOMINATOR 175 CS	17' 9" (5.4 m)	94" (2.4 m)	43"/23" (1.1 m/58 m)	94"/25" (2.4 m/63 m)	150 (111 kw)	1,390 lbs. (630 kg)	6/1,370 lbs. (6/621 kg)	34 g
LIVEWELLS Bow - 18 gal. (68 L) Aft - 18 gal. (68 L) ROD STORAGE Bow - up to 8" (4 rods), up to 7' 6" (4 rods) Port - up to 8" (5 rods) LIMITED COLORS Silver/Black/Silver, Silver/Blue/Silver, Black/Red/Black, Black/Blue/Black, Black/White/Black, Silver/Black/White/Black STANDARD COLORS Sonic Red/Silver, Black/Silver, Galaxy Blue/Silver, Olympic White/Silver								



HELM & DASH



LOCKABLE SIDE STORAGE



LOCKABLE BOW ROD LOCKER



LIVEWELL



BOW STORAGE



SUZUKI
MARINE

DOMINATOR 175

DOMINATOR 185 LE



BOATS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

[DOMINATOR 175 CS & 185 CS NOT SHOWN]

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

COMPETITOR SERIES

175 SPORT, 175 CS, 185 SPORT, 185 CS

2XB

COMPETITOR 175 SPORT

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 40-41.

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL CAP.
COMPETITOR 185 SPORT	18' 8" (5.6 m)	95" (2.4 m)	43"/23" (1.1 m/58 m)	93"/25" (2.4 m/63 m)	150 (111 kw)	1,500 lbs. (680 kg)	6/1,600 lbs. (6/726 kg)	34 gal. (129 L)
COMPETITOR 185 CS	18' 8" (5.6 m)	95" (2.4 m)	43"/23" (1.1 m/58 m)	93"/25" (2.4 m/63 m)	150 (111 kw)	1,410 lbs. (639 kg)	6/1,600 lbs. (6/726 kg)	34 gal. (129 L)
COMPETITOR 175 SPORT	17' 8" (5.3 m)	95" (2.4 m)	43"/23" (1.1 m/58 m)	93"/25" (2.4 m/63 m)	150 (111 kw)	1,375 lbs. (624 kg)	6/1,370 lbs. (6/621 kg)	34 gal. (129 L)
COMPETITOR 175 CS	17' 8" (5.3 m)	95" (2.4 m)	43"/23" (1.1 m/58 m)	93"/25" (2.4 m/63 m)	150 (111 kw)	1,285 lbs. (583 kg)	6/1,370 lbs. (6/621 kg)	34 gal. (129 L)

LIVEWELLS Bow - 18 gal. (68 L)
Aft - 18 gal. (68 L)

ROD STORAGE Bow - up to 8' (4 rods), up to 7' 6" (4 rods)
Starboard - up to 8' (5 rods)

LIMITED COLORS Silver/Black/Silver, Silver/Blue/Silver, Black/Red/Black, Black/Blue/Black, Black/White/Black, Silver/White/Black
STANDARD COLORS Sonic Red/Silver, Black/Silver, Galaxy Blue/Silver, Olympic White/Silver




HELM & DASH (LIMITED SHOWN)



PORT STORAGE



LOCKABLE STARBOARD ROD LOCKER




BOW ROD LOCKER



BUILT-IN COOLER

COMPETITIVE ADVANTAGE


Admit it. You've got a competitive streak. So let the Competitor series take your love of fishing to a whole new level. Available in sport and side-console models, these boats feature best-in-class bow and starboard rod storage, thicker hulls than the competition, and more standard features including a built-in cooler, dual aerated livewells with timers and lights, an optional rear casting deck extension with jump seats, and legendary 2XB™ performance.



SUZUKI
MARINE

COMPETITOR 175 CS

COMPETITOR 185 SPORT LE



TS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

[COMPETITOR 185 CS NOT SHOWN]

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

COMPETITOR TILLERS

165 TL, 175 TL, 185 TL

2XB™

ALL ABOUT FISHING




COMPETITOR 185 TILLER LE

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 42-43.

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL CAP.
COMPETITOR 185 TILLER	18' 8" (5.6 m)	95" (2.4 m)	43"/23" (1.1 m/.58 m)	93"/25" (2.4 m/.63 m)	90 (67 kw)	1,300 lbs. (589 kg)	6/1,600 lbs. (6/726 kg)	34 gal. (129 L)
COMPETITOR 175 TILLER	17' 8" (5.3 m)	95" (2.4 m)	43"/23" (1.1 m/.58 m)	93"/20" (2.4 m/.51 m)	75 (56 kw)	1,160 lbs. (526 kg)	6/1,300 lbs. (6/589 kg)	34 gal. (129 L)
COMPETITOR 165 TILLER	16' 7" (5.0 m)	87" (2.2 m)	35"/23" (.89 m/.58 m)	87"/20" (2.2 m/.51 m)	70 (52 kw)	920 lbs. (417 kg)	6/1,325 lbs. (6/601 kg)	17 gal. (64 L)
LIVEWELLS	Bow - 18 gal. (68 L) – 175/185 only	ROD STORAGE	Bow - up to 8' (4 rods), up to 7' 6" (4 rods)		LIMITED COLORS	Silver/Black/Silver, Silver/Blue/Silver, Black/Red/Black, Black/Blue/Black, Black/White/Black, Silver/White		
	Starboard - up to 8' (5 rods)		STANDARD COLORS	Sonic Red/Silver, Black/Silver, Galaxy Blue/Silver, Olympic White/Silver				
	Port - up to 8' (4 rods) – 165							



COMMAND CENTER (175/185)



BOW ROD LOCKER



STARBOARD ROD STORAGE




BOW STORAGE



PEDESTAL SEATS

PERIOD.

There's only one word that best describes the Competitor Tiller: **Fishable**. Our designers worked with fishing pros to create the ultimate fishing platform that meets the high standards of the men and women who call the lake their second home. Dual aerated livewells with timers, plenty of XL rod storage, a built-in cooler, and our famous 2XB™ hull for maximum performance. Exceedingly fishable.



COMPETITOR 165 TILLER

COMPETITOR 175 TILLER

COMPETITOR 185 TILLER LE



S MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

COMPETITOR SERIES

165 SPORT, 165 CS

2XB™



COMPETITOR 165 SPORT LE

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 42-43.

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL CAP.
COMPETITOR 165 SPORT	16' 7" (5.0 m)	87" (2.2 m)	35"/23" (89 m/.58 m)	87"/20" (2.2 m/.51 m)	90 (67 kw)	1,040 lbs. (471 kg)	6/1,325 lbs. (6/601 kg)	17 gal.
COMPETITOR 165 CS	16' 7" (5.0 m)	87" (2.2 m)	35"/23" (89 m/.58 m)	87"/20" (2.2 m/.51 m)	90 (67 kw)	960 lbs. (436 kg)	6/1,325 lbs. (6/601 kg)	17 gal.
LIVEWELLS	Aft - 18 gal. (68 L)		ROD STORAGE		LIMITED COLORS			
			Bow - up to 7' (4 rods), up to 6' 6" (4 rods)		Silver/Black/Silver, Silver/Blue/Silver, Black/Red/Black, Black/Blue/Black, Black/White/Black, Silver/White/Black			
			Port - up to 8' (4 rods) - 165		STANDARD COLORS			
					Sonic Red/Silver, Black/Silver, Galaxy Blue/Silver, Olympic White/Silver			



SIDE CONSOLE



LOCKABLE BOW ROD LOCKER



IN-FLOOR STORAGE



BOW STORAGE



LIVEWELL

BIG FEATURES BIGGER VALUE

Big enough for the family and small enough for the garage, the 16-foot Competitor 165 series gives you just what you need without the sticker shock. Designed with a windscreen (CS) or full-wrap windshield (Sport), these models give you a comfortable, open floor plan with all the amenities like 8-foot side rod storage, bow rod storage, an aerated rear livewell with timer and lights, loads of bow storage, and a Limited option for extra bells and whistles.



COMPETITOR 165 CS

COMPETITOR 165 SPORT LE



BOATS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM


VOYAGEUR SERIES

175 SPORT, 175 CS, 175 TL

2XB™

PERFORMANCE AND VALUE


Great performance doesn't always mean more money. The Voyageur proves that you can have it all with an oversized cockpit, our standard integrated AlumaTrac™ gunnel system for maximum storage, an aerated livewell, dual 8-foot rod storage, and that tough 2XB™ bow that will give you the confident performance that might just surprise you.




VOYAGEUR 175 LE

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 42-43.

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL CAP.
VOYAGEUR 175 SPORT	17' 10" (5.4 m)	87" (2.2 m)	35"/23" (.89 m/.58 m)	86"/20" (2.2 m/.51 m)	125 (93 kw)	1,070 lbs. (485 kg)	6/1,400 lbs. (6/635 kg)	17 gal. (64 L)
VOYAGEUR 175 CS	17' 10" (5.4 m)	87" (2.2 m)	35"/23" (.89 m/.58 m)	86"/20" (2.2 m/.51 m)	125 (93 kw)	1,010 lbs. (458 kg)	6/1,400 lbs. (6/635 kg)	17 gal. (64 L)
VOYAGEUR 175 TILLER	17' 10" (5.4 m)	87" (2.2 m)	35"/23" (.89 m/.58 m)	86"/20" (2.2 m/.51 m)	75 (56 kw)	945 lbs. (415 kg)	6/1,400 lbs. (6/635 kg)	17 gal. (64 L)
LIVEWELLS	Aft - 18 gal. (68 L)	ROD STORAGE	Starboard - up to 8' (5 rods)		LIMITED COLORS Silver/Black/Silver, Silver/Blue/Silver, Black/Red/Black, Black/Blue/Black, Black/White/Black, Silver/White			
			Port - up to 8'		STANDARD COLORS Sonic Red/Silver, Black/Silver, Galaxy Blue/Silver, Olympic White/Silver			



BOW COOLER



LOCKABLE STARBOARD ROD LOCKER



SIDE CONSOLE WITH STORAGE



LIVEWELL



BOW STORAGE



VOYAGEUR 175 CS

VOYAGEUR 175 TILLER



TS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

CLASSIC SERIES

165 CS, 165 TL

2XB™



CLASSIC CS

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 42-43.


MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL CAP.
CLASSIC 165 CS	16' 4" (5.0 m)	82" (2.1 m)	35" / 21" (.89 m / .53 m)	82" / 20" (2.1 m / .51 m)	75 (56 kw)	895 lbs. (406 kg)	5 / 1,280 lbs. (5 / 580 kg)	17 gal.
CLASSIC 165 TILLER	16' 4" (5.0 m)	82" (2.1 m)	35" / 21" (.89 m / .53 m)	82" / 20" (2.1 m / .51 m)	60 (45 kw)	805 lbs. (365 kg)	5 / 1,295 lbs. (5 / 587 kg)	17 gal.
LIVEWELLS Bow - 34 gal. (129 L)		ROD STORAGE Starboard - up to 7" Port - up to 7"		COLORS Sonic Red/Silver, Black/Silver, Galaxy Blue/Silver, Olympic White/Silver				



SIDE CONSOLE



LIVEWELL



BOW STORAGE




LOCKABLE STARBOARD ROD LOCKER



TILLER COMMAND CENTER

ALWAYS A CLASS ACT

The Classic series has proven its worth as an easy-towing, well-featured, great-performance boat. Dual rod storage lockers, an aerated livewell with timer, and an optional large, rear casting deck with jump seats are all the proof you'll need to recognize this model as a classic.



CLASSIC TILLER

CLASSIC CS



BOATS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

ESCAPE SERIES

145 CS, 145 TL, 165 CS, 165 TL

SMALL FOOTPRINT



ESCAPE 165 CS

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 42-43.


MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (WIDTH/HEIGHT)	MAX. HP	WEIGHT	MAX. CAPACITY	F
ESCAPE 165 CS	16' 6" (5.0 m)	76" (1.9 m)	36" / 22" (.91 m / .56 m)	76" / 20" (1.9 m / .51 m)	50 (37 kw)	696 lbs. (315 kg)	5/1,235 lbs. (5/560 kg)	
ESCAPE 145 CS	14' 6" (4.4 m)	76" (1.9 m)	32" / 20" (.81 m / .51 m)	76" / 20" (1.9 m / .51 m)	40 (30 kw)	604 lbs. (274 kg)	4/1,010 lbs. (4/458 kg)	
ESCAPE 165 TILLER	16' 6" (5.0 m)	76" (1.9 m)	36" / 22" (.91 m / .56 m)	76" / 20" (1.9 m / .51 m)	50 (37 kw)	646 lbs. (293 kg)	5/1,235 lbs. (5/560 kg)	
ESCAPE 145 TILLER	14' 6" (4.4 m)	76" (1.9 m)	32" / 20" (.81 m / .51 m)	76" / 20" (1.9 m / .51 m)	40 (30 kw)	554 lbs. (251 kg)	4/1,010 lbs. (4/458 kg)	
LIVEWELLS Bow - 20 gal. (76 L)			ROD STORAGE Port - up to 8' - 165 Port - up to 7' - 145		COLORS Sonic Red, Black, Galaxy Blue, Olympic White			



SIDE CONSOLE



BOW STORAGE



LIVEWELL



BATTERY & FUEL STORAGE



LOCKABLE SIDE ST

HUGE IMPACT

We all need an escape. Somewhere just for us to relax and clear out the cobwebs. Find your spot with the Escape series. Compact and feature-rich, these models are equipped with oversized rod holders and livewell, and the best storage in its class. Now, don't you feel better already?



ESCAPE 145 TILLER

ESCAPE 165 CS



BOATS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

[ESCAPE 145 CS & 164 TL NOT SHOWN]

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

UTILITY BOATS

T12V, T14V, V-14, V-16



UTILITY T'S & V'S

	LENGTH	BEAM	BOW HEIGHT	TRANSOM	MAX. HP	CAPACITY	WEIGHT	HULL THICKNESS	SEATS	SEAT TYPE
V-16 (20")	16' 7" (5.0 m)	70" (1.8 m)	30" (.76 m)	62"/20" (1.6 m/.51 m)	25 (19 kw)	5/1,380 lbs. (5/626 kg)	285 lbs. (129 kg)	.065"/.065" (1.7 mm/1.7 mm)	split aft	2 bench/
V-14 (20")	14' 3" (4.3 m)	68" (1.7 m)	30" (.76 m)	62"/20" (1.6 m/.51 m)	20 (15 kw)	5/1,195 lbs. (5/542 kg)	235 lbs. (107 kg)	.065"/.065" (1.7 mm/1.7 mm)	split aft	2 bench/
V-14 (15")	14' 3" (4.3 m)	68" (1.7 m)	30" (.76 m)	62"/15" (1.6 m/.38 m)	20 (15 kw)	5/1,015 lbs. (5/460 kg)	230 lbs. (104 kg)	.065"/.065" (1.7 mm/1.7 mm)	split aft	2 bench/
T14V	14' (4.2 m)	61" (1.5 m)	26" (.66 m)	60"/15" (1.5 m/.38 m)	15 (11 kw)	4/825 lbs. (4/374 kg)	202 lbs. (92 kg)	.060"/.050" (1.5 mm/1.3 mm)	NA	3 bench/
T12V	12' (3.7 m)	60" (1.5 m)	25" (.64 m)	60"/15" (1.5 m/.38 m)	10 (7 kw)	3/650 lbs. (3/295 kg)	187 lbs. (85 kg)	.060"/.050" (1.5 mm/1.3 mm)	NA	3 bench/

CANOEES


LENGTH	BEAM	DEPTH	TRANSOM	MAX. HP	CAPACITY	WEIGHT	HULL THICKNESS	KEEL TYPE	STEM GAUGE	NO. OF RIBS	CURVED THWARTS	SE
18' 5" (5.6 m)	37" (.94 m)	13" (.33 m)	NA	NA	4/800 lbs. (4/363 kg)	71 lbs. (32 kg)	.040" (1.0 mm)	.0625" (1.6 mm)	.090" (2.3 mm)	6	optional	1 forward
CO 17' (5.2 m)	37" (.94 m)	13" (.33 m)	15" (.51 m)	4 (3 kw)	4/805 lbs. (4/365 kg)	80 lbs. (36 kg)	.040" (1.0 mm)	.0625" (1.6 mm)	.090" (2.3 mm)	5	optional	1 forward
17' (5.2 m)	36" (.91 m)	13" (.33 m)	NA	NA	4/750 lbs. (4/340 kg)	64 lbs. (29 kg)	.040" (1.0 mm)	.0625" (1.6 mm)	.090" (2.3 mm)	5	standard	1 forward
15' (4.6 m)	36" (.91 m)	12" (.30 m)	NA	NA	3/652 lbs. (3/296 kg)	56 lbs. (25 kg)	.040" (1.0 mm)	.0625" (1.6 mm)	.090" (2.3 mm)	3	optional	1 forward

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM


CANOES




70 pounds 4 floor
50 pounds 4 floor




T12V



T14V



V-14



V-16 (20'')



QT 185



CO 17



QT 17



QT 15

SHOWN MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

STEP INTO A LITTLE SOUTHERN




1. Full-length, one-piece, oversized ribs on our riveted boats

What it means to you: strength and dependability. Our ribs are 12" on-center on our all-welded boats, 15" on-center on our riveted boats. The competition uses fewer ribs and spaces them wider, which is a little like building a house out of code. Sure, it costs a bit more to build our boats this way, but we want yours to last.



2. One-piece hull construction

What it means to you: no metal fatigue and a quieter ride. The competition uses as many as three pieces for their hulls. All that welding creates more margin for error and affects the quality of your ride. Combine our one-piece hull with our oversized ribs, and you know you're getting a superior boat that's both quiet and built to last.




3. Larger keel, more ribs

What it means to you: a stronger, more comfortable ride. A break is built in or pressed. At Alumacraft, we build our boats with more "breaks" than the competition. More "breaks" means a stronger, more comfortable ride. Alumacraft's multiple keel construction, one-piece hull construction, and oversized ribs provide the strongest hull for your money.

COMFORT

Born and bred in the South, so you know they're tough.

Built with Alumacraft quality and feature-rich conveniences, so you know they're easy to love. From our Mod-V Pros to our flat-bottom Utility Jons, Alumacraft has a boat for work, a boat for play, a boat for the backwaters, and a boat for the rugged intercoastal. Alumacraft's all-aluminum boats are practical, versatile, easy-to-trailer, easy-to-maintain working machines built for years of trouble-free enjoyment—from the South to the North, coast to coast, and everything in-between.



4. Aluminum transom construction

What it means to you: all-welded jons with an all-aluminum transom featuring heavy-welded box channels with .125 aluminum on both sides. Sure, this isn't something you can see from the outside, but when you ride an Alumacraft, you can rest assured that your motor is sitting on what we believe to be the strongest transom in the business.



5. Welded floors and decks

What it means to you: a quieter, finished floor. The other guys use rivets on their floors and decks; we weld ours in. The result is not only a quieter floor, but also the peace of mind that you won't pop rivets when you're in the rough stuff. Plus, unlike our competitors, Alumacraft gives you an all-welded jon boat (with floor) that also includes aluminum sides. That's the whole package—and better value.



6. Riveted boat transoms

What it means to you: a more reliable boat. The outside of a riveted jon boat transom may look the same from boat to boat, but the real difference is on the inside. Some of the competition will only use a 6" board from the top. At Alumacraft, we support our transoms the full height—giving you the quality and value you expect for your hard-earned money.



BAY BOAT SERIES

1860, 2072



2072 BAY

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 44-45.


MODEL	LENGTH	WIDTH (BEAM/BOTTOM)	HEIGHT (TRANSOM/SIDE)	HULL TYPE	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL CAP.
1860 BAY	18' (5.5 m)	86"/60" (2.2 m/1.5 m)	21"/25" (.53 m/.64 m)	Mod-V	115 (86 kw)	865 lbs. (392 kg)	5/1,600 lbs. (5/726 kg)	20 gal.
2072 BAY	20' (6.1 m)	94"/72" (2.4 m/1.8 m)	21"/27" (.53 m/.69 m)	Mod-V	150 (110 kw)	1,175 lbs. (533 kg)	6/2,100 lbs. (6/953 kg)	30 gal.
LIVEWELLS	18 gal. (38 L)		STORAGE	2+2 Rod – 2072 2 – 1860		COLOR	Gulf Sand	




CENTER CONSOLE



ROD HOLDERS



CONSOLE BENCH/LIVEWELL



BOW STORAGE



REAR JUMP SEATS/LEANING P

NEVER ENOUGH TUFF STUFF



Designed for optimal performance in and around intercoastal waters, our 20-foot Bay Boats give you matchless durability and saltwater resistance. Enjoy stability, smooth handling, and top-end performance with 7-foot rod storage boxes, console-mounted rod holders, a 15-gallon aerated livewell, and full instrumentation.



EVINRUDE
OUTBOARD
50HP

1860 BAY

2072 BAY



S MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

PROS & PROWLERS

PROWLER 165, PROWLER 175, PRO 175, PRO 185


PRO 175

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 44-45.

	LENGTH	BEAM/WIDTH	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	FUEL TA
PROWLER 175	17' 0" (5.2 m)	85"/56" (2.2 m/1.4 m)	26" (.66 m)	21" (.53 m)	75 (56 kw)	895 (406 kg)	4/1,300 lbs. (4/590 kg)	-
PROWLER 165	16' 0" (4.9 m)	74"/50" (1.9 m/1.3 m)	23" (.58 m)	21" (.53 m)	60 (45 kw)	830 lbs. (377 kg)	4/965 lbs. (4/438 kg)	-
PRO 185	17' 5" (5.3 m)	85"/56" (2.2 m/1.4 m)	26" (.66 m)	21" (.53 m)	90 (67 kw)	1,075 lbs. (488 kg)	5/1,200 lbs. (4/544 kg)	20 gal. (7)
PRO 175	18' 5" (5.6 m)	86"/60" (2.2 m/1.5 m)	24" (.61 m)	21" (.53 m)	115 (86 kw)	1,100 lbs. (499 kg)	5/1,405 lbs. (5/637 kg)	20 gal. (7)
LIVEWELLS	Bow - 20 gal. (19 L)	ROD STORAGE	Starboard - up to 8' (4 rods)		LIMITED COLORS (PROS) Sonic Red/Silver, Black/Silver, Galaxy Blue/Silver, Olympic White/Silver			
	Aft - 20 gal. (38 L)		Port - up to 8' (4 rods)		STANDARD COLORS (PROS) Red, Black/Silver, Blue, White			
	PROWLERS Graphite Gray							



FIBERGLASS CONSOLE



BOW STORAGE



DOUBLE BOW SEATING



CONSOLE BENCH WITH STORAGE



BOW LIVEWELL

BEST IN CLASS FISHING AMENITIES

Fish like the pros do with the Pro series. Competition or leisure, these models featured an extra-large fishing platform, dual lockable rod storage, and dual aerated livewells. And they're chock-full of under-seat storage so you can forget everything else and concentrate on what brought you to the lake in the first place.



PROWLER 165

PROWLER 175

PRO 185

NEW for 2015

NEW for 2015

NOW 4" WIDER



TS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

CRAPPIE SERIES



CRAPPIE JON

FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 44-45.

	LENGTH	WIDTH (BEAM/BOTTOM)	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	SEATS
CRAPPIE JON	14' (4.3 m)	64"/42" (1.6 m/1.1 m)	20" (.51 m)	15" (.28 m)	20 (15 kw)	330 lbs. (150 kg)	2/550 lbs. (8/249 kg)	2
CRAPPIE DLX	16' (4.9 m)	70"/48" (1.8 m/1.2 m)	21" (.53 m)	20" (.51 m)	30 (22 kw)	440 lbs. (198 kg)	3/745 lbs. (2/338 kg)	2
LIVEWELLS	Crappie Jon – 5 gal. (19 L) Crappie DLX – 10 gal. (38 L)		ROD STORAGE	Starboard - up to 8' (4 rods) – DLX Port - up to 8' (4 rods) – DLX		COLOR	Graphite Gray	



ROD STORAGE (DLX)




LIVEWELL BENCH (DLX)



FISH SEAT (JON)



FISH SEAT (DLX)



BOW PLATFORM (DLX)

AT ITS BEST

No frills, but oh-so-easy to love. Our Crappie and Jon boats leave the hassles to those who have the time for it. They're easy to pack, easy to haul and easy to launch anywhere—lakes, creeks, rivers or streams—and give you the durable construction and smooth ride you need for an all-day excursion.



CRAPPIE DELUXE

CRAPPIE JON



BOATS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

17'-20' ALL WELDS



MV 1756 SC


FOR A FULL LIST OF ALL WELD SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 44-45.



MV 2072 SC



MV 2072



MV 1860 SC

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

NOT ALL STANDARD FEATURES ARE AVAILABLE ON ALL


ALL WORK AND ALL PLAY

Give these All-Welds everything you've got. They can take it—and more. Available in center console or tiller, in lengths from 15 to 20 feet, these boats feature rugged, all-welded construction, fiberglass center consoles with grab rails, fiberglass side consoles with gauges, and storage galore. Go ahead, let 'em have it. You'll see.



EVINRUDE
E-TEC

FOR A FULL LIST OF ALL WELD SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 44-45.



MV 1860



MV 1756 CC

BOATS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

15'-16' ALL WELDS




FOR A FULL LIST OF ALL WELD SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 44-45.



MV 1650 CC



MV 1650 SC



MV

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM


NOT ALL STANDARD FEATURES ARE AVAILABLE

MORE BANG FOR YOUR DUCK

When it comes to duck hunting, the **Waterfowler** doesn't mess around. It's rarin' to go and ready to work with a lockable gun case, large bow platform, split rear seats, and plenty of room for your hunting buddies and—of course—your pup.



FOR A FULL LIST OF ALL WELD SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 44-45.



MV 1546 DD




MV 1546 DD TUNNEL

S MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM

SIERRAS RIVETED JOBS



FOR A FULL LIST OF SPECIFICATIONS, STANDARDS & OPTIONS, SEE PAGES 44-45.


SIERRAS	LENGTH	BOTTOM WIDTH	BEAM/SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	APPROX. WEIGHT	MAX. CAPACITY	HU
MV 1648 NCS	16' (4.9 m)	48" (1.2 m)	70"/21" (1.8 m/53 m)	15"/20" (.38 m/.51 m)	35 (26 kw)	310 lbs. (141 kg)	4/1,010 lbs. (458 kg)	
1436 LITE	14' (4.3 m)	36" (.91 m)	55"/19" (1.4 m/48 m)	15" (.38 m)	15 (11 kw)	135 lbs. (61 kg)	3/600 lbs. (272 kg)	fl
1236	12' (3.7 m)	36" (.92 m)	55"/19" (1.4 m/48 m)	15" (.38 m)	10 (8 kw)	125 lbs. (57 kg)	3/540 lbs. (245 kg)	fl



CENTER SEAT STORAGE



SPLIT SEAT



AFT STORAGE (MV & 1648 NCS)



SOLID FLOOR (MV & 1648 NCS)



BOW STORAGE (MV & 1648 NCS)


BOATS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMA



MAKE YOUR FLEET COMPLETE

Designed with resort-owners in mind, the Sierras and Riveted Jons offer the practical, low-maintenance, well-priced watercrafts your business requires. Easy to clean and maintain, these boats are just what you need to keep your guests safe, happy and coming back for more.



1442




MV 1648 SS AFT

BOATS MAY BE SHOWN WITH OPTIONAL EQUIPMENT.

FOR MORE INFORMATION, VISIT WWW.ALUMACRAFT.COM


SPECS

LEGEND
STORAGE
ROD STORAGE
LIVWELL
COOLER
BATTERY STG.
T/M OUTLET



SPECIFICATIONS	TROPHY 205	TROPHY 195	TROPHY 185	TROPHY 175	TROPHY 165	TOURNAMENT PRO 195	TOURNAMENT PRO 175
LENGTH	20' 8" (6.2 m)	19' 8" (5.9 m)	18' 8" (5.6 m)	17' 8" (5.3 m)	16' 8" (5.0 m)	19' 3" (5.9 m)	18' 3" (5.5 m)
BEAM	98" (2.49 m)	98" (2.49 m)	98" (2.49 m)	94" (2.39 m)	91" (2.31 m)	97" (2.46 m)	97" (2.46 m)
DEPTH: MAX./TO FLOOR	47"/27" (1.2 m/.69 m)	47"/27" (1.2 m/.69 m)	47"/27" (1.2 m/.69 m)	43"/25" (1.1 m/.64 m)	42"/22" (1.06 m/.56 m)	43"/22" (1.1 m/.56 m)	43"/22" (1.1 m/.56 m)
TRANSOM: WIDTH/HEIGHT	96"/25" (2.45 m/.64 m)	96"/25" (2.45 m/.64 m)	96"/25" (2.45 m/.64 m)	94"/25" (2.39 m/.64 m)	91"/20" (2.31 m/.51 m)	96"/25" (2.45 m/.64 m)	96"/25" (2.45 m/.64 m)
MAX. HORSEPOWER	250 (186 kw)	200 (149 kw)	175 (130 kw)	150 (111 kw)	90 (67 kw)	200 (149 kw)	175 (130 kw)
CAPACITY: MAX. PERSONS	9/2,350 lbs. (9/1,066 kg)	8/2,000 lbs. (8/907 kg)	8/1,760 lbs. (8/798 kg)	7/1,600 lbs. (7/725 kg)	6/1,300 lbs. (6/590 kg)	6/1,900 lbs. (6/862 kg)	6/1,600 lbs. (6/725 kg)
APPROXIMATE WEIGHT	1,915 lbs. (868 kg)	1,805 lbs. (818 kg)	1,780 lbs. (807 kg)	1,550 lbs. (703 kg)	1,280 lbs. (580 kg)	1,735 lbs. (787 kg)	1,680 lbs. (762 kg)
FUEL CAPACITY	45 gal. (170 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)	17 gal. (64 L)	34 gal. (128 L)	34 gal. (128 L)
ROD LENGTH: BOW	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 7' 6", 4 - 7'	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"
ROD LENGTH: SIDES	port 5 - 8'	port 5 - 8'	port 5 - 7' 6"	port 5 - 7'	port up to 6' 6"	port 5 - 9'	port 5 - 8'
LIVWELL: BOW	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)
LIVWELL: AFT	8 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	13 gal. (49 L)	18 gal. (68 L)	18 gal. (68 L)
HULL THICKNESS: BOTTOM/SIDE	100"/.080" (2.5 mm/2.0 mm)	100"/.080" (2.5 mm/2.0 mm)	100"/.080" (2.5 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	100"/.080" (2.5 mm/2.0 mm)
2XB™ BOW	100" (2.5 mm)	100" (2.5 mm)	100" (2.5 mm)	.080" (2.0 mm)	.080" (2.0 mm)	100" (2.5 mm)	100" (2.5 mm)
2XB™ HULL	100" (2.5 mm)	100" (2.5 mm)	100" (2.5 mm)	.080" (2.0 mm)	NA	100" (2.5 mm)	100" (2.5 mm)
SEATS	4	4	3	3	2	3	3
JUMP SEATS	2	2	2	2	2	NA	NA
PEDESTALS/SOCKETS	4/6	4/6	3/6	3/6	2/6	3/6	3/6
STEERING	hydraulic	hydraulic	hydraulic	no feedback	no feedback	hydraulic	hydraulic
INSTRUMENTATION	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn
STEREO	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers
STANDARD FEATURES	TROPHY 205	TROPHY 195	TROPHY 185	TROPHY 175	TROPHY 165	TOURNAMENT PRO 195	TOURNAMENT PRO 175
LOCKABLE STORAGE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LOCKABLE GLOVE BOX	Yes	Yes	Yes	Yes	Yes	Yes	Yes
INTEGRATED ALUMATRAC™ SYSTEM	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DUAL AERATED LIVWELL WITH TIMER	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft
LIVWELL LIGHTS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
TROLLING SYSTEM	Yes	Yes	Yes	Yes	Yes	Yes	Yes
12 VOLT POWER POINT	Yes	Yes	Yes	Yes	Yes	Yes	Yes
STOWABLE RUNNING LIGHTS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
INTERIOR COURTESY LIGHTS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BILGE PUMPS	1 auto, 1 manual	1 auto, 1 manual	1 auto, 1 manual	1 manual	1 manual	1 auto, 1 manual	1 auto, 1 manual
TILT HELM	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DRIVER'S SEAT SLIDER	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CUP HOLDERS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FOLDING CLEATS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FIRE EXTINGUISHER	Yes	Yes	Yes	Yes	Yes	Yes	Yes
OPTIONAL FEATURES	TROPHY 205	TROPHY 195	TROPHY 185	TROPHY 175	TROPHY 165	TOURNAMENT PRO 195	TOURNAMENT PRO 175
LIMITED PACKAGE	Yes	Yes	Yes	Yes	Yes	NA	NA
OPEN BOW	Yes	Yes	Yes	Yes	NA	NA	NA
ALUMATRAC™ ACCESSORIES	Yes	Yes	Yes	Yes	Yes	Yes	Yes
MINNKOTA TROLLING MOTOR	Yes	Yes	Yes	Yes	Yes	Yes	Yes
HYDRAULIC STEERING	standard	standard	standard	SeaStar (mandatory on 150+ HP)	SeaStar (mandatory on 150+ HP)	standard	standard
TILT HELM	standard	standard	standard	standard	standard	standard	standard
SPORT STEERING WHEEL	Yes	Yes	Yes	Yes	Yes	Yes	Yes
GRAPH/GPS	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird
VINYL FLOOR	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)
SNAP-IN CARPET	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BOW CARGO NETS	Yes	Yes	Yes	Yes	Yes	standard	standard
AM/FM/MP3 STEREO INFINITY	Yes	Yes	Yes	Yes	Yes	Yes	Yes
36 VOLT TROLLING MOTOR SYSTEM	Yes	Yes	Yes	NA	NA	standard	standard
CUSTOM TRAVEL COVERS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BOW CUSHIONS	Yes	Yes	Yes	Yes	Yes	NA	NA
CAPTAIN'S CHAIR	Yes	Yes	Yes	Yes	NA	NA	NA
SHORELAND'R/EAGLE/EZ LOADER TRAILER	Yes	Yes	Yes	Yes	Yes	Yes	Yes

ALL SPECIFICATIONS AND OPTIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.




VATOR 185 SPORT	DOMINATOR 175 SPORT	DOMINATOR 185 CS	DOMINATOR 175 CS	COMPETITOR 185 SPORT	COMPETITOR 175 SPORT	COMPETITOR 185 CS	COMPETITOR 175 CS
8' 9" (5.7 m)	17' 9" (5.4 m)	18' 9" (5.7 m)	17' 9" (5.4 m)	18' 8" (5.6 m)	17' 8" (5.3 m)	18' 8" (5.6 m)	17' 8" (5.3 m)
34" (2.39 m)	94" (2.39 m)	94" (2.39 m)	94" (2.39 m)	95" (2.41 m)	95" (2.41 m)	95" (2.41 m)	95" (2.41 m)
23" (1.1 m/58 m)	43"/23" (1.1 m/58 m)	43"/23" (1.1 m/58 m)	43"/23" (1.1 m/58 m)	43"/23" (1.1 m/58 m)	43"/23" (1.1 m/58 m)	43"/23" (1.1 m/58 m)	43"/23" (1.1 m/58 m)
5" (2.39 m/63 m)	94"/25" (2.39 m/63 m)	94"/25" (2.39 m/63 m)	94"/25" (2.39 m/63 m)	93"/25" (2.36 m/63 m)	93"/25" (2.36 m/63 m)	93"/25" (2.36 m/63 m)	93"/25" (2.36 m/63 m)
150 (111 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)
60 lbs. (6/726 kg)	6/1,370 lbs. (6/621 kg)	6/1,600 lbs. (6/726 kg)	6/1,370 lbs. (6/621 kg)	6/1,600 lbs. (6/726 kg)	6/1,370 lbs. (6/621 kg)	6/1,600 lbs. (6/726 kg)	6/1,370 lbs. (6/621 kg)
30 lbs. (694 kg)	1,482 lbs. (672 kg)	1,438 lbs. (652 kg)	1,390 lbs. (630 kg)	1,500 lbs. (680 kg)	1,375 lbs. (624 kg)	1,410 lbs. (639 kg)	1,285 lbs. (583 kg)
14 gal. (128 L)	34 gal. (128L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)
- 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"
port up to 8'	port up to 7'	port up to 8'	port up to 7'	starboard 5 - 8'	starboard 5 - 8'	starboard 5 - 8'	starboard 5 - 8'
18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)
18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)
.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)
.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)
.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)
3	2	3	2	3	2	3	2
NA	NA	NA	NA	NA	NA	NA	NA
3/6	2/6	3/6	2/6	3/6	2/6	3/6	2/6
hydraulic	no feedback	hydraulic	no feedback	hydraulic	no feedback	hydraulic	no feedback
tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn
optional	optional	optional	optional	optional	optional	optional	optional

VATOR 185 SPORT	DOMINATOR 175 SPORT	DOMINATOR 185 CS	DOMINATOR 175 CS	COMPETITOR 185 SPORT	COMPETITOR 175 SPORT	COMPETITOR 185 CS	COMPETITOR 175 CS
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	NA	NA	Yes	Yes	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
bow and aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
optional	optional	optional	optional	optional	optional	optional	optional
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes


VATOR 185 SPORT	DOMINATOR 175 SPORT	DOMINATOR 185 CS	DOMINATOR 175 CS	COMPETITOR 185 SPORT	COMPETITOR 175 SPORT	COMPETITOR 185 CS	COMPETITOR 175 CS
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
standard	SeaStar (mandatory on 150+ HP)	standard	SeaStar (mandatory on 150+ HP)	standard	SeaStar (mandatory on 150+ HP)	standard	SeaStar (mandatory on 150+ HP)
standard	Yes	standard	Yes	standard	Yes	standard	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird
s (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

SPECS

LEGEND
STORAGE
ROD STORAGE
LIVWELL
COOLER
BATTERY STG.
T/M OUTLET



SPECIFICATIONS	COMPETITOR 165 SPORT	COMPETITOR 165 CS	COMPETITOR 185 TILLER	COMPETITOR 175 TILLER	COMPETITOR 165 TILLER	VOYAGEUR 175 SPORT	VOYAGEUR 175
LENGTH	16' 7" (5.0 m)	16' 7" (5.0 m)	18' 8" (5.6 m)	17' 8" (5.3 m)	16' 7" (5.0 m)	17' 10" (5.4 m)	17' 10" (5.4 m)
BEAM	87" (2.21 m)	87" (2.21 m)	95" (2.41 m)	95" (2.41 m)	87" (2.21 m)	87" (2.21 m)	87" (2.21 m)
DEPTH: MAX./TO FLOOR	35"/23" (.89 m/.58 m)	35"/23" (.89 m/.58 m)	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)	35"/23" (.89 m/.58 m)	35"/23" (.89 m/.58 m)	35"/23" (.89 m/.58 m)
TRANSOM: WIDTH/HEIGHT	87"/20" (2.2 m/.51 m)	87"/20" (2.2 m/.51 m)	93"/20" (2.36 m/.51 m)	93"/20" (2.36 m/.51 m)	87"/20" (2.2 m/.51 m)	86"/20" (2.2 m/.51 m)	86"/20" (2.2 m/.51 m)
MAX. HORSEPOWER	90 (67 kw)	90 (67 kw)	90 (67 kw)	75 (56 kw)	70 (52 kw)	125 (93 kw)	125 (93 kw)
CAPACITY: MAX. PERSONS	6/1,325 lbs. (6/601 kg)	6/1,325 lbs. (6/601 kg)	6/1,600 lbs. (6/726 kg)	6/1,300 lbs. (6/589 kg)	6/1,325 lbs. (6/601 kg)	6/1,400 lbs. (6/635 kg)	6/1,400 lbs. (6/635 kg)
APPROXIMATE WEIGHT	1,040 lbs. (471 kg)	960 lbs. (435 kg)	1,300 lbs. (589 kg)	1,160 lbs. (526 kg)	920 lbs. (417 kg)	1,070 lbs. (485 kg)	1,010 lbs. (458 kg)
FUEL CAPACITY	17 gal. (64 L)	17 gal. (64 L)	34 gal. (128 L)	34 gal. (128 L)	17 gal. (64 L)	17 gal. (64 L)	17 gal. (64 L)
ROD LENGTH: BOW	4 - 7', 4 - 6' 6"	4 - 7', 4 - 6' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 7', 4 - 6' 6"	4 - 7', 4 - 6' 6"	4 - 7', 4 - 6' 6"
ROD LENGTH: SIDES	NA	NA	starboard 5 - 7'	starboard 5 - 8'	NA	port up to 8', starboard 5 - 8'	port up to 8', starboard 5 - 8'
LIVWELL: BOW	NA	NA	18 gal. (68 L)	18 gal. (68 L)	NA	NA	NA
LIVWELL: AFT	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)
HULL THICKNESS: BOTTOM/SIDE	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)
2XB™ BOW	.065" (1.65 mm)	.065" (1.65 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.065" (1.65 mm)	.065" (1.65 mm)	.065" (1.65 mm)
2XB™ HULL	NA	NA	.080" (2.0 mm)	.080" (2.0 mm)	NA	NA	NA
SEATS	2	2	3	2	2	2	2
JUMP SEATS	NA	NA	NA	NA	NA	NA	NA
PEDESTALS/SOCKETS	2/6	2/6	3/5	2/5	2/5	2/6	2/6
STEERING	no feedback	no feedback	NA	NA	NA	no feedback	no feedback
INSTRUMENTATION	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn
STEREO	optional	optional	optional	optional	optional	optional	optional
STANDARD FEATURES	COMPETITOR 165 SPORT	COMPETITOR 165 CS	COMPETITOR 185 TILLER	COMPETITOR 175 TILLER	COMPETITOR 165 TILLER	VOYAGEUR 175 SPORT	VOYAGEUR 175
LOCKABLE STORAGE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LOCKABLE GLOVE BOX	Yes	NA	NA	NA	NA	Yes	NA
INTEGRATED ALUMATRAC™ SYSTEM	Yes	Yes	Yes	Yes	Yes	Yes	Yes
DUAL AERATED LIVWELL WITH TIMER	aft	aft	bow and aft	bow and aft	aft	aft	aft
LIVWELL LIGHTS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
TROLLING SYSTEM	Yes	Yes	Yes	Yes	Yes	Yes	Yes
12 VOLT POWER POINT	Yes	Yes	Yes	Yes	Yes	Yes	Yes
STOWABLE RUNNING LIGHTS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
INTERIOR COURTESY LIGHTS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BILGE PUMPS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
TILT HELM	optional	optional	NA	NA	NA	optional	optional
DRIVER'S SEAT SLIDER	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CUP HOLDERS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
FOLDING CLEATS	NA	NA	NA	NA	NA	NA	NA
FIRE EXTINGUISHER	Yes	Yes	Yes	Yes	Yes	Yes	Yes
OPTIONAL FEATURES	COMPETITOR 165 SPORT	COMPETITOR 165 CS	COMPETITOR 185 TILLER	COMPETITOR 175 TILLER	COMPETITOR 165 TILLER	VOYAGEUR 175 SPORT	VOYAGEUR 175
LIMITED PACKAGE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
OPEN BOW	NA	NA	NA	NA	NA	NA	NA
ALUMATRAC™ ACCESSORIES	Yes	Yes	Yes	Yes	Yes	Yes	Yes
MINNKOTA TROLLING MOTOR	Yes	Yes	Yes	Yes	Yes	Yes	Yes
HYDRAULIC STEERING	NA	NA	NA	NA	NA	Yes	Yes
TILT HELM	Yes	Yes	NA	NA	NA	Yes	Yes
SPORT STEERING WHEEL	Yes	Yes	NA	NA	NA	Yes	Yes
GRAPH/GPS	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird
VINYL FLOOR	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)
SNAP-IN CARPET	Yes	Yes	Yes	Yes	Yes	NA	NA
BOW CARGO NETS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
AM/FM/MP3 STEREO	Infinity or Millennia	Infinity or Millennia	Jensen	Jensen	Jensen	Infinity	Infinity
36 VOLT TROLLING MOTOR SYSTEM	NA	NA	Yes	Yes	NA	NA	NA
CUSTOM TRAVEL COVERS	Yes	Yes	Yes	Yes	Yes	Yes	Yes
BOW CUSHIONS	NA	NA	NA	NA	NA	NA	NA
CAPTAIN'S CHAIR	NA	NA	NA	NA	NA	NA	NA
SHORELAND R/EAGLE/EZ LOADER TRAILER	Yes	Yes	Yes	Yes	Yes	Yes	Yes




YAGEUR 175 TILLER	CLASSIC 165 CS	CLASSIC 165 TILLER	ESCAPE 165 CS	ESCAPE 145 CS	ESCAPE 165 TILLER	ESCAPE 145 TILLER
17' 10" (5.4 m)	16' 4" (5.0 m)	16' 4" (5.0 m)	16' 6" (5.0 m)	16' 6" (5.0 m)	14' 6" (4.4 m)	14' 6" (4.4 m)
87" (2.21 m)	82" (2.08 m)	82" (2.08 m)	76" (1.93 m)	76" (1.93 m)	76" (1.93 m)	76" (1.93 m)
11'23" (.89 m/58 m)	35"/21" (.89 m/53 m)	35"/21" (.89 m/53 m)	36"/22" (.91 m/56 m)	36"/22" (.91 m/56 m)	32"/20" (.81 m/51 m)	32"/20" (.81 m/51 m)
11'20" (2.2 m/51 m)	82"/20" (2.1 m/51 m)	82"/20" (2.1 m/51 m)	76"/20" (1.93 m/51 m)	76"/20" (1.93 m/51 m)	76"/20" (1.93 m/51 m)	76"/20" (1.93 m/51 m)
75 (56 kw)	75 (56 kw)	60 (44 kw)	50 (37 kw)	50 (37 kw)	40 (30 kw)	40 (30 kw)
1,400 lbs. (6/635 kg)	5/1,280 lbs. (5/580 kg)	5/1,295 lbs. (5/587 kg)	5/1,235 lbs. (5/560 kg)	5/1,235 lbs. (5/560 kg)	4/1,010 lbs. (4/458 kg)	4/1,010 lbs. (4/458 kg)
945 lbs. (415 kg)	895 lbs. (406 kg)	805 (365 kg)	696 lbs. (315 kg)	646 lbs. (293 kg)	604 lbs. (274 kg)	554 lbs. (251 kg)
17 gal. (64 L)	17 gal. (64 L)	17 gal. (64 L)	portable	portable	portable	portable
NA	NA	NA	NA	NA	NA	NA
up to 8', starboard 5 - 8'	port and starboard up to 7'	port and starboard up to 7'	port up to 8'	port up to 8'	port up to 7'	port up to 7'
NA	34 gal. (129 L)	34 gal. (129 L)	20 gal. (76 L)	20 gal. (76 L)	20 gal. (76 L)	20 gal. (76 L)
18 gal. (68 L)	NA	NA	NA	NA	NA	NA
.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.6 mm)	.080"/.065" (2.0 mm/1.65 mm)
.065" (1.65 mm)	.065" (1.65 mm)	.065" (1.65 mm)	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
2	2	2	2	2	2	2
NA	NA	NA	NA	NA	NA	NA
2/4	2/6	2/5	2/4	2/4	2/4	2/4
NA	no feedback	NA	no feedback	NA	no feedback	NA
speedo, tach, volt, fuel, horn optional	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
YAGEUR 175 TILLER	CLASSIC 165 CS	CLASSIC 165 TILLER	ESCAPE 165 CS	ESCAPE 145 CS	ESCAPE 165 TILLER	ESCAPE 145 TILLER
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
aft	bow	bow	bow (no timer)	bow (no timer)	bow (no timer)	bow (no timer)
Yes	Yes	Yes	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
YAGEUR 175 TILLER	CLASSIC 165 CS	CLASSIC 165 TILLER	ESCAPE 165 CS	ESCAPE 145 CS	ESCAPE 165 TILLER	ESCAPE 145 TILLER
Yes	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird
Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)
NA	Yes	Yes	NA	NA	NA	NA
Yes	NA	NA	NA	NA	NA	NA
Jensen	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	ShoreLand'r only	Yes	ShoreLand'r only

SPECS



ALL WELDS	PRO 185	PRO 175	PROWLER 175	PROWLER 165	MV 2072 AW BAY	MV 1860 AW BAY	CRAPPIE DLX	CRAPPIE JON	MV 2072 AW CC	MV 2072 AW SC
LENGTH	18' 5"	17' 5"	17'	16'	20'	18'	16'	14'	20'	20'
BOTTOM WIDTH	60"	56"	56"	50"	72"	60"	48"	42"	72"	72"
BEAM/SIDE HEIGHT	90"/28"	85"/26"	85"/26"	74"/23"	94"/27"	90"/28"	74"/24"	64"/20"	94"/27"	94"/27"
TRANSOM HEIGHT	21"	21"	21"	21"	21"	21"	21"	15"	21"	21"
MAX. HORSEPOWER	115	90	75	60	150	115	30	20	150	115
OPTIONAL SIDE CONSOLE	-	-	-	-	-	-	-	-	-	-
FUEL TANK	20 gal.	20 gal.	12 gal. portable	-	30 gal.	20 gal.	-	-	30 gal.	30 gal.
APPROXIMATE WEIGHT	1,100 lbs.	1,075 lbs.	895 lbs.	830 lbs.	1,175 lbs.	865 lbs.	440 lbs.	330 lbs.	1,175 lbs.	1,145 lbs.
CAPACITY: MAX. PERSONS	5/1,405 lbs.	5/1,405 lbs.	4/1,300 lbs.	4/965 lbs.	6/2,100 lbs.	5/1,600 lbs.	3/745 lbs.	2/550 lbs.	6/2,100 lbs.	5/2,100 lbs.
HULL GAUGE	.102"	.102"	.102"	.102"	.102"	.102"	.080"	.063"	.102"	.102"
HULL TYPE	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	flat bottom	Mod-V	Mod-V
NUMBER OF RIBS	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	8	L-Longitude	L-Longitude
SIDE CONSOLE	fiberglass	fiberglass	fiberglass	fiberglass	-	-	-	-	-	standard
CENTER CONSOLE	-	-	-	-	+6RH	+6RH	-	-	+6RH	-
WINDSHIELD	standard	standard	standard	standard	standard	standard	-	-	standard	standard
INSTRUMENTATION	speedo, tach, volt, fuel	speedo, tach, volt, fuel	speedo, tach	speedo, tach	speedo, tach, fuel	speedo, tach, fuel	-	-	speedo, tach, fuel	speedo, tach, fuel
LIVEWELL	standard	15 gal. (center)	5 gal. (aft)	-	standard	standard	-	-	standard	standard
STORAGE COMPARTMENTS	3+rod (7')	3+rod (7')	2+rod (7')	2	2+2 rod	2	2 rod (8')	-	2	3+rod
DRY STORAGE COMPARTMENTS	-	-	-	-	-	-	-	-	-	1
GUN BOX	-	-	-	-	-	-	-	-	-	-
SEATS	3	3	2	2	LP. cons.	LP. cons.	1- L/w cushion	-	cons.	2
FISHING SEATS	2	2	2	2	2	2	2	2	2	2
SEAT PEDESTAL BASES	4	4	2	2	2 pin	2 pin	2	2	2 pin	2 pin
FLOOR	standard	standard	standard	standard	standard	standard	standard	standard	standard	standard
DROP DECK	-	-	-	-	-	-	-	-	-	-
TROLLING MOTOR GRAPH	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional
TROLLING MOTOR HARNESS	6 ga. standard	6 ga. standard	8 ga. standard	8 ga. standard	with TT	with TT	8 ga. standard	optional	with TT	with TT
LIGHTS	standard	standard	standard	standard	standard	standard	standard	-	standard	standard
POWER POINTS	1	1	-	-	1	1	-	-	1	1
BILGE PUMP	standard	standard	standard	standard	standard	standard	standard	-	standard	standard
SPRAY-IN FLOOR LINER	optional	optional	optional	optional	standard	standard	optional	optional	optional	optional
SPONSONS	-	-	-	-	optional	optional	-	-	optional	optional
PAINT COLOR	Red, Bl, Bk, Wh, Gray	Red, Bl, Bk, Wh, Gray	Graphite Gray	Graphite Gray	Gulf Sand	Gulf Sand	Gray	Gray	Khaki	Khaki
CAMO PAINT	optional	optional	optional	optional	-	-	optional	optional	optional	optional



RIVITED JONS	MV 1648	MV 1648 SS	MV 1448	MV 1448 NCS	1648	1648 NCS	1448	1548
LENGTH	16'	16'	14'	14'	16'	16'	14'	15'
BOTTOM WIDTH	48"	48"	48"	48"	48"	48"	48"	42"
BEAM/SIDE HEIGHT	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	62"/21"
TRANSOM HEIGHT	15"/20"	15"/20"	15"/20"	15"/20"	15"/20"	15"/20"	15"/20"	15"
MAX. HORSEPOWER	35	35	25	25	35	35	25	21"
APPROXIMATE WEIGHT	320 lbs.	310 lbs.	285 lbs.	285 lbs.	320 lbs.	320 lbs.	285 lbs.	240
CAPACITY: MAX. PERSONS	4/1,010 lbs.	4/1,010 lbs.	4/885 lbs.	4/885 lbs.	4/1,010 lbs.	4/1,010 lbs.	4/885 lbs.	3/775
HULL GAUGE	.070"	.070"	.070"	.070"	.070"	.070"	.070"	.06
HULL TYPE	Mod-V	Mod-V	Mod-V	Mod-V	flat bottom	flat bottom	flat bottom	flat bottom
NUMBER OF RIBS	10	11	7	7	9	11	7	8
SIDE STEERING	optional	optional	optional	optional	optional	optional	optional	N
GRAVITY FLOW L/W	optional	optional box	optional	optional	optional	optional box	optional	optional
LIGHT & TROLLING MOTOR BRACKET	optional	optional	optional	optional	optional	optional	optional	optional
COLOR	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive
FLOOR	-	standard	-	-	-	-	-	-
COLOR	-	standard	-	-	-	-	-	-
FLOOR	-	standard	-	-	-	-	-	-

											
/ CC	MV 1860 AW SC	MV 1860 AW	MV 1756 AW CC	MV 1756 AW SC	MV 1756 AW	MV 1650 AW CC	MV 1650 AW SC	MV 1650 AW	WATERFOWLER 16	MV 1546 AW DD	MV 1546 AW
	18'	18'	17'	17'	17'	16'	16'	16'	16'	15'	15'
	60"	60"	56"	56"	56"	50"	50"	50"	50"	46"	46"
	90"/28"	90"/28"	85"/26"	85"/26"	85"/26"	74"/23"	74"/23"	74"/23"	73"/24"	65"/20"	65"/20"
	21"	21"	21"	21"	21"	21"	21"	21"	21"	15"	15"
	90	50	75	75	50	60	60	40	40	25	25
	—	90	—	—	75	—	—	60	—	25	25
	20 gal.	—	20 gal.	20 gal.	—	—	—	—	—	—	—
	910 lbs.	625 lbs.	805 lbs.	895 lbs.	575 lbs.	720 lbs.	720 lbs.	470 lbs.	555 lbs.	320 lbs.	320 lbs.
s.	5/1,600 lbs.	4/1,600 lbs.	4/1,300 lbs.	4/1,300 lbs.	4/1,300 lbs.	4/1,010 lbs.	4/1,010 lbs.	4/1,010 lbs.	4/1,010 lbs.	3/719 lbs.	3/719 lbs.
	.102"	.102"	.102"	.102"	.102"	.102"	.102"	.102"	.102"	.080"	.080"
	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V
e	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude
	standard	optional	—	standard	optional	—	standard	optional	—	optional	optional
	—	—	standard	—	—	standard	—	—	—	—	—
	standard	optional	standard	standard	optional	standard	standard	optional	—	optional	optional
fuel	speedo, tach, fuel	—	speedo, tach, fuel	speedo, tach, fuel	—	speedo, tach, volt	speedo, tach, volt	—	—	—	—
	standard	—	standard	standard	—	standard	standard	—	—	—	—
	3+rod	2	2	3+rod	2	2	3	2	1	1	1
	1	—	—	1	—	—	1	—	—	—	—
	—	optional	—	—	optional	—	—	optional	1	optional	optional
	2	—	—	2	—	—	2	—	—	—	—
	2	optional	2	2	optional	2	2	optional	optional	optional	optional
	2 pin	1 pin	1 pin, 1 L	2 pin	1 pin	1 pin, 1 L	2 pin	1 pin	1 pin	1 pin	1 pin
	standard	standard	standard	standard	standard	standard	standard	standard	standard	standard	standard
	—	—	—	—	—	—	—	—	standard	standard	—
	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional
	with TT	—	standard	standard	—	12 volt	12 volt	—	12 volt	—	—
	standard	optional	standard	standard	optional	standard	standard	optional	standard	—	—
	1	—	1	1	optional	1	1	—	1	—	—
	standard	—	standard	standard	—	standard	standard	—	standard	—	—
	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional
	optional	optional	optional	optional	optional	optional	optional	optional	optional	—	—
	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki
	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional

							
	442	1442 LW	1442 NCS	1436	1436 LITE	1236	1036
	14'	14'	14'	14'	14'	12'	10'
	42"	42"	42"	36"	36"	36"	36"
	7/20"	62"/20"	62"/20"	55"/19"	55"/19"	55"/19"	55"/19"
	15"	15"	15"	15"	15"	15"	15"
	25	25	25	15	15	10	3
	0 lbs.	240 lbs.	240 lbs.	180 lbs.	135 lbs.	125 lbs.	100 lbs.
	55 lbs.	3/755 lbs.	3/755 lbs.	3/620 lbs.	3/600 lbs.	3/540 lbs.	2/365 lbs.
	.063"	.063"	.063"	.058"	.053"	.053"	.053"
	flat bottom	flat bottom	flat bottom	flat bottom	flat bottom	flat bottom	flat bottom
	7	7	7	7	6	5	2
	NA	NA	NA	NA	NA	NA	NA
onal box	standard	standard	optional box	optional	optional box	NA	NA
otional	optional	optional	optional	optional	optional	optional	optional
re Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab
	—	—	—	—	—	—	—
	—	—	—	—	—	—	—
	—	—	—	—	—	—	—





ALL OUR MV'S ARE ALSO
AVAILABLE WITH OUR TUNNEL HULL.



The tunnel is designed for shallow-water usage with a propeller, such as in coastal bay areas where the water may be one-foot deep over a large area. The tunnel design allows your motor to sit higher on the transom with the propeller protected in the diameter of the tunnel—not sitting below the bottom of the hull to hit rocks or reefs.

COLORS

Limited Package colors available only on Limited Edition Trophy, Dominator, Competitor, Voyager, and Pro 175 & 185's

LIMITED COLORS & GRAPHICS	T-PRO COLORS & GRAPHICS	STANDARD COLORS & GRAPHICS
		
SILVER / BLACK / SILVER	BLACK / COPPER / BLACK	BLACK / SILVER
		
SILVER / BLUE / SILVER	BLACK / BLUE / BLACK	BLUE / SILVER
		
BLACK / RED / BLACK	BLACK / WHITE / BLACK	RED / SILVER
		
BLACK / BLUE / BLACK	SILVER / BLACK / SILVER	WHITE / SILVER
		 GULF SAND (BAYS)
BLACK / WHITE / BLACK	SILVER / WHITE / SILVER	CAMO (MV'S & JONS) 
		 KHAKI (MV'S & JONS)
SILVER / WHITE / SILVER	BLACK / RED / BLACK	OLIVE DRAB (MV'S & JONS) 

10 REASONS TO OWN AN ALUMACRAFT

1. INDEPENDENTLY OWNED MANUFACTURER

Which means you get your boat rigged the way you want it. Alumacraft offers all major outboard motor lines for your boat. You get the outboard, the features, the options, and the service you want from an industry-leading, independently owned boat manufacturer.

2. GREATER SELECTION OF BOAT SIZES

Choose from 20' 8" long, high-performance, deep-V boats to 10' flat-bottom jon boats. Alumacraft boats come in a huge variety of sizes, shapes and styles for an endless variety of uses and budgets. You name it, we've got it.

3. THE ALUMACRAFT RIDE

Our pros call it the Alumacraft Ride. These guys have driven virtually every boat on the market. They tell us the Alumacraft Ride is drier, quieter, smoother and more responsive. Experience the exceptional ride of an Alumacraft—it doesn't get any better.

4. HIGH-QUALITY HARDWARE

Alumacraft uses the highest quality hardware on the market. Chromed-metal hardware is strong, durable and easy to grab and open, even with gloves on. Compare some of the hardware on other boats and you'll be surprised.

5. HEAVIER GAUGE ALUMINUM

All Alumacraft boats, whether it's our all-welded jons or one of our riveted tournament models, are made with heavy-gauge, top-quality, 5052 marine-grade aluminum. That's why you see Alumacraft boats that have been on the water for years and years. They last longer.

6. SEE THE DIFFERENCE

Look real close. You'll see a tighter fit, smooth, even welds, larger rivets, and precision construction throughout. These are you'll be proud to call your own.

7. MORE AND BIGGER RIBS

Our all-welded ribs can take a pounding. They're heavier, wider and stronger, making the entire boat tougher and more rigid. Ribs positioned on narrow 12" centers. This results in more ribs making the hull stronger the entire length of the boat.

8. LARGER AIRCRAFT-GRADE RIVETS

Inherent strength is greater with larger rivets. Larger rivets mean stronger rivets. Stronger rivets mean fewer rivets are needed. Fewer rivets mean fewer holes need to be drilled, significantly reducing the chance of ever popping a rivet.

9. HIGHEST QUALITY PAINT

Our boats are painted in the same basecoat/clearcoat process and colors used by major automakers. This process lets you small scratches and areas of dock rash without repainting your entire boat. Matching touch-up paint can be found at more 4,000 auto-repair outlets.


10. ONE-PIECE HULL

We use a single piece of aluminum that's cut and shaped to form the hull. Other manufacturers rivet or weld two separate pieces together. Our one-piece design ensures there are no seams on the boat's bottom, providing the greatest possible inherent strength and no the

OPTIONS




AM/FM RADIO (WITH MP3)




GPS/GRAPHS




TROLLING MOTOR




ALUMATRAC™



CAPTAIN'S CHAIR




SKI PYLON



BOARDING LADDER



PRO SEAT



BOW CUSHIONS




FLIP DOWN CASTING PLATFORM



TRAVEL COVER




BIMINI TOP



FULL ENCLOSURE




VINYL FLOOR



SNAP-IN CARPET


IN BOAT OPTIONS




SIDE CONSOLE




LIVWELL



ACCESSORY GUN BOX



SPONSONS



TROLLING MOTOR

FREEDOM OF CHOICE

deserve to get just the boat you want. Alumacraft has teamed up with the world's leading motor companies to offer you a wide selection of brands and power levels. Your boat, and it's your choice.



Alumacraft boats are both NMMA and CMAA certified for compliance with standards for flotation, systems, ventilation, electrical, and safety. National Marine Manufacturers Association certification is the most stringent in the industry. Look for it; not all boat manufacturers meet NMMA's higher standards.

ALUMACRAFT LIMITED WARRANTY

We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information. Photos, illustrations and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features, and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All ratings comply with the Federal Boat Safety act of 1971. Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.