

ALUMA*Craft*

FAMILIES. FISHING. FOREVER.

2016





Alumacraft is proud to celebrate 70 years of building legendary boats that have withstood the test of time. We reward passionate boaters and anglers with peace of mind that they own simply the best boat on the water. Isn't it time you reward yourself with an Alumacraft?

What does it mean to be **ALUMACRAFTED?**

IT MEANS

- + You're in the best-built boat on the water
- + You get the most bang for your buck
- + You get more choices in models, options, colors and engines
- + Your boat is built for anything—serious fishing or serious fun
- + **YOU'RE NOW PART OF THE ALUMACRAFT FAMILY**



GENESIS

- + 70 Years of Boat-Building Knowledge
- + The Industry's Best Boat Dealers
- + Huge Selection of Models & Options
- + Superior Customer Service



BETTER INGREDIENTS

- + Heavy-Gauge 5052 Aluminum
- + 2XB™ Twin-Plated Hulls
- + Oversized Aircraft-Grade Rivets
- + More Ribs for More Agility




SUPERIOR QUALITY

- + Industry's Best Workforce
- + Industry-Leading Fit & Finish
- + Automotive-Quality Paints
- + Water-Tested Hulls



ON THE WATER

- + Smooth, Responsive & Dry Ride
- + Room & Comfort for All Activities
- + Best in Class Performance
- + Versatility for Fishing & Fun



ALUMACRAFT'S 2XB HULL

Simply put, our 2XB™ twin-plated hulls are the best hulls on the water. PERIOD.

How can we say this with such confidence? Because, 2XB™ hulls use double-plated, heavy-gauge, 5052 aluminum the entire length of the boat with larger aircraft grade rivets for twice the strength and protection. Most of the competition uses thinner-gauge aluminum and double plating just in the bow.

What does this mean for you? It means that not only will your hull be tougher, it will also give you a smooth and quiet ride with minimal flex for more control and agility.

Look for the **2XB™** logo for boats with our twin-plated hull.

WHAT'S NEW FOR 2016

The **ALL-NEW EDGE 175 and 185**: An ultimate hybrid boat for skiing, wakeboarding, fishing, families, and fun [see pages 10-11]

The **ALL-NEW COMPETITOR 205 SPORT**: A well-equipped, versatile, multi-species boat [see pages 12-13]

The **ALL-NEW COMPETITOR 205 TILLER**: Beamy, bold and forged to be the ultimate fishing machine [see pages 16-17]

	PAGE
TROPHY 185, 195, 205	4-5
TROPHY 165, 175	6-7
T-PRO 185, 195	8-9
EDGE 175, 185	10-11
COMPETITOR 205 SPORT	12-13
COMPETITOR 175, 185 CS & SPORT	14-15
COMPETITOR 205 TILLER	16-17
COMPETITOR 165, 175, 185 TILLER	18-19
COMPETITOR 165 CS & SPORT	20-21
VOYAGEUR 175 CS, SPORT & TILLER	22-23
CLASSIC 165 CS & TILLER	24-25
ESCAPE 145 CS & TILLER, 165 CS & TILLER	26-27
UTILITY BOATS V'S & T'S	28
CANOES	29
V-HULL SPECIFICATIONS	30-33
BAY BOATS	36-37
PRO 175 & 185	38-39
PROWLER 165 & 175	40-41
CRAPPIE DLX, CRAPPIE JON	42-43
ALL WELD CENTER CONSOLES	44-45
ALL WELD SIDE CONSOLES	46-47
ALL WELD TILLERS	48-49
SIERRAS/RIVETED JONS	50-51
MOD-V & JON BOAT SPECIFICATIONS	52-53
OPTIONS & ACCESSORIES	54
COLORS & GRAPHICS	55
ENGINE CHOICES	55

TROPHY

185 SPORT, 195 SPORT, 205 SPORT



ALUMACRAFTED for
serious fishing and
serious family fun

- 2XB™ twin-plated hull

Top-load storage system

Wide 98" beam

Up to 8 ft. bow rod locker

2 lighted, aerated livewells
- Auto bilge pump

Flip-up rear jump seats

Hydraulic steering

Optional ski tow bar

Integrated Alumatrac™ System



TROPHY 185



TROPHY 195

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
185 SPORT	18' 8" (5.6 M)	98" (2.49 M)	47"/27" (1.2 M/.69 M)	96"/25" (2.45 M/.64 M)	175 (130 KW)	8/1,800 LBS. (8/816 KG)	1,780 LBS. (807 KG)	34 GAL. (128 L)	.200" (5.0 MM)
195 SPORT	19' 8" (5.9 M)	98" (2.49 M)	47"/27" (1.2 M/.69 M)	96"/25" (2.45 M/.64 M)	200 (149 KW)	8/2,000 LBS. (8/907 KG)	1,805 LBS. (818 KG)	34 GAL. (128 L)	.200" (5.0 MM)
205 SPORT	20' 8" (6.2 M)	98" (2.49 M)	47"/27" (1.2 M/.69 M)	96"/25" (2.45 M/.64 M)	250 (186 KW)	9/2,350 LBS. (9/1,066 KG)	1,915 LBS. (868 KG)	45 GAL. (170 L)	.200" (5.0 MM)

LIMITED COLORS:  STANDARD COLORS: 

ROD STORAGE: BOW - up to 8' (4 rods) & up to 7' 6" (4 rods) | PORT 185 - up to 7' 6" (5 rods) – PORT 195 & 205 - up to 8' (5 rods)

LIVEWELLS: BOW - 18 gal. (68 L) | AFT - 18 gal. (68 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

LE Helm & Dash



Flip-up Rear Jump Seats



Bow Livewell & Storage



Bow Rod Storage



TROPHY



2XB™

TROPHY 205 LE shown in Black with Blue accent

Boats may be shown with optional equipment.



For more information, visit www.alumacraft.com

Safety Toe Hold

Integrated Cup Holders & Trays

Rear Lighted, Aerated Livewell

Slide-out Under Console Storage (LE)





ALUMACRAFTED for
Any Water. Any Fish.
Any Time.

- 2XB™ twin-plated hull
- Non-skid carpeted gunnel
- Bow and port rod storage
- Integrated Alumatrak™ System
- Dual lighted livewells
- Flip-up rear jump seats
- Anti-feedback steering
- Tilt steering wheel
- Versatile seating
- Millennia stereo with speakers



TROPHY 165



TROPHY 175

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
165 SPORT	16' 8" (5.0 M)	91" (2.31 M)	42"/22" (1.06 M/.56 M)	91"/20" (2.31 M/.51 M)	90 (67 KW)	6/1,375 LBS. (6/623 KG)	1,280 LBS. (580 KG)	17 GAL. (64 L)	.160" (4.0 MM)
175 SPORT	17' 8" (5.3 M)	94" (2.39 M)	43"/25" (1.1 M/.64 M)	94"/25" (2.39 M/.64 M)	150 (111 KW)	7/1,700 LBS. (7/771 KG)	1,550 LBS. (703 KG)	34 GAL. (128 L)	.160" (4.0 MM)

LIMITED COLORS: STANDARD COLORS:

ROD STORAGE: BOW 175 - up to 7' 6" (4 rods) & up to 7' (4 rods) | BOW 165 - up to 8' (4 rods) & up to 7' 6" (4 rods) | PORT 175 - up to 7' (5 rods) – PORT 165 - up to 6' 6" (5 rods)

LIVEWELLS: BOW - 18 gal. (68 L) | AFT 175 - 18 gal. (68 L) – AFT 165 - 13 gal. (49 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.


Helm & Dash



Lockable Bow Rod Storage



Lockable Top Load Storage



Rear Flip-up Jump Seats (up)



TROPHY



2XB™

TROPHY 175 LE shown in Silver with White accent

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com



Rear Flip-up Jump Seats (down)

Rear Lighted , Aerated Livewell

Bow Lighted , Aerated Livewell

Slide-out Storage Drawers (LE)





ALUMACRAFTED for the weekend warrior or tournament pro

- 2XB™ twin-plated hull
- Tournament-ready design
- Hydraulic steering
- Air-ride pedestal seats
- Recirculating rear lighted livewell
- Walk-through windshield
- Extra-long rod storage
- Top-load rod storage
- Integrated Alumatrak™ System
- Large 18 gal. lighted livewells



T-PRO 185

T-PRO 195

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
185 SPORT	18' 3" (5.5 M)	97" (2.46 M)	43"/22" (1.1 M/.56 M)	96"/25" (2.45 M/.64 M)	175 (130.5 KW)	6/1,600 LBS. (6/726 KG)	1,680 LBS (762 KG)	34 GAL (128 L)	.200" (5.0 MM)
195 SPORT	19' 3" (5.9 M)	97" (2.46 M)	43"/22" (1.1 M/.56 M)	96"/25" (2.45 M/.64 M)	200 (149.1 KW)	6/1,900 LBS. (6/862 KG)	1,735 LBS. (787 KG)	34 GAL (128 L)	.200" (5.0 MM)

COLORS:

ROD STORAGE: BOW - up to 8' (4 rods) & up to 7' 6" (4 rods) | PORT 185 - up to 8' (5 rods) | PORT 195 - up to 9' (5 rods)


LIVEWELLS: BOW - 18 gal. (68 L) | AFT - 18 gal. (68 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Helm & Dash



Dry Storage



Lockable Bow Rod Locker



Passenger Console & Glove Box



T-PRO



2XB™

EVINRUDE
E-TEC 

T-PRO 185 shown in Black with Red accent


Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Optional Vinyl Flooring



Large Bow Casting Deck



Bow Storage



Recirculating Rear Lighted Livewell



ALL-NEW EDGE

175 SPORT, 185 SPORT



ALUMACRAFTED to be the MVB: Most Versatile Boat

- 2XB™ twin-plated hull
- Rear flip-up jump seats
- Ski storage
- Wakeboard holder
- Lockable rod locker
- All-aluminum transom
- Ski pylon ready
- Rear swim ladder
- Rear lighted, aerated livewell
- Bluetooth stereo with 4 speakers



EDGE 175



EDGE 185

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
175 SPORT	17' 8" (5.4 M)	95" (2.41 M)	45"/25" (1.14 M/.63 M)	95"/25" (2.41 M/.63 M)	150 (111 KW)	7/1,820 LBS. (7/826 KG)	1,488 LBS. (675 KG)	34 GAL. (128 L)	.160" (4.0 MM)
185 SPORT	18' 9" (5.7 M)	95" (2.41 M)	45"/25" (1.14 M/.63 M)	95"/25" (2.41 M/.63 M)	175 (130 KW)	8/1,990 LBS. (8/903 KG)	1,579 LBS. (716 KG)	34 GAL. (128 L)	.160" (4.0 MM)

COLORS:

ROD STORAGE: BOW - up to 8' 6" (4 rods) & up to 8' (4 rods) | PORT (175) - up to 6' (5 rods) or ski storage | PORT (185) - up to 7' (5 rods) or ski storage

LIVEWELL: AFT - 18 gal. (68 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Helm & Dash

Rear Jump Seats / Casting Deck

Optional Bow Cushions

Rear Ladder with Extended Casting Platform



EDGE



2XB™



EDGE 185 shown in Black with Blue accent


Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Wakeboard Storage



Bow Rod Storage



Bow Storage with Speakers



Slide-out Under Console Storage



ALL-NEW COMPETITOR 205 SPORT



ALUMACRAFTED for
big water, big fish
and big value

- 2XB™ twin-plated hull
- Oversized front casting deck
- Up to 9' 4" bow rod storage
- Up to 10' side rod storage
- Dual lighted, aerated livewells
- All-aluminum transom
- Hydraulic steering
- Dry bow storage
- Built-in 52 qt. insulated cooler
- Integrated Alumatrac™ System



COMPETITOR 205 SPORT

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
205 SPORT	20' 6" (6.25 M)	96" (2.44 M)	45"/22.25" (1.14 M/.57 M)	94"/25" (2.39 M/.63 M)	250 (186 KW)	8/2,450 LBS. (8/1,111 KG)	1,710 LBS. (775.6 KG)	45 GAL. (170 L)	.200" (5.0 MM)

LIMITED COLORS:  STANDARD COLORS: 

ROD STORAGE: BOW - up to 9' 4" (4 rods) & up to 9' (4 rods) | PORT - up to 10' (5 rods)


LIVEWELL: BOW - 22 gal. (83 L) | AFT - 33 gal. (125 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Helm & Dash



Lockable Bow Rod Storage



33 gal. Rear Lighted Livewell



Dry Storage



COMPETITOR



2XB™



COMPETITOR 205 shown in Black with Blue accent

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Oversized Bow Casting Deck

Built-in 52 qt. Insulated Cooler

Bow Storage

Side Rod Storage





ALUMACRAFTED for
big-water capability,
small-water agility

- 2XB™ twin-plated hull

8' bow rod storage

8' port rod storage

Built-in 52 qt. insulated cooler

Dual lighted, aerated livewells
- New console design

24V trolling system

Lockable storage & glove box

Multiple storage compartments

Integrated Alumatrac™ System



COMPETITOR 175 CS



COMPETITOR 185 SPORT

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
175 SPORT	17' 8" (5.3 M)	95" (2.41 M)	43"/23" (1.09 M/.58 M)	93"/25" (2.36 M/.63 M)	150 (111 KW)	6/1,500 LBS. (6/680 KG)	1,375 LBS. (624 KG)	34 GAL. (128 L)	.160" (4.0 MM)
175 CS	17' 8" (5.3 M)	95" (2.41 M)	43"/23" (1.09 M/.58 M)	93"/25" (2.36 M/.63 M)	150 (111 KW)	6/1,500 LBS. (6/680 KG)	1,285 LBS. (583 KG)	34 GAL. (128 L)	.160" (4.0 MM)
185 SPORT	18' 8" (5.6 M)	95" (2.41 M)	43"/23" (1.09 M/.58 M)	93"/25" (2.36 M/.63 M)	150 (111 KW)	6/1,600 LBS. (6/726 KG)	1,500 LBS. (680 KG)	34 GAL. (128 L)	.160" (4.0 MM)
185 CS	18' 8" (5.6 M)	95" (2.41 M)	43"/23" (1.09 M/.58 M)	93"/25" (2.36 M/.63 M)	150 (111 KW)	6/1,600 LBS. (6/726 KG)	1,410 LBS. (639 KG)	34 GAL. (128 L)	.160" (4.0 MM)

LIMITED COLORS: [Color Swatches] STANDARD COLORS: [Color Swatches]

ROD STORAGE: BOW - up to 8' (4 rods) & up to 7' 6" (4 rods) | STARBOARD - up to 8' (5 rods)

LIVEWELL: BOW - 18 gal. (68 L) | AFT - 18 gal. (68 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Helm & Dash



Optional Rear Flip-up Jump Seats



Rear Lighted, Aerated Livewell



Built-in 52 qt. Insulated Cooler



COMPETITOR



2XB™



COMPETITOR 185 LE shown in Silver with Black accent

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Slide-out Storage [LE]

Rear Lighted Livewell & Battery Storage

Side Storage & Built-in Insulated Cooler

Bow Rod Locker



ALL-NEW COMPETITOR 205 TILLER



ALUMACRAFTED for
pure fishability from
bow to stern

- 2XB™ twin-plated hull
- Oversized front casting deck
- Up to 9' 4" bow rod storage
- Up to 10' side rod storage
- Dual lighted, aerated livewells
- All-aluminum transom
- Recirculating lighted livewell
- Dry bow storage
- Built-in 52 qt. insulated cooler
- Integrated Alumatrak™ System



COMPETITOR 205 TILLER

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
205 TILLER	20' 6" (6.25 M)	96" (2.44 M)	45"/22.25" (1.14 M/.57 M)	94"/25" (2.39 M/.63 M)	200 (149 KW)	8/2,450 LBS. (8/1,111 KG)	1,616 LBS. (733 KG)	45 GAL. (170 L)	.200" (4.6 MM)

LIMITED COLORS:  STANDARD COLORS: 

ROD STORAGE: BOW - up to 9' 4" (4 rods) & up to 9' (4 rods) | STARBOARD - up to 10'

LIVEWELL: BOW - 22 gal. (83 L) | AFT - 33 gal. (125 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Command Center with Pull-out Drawers



Lockable Side Storage



Lockable Graph Storage



COMPETITOR



2XB™



COMPETITOR 205 LE shown in Black with White accent


Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Bow Storage



Bow Rod Storage



Dry Storage



33 gal. Rear Lighted Livewell





ALUMACRAFTED for superior control in the palm of your hand

- 2XB™ twin-plated hull
- 8' bow rod storage
- 8' port rod storage
- Built-in 52 qt. insulated cooler
- Lighted, aerated livewells
- New command console
- 12/24V trolling system
- Integrated Alumatrak™ System
- Multiple storage compartments
- Lockable graph hider [175 & 185]



COMPETITOR 165 TL



COMPETITOR 175 TL

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
165 TILLER	16' 7" (5 M)	87" (2.21 M)	35"/23" (.89 M/.58 M)	87"/20" (2.2 M/.51 M)	70 (52 KW)	6/1,380 LBS. (6/626 KG)	920 LBS. (417 KG)	17 GAL. (64 L)	.145" (3.7 MM)
175 TILLER	17' 8" (5.3 M)	95" (2.41 M)	43"/23" (1.09 M/.58 M)	93"/20" (2.36 M/.51 M)	75 (56 KW)	6/1,500 LBS. (6/680 KG)	1,160 LBS. (526 KG)	34 GAL. (128 L)	.160" (4.0 MM)
185 TILLER	18' 8" (5.6 M)	95" (2.41 M)	43"/23" (1.09 M/.58 M)	93"/25" (2.36 M/.63 M)	90 (67 KW)	6/1,600 LBS. (6/726 KG)	1,300 LBS. (589 KG)	34 GAL. (128 L)	.160" (4.0 MM)

LIMITED COLORS: [Color swatches] STANDARD COLORS: [Color swatches]

ROD STORAGE: BOW 175/185 - up to 8' (4 rods) & up to 7' 6" (4 rods) | BOW 165 - up to 7' (4 rods) & up to 6' 6" (4 rods) | SIDE 175/185 - up to 8' (5 rods)

LIVEWELL: AFT - 18 gal. (68 L) | BOW 175/185 - 18 gal. (68 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Command Console with Pull-out Drawers [175 & 185]



Rear Lighted, Aerated Livewell



Lockable Bow Storage



COMPETITOR



2XB™

COMPETITOR 185 LE shown in Black with Blue accent

Boats may be shown with optional equipment.




For more information, visit www.alumacraft.com

Bow Lighted, Aerated Livewell (175 & 185)

Built-in 52 qt. Insulated Cooler (175 & 185)

Bow Rod Storage

Bow Storage (175 & 185)





ALUMACRAFTED for big performance from a small footprint

- 2XB™ twin-plated hull

Large lighted rear livewell

Bow rod storage

Side rod storage

Wood-free seating
- Anti-feedback steering

Large-capacity bow storage

12/24V trolling motor system

Lockable passenger glove box

Integrated Alumatrak™ System



COMPETITOR 165 SPORT



COMPETITOR 165 CS

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
165 SPORT	16' 7" (5 M)	87" (2.21 M)	35"/23" (.89 M/.58 M)	87"/20" (2.2 M/.51 M)	90 (67 KW)	6/1,380 LBS. (6/626 KG)	1,040 LBS. (471 KG)	17 GAL. (64 L)	.145" (3.7 MM)
165 CS	16' 7" (5 M)	87" (2.21 M)	35"/23" (.89 M/.58 M)	87"/20" (2.2 M/.51 M)	90 (67 KW)	6/1,380 LBS. (6/626 KG)	960 LBS. (435 KG)	17 GAL. (64 L)	.145" (3.7 MM)

LIMITED COLORS: STANDARD COLORS:

ROD STORAGE: BOW - up to 7" (4 rods) & up to 6' 6" (4 rods)

LIVEWELL: AFT - 18 gal. (68 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Helm & Dash



Lockable Passenger Glove Box



Side Rod Storage



Lockable Bow Storage



COMPETITOR



2XB™

COMPETITOR 165 LE shown in Silver with Blue accent

Boats may be shown with optional equipment.




For more information, visit www.alumacraft.com

Slide-out Under Console Storage (LE)




Rear Lighted, Aerated Livewell



In-floor Storage



Rear Casting Deck





ALUMACRAFTED for performance, value and overall fishability

- 2XB™ twin-plated hull
- Large 18 gal. lighted livewell
- Dual 8' rod storage
- 12/24V trolling system
- Integrated Alumatrac™ System
- Lockable storage
- Bow insulated cooler
- Courtesy lights
- Tons of fishing room
- Aluminum transom



VOYAGEUR 175 CS



VOYAGEUR 175 TILLER

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
175 SPORT	17' 10" (5.4 M)	87" (2.21 M)	35"/23" (.89 M/.58 M)	86"/20" (2.2 M/.51 M)	125 (93 KW)	6/1,480 LBS. (6/671 KG)	1,070 LBS. (485 KG)	17 GAL. (64 L)	.145" (3.7 MM)
175 CS	17' 10" (5.4 M)	87" (2.21 M)	35"/23" (.89 M/.58 M)	86"/20" (2.2 M/.51 M)	125 (93 KW)	6/1,480 LBS. (6/671 KG)	1,010 LBS. (458 KG)	17 GAL. (64 L)	.145" (3.7 MM)
175 TILLER	17' 10" (5.4 M)	87" (2.21 M)	35"/23" (.89 M/.58 M)	86"/20" (2.2 M/.51 M)	75 (56 KW)	6/1,480 LBS. (6/671 KG)	943 LBS. (428 KG)	17 GAL. (64 L)	.145" (3.7 MM)

LIMITED COLORS: [Color Swatches] STANDARD COLORS: [Color Swatches]

ROD STORAGE: PORT - up to 8' | STARBOARD - up to 8' (5 rods)

LIVEWELL: AFT - 18 gal. (68 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.


Helm & Dash



Bow Storage



Starboard Rod Storage



Rear Lighted, Aerated Livewell



VOYAGEUR



2XB™

VOYAGEUR 175LE shown in Black with White accent

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

EVINRUDE
E-TEC



Built-in Insulated Cooler



In-floor Storage



Bow Storage (Tiller)



Lockable Glove Box (Sport)





ALUMACRAFTED to
make the world your
fishing hole

- 2XB™ twin-plated hull*

Easy to tow & launch

Large 34 gal. lighted livewell

Dual 7' rod storage

12V trolling motor system
- Courtesy lights*

Lockable rod storage

Tons of fishing room

Versatile seating options

Integrated Alumatrac™ System



CLASSIC CS



CLASSIC TILLER

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
165 CS	16' 4" (5.0 M)	82" (2.08 M)	35"/21" (.89 M/.53 M)	82"/20" (2.1 M/.51 M)	75 (56 KW)	5/1,280 LBS. (5/580 KG)	895 LBS. (406 KG)	17 GAL. (64 L)	.145" (3.7 MM)
165 TILLER	16' 4" (5.0 M)	82" (2.08 M)	35"/21" (.89 M/.53 M)	82"/20" (2.1 M/.51 M)	60 (44 KW)	5/1,295 LBS. (5/587 KG)	805 LBS. (365 KG)	17 GAL. (64 L)	.145" (3.7 MM)

STANDARD COLORS:     

ROD STORAGE: PORT - up to 7' | STARBOARD - up to 7'

LIVEWELL: BOW - 34 gal. (128 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Helm & Dash



34 gal. Bow Lighted, Aerated Livewell



Port Rod Storage



Tiller Command Console



CLASSIC



2XB™



CLASSIC CS shown in White


Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com


Rear Casting Platform



Rear Storage



Bow Casting Platform



Bow Storage



ESCAPE

145 CS, 145 TILLER , 165 CS, 165 TILLER



ALUMACRAFTED with
a small footprint and
big performance

- Easy to tow & launch
- Large 20 gal. livewell
- Up to 8' rod storage
- 12V trolling system
- Integrated Alumatrak™ System
- In-floor storage
- Lockable storage
- Versatile seating options
- Easy-access rear slide panel
- Tons of fishing room



ESCAPE 145 CS



ESCAPE 145 TILLER



ESCAPE 165 TILLER

MODEL	LENGTH	BEAM	MAX. DEPTH	TRANSOM (W/H)	MAX. HP	MAX. CAPACITY	BOAT WEIGHT	FUEL CAPACITY	MAX. HULL THICKNESS
145 CS	14' 6" (4.4 M)	76" (1.93 M)	32"/20" (.81 M/.508 M)	76"/20" (1.9 M/.508 M)	40 (30 KW)	4/1,040 LBS. (4/472 KG)	604 LBS. (274 KG)	PORTABLE	.080" (2.0 MM)
145 TILLER	14' 6" (4.4 M)	76" (1.93 M)	32"/20" (.81 M/.508 M)	76"/20" (1.9 M/.508 M)	40 (30 KW)	4/1,040 LBS. (4/472 KG)	554 LBS. (251 KG)	PORTABLE	.080" (2.0 MM)
165 CS	16' 6" (5.0 M)	76" (1.93 M)	36"/22" (.91 M/.56 M)	76"/20" (1.93 M/.508 M)	50 (37 KW)	5/1,250 LBS. (5/567 KG)	696 LBS. (315 KG)	PORTABLE	.080" (2.0 MM)
165 TILLER	16' 6" (5.0 M)	76" (1.93 M)	36"/22" (.91 M/.56 M)	76"/20" (1.93 M/.508 M)	50 (37 KW)	5/1,250 LBS. (5/567 KG)	646 LBS. (293 KG)	PORTABLE	.080" (2.0 MM)

STANDARD COLORS:

ROD STORAGE: PORT (165) - up to 8', (145) - up to 7'


LIVEWELL: BOW - 20 gal. (75 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 30-33.

Helm & Dash



In-floor Storage & Port Rod Storage



Bow Livewell & Bow Storage



Easy-access Rear Storage w/ Slide-up Panel



ESCAPE



ESCAPE 165 CS shown in Red

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Port Side Rod Storage



Starboard Side Storage [165]



In-floor Storage



Rear Tackle Storage [145]



UTILITY BOATS

T12V, T14V, V-14, V-16



MODEL	LENGTH	BEAM	BOW HEIGHT	TRANSOM	MAX. HP	CAPACITY	WEIGHT	HULL THICKNESS	SEATS	SEAT TYPES
V-16 (20")	16' 7" (5.0 M)	70" (1.8 M)	30" (.76 M)	62"/20" (1.6 M/.51 M)	25 (19 KW)	5/1,380 LBS. (5/626 KG)	285 LBS. (129 KG)	.065"/.065" (1.7 MM/1.7 MM)	SPLIT AFT	2 BENCH/1 BOW
V-14 (20")	14' 3" (4.3 M)	68" (1.7 M)	30" (.76 M)	62"/20" (1.6 M/.51 M)	20 (15 KW)	5/1,195 LBS. (5/542 KG)	235 LBS. (107 KG)	.065"/.065" (1.7 MM/1.7 MM)	SPLIT AFT	2 BENCH/1 BOW
V-14 (15")	14' 3" (4.3 M)	68" (1.7 M)	30" (.76 M)	62"/15" (1.6 M/.38 M)	20 (15 KW)	5/1,015 LBS. (5/460 KG)	230 LBS. (104 KG)	.065"/.065" (1.7 MM/1.7 MM)	SPLIT AFT	2 BENCH/1 BOW
T14V	14' (4.2 M)	61" (1.5 M)	26" (.66 M)	60"/15" (1.5 M/.38 M)	15 (11 KW)	4/825 LBS. (4/374 KG)	202 LBS. (92 KG)	.060"/.050" (1.5 MM/1.3 MM)	NA	3 BENCH
T12V	12' (3.7 M)	60" (1.5 M)	25" (.64 M)	60"/15" (1.5 M/.38 M)	10 (7 KW)	3/650 LBS. (3/295 KG)	187 LBS. (85 KG)	.060"/.050" (1.5 MM/1.3 MM)	NA	3 BENCH

COLORS:     

MODEL	LENGTH	BEAM	DEPTH	TRANSOM	MAX. HP	CAPACITY	WEIGHT	HULL THICKNESS	KEEL TYPE	STEM GAUGE	RIBS	CURVED THWARTS	SEATS
QT 185	18' 5" (5.6 M)	37" (.94 M)	13" (.33 M)	NA	NA	4/800 LBS. (4/363 KG)	71 LBS. (32 KG)	.040" (1.0 MM)	.0625" (1.6 MM)	.090" (2.3 MM)	6	OPTIONAL	1 FORE/1 AFT
CO 17	17' (5.2 M)	37" (.94 M)	13" (.33 M)	15" (.51 M)	4 (3 KW)	4/805 LBS. (4/365 KG)	80 LBS. (36 KG)	.040" (1.0 MM)	.0625" (1.6 MM)	.090" (2.3 MM)	5	OPTIONAL	1 FORE/1 AFT
QT 17	17' (5.2 M)	36" (.91 M)	13" (.33 M)	NA	NA	4/750 LBS. (4/340 KG)	64 LBS. (29 KG)	.040" (1.0 MM)	.0625" (1.6 MM)	.090" (2.3 MM)	5	STANDARD	1 FORE/1 AFT
QT 15	15' (4.6 M)	36" (.91 M)	12" (.30 M)	NA	NA	3/652 LBS. (3/296 KG)	56 LBS. (25 KG)	.040" (1.0 MM)	.0625" (1.6 MM)	.090" (2.3 MM)	3	OPTIONAL	1 FORE/1 AFT

QT 185, CO 17, QT 17, QT 15

CANOES



T12V




T14V



V-14



V-14 W FLOOR



V-16 (20'')



QT 185



CO 17



QT 17



QT 15

SPECS



SPECIFICATIONS	TROPHY 205	TROPHY 195	TROPHY 185	TROPHY 175	TROPHY 165	TOURNAMENT PRO 195	TOURNAMENT PRO 185
Length	20' 8" (6.2 m)	19' 8" (5.9 m)	18' 8" (5.6 m)	17' 8" (5.3 m)	16' 8" (5.0 m)	19' 3" (5.9 m)	18' 3" (5.5 m)
Beam	98" (2.49 m)	98" (2.49 m)	98" (2.49 m)	94" (2.39 m)	91" (2.31 m)	97" (2.46 m)	97" (2.46 m)
Depth: Max./to Floor	47"/27" (1.2 m/.69 m)	47"/27" (1.2 m/.69 m)	47"/27" (1.2 m/.69 m)	43"/25" (1.1 m/.64 m)	42"/22" (1.06 m/.56 m)	43"/22" (1.1 m/.56 m)	43"/22" (1.1 m/.56 m)
Transom: Width/Height	96"/25" (2.45 m/.64 m)	96"/25" (2.45 m/.64 m)	96"/25" (2.45 m/.64 m)	94"/25" (2.39 m/.64 m)	91"/20" (2.31 m/.51 m)	96"/25" (2.45 m/.64 m)	96"/25" (2.45 m/.64 m)
Max. Horsepower	250 (186 kw)	200 (149 kw)	175 (130 kw)	150 (111 kw)	90 (67 kw)	200 (149 kw)	175 (130 kw)
Capacity: Max. Persons	9/2,350 lbs. (9/1,066 kg)	8/2,000 lbs. (8/907 kg)	8/1,800 lbs. (8/816 kg)	7/1,700 lbs. (7/771kg)	6/1,375 lbs. (6/623kg)	6/1,900 lbs. (6/862 kg)	6/1,600 lbs. (6/726 kg)
Approximate Weight	1,915 lbs. (868 kg)	1,805 lbs. (818 kg)	1,780 lbs. (807 kg)	1,550 lbs. (703 kg)	1,280 lbs. (580 kg)	1,735 lbs. (787 kg)	1,680 lbs. (762 kg)
Fuel Capacity	45 gal. (170 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)	17 gal. (64 L)	34 gal. (128 L)	34 gal. (128 L)
Rod Length: Bow	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 7' 6", 4 - 7'	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"
Rod Length: Sides	port 5 - 8'	port 5 - 8'	port 5 - 7' 6"	port 5 - 7'	port up to 6' 6"	port 5 - 9'	port 5 - 8'
Livewell: Bow	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)
Livewell: Aft	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	13 gal. (49 L)	18 gal. (68 L)	18 gal. (68 L)
Hull Thickness: Bottom/Side	.100"/.080" (2.5 mm/2.0 mm)	.100"/.080" (2.5 mm/2.0 mm)	.100"/.080" (2.5 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.100"/.080" (2.5 mm/2.0 mm)	.100"/.080" (2.5 mm/2.0 mm)
2XB™ Bow	.100" (2.5 mm)	.100" (2.5 mm)	.100" (2.5 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)
2XB™ Hull	.100" (2.5 mm)	.100" (2.5 mm)	.100" (2.5 mm)	.080" (2.0 mm)	NA	.100" (2.5 mm)	.100" (2.5 mm)
Seats	4	4	3	3	2	3	3
Jump Seats	2	2	2	2	2	NA	NA
Pedestals/Sockets	4/6	4/6	3/6	3/6	2/6	3/6	3/6
Steering	hydraulic	hydraulic	hydraulic	no feedback	no feedback	hydraulic	hydraulic
Instrumentation	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn
Stereo	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers
STANDARD FEATURES	TROPHY 205	TROPHY 195	TROPHY 185	TROPHY 175	TROPHY 165	TOURNAMENT PRO 195	TOURNAMENT PRO 185
Lockable Storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lockable Glove Box	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Integrated AlumnaTrac™ System	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Dual Aerated Livewell with Timer	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft
Livewell Lights	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Trolling System	Yes	Yes	Yes	Yes	Yes	Yes	Yes
12 Volt Power Point	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Stowable Running Lights	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Interior Courtesy Lights	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Ladder	Yes	Yes	Yes	Yes	No	Yes	Yes
Bilge Pumps	1 auto, 1 manual	1 auto, 1 manual	1 auto, 1 manual	1 manual	1 manual	1 auto, 1 manual	1 auto, 1 manual
Tilt Helm	Yes	Yes	Yes	Yes	optional	Yes	Yes
Driver's Seat Slider	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cup Holders	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Folding Cleats	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Fire Extinguisher	Yes	Yes	Yes	Yes	Yes	Yes	Yes
OPTIONAL FEATURES	TROPHY 205	TROPHY 195	TROPHY 185	TROPHY 175	TROPHY 165	TOURNAMENT PRO 195	TOURNAMENT PRO 185
Limited Package	Yes	Yes	Yes	Yes	Yes	NA	NA
Open Bow	Yes	Yes	Yes	Yes	NA	NA	NA
AlumnaTrac™ Accessories	Yes	Yes	Yes	Yes	Yes	Yes	Yes
MinnKota Trolling Motor	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hydraulic Steering	standard	standard	standard	SeaStar (mandatory on 150+ HP)	Yes	standard	standard
Tilt Helm	standard	standard	standard	standard	Yes	standard	standard
Sport Steering Wheel	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Graph/GPS	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird
Vinyl Floor	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)
Snap-in Carpet	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Bow Cargo Nets	Yes	Yes	Yes	Yes	Yes	standard	standard
AM/FM/MP3 Stereo Infinity	Yes	Yes	Yes	Yes	Yes	Yes	Yes
36 Volt Trolling Motor System	Yes	Yes	Yes	NA	NA	standard	standard
Custom Travel Covers	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Bow Cushions	Yes	Yes	Yes	Yes	Yes	NA	NA
Captain's Chair	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ShoreLand'r/Eagle/EZ Loader Trailer	Yes	Yes	Yes	Yes	Yes	Yes	Yes

ALL SPECIFICATIONS AND OPTIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.



EDGE 185 SPORT	EDGE 175 SPORT	COMPETITOR 205 SPORT	COMPETITOR 205 TILLER	COMPETITOR 185 SPORT	COMPETITOR 185 CS	COMPETITOR 175 SPORT	COMPETITOR 175 CS
18' 9" (5.7 m)	17' 8" (5.4 m)	20' 6" (6.25 m)	20' 6" (6.25 m)	18' 8" (5.6 m)	18' 8" (5.6 m)	17' 8" (5.3 m)	17' 8" (5.3 m)
95" (2.41 m)	95" (2.41 m)	96" (2.44 m)	96" (2.44 m)	95" (2.41 m)	95" (2.41 m)	95" (2.41 m)	95" (2.41 m)
45"/25" (1.14 m/.63 m)	45"/25" (1.1 m/.63 m)	45"/22.25" (1.14 m/.57 m)	45"/22.25" (1.14 m/.57 m)	43"/23" (1.1 m/.58 m)	43"/23" (1.1 m/.58 m)	43"/23" (1.1 m/.58 m)	43"/23" (1.1 m/.58 m)
95"/25" (2.41 m/.63 m)	95"/25" (2.41 m/.63 m)	94"/25" (2.39 m/.63 m)	94"/25" (2.39 m/.63 m)	93"/25" (2.36 m/.63 m)	93"/25" (2.36 m/.63 m)	93"/25" (2.36 m/.63 m)	93"/25" (2.36 m/.63 m)
175 (130 kw)	150 (111 kw)	250 (186 kw)	200 (149 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)	150 (111 kw)
8/1,990 lbs. (8/903 kg)	7/1,820 lbs. (7/826 kg)	8/2,450 lbs. (8/1,111 kg)	8/2,450 lbs. (8/1,111 kg)	6/1,600 lbs. (6/726 kg)	6/1,600 lbs. (6/726 kg)	6/1,500 lbs. (6/680 kg)	6/1,500 lbs. (6/680 kg)
1,579 lbs. (716 kg)	1,488 lbs. (675 kg)	1,710 lbs. (775.6 kg)	1,616 lbs. (733 kg)	1,500 lbs. (680 kg)	1,410 lbs. (639 kg)	1,375 lbs. (624 kg)	1,285 lbs. (583 kg)
34 gal. (128 L)	34 gal. (128 L)	45 gal. (170 L)	45 gal. (170 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)	34 gal. (128 L)
4 - 8.5', 4 - 8'	4 - 8.5', 4 - 8'	4 - 9' 4", 4 - 9'	4 - 9' 4", 4 - 9'	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"
ski storage/7" rods	ski storage/6" rods	port up to 10'	starboard up to 10'	starboard 5 - 8'	starboard 5 - 8'	starboard 5 - 8'	starboard 5 - 8'
NA	NA	22 gal. (83 L)	22 gal. (83 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)
18 gal. (68 L)	18 gal. (68 L)	33 gal. (125 L)	33 gal. (125 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)
.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.100"/.080" (2.3 mm/2.0 mm)	100"/.080" (2.3 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)
.080" (2.0 mm)	.080" (2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)
.080" (2.0 mm)	.080" (2.0 mm)	.100" (2.5 mm)	.100" (2.5 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.080" (2.0 mm)
3	3	3	3	3	3	2	2
2	2	na	NA	NA	NA	NA	NA
3/6	3/7	3/8	3/7	3/6	3/6	2/6	2/6
hydraulic	no feedback	hydraulic	NA	hydraulic	hydraulic	no feedback	no feedback
speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn
AM/FM with 4 speakers	AM/FM with 4 speakers	AM/FM with 2 speakers	AM/FM with 2 speakers	optional	optional	optional	optional
EDGE 185 SPORT	EDGE 175 SPORT	COMPETITOR 205 SPORT	COMPETITOR 205 TILLER	COMPETITOR 185 SPORT	COMPETITOR 185 CS	COMPETITOR 175 SPORT	COMPETITOR 175 CS
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	NA	Yes	N/A	Yes	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
aft	aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft	bow and aft
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	optional w/ hydraulic steering	Yes	NA	Yes	Yes	optional w/ hydraulic steering	optional w/ hydraulic steering
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
EDGE 185 SPORT	EDGE 175 SPORT	COMPETITOR 205 SPORT	COMPETITOR 205 TILLER	COMPETITOR 185 SPORT	COMPETITOR 185 CS	COMPETITOR 175 SPORT	COMPETITOR 175 CS
NA	NA	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
standard	SeaStar (mandatory on 150+ HP)	standard	NA	standard	standard	SeaStar (mandatory on 150+ HP)	SeaStar (mandatory on 150+ HP)
standard	Yes	standard	NA	standard	standard	Yes	Yes
Yes	Yes	Yes	NA	Yes	Yes	Yes	Yes
Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird
Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

SPECS



SPECIFICATIONS	COMPETITOR 165 SPORT	COMPETITOR 165 CS	COMPETITOR 185 TILLER	COMPETITOR 175 TILLER	COMPETITOR 165 TILLER	VOYAGEUR 175 SPORT	VOYAGEUR 175 CS
Length	16' 7" (5.0 m)	16' 7" (5.0 m)	18' 8" (5.6 m)	17' 8" (5.3 m)	16' 7" (5.0 m)	17' 10" (5.4 m)	17' 10" (5.4 m)
Beam	87" (2.21 m)	87" (2.21 m)	95" (2.41 m)	95" (2.41 m)	87" (2.21 m)	87" (2.21 m)	87" (2.21 m)
Depth: Max./to Floor	35"/23" (.89 m/.58 m)	35"/23" (.89 m/.58 m)	43"/23" (1.09 m/.58 m)	43"/23" (1.09 m/.58 m)	35"/23" (.89 m/.58 m)	35"/23 (.89 m/.58 m)	35"/23 (.89 m/.58 m)
Transom: Width/Height	87"/20" (2.2 m/.51 m)	87"/20" (2.2 m/.51 m)	93"/25" (2.36 m/.63 m)	93"/20" (2.36 m/.51 m)	87"/20" (2.2 m/.51 m)	86"/20" (2.2 m/.51 m)	86"/20" (2.2 m/.51 m)
Max. Horsepower	90 (67 kw)	90 (67 kw)	90 (67 kw)	75 (56 kw)	70 (52 kw)	125 (93 kw)	125 (93 kw)
Capacity: Max. Persons	6/1,380 lbs (6/626 kg)	6/1,380 lbs. (6/626 kg)	6/1,600 lbs. (6/726 kg)	6/1,500 lbs. (6/680 kg)	6/1,380 lbs. (6/626 kg)	6/1,480 lbs. (6/671 kg)	6/1,480 lbs. (6/671kg)
Approximate Weight	1,040 lbs. (471 kg)	960 lbs. (435 kg)	1,300 lbs. (589 kg)	1,160 lbs. (526 kg)	920 lbs. (417 kg)	1,070 lbs. (485 kg)	1010 lbs (458kg)
Fuel Capacity	17 gal. (64 L)	17 gal. (64 L)	34 gal. (128 L)	34 gal. (128 L)	17 gal. (64 L)	17 gal. (64 L)	17 gal. (64 L)
Rod Length: Bow	4 - 7', 4 - 6' 6"	4 - 7', 4 - 6' 6"	4 - 8', 4 - 7' 6"	4 - 8', 4 - 7' 6"	4 - 7', 4 - 6' 6"	NA	NA
Rod Length: Sides	NA	NA	starboard 5 - 8'	starboard 5 - 8'	NA	port up to 8', starboard 5 - 8'	port up to 8', starboard 5 - 8'
Livewell: Bow	NA	NA	18 gal. (68 L)	18 gal. (68 L)	NA	NA	NA
Livewell: Aft	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)	18 gal. (68 L)
Hull Thickness: Bottom/Side	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.080" (2.0 mm/2.0 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)
2XB™ Bow	.065" (1.65 mm)	.065" (1.65 mm)	.080" (2.0 mm)	.080" (2.0 mm)	.065" (1.65 mm)	.065" (1.65 mm)	.065" (1.65 mm)
2XB™ Hull	NA	NA	.080" (2.0 mm)	.080" (2.0 mm)	NA	NA	NA
Seats	2	2	3	2	2	2	2
Jump Seats	NA	NA	NA	NA	NA	NA	NA
Pedestals/Sockets	2/6	2/6	3/5	2/5	2/5	2/6	2/6
Steering	no feedback	no feedback	NA	NA	NA	no feedback	no feedback
Instrumentation	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn
Stereo	optional	optional	optional	optional	optional	optional	optional
STANDARD FEATURES	COMPETITOR 165 SPORT	COMPETITOR 165 CS	COMPETITOR 185 TILLER	COMPETITOR 175 TILLER	COMPETITOR 165 TILLER	VOYAGEUR 175 SPORT	VOYAGEUR 175 CS
Lockable Storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lockable Glove Box	Yes	NA	NA	NA	NA	Yes	NA
Integrated AlumaTrac™ System	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Dual Aerated Livewell with Timer	aft	aft	bow and aft	bow and aft	aft	aft	aft
Livewell Lights	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Trolling System	Yes	Yes	Yes	Yes	Yes	Yes	Yes
12 Volt Power Point	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Stowable Running Lights	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Interior Courtesy Lights	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Bilge Pumps	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tilt Helm	optional	optional	NA	NA	NA	optional	optional
Driver's Seat Slider	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cup Holders	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Folding Cleats	NA	NA	Yes	Yes	NA	NA	NA
Fire Extinguisher	Yes	Yes	Yes	Yes	Yes	Yes	Yes
OPTIONAL FEATURES	COMPETITOR 165 SPORT	COMPETITOR 165 CS	COMPETITOR 185 TILLER	COMPETITOR 175 TILLER	COMPETITOR 165 TILLER	VOYAGEUR 175 SPORT	VOYAGEUR 175 CS
Limited Package	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Open Bow	NA	NA	NA	NA	NA	NA	NA
AlumaTrac™ Accessories	Yes	Yes	Yes	Yes	Yes	Yes	Yes
MinnKota Trolling Motor	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hydraulic Steering	NA	NA	NA	NA	NA	Yes	Yes
Tilt Helm	Yes	Yes	NA	NA	NA	Yes	Yes
Sport Steering Wheel	Yes	Yes	NA	NA	NA	Yes	Yes
Graph/GPS	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird
Vinyl Floor	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)
Snap-in Carpet	Yes	Yes	Yes	Yes	Yes	NA	NA
Bow Cargo Nets	Yes	Yes	Yes	Yes	Yes	Yes	Yes
AM/FM/MP3 Stereo	Infinity or Millennia	Infinity or Millennia	Infinity or Millennia	Infinity or Millennia	Infinity or Millennia	Infinity or Millennia	Infinity or Millennia
36 Volt Trolling Motor System	NA	NA	Yes	Yes	NA	NA	NA
Custom Travel Covers	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Bow Cushions	NA	NA	NA	NA	NA	NA	NA
Captain's Chair	Yes	Yes	Yes	Yes	Yes	Yes	Yes
ShoreLand'r/Eagle/EZ Loader Trailer	Yes	Yes	Yes	Yes	Yes	Yes	Yes



VOYAGEUR 175 TILLER	CLASSIC 165 CS	CLASSIC 165 TILLER	ESCAPE 165 CS	ESCAPE 165 TILLER	ESCAPE 145 CS	ESCAPE 145 TILLER
17' 10" (5.4 m)	16' 4" (5.0 m)	16' 4" (5.0 m)	16' 6" (5.0 m)	16' 6" (5.0 m)	14' 6" (4.4 m)	14' 6" (4.4 m)
87" (2.21 m)	82" (2.08 m)	82" (2.08 m)	76" (1.93 m)	76" (1.93 m)	76" (1.93 m)	76" (1.93 m)
35"/23" (.89 m/.58 m)	35"/21" (.89 m/.53 m)	35"/21" (.89 m/.53 m)	36"/22" (.91 m/.56 m)	36"/22" (.91 m/.56 m)	32"/20" (.81 m/.51 m)	32"/20" (.81 m/.51 m)
86"/20" (2.2 m/.51 m)	82"/20" (2.1 m/.51 m)	82"/20" (2.1 m/.51 m)	76"/20" (1.93 m/.51 m)	76"/20" (1.93 m/.51 m)	76"/20" (1.9 m/.51 m)	76"/20" (1.9 m/.51 m)
75 (56 kw)	75 (56 kw)	60 (44 kw)	50 (37 kw)	50 (37 kw)	40 (30 kw)	40 (30 kw)
6/1,490 lbs. (6/671 kg)	5/1,280 lbs. (5/580 kg)	5/1,295 lbs. (5/587 kg)	5/1,250 lbs. (5/567 kg)	5/1,250 lbs. (5/567 kg)	4/1,040 lbs. (4/472 kg)	4/1,040 lbs. (4/472 kg)
943 lbs. (415 kg)	895 lbs. (406 kg)	805 (365 kg)	696 lbs. (315 kg)	646 lbs. (293 kg)	604 lbs. (274 kg)	554 lbs. (251 kg)
17 gal. (64 L)	17 gal. (64 L)	17 gal. (64 L)	portable	portable	portable	portable
NA	NA	NA	NA	NA	NA	NA
port up to 8', starboard 5 - 8'	port and starboard up to 7'	port and starboard up to 7'	port up to 8'	port up to 8'	port up to 7'	port up to 7'
NA	34 gal. (129 L)	34 gal. (129 L)	20 gal. (76 L)	20 gal. (76 L)	20 gal. (76 L)	20 gal. (76 L)
18 gal. (68 L)	NA	NA	NA	NA	NA	NA
.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.65 mm)	.080"/.065" (2.0 mm/1.6 mm)	.080"/.065" (2.0 mm/1.65 mm)
.065" (1.65 mm)	.065" (1.65 mm)	.065" (1.65 mm)	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
2	3	3	2	2	2	2
NA	NA	NA	NA	NA	NA	NA
2/4	3/6	3/5	2/4	2/4	2/4	2/4
NA	no feedback	NA	no feedback	NA	no feedback	NA
speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	speedo, tach, volt, fuel, horn	NA	NA	NA	NA
optional	NA	NA	NA	NA	NA	NA

VOYAGEUR 175 TILLER	CLASSIC 165 CS	CLASSIC 165 TILLER	ESCAPE 165 CS	ESCAPE 145 CS	ESCAPE 165 TILLER	ESCAPE 145 TILLER
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
aft	bow	bow	bow (no timer)	bow (no timer)	bow (no timer)	bow (no timer)
Yes	Yes	Yes	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes

VOYAGEUR 175 TILLER	CLASSIC 165 CS	CLASSIC 165 TILLER	ESCAPE 165 CS	ESCAPE 145 CS	ESCAPE 165 TILLER	ESCAPE 145 TILLER
Yes	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird	Lowrance/Humminbird
Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)	Yes (replaces carpet)
NA	Yes	Yes	NA	NA	NA	NA
Yes	NA	NA	NA	NA	NA	NA
Infinity or Millennia	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	Yes	Yes	Yes	Yes
NA	NA	NA	NA	NA	NA	NA
Yes	Yes	Yes	NA	NA	NA	NA
Yes	Yes	Yes	Yes	ShoreLand* only	Yes	ShoreLand* only



Born and Bred in the South

What does it mean to be ALUMACRAFTED

IT MEANS

- + Your boat is up to any challenge
- + You have a go anywhere, go anytime boat
- + Your boat is tough enough for fearless exploring
- + You get the most bang for your buck
- + **YOUR BOAT IS BUILT TO LAST**



SOUTHERN HOSPITALITY

- + 70 Years of Boat-Building Knowledge
- + Industry's Best Boat Dealers
- + We Understand Intercoastal & Backwaters
- + Superior Customer Service



BETTER INGREDIENTS

- + One-Piece Hull Construction
- + Longitudinal Rib System on All-Welded Boats
- + Larger Keel & More Ribs
- + Welded Floors & Decks



SUPERIOR QUALITY

- + Legendary Alumacraft Toughness
- + Industry's Best Workforce
- + Built to Last
- + Engineered for All Waters



ON THE WATER

- + Comfortable & Agile
- + Designed to Be as Tough as You Are
- + Proven On-Water Performance
- + Versatile for Fishing, Hunting & Working



For over 70 years, Alumacraft boats have been engineered and designed to be the most versatile and best-performing boats available. Alumacraft boats are purpose-built to satisfy the needs of the most passionate and demanding boaters. It's no secret that the backwaters and intercoastal waterways of the South require a tough boat. Alumacraft overbuilds all of its boats to ensure they're always up to the task. So, no matter what you have planned—fishing, hunting or working, Alumacraft has the perfect boat for you.

HOW TO ENGINEER AND BUILD THE BEST BOATS ON THE WATER

Start with a one-piece hull for a better ride—the competition uses as many as three pieces to produce their hulls. We then add a larger keel for better stability and tracking and more ribs for more stiffness and agility. Our commitment to quality doesn't end there. Unlike most of our competitors, Alumacraft welds all the floors and decks for a quieter ride. Our riveted Jons have a fully enclosed transom board that encompasses the entire length of the transom to give you strength and durability for years to come. From the South to the North and coast to coast, Alumacraft is committed to building the best boats in the world.



ALUMACRAFTED for the salty at heart

- Great for the backwaters

Incredibly durable

Saltwater-resistant wiring

Big, stable casting platform

Spray-in liner
- 18 gal. aerated livewell

Leaning post & windshield

Rear jump seats

Full instrumentation

Center console with 6 rod holders



1860 BAY



2072 BAY

MODEL	LENGTH	WIDTH (BEAM/BOTTOM)	HEIGHT (TRANSOM/SIDE)	HULL TYPE	MAX. HP	WEIGHT	MAX. CAPACITY	FUEL CAPACITY
1860 BAY	18' (5.5 M)	86"/60" (2.2 M/1.5 M)	21"/25" (.53 M/.64 M)	MOD-V	115 (86 KW)	865 LBS. (392 KG)	5/1,600 LBS. (5/726 KG)	20 GAL. (76 L)
2072 BAY	20' (6.1 M)	94"/72" (2.4 M/1.8 M)	21"/27" (.53 M/.69 M)	MOD-V	150 (110 KW)	1,175 LBS. (533 KG)	6/2,100 LBS. (6/953 KG)	30 GAL. (114 L)

COLORS: 2-TONE COASTAL COLORS:

ROD STORAGE: 2072 PORT - up to 8' 6" (5 rods) | 2072 STARBOARD - up to 8' 6" (5 rods)

LIVEWELL: AFT - 18 gal. (68 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 52-53.

Center Console



Center Console Livewell



Center Console Rod Holders



Bow Storage



BAY BOATS



2072 Bay shown in Gulf Sand

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Rear Jump Seat / Storage




Side Storage (2072)



Leaning Post



Trolling Motor Power





ALUMACRAFTED to be tournament ready

- Bass catching machines

Center lockable rod storage

4 pedestal seat bases (185)

Trolling motor ready

Big & stable bow casting area
- Bow storage

Dual Livewells

Tons of storage

20 gal. fuel tank

Pro-style fiberglass console



PRO 175



PRO 185

MODEL	LENGTH	BEAM/WIDTH	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	FUEL TANK
PRO 175	17' 5" (5.3 M)	85"/56" (2.2 M/1.4 M)	26" (.66 M)	21" (.53 M)	90 (67 KW)	1,075 LBS. (488 KG)	5/1,200 LBS. (4/544 KG)	20 GAL. (76 L)
PRO 185	18' 5" (5.6 M)	90"/60" (2.2 M/1.5 M)	26" (.66 M)	21" (.53 M)	115 (86 KW)	1,100 LBS. (499 KG)	5/1,405 LBS. (5/637 KG)	20 GAL. (76 L)

LIMITED COLORS:      STANDARD COLORS:      and Camo (spray-in liner only, no carpet)

ROD STORAGE: BOW - up to 7' (10 rods)

LIVEWELL: AFT - 20 gal. (19 L) | BOW - 20 gal. (19 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 52-53.

Helm Controls



Rear Casting Deck Storage



Rear Livewell



Under Seat Storage



PRO SERIES



PRO 185 shown in Blue

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Recessed Foot Pedal



NEW Console Bench Seating



Bow Casting Platform



Bow Rod Storage



PROWLERS

PROWLER 165, PROWLER 175



ALUMACRAFTED to be the ultimate bassin' machine

- Mod-V hull
- Pro-style helm
- 2 pedestal seat bases
- Trolling motor ready
- Big & stable bow casting area
- Tons of fishing room
- Lots of storage
- 4-person capacity



PROWLER 165



PROWLER 175

MODEL	LENGTH	BEAM/WIDTH	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	FUEL TANK
PROWLER 165	16' 0" (4.9 M)	74"/50" (1.9 M/1.3 M)	23" (.58 M)	21" (.53 M)	60 (45 KW)	830 LBS. (377 KG)	4/965 LBS. (4/438 KG)	PORTABLE
PROWLER 175	17' 0" (5.2 M)	85"/56" (2.2 M/1.4 M)	26" (.66 M)	21" (.53 M)	75 (56 KW)	895 LBS. (406 KG)	4/1,300 LBS. (4/590 KG)	PORTABLE

COLORS:      and Camo (spray-in liner only, no carpet)

ROD STORAGE: 175 - up to 7' (4 rods)

LIVEWELL: AFT - 23 gal. (19 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 52-53.

Helm Controls



Bench Seating



Side Rod Storage



Under Seat Storage



PROWLER



Prowler 165 shown in Graphite

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com


Battery & Fuel Tank Storage



Bow Storage



Side Rod Storage (optional in 165)



Rear Casting Platform



CRAPPIE SERIES

CRAPPIE DELUXE, CRAPPIE JON



ALUMACRAFTED for
pure fishing and
pure fun

- 3-person capacity
- Great tiller agility
- Light for easy launch & towing
- Great for backwater fishing
- Goes where the big boats can't
- Tons of fishing room
- 2 fishing seats
- Center-seat livewell (DLX)
- Rear seat livewell (Jon)



CRAPPIE DELUXE



CRAPPIE JON

MODEL	LENGTH	WIDTH (BEAM/BOTTOM)	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	SEATS
CRAPPIE DLX	16' (4.9 M)	70"/48" (1.8 M/1.2 M)	24" (.53 M)	20" (.51 M)	30 (22 KW)	440 LBS. (198 KG)	3/745 LBS. (2/338 KG)	2
CRAPPIE JON	14' (4.3 M)	64"/42" (1.6 M/1.1 M)	20" (.51 M)	15" (.28 M)	20 (15 KW)	330 LBS. (150 KG)	2/550 LBS. (8/249 KG)	2

COLOR: ☐ and Camo (spray-in liner only, no carpet)

ROD STORAGE: STARBOARD (DLX) - up to 8' (4 rods) | PORT (DLX) - up to 8' (4 rods)

LIVEWELL: CRAPPIE DLX - 10 gal. (38 L) | CRAPPIE JON - 5 gal. (19 L)

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 52-53.

Side Rod Storage (DLX)



Rear Chair (DLX)



Livewell (DLX)



Casting Platform (DLX)



CRAPPIE SERIES



Crappie Deluxe shown in Graphite

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Rear Chair (Jon)



Passenger Chair (Jon)



Under Seat Battery Storage (Jon)



Bow Casting Platform (Jon)



ALL WELD CENTER CONSOLES



ALUMACRAFTED
to go where others
don't dare

- Center console versatility
- Bird & bow hunters' dream
- Sturdy center console
- Light for easy launch & towing
- Great for backwater fishing
- Optional camo paint
- Tunnel hull for skinny water
- 4 models from 16' - 20'



ALL WELD CENTER CONSOLE

MODEL	LENGTH	BEAM/WIDTH	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	FUEL TANK
MV 2072 AW CC	20'	94"/72"	27"	21"	135	1,175 LBS.	6/2,100 LBS.	30 GAL.
MV 1860 AW CC	18'	90"/60"	26"	21"	115	865 LBS.	5/1,600 LBS.	20 GAL.
MV 1756 AW CC	17'	85"/56"	26"	21"	75	805 LBS.	4/1,300 LBS.	20 GAL.
MV 1650 AW CC	16'	74"/50"	23"	21"	60	720 LBS.	4/1,010 LBS.	PORTABLE

COLORS: (OPTIONAL CAMO)

LIVEWELL: STANDARD

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 52-53.

Center Console



Center Console Front Seat



Center Console Livewell



Battery / Fuel Tank Storage (1650)



ALL WELDS



1756 TCC shown in Khaki

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Under Console Storage



Bow Casting Platform



Repositionable Pedestal Seating



Rear Casting Platform



ALL WELD SIDE CONSOLES



ALUMACRAFTED to be
as tough as your are

- 8' rod storage
- Trolling system
- Lockable storage
- Bow storage
- Courtesy lights
- Tons of fishing room
- Aluminum side console [1756, 1650]
- Fiberglass side console [2072, 1860]
- 30 gal. bow livewell [2072, 1860]
- 18 gal. console livewell [1756, 1650]



ALL WELD SIDE CONSOLE

MODEL	LENGTH	BEAM/WIDTH	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	FUEL TANK
MV 2072 AW SC	20'	94"/72"	27"	21"	115	1,145 LBS.	5/2,100 LBS.	30 GAL.
MV 1860 AW SC	18'	90"/60"	28"	21"	90	910 LBS.	5/1,600 LBS.	20 GAL.
MV 1756 AW SC	17'	85"/56"	26"	21"	75	895 LBS.	4/1,300 LBS.	20 GAL.
MV 1650 AW SC	16'	74"/65"	23"	21"	60	720 LBS.	4/1,010 LBS.	-
STORAGE COMPARTMENTS: 2		LIVEWELL: STANDARD		COLORS: (OPTIONAL CAMO)				

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 52-53.

Side Console



Rear Storage



Fold Down Bench Seating



Side Console Livewell [1650, 1756]



ALL WELDS



MV 1860 shown in optional Camo

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Rear Seating



Bow Storage (2072, 1860)



Bow Livewell (2072, 1860)



Bow Storage (1756, 1650)



ALL WELD TILLERS



ALUMACRAFTED to
give you everything you
want & nothing you don't

Mod-V hull

Tiller layout for maximum cargo

Bird & bow hunters' dream

Light for easy launch & towing

Optional camo paint [48"+ bottoms]



1860 SS

MODEL	LENGTH	BEAM/WIDTH	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	FUEL TANK
MV 2072 AW	20'	94"/72"	27"	21"	90	730 LBS.	4/2,100 LBS.	—
MV 1860 AW	18'	90"/60"	28"	21"	50	625 LBS.	4/1,600 LBS.	—
MV 1756 AW	17'	85"/56"	26"	21"	50	575 LBS.	4/1,300 LBS.	—
MV 1650 AW	16'	74"/50"	23"	21"	40	470 LBS.	4/1,010 LBS.	—
WATERFOWLER 16	16'	73"/50"	24"	21"	40	555 LBS.	4/1,010 LBS.	—
MV 1546 AW DD	15'	65"/46"	20"	15"	25	320 LBS.	3/719 LBS.	—
MV 1546 AW	15'	65"/46"	20"	15"	25	320 LBS.	3/719 LBS.	—

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 52-53.

Bow Storage



All Weld Floor



Aft Split Seat



MV 1756



ALLWELDS



Waterfowler shown in Camo

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

MV 2072



MV 1546 DD Tunnel



MV 1546 DD



MV 1650



SIERRAS / RIVETED JONS



ALUMACRAFTED to be the best value in packaged jons

- Mod-V hull
- Center seat storage
- Wide & stable
- Tons of room for gear
- Easy to clean
- Light for easy launch & towing
- Optional camo paint [48 Series Jons]



MV 1448


MODEL	LENGTH	BEAM/WIDTH	SIDE HEIGHT	TRANSOM HEIGHT	MAX. HORSEPOWER	WEIGHT	MAX. CAPACITY	FUEL TANK
MV 1648 NCS	16'	70"/48"	24"	15"/20"	35	320 LBS.	4/1,010 LBS.	PORTABLE
1436 LT	14'	85"/56"	26"	15"	15	135 LBS.	3/600 LBS.	PORTABLE
1236	12'	86"/60"	24"	15"	10	125 LBS.	3/540 LBS.	PORTABLE

A FULL LIST OF SPECIFICATIONS CAN BE FOUND ON PAGES 52-53.

Center Seat Storage



Split Seat



Aft Seat Storage (MV & 1648 NCS)



Solid Floor (MV 1648 NCS only)



RIVETED JONS



Power In Tune With Nature
HONDA
MARINE

Sierra shown in Olive Drab

Boats may be shown with optional equipment.

For more information, visit www.alumacraft.com

Bow Storage (MV & 1648 NCS)



MV 1648



MV 1648 SS Aft




1442



SPECS



ALL WELDS	PRO 185	PRO 175	PROWLER 175	PROWLER 165	MV 2072 AW BAY	MV 1860 AW BAY	CRAPPIE DLX	CRAPPIE JON	MV 2072 AW CC	MV 2072 AW SC	MV 2072 AW
Length	18' 5"	17' 5"	17'	16'	20'	18'	16'	14'	20'	20'	20'
Bottom Width	60"	56"	56"	50"	72"	60"	48"	42"	72"	72"	72"
Beam/Side Height	90"/28"	85"/26"	85"/26"	74"/23"	94"/27"	90"/28"	74"/24"	64"/20"	94"/27"	94"/27"	94"/27"
Transom Height	21"	21"	21"	21"	21"	21"	21"	15"	21"	21"	21"
Max. Horsepower	115	90	75	60	150	115	30	20	135	115	90
Optional Side Console	—	—	—	—	—	—	—	—	—	—	115
Fuel Tank	20 gal.	20 gal.	12 gal. portable	—	30 gal.	20 gal.	—	—	30 gal.	30 gal.	—
Approximate Weight	1,100 lbs.	1,075 lbs.	895 lbs.	830 lbs.	1,175 lbs.	865 lbs.	440 lbs.	330 lbs.	1,175 lbs.	1,145 lbs.	730 lbs.
Capacity: Max. Persons	5/1,405 lbs.	5/1,405 lbs.	4/1,300 lbs.	4/965 lbs.	6/2,100 lbs.	5/1,600 lbs.	3/745 lbs.	2/550 lbs.	6/2,100 lbs.	5/2,100 lbs.	4/2,100 lbs.
Hull Gauge	.102"	.102"	.102"	.102"	.102"	.102"	.080"	.063"	.102"	.102"	.102"
Hull Type	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	flat bottom	Mod-V	Mod-V	Mod-V
Number of Ribs	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	8	L-Longitude	L-Longitude	L-Longitude
Side Console	fiberglass	fiberglass	fiberglass	fiberglass	—	—	—	—	—	standard	optional
Center Console	—	—	—	—	+6RH	+6RH	—	—	+6RH	—	—
Windshield	standard	standard	standard	standard	standard	standard	—	—	standard	standard	optional
Instrumentation	speedo, tach, fuel	speedo, tach, fuel	speedo, tach	speedo, tach	speedo, tach, fuel	speedo, tach, fuel	—	—	speedo, tach, fuel	speedo, tach, fuel	—
Livewell	2 - 23 gal.	2 - 23 gal.	23 gal.	23 gal.	18 gal. standard	18 gal. standard	—	—	18 gal. standard	18 gal. standard	—
Storage Compartments	3+rod (7')	3+rod (7')	1+rod (7')	1	3+2 rod	3	2 rod (8')	—	1	1+rod	1
Dry Storage Compartments	1	1	1	1	—	—	—	—	—	1	—
Gun Box	—	—	—	—	—	—	—	—	—	—	optional
Seats	3	3	2	2	lean post	lean post	1- L/w cushion	—	—	2	—
Fishing Seats	2	2	2	2	2	2	2	2	2	2	optional
Seat Pedestal Bases	4	2	2	2	2	2	2	2	2	2	1
Floor	standard	standard	standard	standard	standard	standard	standard	standard	standard	standard	standard
Drop Deck	—	—	—	—	—	—	—	—	—	—	—
Trolling Motor/Graph	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional
Trolling Motor Harness	6 ga. standard	6 ga. standard	8 ga. standard	8 ga. standard	8 ga. standard	8 ga. standard	8 ga. standard	optional	8 ga. standard	8 ga. standard	—
Lights	standard	standard	standard	standard	standard	standard	standard	—	standard	standard	optional
Power Points	1	1	—	—	1	1	—	—	1	1	—
Bilge Pump	standard	standard	standard	standard	standard	standard	standard	—	standard	standard	—
Spray-in Floor Liner	optional	optional	optional	optional	standard	standard	optional	optional	optional	optional	optional
Sponsons	—	—	—	—	optional	optional	—	—	optional	optional	optional
Paint Color	Red, Bl, Blk, Wh, Gray	Red, Bl, Blk, Wh, Gray	Red, Bl, Blk, Wh, Gray	Red, Bl, Blk, Wh, Gray	Gulf Sand	Gulf Sand	Gray	Gray	Khaki	Khaki	Khaki
Camo Paint	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional



RIVETED JONS	MV 1648	MV 1648 SS	MV 1448	MV 1448 NCS	1648	1648 NCS	1448	1542	1442
Length	16'	16'	14'	14'	16'	16'	14'	15'	14'
Bottom Width	48"	48"	48"	48"	48"	48"	48"	42"	42"
Beam/Side Height	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	70"/21"	62"/20"	62"/20"
Transom Height	15"/20"	15"/20"	15"/20"	15"/20"	15"/20"	15"/20"	15"/20"	15"	15"
Max. Horsepower	35	35	25	25	35	35	25	25	25
Approximate Weight	320 lbs.	310 lbs.	285 lbs.	285 lbs.	320 lbs.	320 lbs.	285 lbs.	240 lbs.	240 lbs.
Capacity: Max. Persons	4/1,010 lbs.	4/1,010 lbs.	4/885 lbs.	4/885 lbs.	4/1,010 lbs.	4/1,010 lbs.	4/885 lbs.	3/775 lbs.	3/755 lbs.
Hull Gauge	.070"	.070"	.070"	.070"	.070"	.070"	.070"	.063"	.063"
Hull Type	Mod-V	Mod-V	Mod-V	Mod-V	flat bottom	flat bottom	flat bottom	flat bottom	flat bottom
Number of Ribs	10	11	7	7	9	11	7	8	7
Side Steering	optional	optional	optional	optional	optional	optional	optional	NA	NA
Gravity Flow L/W	optional	optional box	optional	optional	optional	optional box	optional	optional box	optional box
Light and Trolling Motor Bracket	optional	optional	optional	optional	optional	optional	optional	optional	optional
Color	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab	Olive Drab

MV 1860 AW CC	MV 1860 AW SC	MV 1860 AW	MV 1756 AW CC	MV 1756 AW SC	MV 1756 AW	MV 1650 AW CC	MV 1650 AW SC	MV 1650 AW	WATERFOWLER 16	MV 1546 AW DD	MV 1546 AW
18'	18'	18'	17'	17'	17'	16'	16'	16'	16'	15'	15'
60"	60"	60"	56"	56"	56"	50"	50"	50"	50"	46"	46"
90"/28"	90"/28"	90"/28"	85"/26"	85"/26"	85"/26"	74"/23"	74"/23"	74"/23"	73"/24"	65"/20"	65"/20"
21"	21"	21"	21"	21"	21"	21"	21"	21"	21"	15"	15"
115	90	50	75	75	50	60	60	40	40	25	25
—	—	90	—	—	75	—	—	60	—	25	25
20 gal.	20 gal.	—	20 gal.	20 gal.	—	—	—	—	—	—	—
865 lbs.	910 lbs.	625 lbs.	805 lbs.	895 lbs.	575 lbs.	720 lbs.	720 lbs.	470 lbs.	555 lbs.	320 lbs.	320 lbs.
5/1,600 lbs.	5/1,600 lbs.	4/1,600 lbs.	4/1,300 lbs.	4/1,300 lbs.	4/1,300 lbs.	4/1,010 lbs.	4/1,010 lbs.	4/1,010 lbs.	4/1,010 lbs.	3/719 lbs.	3/719 lbs.
.102"	.102"	.102"	.102"	.102"	.102"	.102"	.102"	.102"	.102"	.080"	.080"
Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V	Mod-V
L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude	L-Longitude
—	fiberglass	optional	—	aluminum	optional	—	aluminum	optional	—	optional	optional
—	standard	optional	—	standard	optional	—	standard	optional	—	optional	optional
speedo, tach, fuel	speedo, tach, fuel	—	speedo, tach, fuel	speedo, tach, fuel	—	speedo, tach	speedo, tach	—	—	—	—
18 gal. standard	35 gal. standard	—	16 gal. standard	16 gal. standard	—	16 gal. standard	16 gal. standard	—	—	—	—
1	1+rod	1	1	1+rod	1	1	1	1	1	1	1
—	1	—	—	1	—	—	1	—	—	—	—
—	—	optional	—	—	optional	—	—	optional	1	optional	optional
cons.	2	—	—	2	—	—	2	—	—	—	—
2	2	optional	2	2	optional	2	2	optional	optional	optional	optional
1 pin, 1 L	2 pin	1 pin	1 pin, 1 L	2 pin	1 pin	1 pin, 1 L	2 pin	1 pin	1 pin	1 pin	1 pin
standard	standard	standard	standard	standard	standard	standard	standard	standard	standard	standard	standard
—	—	—	—	—	—	—	—	—	standard	standard	—
optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional
with TT	with TT	—	standard	standard	—	12 volt	12 volt	—	12 volt	—	—
standard	standard	optional	standard	standard	optional	standard	standard	optional	standard	—	—
1	1	—	1	1	optional	1	1	—	1	—	—
standard	standard	—	standard	standard	—	standard	standard	—	standard	—	—
optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional
optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	—	—
Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki	Khaki
optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional	optional

1442 LW	1442 NCS	1436	1036
14'	14'	14'	10'
42"	42"	36"	36"
62"/20"	62"/20"	55"/19"	55"/19"
15"	15"	15"	15"
25	25	15	3
240 lbs.	240 lbs.	180 lbs.	100 lbs.
3/755 lbs.	3/755 lbs.	3/620 lbs.	2/365 lbs.
.063"	.063"	.058"	.053"
flat bottom	flat bottom	flat bottom	flat bottom
7	7	7	2
NA	NA	NA	NA
standard	optional box	optional	NA
optional	optional	optional	optional
Olive Drab	Olive Drab	Olive Drab	Olive Drab

SIERRA JON BOATS		
MV 1648 NCS	1436 LITE	1236
16'	14'	12'
48"	36"	36"
70"/24"	5"/19"	55"/19"
15"/20"	15"	15"
35	15	10
320 lbs.	135 lbs.	125 lbs.
4/1,010 lbs.	3/600 lbs.	3/540 lbs.
.070"	.053"	.053"
Mod-V	flat bottom	flat bottom
10	6	5
optional	NA	NA
optional	optional box	NA
optional	optional	optional
Olive Drab	Olive Drab	Olive Drab
standard	—	—

ALL OUR MV'S ARE ALSO
AVAILABLE WITH OUR TUNNEL HULL.



The tunnel is designed for shallow-water usage with a propeller, such as in coastal bay areas where the water may be one-foot deep over a large area. The tunnel design allows your motor to sit higher on the transom with the propeller protected in the diameter of the tunnel—not sitting below the bottom of the hull to hit rocks or reefs.

OPTIONS & ACCESSORIES

Captain's Chair



Pro Seat



Alumatrac™




Trolling Motor



Ski Pylon



Rear Boarding Ladder




AM/FM Radio with MP3 & Bluetooth



GPS/GRAPH



Vinyl Floor




Snap-in Carpet



Bow Cushions



Flip Down Casting Platform



Travel Cover



Bimini Top



Side Curtains



Full Enclosure



Side Console




Accessory / Gun Box








Sponson



Trolling Motor Bracket/Jon Light Bracket



HULL COLORS & GRAPHICS

DEEP V LTD - SILVER / BLACK / SILVER 	T-PRO - BLACK / COPPER / BLACK 	BAY BOAT COASTAL - COPPER / WHITE 	PRO SERIES LTD - WHITE / SILVER 
DEEP V LTD - SILVER / BLUE / SILVER 	T-PRO - BLACK / BLUE / BLACK 	BAY BOAT COASTAL - BLUE / WHITE 	PRO SERIES LTD - BLUE / SILVER 
DEEP V LTD - BLACK / RED / BLACK 	T-PRO - BLACK / WHITE / BLACK 	BAY BOAT COASTAL - BLACK / WHITE 	PRO SERIES LTD - BLACK / SILVER 
DEEP V LTD - BLACK / BLUE / BLACK 	T-PRO - SILVER / BLACK / SILVER 	BAY BOAT COASTAL - RED / WHITE 	PRO SERIES LTD - RED / SILVER 
DEEP V LTD - BLACK / WHITE / BLACK 	T-PRO - SILVER / WHITE / SILVER 	BAY BOAT STD - GULF SAND 	PRO & PROWLER STD - WHITE 
DEEP V LTD - SILVER / WHITE / SILVER 	T-PRO - BLACK / RED / BLACK 	BAY BOAT STD - KHAKI 	PRO & PROWLER STD - BLUE 
DEEP V STD - BLACK / SILVER 		BAY BOAT STD - OLIVE DRAB 	PRO & PROWLER STD - BLACK 
DEEP V STD - BLUE / SILVER 	MV & JON BOATS - KHAKI 	BAY BOAT STD - CAMO 	PRO & PROWLER STD - RED 
DEEP V STD - RED / SILVER 	MV & JON BOATS - OLIVE DRAB 	BAY BOAT STD - GRAPHITE 	PRO, PROWLER & CRAPPIE STD - GRAPHITE 
DEEP V STD - WHITE / SILVER 	MV & JON BOATS - CAMO 		PRO, PROWLER & CRAPPIE STD - CAMO 

FREEDOM OF CHOICE

You deserve to get just the boat you want. Alumacraft has teamed up with the world's leading motor companies to offer you a wide selection of brands and power levels. It's your boat, and it's your choice.



All Alumacraft boats are both NMMA and CMMA certified for compliance with standards for flotation, fuel systems, ventilation, electrical, and safety. National Marine Manufacturers Association certification is the most stringent in the industry. Look for it; not all boat manufacturers meet NMMA's higher standards.

ALUMACRAFT LIMITED WARRANTY

We stand behind every boat we build. Each aluminum boat that leaves our plant is warranted to the original purchaser to be structurally sound and free from defects in materials and workmanship. We provide one of the best limited warranty programs available in the industry. This limited warranty is provided with the purchase of every boat or canoe from an authorized Alumacraft dealer. See your dealer for specific warranty and service information. Photos, illustrations and data in this catalog were based on information available at time of publication. See your dealer for the most current specifications and warranty information. Prices, dimensions, capacities, ratings, specifications, features, and options are subject to change. Alumacraft reserves the right to make changes without notification or obligation. Specifications are calculated using U.S. Coast Guard formulas. All boats comply with U.S. Coast Guard and Canadian government regulations. All ratings comply with the Federal Boat Safety act of 1971. Some of the equipment pictured in this catalog is optional at extra cost. See your Alumacraft dealer for availability and current pricing.

ALUMACRAFT

FAMILIES. FISHING. FOREVER.

SPECIAL THANKS TO:

St. Croix Rods
Absolute Outdoors
Lew's
Honey Hole Lures
Lindy's Fishing Tackle
Carrot Stix
Humminbird
MinnKota
Geiger's Trails End Resort
G2 Gemini Fishing Apparel

LOOK FOR ALUMACRAFT BOATS ON TV & ONLINE:

Doug Stange – In-Fisherman TV
Jon Thelen – Fish Ed TV
Aaron Wiebe – www.uncutangling.com
Benny Spies – Gun-It with Benny Spies TV
Ashley Rae – www.shelovestofish.com
Butch Furtman – Sportsman's Journal TV
Eric Haataja – www.bigfish365.com
Gene Jensen – www.youtube.com/flukemaster

315 W. St. Julien St. | St. Peter, MN 56082
507-931-1050 | Fax: 507-931-9056

1329 N. 10th St. | Arkadelphia, AR 71923
870-246-5555 | Fax: 870-246-4507

www.alumacraft.com

[f /alumacraft](https://www.facebook.com/alumacraft)

[yt /alumacraftboatco](https://www.youtube.com/alumacraftboatco)

[ig /alumacraftboats](https://www.instagram.com/alumacraftboats)

[p /alumacraft](https://www.pinterest.com/alumacraft)

SUZUKI
MARINE
THE POWER BEHIND THE BEST BOATS

ALUMACRAFT GEAR

Accent your new Alumacraft with some fresh gear from our online store. Shop for yourself or that special fisher person in your life.

www.alumacraft-gear.com

COPYRIGHT © 2015-2016 ALUMACRAFT BOAT CO. PRINTED IN USA.

